INDIANA HEALTH COVERAGE PROGRAMS (IHCP) TESTOSTERONES PRIOR AUTHORIZATION REQUEST FORM



Humana Healthy Horizons
P.O. Box 14601
Lexington, KY 40512-4601
Phone: 800-555-2546 Fax: 877-486-2621



Today's Date					
Note: This form must be completed by the prescribing provider.					
All sections	must be complet	ed or the request	will be returned		
Patient's Medicaid #	Patient's Date of Birth / / / /				
Patient's Name Prescriber's Name			ne		
Prescriber's IN License #		Specialty	Specialty		
Prescriber's NPI #	Prescriber's NPI#		Prescriber's Signature		
Return Fax #		Return Phone #	Return Phone #		
Check box if requesting retro-active PA	Check box if requesting retro-active PA Date(s) of service requested for retro-active eligibility (if applicable):				
Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).					
Requested Medication	Strength	Quantity	Dosage Regimen		
 DEPO-TESTOSTERONE, TESTOSTERONE CYPIONATE Initial Authorization: 1. Please select one of the following: Member has a diagnosis of delayed puberty Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) 					
2. For ALL indications:					
Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No ■ Breast cancer in a member assigned male at birth ■ Pregnancy ■ Prostate cancer					
If no , please specify contraindication and medical rationale for use:					
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and switching formulations to preferred injectable formulation, reauthorization criteria will apply.					

Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \square Yes \square No
If no , please specify contraindication and medical rationale for use:
TESTOSTERONE ENANTHATE
Initial Authorization:
Please select one of the following:
 Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)?
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
☐ Member needs medication for palliative treatment of metastatic breast cancer
2. For ALL indications:
Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No ■ Breast cancer in a member assigned male at birth
PregnancyProstate cancer
If no , please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply.
Reauthorization: 1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (not required for palliative treatment of breast cancer) [reference PA criteria]? Yes No

If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \square Yes \square No
If no , please specify contraindication and medical rationale for use:
AVEED, TESTOPEL PELLET, XYSOTED
Initial Authorization: 1. Please select one of the following: Member has a diagnosis of delayed puberty Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as
confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)? Yes No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: Yes No
 Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies (Xyosted ONLY) Pregnancy Prostate cancer
If no , please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply
Reauthorization: 1. Total testosterone level is ≤1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)? Yes No

	If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
	vider attests that member remains a candidate for treatment, indicating that they have not developed any of contraindication(s) listed under initial authorization above \Box Yes \Box No
	If no , please specify contraindication and medical rationale for use:
GEL P	
1. Plea	Authorization: ase select one of the following: Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone within the established quantity limits □ Yes □ No
	Requested dose:
	Member is 16 years of age or older, has a total testosterone level \leq 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits \square Yes \square No
	Requested dose:
	Member has utilized ≥ 14 days of topical testosterone therapy: ☐ Yes ☐ No Name of medication:
	Dose:
İ	Start and End date:
	If no , please provide medical justification as to why member is requesting a dose beyond established quantity limits:
	ALL indications: ovider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No • Breast cancer in a member assigned male at birth • Pregnancy • Prostate cancer
	If no , please specify contraindication and medical rationale for use:
	If no , please specify contraindication and medical rationale for use:

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply
Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \square Yes \square No
If no , please specify contraindication and medical rationale for use:
Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits Requested dose:
NATESTO, TESTOSTERONE 1% (50 MG)/5 GM GEL PACKETS/TUBES, TESTOSTERONE 1.62% (40.5 MG)/2.5 GM GEL PACKETS, TESTOSTERONE 1.62% (20.25 MG)/1.25 GM GEL PACKETS, TESTOSTERONE 2% (10 MG)/ACT METERED PUMP, TESTOSTERONE 30 MG/ACT SOLUTION, VOGELXO 1% (50 MG)/5 GM GEL PACKETS, VOGELXO 1% (12.5 MG)/ACT GEL PUMP
Initial Authorization:
1. Please select one of the following:
(Documentation is required), and is requesting to use topical testosterone within the established quantity
limits ☐ Yes ☐ No
Paguarted doso:
Requested dose:
 Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits Yes No
Requested dose:
Member has utilized ≥ 14 days of topical testosterone therapy: ☐ Yes ☐ No
Name of modication:
Name of medication:
Dose:
Start and End date:
If no , please provide medical justification as to why member is requesting a dose beyond established quantity limits:
2. Previous trial and failure of ALL preferred topical testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \square Yes \square No
If no , please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:

 3. For ALL indications: Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No Breast cancer in a member assigned male at birth Pregnancy Prostate cancer
If no , please specify contraindication and medical rationale for use:
Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply
Reauthorization: 1. Total testosterone level is ≤1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Previous trial and failure of at least ONE preferred topical testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \square Yes \square No
If no , please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above Yes No
If no , please specify contraindication and medical rationale for use:
Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits Requested dose:
DANAZOL:
Initial Authorization (approval up to 6 months):
Member diagnosis(es): Note: Approvable diagnoses include angioedema prophylaxis for heredity angioedema, autoimmune hemolytic anemia, discoid
lupus erythematosus, endometriosis, fibrocystic breast disease, myelosclerosis with myeloid metaplasia 2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No • Active or history of thrombosis or thromboembolic disease • Androgen-dependent tumor • Cardiac disease • Porphyria • Pregnancy or breast-feeding • Severe hepatic disease • Severe renal disease
Undiagnosed genital bleeding

If no , please specify contraindication and medical rationale for use:
Reauthorization (approval up to 6 months):
Documentation from prescriber indicating continued benefit from the medication without significant adverse events Yes No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \Box Yes \Box No
If no , please specify contraindication and medical rationale for use:
JATENZO (TESTOSTERONE UNDECANOATE):
 Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No
Requested dose:
2. Member has a diagnosis of hypogonadism with a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) ☐ Yes ☐ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
4. For ALL indications:
Provider attests that member has none of the following contraindications to therapy: \Box Yes \Box No
 Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies Pregnancy
Prostate cancer
If no , please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \square Yes \square No

If no , please specify contraindication and medical rationale for use:
3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
Note: dose requested for reauthorization should not exceed established quantity limits Requested dose:
METHITEST (METHYLTESTOSTERONE)
Initial Authorization (approval up to 6 months):
 1. Please select one of the following: Member has a diagnosis of cryptorchidism Member has a diagnosis of delayed puberty Member has a diagnosis of hypogonadism (primary or hypogonadotropic) with a total testosterone ≤ 350 ng/dL within the past 3 months (Documentation is required) Member needs medication for palliative treatment of metastatic breast cancer
2. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) Yes No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
3. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No • Breast cancer in a member assigned male at birth • Pregnancy • Prostate cancer
If no , please specify contraindication and medical rationale for use:
4. Dose requested of methyltestosterone is within the established quantity limits
Requested dose: \(\text{Yes} \) No

Reauthorization (approval up to 6 months): 1. Please select one of the following: ☐ Member has a diagnosis of hypogonadism and a total testosterone level ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Member has a diagnosis of delayed puberty, palliative treatment of metastatic breast cancer, or cryptorchidism AND prescriber has submitted documentation indicating continued benefit from the medication without significant adverse events:
2. For ALL indications: Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No
If no , please specify contraindication and medical rationale for use:
 Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
Note: dose requested for reauthorization should not exceed established quantity limits
Requested dose:
Requested dose: TLANDO (TESTOSTERONE UNDECANOATE)
TLANDO (TESTOSTERONE UNDECANOATE)
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits Yes No
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose: 2. Member has a diagnosis of hypogonadism and a total testosterone level ≤ 350 ng/dL within the past 3 months
Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose: 2. Member has a diagnosis of hypogonadism and a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) ☐ Yes ☐ No 3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose:
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose:
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose:
TLANDO (TESTOSTERONE UNDECANOATE) Initial Authorization: 1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No Requested dose:

4. For ALL indications:	
Provider attests that member has none of the following contraindications to therapy: \Box Yes \Box No	
 Breast cancer Hypogonadal conditions not associated with structural or genetic etiologies 	
Pregnancy	
Prostate cancer	
If no , please specify contraindication and medical rationale for use:	
ii no, please specify contraindication and medical rationale for use.	
	_
Reauthorization:	
1. Total testosterone level is \leq 1000 ng/dL within the past 6 months (Documentation is required) \square Yes \square No	
2. Prescriber attests that member remains a candidate for treatment, indicating that they have not develop of the contraindication(s) listed under initial authorization above \square Yes \square No	ed any
If no , please specify contraindication and medical rationale for use:	
3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) \square Yes	
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:	
Note: dose requested for reauthorization should not exceed established quantity limits Requested dose:	
UNDECATREX (TESTOSTERONE UNDECANOATE):	
Initial Authorization:	
1. Member is 18 years of age or older and is requesting to use oral testosterone within the established q limits □ Yes □ No	uantity
Requested dose:	
2. Member has a diagnosis of hypogonadism with a total testosterone level ≤ 350 ng/dL within the past 3 ng/dL within the past	nonths
3. Previous trial and failure of BOTH Jatenzo AND Tlando, as confirmed by claims history, chart document or provider attestation including dates of trial (reference PA criteria) \square Yes \square No	ation,
If no , please provide medical justification for use of requested agent over Jatenzo AND Tlando:	
	_
	_

 4. For ALL indications: Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies Pregnancy Prostate cancer
If no , please specify contraindication and medical rationale for use:
Reauthorization: 1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \square Yes \square No
If no , please specify contraindication and medical rationale for use:
3. Previous trial and failure of BOTH Jatenzo AND Tlando, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No
If no , please provide medical justification for use of requested agent over Jatenzo AND Tlando:
Note: dose requested for reauthorization should not exceed established quantity limits
Requested dose:

CONFIDENTIAL INFORMATION

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.