Indiana Health Coverage Programs (IHCP)
Testosterones Prior Authorization Request Form

Humana Healthy Horizons®, P.O. Box 14601
Lexington, KY 40512-4601
Phone: 800-555-2546 Fax: 877-486-2621

Today's Date ☐☐ / ☐☐ / ☐☐☐☐

Note: This form must be completed by the prescribing provider.

****All sections must be completed or the request will be returned****

Patient's Medicaid # ☐☐☐☐☐☐☐☐☐☐☐☐	Date of birth ☐☐ / ☐☐ / ☐☐☐☐
Patient's name	Prescriber's name
Prescriber's IN license # ☐☐☐☐☐☐☐☐	Specialty
Prescriber's NPI # ☐☐☐☐☐☐☐☐☐☐	Prescriber's signature
Return fax # ☐☐☐ ☐☐☐ ☐☐☐☐	Return phone # ☐☐☐ ☐☐☐ ☐☐☐☐
Check box if requesting retro-active PA ☐	Date(s) of service requested for retro-active eligibility (if applicable):

Note: *Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).*

Requested medication	Strength	Quantity	Dosage Regimen

Humana Healthy Horizons in Indiana

PathWays FOR AGING

Humana Healthy Horizons in Indiana is a Medicaid product of Arcadian Health Plan, Inc.

DEPO-TESTOSTERONE, TESTOSTERONE CYPIONATE

Initial Authorization

1. Please select one of the following:

☐ Member has a diagnosis of delayed puberty

☐ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required)

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and switching formulations to preferred injectable formulation, reauthorization criteria will apply.

Reauthorization

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

If no, please specify contraindication and medical rationale for use:

_____

_____

TESTOSTERONE ENANTHATE

Initial Authorization

1. Please select one of the following:

☐ Member has a diagnosis of delayed puberty

- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)? ☐ Yes ☐ No

  If no, please specify contraindication and medical rationale for use:

  _____

  _____

☐ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required)

- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? ☐ Yes ☐ No

  If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

  _____

  _____

☐ Member needs medication for palliative treatment of metastatic breast cancer

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and switching formulations to preferred injectable formulation, reauthorization criteria will apply.

Reauthorization

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (not required for palliative treatment of breast cancer) [reference PA criteria]? ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

_____

_____

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

_____

_____

AVEED, AZMIRO, TESTOPEL PELLET, XYSOTED

Initial Authorization

1. Please select one of the following:

☐ Member has a diagnosis of delayed puberty

- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)? ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

_____

_____

☐ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required)

- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

_____

_____

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy: ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Hypogonadal conditions not associated with structural or genetic etiologies (Xyosted ONLY)
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply

Reauthorization

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria)? ☐ Yes ☐ No

   If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

   _____

   _____
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

TESTOSTERONE 1% (25 MG)/ 2.5 GM GEL PACKETS, TESTOSTERONE 1% (50 MG)/5 GM GEL PACKETS, TESTOSTERONE 1% (12.5 MG)/ACT GEL PUMP, TESTOSTERONE 1.62% (20.25 MG)/ACT METERED PUMP GEL, TESTIM 1% (50 MG)/5 GM GEL TUBES

Initial Authorization

1. Please select one of the following:

☐ Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone **within the established quantity limits** ☐ Yes ☐ No

Requested dose:_____

☐ Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL **while on topical testosterone therapy** (Documentation is required) and is requesting to **exceed established quantity limits** ☐ Yes ☐ No

Requested dose:_____

Member has utilized ≥ 14 days of topical testosterone therapy ☐ Yes ☐ No

Name of medication:_____

Dose:_____

Start and end date:_____

If no, please provide medical justification as to why member is requesting a dose beyond established quantity limits:

_____

_____

2. For **ALL** indications:

   Provider attests that member has none of the following contraindications to therapy

   ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply

Reauthorization

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits

Requested dose:_____

NATESTO, TESTOSTERONE 1% (50 MG)/5 GM GEL TUBES, TESTOSTERONE 1.62% (40.5 MG)/2.5 GM GEL PACKETS, TESTOSTERONE 1.62% (20.25 MG)/1.25 GM GEL PACKETS, TESTOSTERONE 2% (10 MG)/ACT METERED PUMP, TESTOSTERONE 30 MG/ACT SOLUTION, VOGELXO 1% (50 MG)/5 GM GEL PACKETS, VOGELXO 1% (12.5 MG)/ACT GEL PUMP

Initial Authorization

1. Please select one of the following:

☐ Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone **within the established quantity limits** ☐ Yes ☐ No
Requested dose:_____

☐ Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL **while on topical testosterone therapy** (Documentation is required) and is requesting to **exceed established quantity limits** ☐ Yes ☐ No

Requested dose:_____

Member has utilized ≥ 14 days of topical testosterone therapy ☐ Yes ☐ No

Name of medication:_____

Dose:_____

Start and end date:_____

If no, please provide medical justification as to why member is requesting a dose beyond established quantity limits:

_____

_____

2. Previous trial and failure of ALL preferred topical testosterone agents, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:

_____

_____

3. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy

☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply

Reauthorization

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Previous trial and failure of at least ONE preferred topical testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:

   _____

   _____
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

   Note: If member has had history with injectable/topical product within the past 120 days, confirmed by claims history, and are switching formulations to nonpreferred injectable formulation, reauthorization criteria will apply

   Requested dose:_____

DANAZOL:

Initial Authorization (approval up to 6 months):

1. Member diagnosis(es): _____

   Note: Approvable diagnoses include angioedema prophylaxis for heredity angioedema, autoimmune hemolytic anemia, discoid lupus erythematosus, endometriosis, fibrocystic breast disease, myelosclerosis with myeloid metaplasia
2. For **ALL** indications:
   Provider attests that member has none of the following contraindications to therapy:
   ☐ Yes ☐ No

- Active or history of thrombosis or thromboembolic disease
- Androgen-dependent tumor
- Cardiac disease
- Porphyria
- Pregnancy or breast-feeding
- Severe hepatic disease
- Severe renal disease
- Undiagnosed genital bleeding

If no, please specify contraindication and medical rationale for use:

_____

_____

Reauthorization (approval up to 6 months):

1. Documentation from prescriber indicating continued benefit from the medication without significant adverse events ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

JATENZO (TESTOSTERONE UNDECANOATE):

Initial Authorization

1. Member is 18 years of age or older and is requesting to use oral testosterone **within the established quantity limits** ☐ Yes ☐ No

   Requested dose:_____
2. Member has a diagnosis of hypogonadism with a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) ☐ Yes ☐ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____
4. For **ALL** indications:
   Provider attests that member has none of the following contraindications to therapy:
   ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Hypogonadal conditions not associated with structural or genetic etiologies
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Reauthorization (approval up to 6 months):

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____
3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

   _____

   _____

   Note: dose requested for reauthorization should not exceed established quantity limits

   Requested dose:_____

METHITEST (METHYLTESTOSTERONE)

Initial Authorization (approval up to 6 months):

1. Please select one of the following:

☐ Member has a diagnosis of cryptorchidism

☐ Member has a diagnosis of delayed puberty

☐ Member has a diagnosis of hypogonadism (primary or hypogonadotropic) with a total testosterone≤ 350 ng/dL within the past 3 months (Documentation is required)

☐ Member needs medication for palliative treatment of metastatic breast cancer

2. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

   _____

   _____

3. For **ALL** indications:
   Provider attests that member has none of the following contraindications to therapy:
   ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

4. Dose requested of methyltestosterone is within the established quantity limits
   Requested dose:_____ ☐ Yes ☐ No

Reauthorization (approval up to 6 months):

1. Please select one of the following:

☐ Member has a diagnosis of hypogonadism and a total testosterone level ≤ 1000 ng/dL within the past 6 months (Documentation is required)

☐ Member has a diagnosis of delayed puberty, palliative treatment of metastatic breast cancer, or cryptorchidism AND prescriber has submitted documentation indicating continued benefit from the medication without significant adverse events:

2. For **ALL** indications:
   Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above
   ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

3. Previous trial and failure of at least ONE preferred injectable testosterone agent, as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

   Note: dose requested for reauthorization should not exceed established quantity limits

   Requested dose:_____

TLANDO (TESTOSTERONE UNDECANOATE)

Initial Authorization

1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits ☐ Yes ☐ No

   Requested dose:_____

2. Member has a diagnosis of hypogonadism and a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) ☐ Yes ☐ No

3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

4. For **ALL** indications:
   Provider attests that member has none of the following contraindications to therapy
   ☐ Yes ☐ No

- Breast cancer in a member assigned male at birth
- Hypogonadal conditions not associated with structural or genetic etiologies
- Breast cancer
- Prostate cancer

If no, please specify contraindication and medical rationale for use:

_____

_____

Reauthorization (approval up to 6 months):

1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) ☐ Yes ☐ No
2. Prescriber attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above
   ☐ Yes ☐ No

   If no, please specify contraindication and medical rationale for use:

   _____

   _____

3. Previous trial and failure of at least ONE preferred injectable testosterone agent , as confirmed by claims history, chart documentation, or provider attestation including dates of trial (reference PA criteria) ☐ Yes ☐ No

If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

_____

_____

Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits

Requested dose:_____

CONFIDENTIAL INFORMATION
This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.