

2025

# Prescription Drug Guide

## Humana Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

Humana Gold Plus - Diabetes and Heart (HMO C-SNP)

Formulary 25458

This formulary was updated on 04/01/2025. For more recent information or other questions, please contact the Humana Customer Care Team with any questions at 1-800-457-4708 or for TTY users, 711, five days a week April 1 – September 30 or seven days a week October 1 – March 31 from 8 a.m. - 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting [Humana.com](http://Humana.com).

For a complete list of Contract/PBP numbers this document relates to, please see the final page of this document.

**Humana**<sup>®</sup>



# Welcome to Humana!

**Note to existing members:** This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this Drug List (Formulary) refers to "we," "us," or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana.

This document includes a Drug List (formulary) for our plan which is current as of April 2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Humana in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Humana will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here:

[Humana.com/medicaredruglist](http://Humana.com/medicaredruglist).

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- Immediate substitutions of certain new versions of brand name drugs and original biological products.**

We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled "How do I request an exception to the Humana Formulary?"

Some of these drug types may be new to you. For more information, see the section below titled "What are original biological products and how are they related to biosimilars?"

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled “How do I request an exception to the Humana Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of April 2025. To get updated information about the drugs covered by Humana please contact us. Our contact information appears on the front and back cover pages.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

## **How do I use the formulary?**

There are two ways to find your drug in the formulary:

### **Medical condition**

The formulary begins on page 11. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

### **Alphabetical listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 104. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of five tiers.

Humana covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Generic:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic drugs
- **Tier 3 - Preferred Brand:** Generic or brand drugs that the plan offers at a lower cost to you than Tier 4 Non-Preferred drugs
- **Tier 4 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 3 Preferred Brand drugs
- **Tier 5 - Specialty Tier:** Some injectables and other high-cost drugs

### **What are generic drugs?**

Humana covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

### **What are original biological products and how are they related to biosimilars?**

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered" if you have a Medicare Advantage plan. If you have a Prescription Drug Plan (PDP), please see the Evidence of Coverage, Chapter 3, Section 3.1, "The 'Drug List' tells which Part D drugs are covered". The type of plan can be found at the top of your Evidence of Coverage.

### **How much will I pay for covered drugs?**

Humana pays part of the costs for your covered drugs and you pay part of the costs, too.

## **The amount of money you pay depends on:**

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Customer Care to find out what your costs are.**

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** Humana requires you to get prior authorization for certain drugs. This means that you will need to get approval from Humana before you fill your prescriptions. If you do not get approval, Humana may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, Humana limits the amount of the drug that is covered. Humana might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, Humana requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Humana may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Humana will then cover Drug B.
- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted to Humana that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also get more information about the restrictions applied to specific covered drugs by visiting **Humana.com/medicaredruglist**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Humana to make an exception to these restrictions, limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the Humana formulary?**" on page 7 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Humana Customer Care and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Humana does not cover your drug, you have two options:

- You can ask Customer Care for a list of similar drugs that are covered by Humana. When you receive the list, show the list to your doctor and ask them to prescribe a similar drug that is covered by Humana.
- You can ask Humana to make an exception and cover your drug. See below for information about how to request an exception.

## **What is a compounded drug?**

A compounded drug is used to provide drug therapies that are not commercially available as FDA-approved finished products in the same dose, formulation, and/or combination of ingredients, but are instead created by a pharmacist by combining or mixing ingredients to create a prescription medication customized to the needs of an individual patient. While some compounded drugs may be Part D eligible, most compounded drugs are non-formulary drugs (not covered) by your plan. You may need to ask for and receive an approved coverage determination from us to have your compounded drug covered.

## **How do I request an exception to the Humana Formulary?**

You can ask Humana to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Humana Group Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, Humana will only approve your request for an exception if the alternative drugs included on the plan's formulary , the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for an initial coverage decision for a formulary , tier, or utilization restriction exception.

## **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

## **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take.

While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a Part D drug that is not on our formulary or if your ability to get your drug is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

Humana will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

### **CenterWell Pharmacy™**

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. CenterWell Pharmacy is the preferred cost-sharing mail order pharmacy for many Humana MAPD and prescription drug plans (PDP). You can have your maintenance medicines, specialty medicines, or supplies mailed to a place that is most convenient for you. You should get your new prescription by mail in 7 – 10 days after CenterWell Pharmacy has received your prescription and all the necessary information. Refills should arrive within 5 – 7 days. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

## For More Information

For more detailed information about your Humana prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about the Humana plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit [www.medicare.gov](http://www.medicare.gov).

# Humana Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana. If you have trouble finding your drug in the list, turn to the Index that begins on page 104.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 103.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

**AV** - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

**CI** - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

**PDS** – Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANALGESICS</b>		
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL,PDS</b>	3	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET <b>DL,PDS</b>	3	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET <b>DL,PDS</b>	3	QL(180 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL,PDS</b>	4	PA,QL(4 per 28 days)
celecoxib 100 mg, 200 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
celecoxib 400 mg, 50 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
diclofenac potassium 50 mg TABLET <b>MO</b>	2	
diclofenac sodium 1 % GEL <b>MO</b>	3	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS <b>MO</b>	4	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. <b>MO</b>	2	
diclofenac sodium 25 mg TABLET, DR/EC <b>MO</b>	3	
diclofenac sodium 50 mg TABLET, DR/EC <b>MO</b>	2	
diclofenac sodium 75 mg TABLET, DR/EC <b>MO</b>	2	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE <b>MO</b>	3	
etodolac 400 mg, 500 mg TABLET <b>MO</b>	3	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	4	
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. <b>DL,PDS</b>	4	QL(20 per 30 days)
fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
fentanyl citrate 200 mcg LOZENGE <b>DL,PDS</b>	4	PA,QL(120 per 30 days)
fentanyl citrate (pf) 50 mcg/ml SOLUTION <b>DL,PDS</b>	4	BvsD,QL(720 per 30 days)
flurbiprofen 100 mg TABLET <b>MO</b>	2	
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL,PDS</b>	4	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION <b>DL,PDS</b>	4	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL,PDS</b>	4	QL(5520 per 30 days)
hydrocodone-ibuprofen 7.5-200 mg TABLET <b>DL,PDS</b>	3	QL(150 per 30 days)
hydromorphone 2 mg, 4 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION <b>DL,PDS</b>	4	BvsD,QL(360 per 30 days)
hydromorphone 8 mg TABLET <b>DL,PDS</b>	3	QL(240 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen 100 mg/5 ml SUSPENSION <b>MO</b>	2	
ibuprofen 400 mg TABLET <b>MO</b>	1	
ibuprofen 600 mg, 800 mg TABLET <b>MO</b>	1	
indomethacin 25 mg, 50 mg CAPSULE <b>MO</b>	2	
indomethacin 75 mg CAPSULE, ER <b>MO</b>	2	
ketorolac 10 mg TABLET <b>MO</b>	2	QL(20 per 30 days)
meloxicam 15 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
methadone 10 mg TABLET <b>DL,PDS</b>	3	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION <b>DL,PDS</b>	3	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE <b>DL,PDS</b>	3	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION <b>DL,PDS</b>	3	QL(360 per 30 days)
methadone 5 mg TABLET <b>DL,PDS</b>	3	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION <b>DL,PDS</b>	3	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE <b>DL,PDS</b>	3	QL(360 per 30 days)
morphine 10 mg/5 ml SOLUTION <b>DL,PDS</b>	3	QL(2700 per 30 days)
morphine 100 mg TABLET ER <b>DL,PDS</b>	3	QL(180 per 30 days)
morphine 15 mg, 30 mg TABLET <b>DL,PDS</b>	3	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER <b>DL,PDS</b>	3	QL(120 per 30 days)
morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL,PDS</b>	3	QL(1350 per 30 days)
morphine 200 mg TABLET ER <b>DL,PDS</b>	3	QL(90 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION <b>DL,PDS</b>	3	QL(540 per 30 days)
nabumetone 500 mg, 750 mg TABLET <b>MO</b>	1	
naproxen 250 mg, 375 mg TABLET <b>MO</b>	1	
naproxen 375 mg TABLET, DR/EC <b>MO</b>	1	
naproxen 500 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
naproxen sodium 275 mg, 550 mg TABLET <b>MO</b>	4	
oxycodone 10 mg, 15 mg, 5 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
oxycodone 20 mg, 30 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
oxycodone 20 mg/ml CONCENTRATE <b>DL,PDS</b>	4	QL(270 per 30 days)
oxycodone 5 mg CAPSULE <b>DL,PDS</b>	4	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION <b>DL,PDS</b>	4	QL(5400 per 30 days)
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET <b>DL,PDS</b>	3	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION <b>DL,PDS</b>	4	QL(1800 per 30 days)
piroxicam 10 mg, 20 mg CAPSULE <b>MO</b>	3	
sulindac 150 mg, 200 mg TABLET <b>MO</b>	2	
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL,PDS</b>	3	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL,PDS</b>	3	ST,QL(30 per 30 days)
tramadol 50 mg TABLET <b>DL,PDS</b>	2	QL(240 per 30 days)
<b>ANESTHETICS</b>		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION <b>MO</b>	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	4	PA,QL(90 per 30 days)
lidocaine hcl 2 % JELLY IN APPLICATOR <b>MO</b>	3	
lidocaine hcl 2 % SOLUTION <b>MO</b>	2	
lidocaine viscous 2 % SOLUTION <b>MO</b>	2	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION <b>MO</b>	2	
lidocaine-prilocaine 2.5-2.5 % CREAM <b>MO</b>	4	
polocaine 1 % (10 mg/ml), 2 % SOLUTION <b>MO</b>	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION <b>MO</b>	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION <b>MO</b>	4	
<b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>		
acamprosate 333 mg TABLET, DR/EC <b>MO</b>	4	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>MO</b>	2	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
buprenorphine-naloxone 12-3 mg FILM <b>MO</b>	4	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>MO</b>	4	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET <b>MO</b>	2	QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>	3	QL(90 per 30 days)
disulfiram 250 mg, 500 mg TABLET <b>MO</b>	3	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	QL(2 per 30 days)
naloxone 0.4 mg/ml SOLUTION <b>MO</b>	2	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>MO</b>	2	
naloxone 4 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	3	QL(2 per 30 days)
naltrexone 50 mg TABLET <b>MO</b>	2	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>	4	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	QL(2 per 30 days)
varenicline tartrate 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>	3	QL(53 per 28 days)
varenicline tartrate 0.5 mg, 1 mg TABLET <b>MO</b>	3	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL,PDS</b>	5	QL(1 per 28 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(30 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(60 per 30 days)
<b>ANTIBACTERIALS</b>		
acetic acid 2 % SOLUTION <b>MO</b>	2	
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>	4	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin 250 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg TABLET <b>MO</b>	1	
amoxicillin 875 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>MO</b>	2	
amoxicillin-pot clavulanate 875-125 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ampicillin 500 mg CAPSULE <b>MO</b>	2	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	4	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>MO</b>	4	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION <b>DL,PDS</b>	5	PA,QL(235.2 per 28 days)
azithromycin 1 gram PACKET <b>MO</b>	3	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
azithromycin 250 mg TABLET <b>MO</b>	2	
azithromycin 500 mg RECON SOLUTION <b>MO</b>	2	
azithromycin 500 mg, 600 mg TABLET <b>MO</b>	2	
aztreonam 1 gram, 2 gram RECON SOLUTION <b>MO</b>	4	
bacitracin 50,000 unit RECON SOLUTION <b>MO</b>	2	
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE <b>MO</b>	4	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b>	4	
cefaclor 250 mg, 500 mg CAPSULE <b>MO</b>	3	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
cefadroxil 500 mg CAPSULE <b>MO</b>	2	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION <b>MO</b>	3	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml, 3 gram/50 ml PIGGYBACK <b>MO</b>	4	
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK <b>MO</b>	4	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
cefdinir 300 mg CAPSULE <b>MO</b>	2	
cefepime 1 gram, 2 gram RECON SOLUTION <b>MO</b>	4	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	4	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>MO</b>	4	
cefixime 400 mg CAPSULE <b>MO</b>	4	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	4	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	4	
cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>	3	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
cefprozil 250 mg, 500 mg TABLET <b>MO</b>	3	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	4	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	4	
ceftriaxone 1 gram, 10 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	3	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	3	
cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>	3	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION <b>MO</b>	3	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
cephalexin 250 mg CAPSULE <b>MO</b>	2	
cephalexin 500 mg CAPSULE <b>MO</b>	2	
chloramphenicol sod succinate 1 gram RECON SOLUTION <b>MO</b>	3	
ciprofloxacin hcl 100 mg TABLET <b>MO</b>	4	
ciprofloxacin hcl 250 mg, 750 mg TABLET <b>MO</b>	1	
ciprofloxacin hcl 500 mg TABLET <b>MO</b>	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>	2	
clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
clarithromycin 250 mg, 500 mg TABLET <b>MO</b>	3	
clarithromycin 500 mg TABLET, ER 24 HR. <b>MO</b>	3	
CLEOCIN 100 MG SUPPOSITORY <b>MO</b>	4	
clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE <b>MO</b>	2	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	4	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	4	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION <b>MO</b>	4	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION <b>MO</b>	4	
clindamycin phosphate 150 mg/ml SOLUTION <b>MO</b>	4	
clindamycin phosphate 2 % CREAM <b>MO</b>	4	
colistin (colistimethate na) 150 mg RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
daptomycin 350 mg RECON SOLUTION <b>MO</b>	4	
daptomycin 500 mg RECON SOLUTION <b>DL,PDS</b>	5	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml <b>PIGGYBACK MO</b>	4	
dicloxacillin 250 mg, 500 mg <b>CAPSULE MO</b>	2	
DIFICID 200 MG TABLET <b>DL,PDS</b>	5	
doxy-100 100 mg RECON SOLUTION <b>MO</b>	4	
doxycycline hyclate 100 mg <b>CAPSULE MO</b>	3	
doxycycline hyclate 100 mg <b>TABLET MO</b>	3	
doxycycline hyclate 20 mg <b>TABLET MO</b>	2	
doxycycline hyclate 50 mg <b>CAPSULE MO</b>	3	
doxycycline monohydrate 100 mg, 50 mg <b>CAPSULE MO</b>	2	
doxycycline monohydrate 100 mg, 50 mg, 75 mg <b>TABLET MO</b>	3	
doxycycline monohydrate 25 mg/5 ml <b>SUSPENSION FOR RECONSTITUTION MO</b>	4	
ertapenem 1 gram RECON SOLUTION <b>MO</b>	4	
ERYTHROCIN 500 MG RECON SOLUTION <b>MO</b>	4	
erythromycin 250 mg <b>CAPSULE, DR/EC MO</b>	4	
erythromycin 250 mg, 333 mg, 500 mg <b>TABLET, DR/EC MO</b>	4	
erythromycin 250 mg, 500 mg <b>TABLET MO</b>	4	
erythromycin lactobionate 500 mg RECON SOLUTION <b>DL,PDS</b>	5	
gentamicin 0.1 % <b>CREAM MO</b>	4	
gentamicin 0.1 % <b>ointment MO</b>	4	
gentamicin 20 mg/2 ml, 40 mg/ml <b>SOLUTION MO</b>	2	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml <b>PIGGYBACK MO</b>	2	
gentamicin sulfate (ped) (pf) 20 mg/2 ml <b>SOLUTION MO</b>	2	
gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml <b>SOLUTION MO</b>	2	
HUMATIN 250 MG CAPSULE <b>DL,PDS</b>	5	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION <b>MO</b>	3	
levofloxacin 25 mg/ml, 250 mg/10 ml <b>SOLUTION MO</b>	4	
levofloxacin 250 mg, 750 mg <b>TABLET MO</b>	2	
levofloxacin 500 mg <b>TABLET MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
lincomycin 300 mg/ml SOLUTION MO	4	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION DL,PDS	5	QL(1800 per 30 days)
linezolid 600 mg TABLET MO	4	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK MO	4	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION MO	4	
meropenem 1 gram, 500 mg RECON SOLUTION MO	3	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK MO	4	
methenamine hippurate 1 gram TABLET MO	3	
metronidazole 0.75 % CREAM MO	4	
metronidazole 0.75 % LOTION MO	4	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL MO	4	
metronidazole 1 % GEL WITH PUMP MO	4	
metronidazole 250 mg, 500 mg TABLET MO	2	
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK MO	2	
minocycline 100 mg, 50 mg, 75 mg CAPSULE MO	2	
monodoxine nl 100 mg CAPSULE MO	2	
moxifloxacin 400 mg TABLET MO	3	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO	4	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	4	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL,PDS	5	
neomycin 500 mg TABLET MO	3	
nitrofurantoin macrocrystal 100 mg, 50 mg CAPSULE MO	4	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO	3	
ofloxacin 300 mg, 400 mg TABLET MO	4	
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	4	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	4	
paromomycin 250 mg CAPSULE MO	4	
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK MO	4	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION MO	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE <b>MO</b>	4	
penicillin g sodium 5 million unit RECON SOLUTION <b>MO</b>	4	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION <b>MO</b>	2	
penicillin v potassium 250 mg, 500 mg TABLET <b>MO</b>	2	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	4	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION <b>MO</b>	4	
polymyxin b sulfate 500,000 unit RECON SOLUTION <b>MO</b>	3	
PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>	4	
streptomycin 1 gram RECON SOLUTION <b>DL,PDS</b>	5	
sulfacetamide sodium 10 % OINTMENT <b>MO</b>	3	
sulfacetamide sodium (acne) 10 % SUSPENSION <b>MO</b>	4	QL(118 per 30 days)
sulfadiazine 500 mg TABLET <b>MO</b>	4	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION <b>MO</b>	4	
sulfamethoxazole-trimethoprim 400-80 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION <b>MO</b>	4	
sulfamethoxazole-trimethoprim 800-160 mg TABLET <b>MO</b>	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL,PDS</b>	5	
tigecycline 50 mg RECON SOLUTION <b>DL,PDS</b>	5	
tinidazole 250 mg, 500 mg TABLET <b>MO</b>	3	
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL,PDS</b>	5	BvsD
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>MO</b>	2	
trimethoprim 100 mg TABLET <b>MO</b>	2	
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 1.75 gram, 10 gram, 2 gram, 5 gram, 500 mg, 750 mg RECON SOLUTION <b>MO</b>	4	
vancomycin 125 mg CAPSULE <b>MO</b>	4	QL(120 per 30 days)
vancomycin 250 mg CAPSULE <b>MO</b>	4	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK <b>MO</b>	4	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	
<b>ANTICONVULSANTS</b>		
APTIOM 200 MG, 400 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION <b>DL,PDS</b>	5	PA
carbamazepine 100 mg, 200 mg CHEWABLE TABLET <b>MO</b>	3	
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	4	
carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR. <b>MO</b>	4	
carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION <b>MO</b>	4	
carbamazepine 200 mg TABLET <b>MO</b>	3	
clobazam 10 mg, 20 mg TABLET <b>DL,PDS</b>	4	PA
clobazam 2.5 mg/ml SUSPENSION <b>DL,PDS</b>	4	PA
DIACOMIT 250 MG, 500 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT <b>DL,PDS</b>	4	
divalproex 125 mg CAPSULE, DR SPRINKLE <b>MO</b>	3	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC <b>MO</b>	2	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. <b>MO</b>	3	
EPIDIOLEX 100 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
epitol 200 mg TABLET <b>MO</b>	3	
EPRONTIA 25 MG/ML SOLUTION <b>MO</b>	4	PA,QL(480 per 30 days)
ethosuximide 250 mg CAPSULE <b>MO</b>	3	
ethosuximide 250 mg/5 ml SOLUTION <b>MO</b>	4	
felbamate 400 mg, 600 mg TABLET <b>MO</b>	4	
felbamate 600 mg/5 ml SUSPENSION <b>MO</b>	4	
FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA,PDS</b>	5	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION <b>MO</b>	3	
FYCOMPA 0.5 MG/ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg CAPSULE <b>MO</b>	2	QL(270 per 30 days)
gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION <b>MO</b>	4	QL(2250 per 30 days)
gabapentin 600 mg, 800 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
lacosamide 10 mg/ml SOLUTION <b>MO</b>	4	QL(1395 per 30 days)
lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
lacosamide 200 mg/20 ml SOLUTION <b>DL,PDS</b>	5	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	4	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	4	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>MO</b>	2	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>MO</b>	2	
levetiracetam 100 mg/ml SOLUTION <b>MO</b>	2	
levetiracetam 250 mg TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(360 per 30 days)
levetiracetam 500 mg TABLET <b>MO</b>	2	
levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>MO</b>	4	QL(900 per 30 days)
levetiracetam 500 mg/5 ml SOLUTION <b>MO</b>	4	
levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK <b>MO</b>	2	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM <b>DL,PDS</b>	5	QL(10 per 30 days)
methsuximide 300 mg CAPSULE <b>MO</b>	4	
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL,PDS</b>	4	QL(10 per 30 days)
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>	3	
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>	4	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>	3	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
phenobarbital 15 mg, 60 mg TABLET <b>MO</b>	3	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>	4	QL(1500 per 30 days)
phenobarbital 30 mg TABLET <b>MO</b>	3	QL(300 per 30 days)
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	4	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>MO</b>	2	
phenytoin 50 mg CHEWABLE TABLET <b>MO</b>	2	
phenytoin sodium 50 mg/ml SOLUTION <b>MO</b>	4	
phenytoin sodium 50 mg/ml SYRINGE <b>MO</b>	4	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>MO</b>	2	
primidone 125 mg, 250 mg, 50 mg TABLET <b>MO</b>	2	
roweepra 500 mg TABLET <b>MO</b>	2	
roweepra xr 500 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(120 per 30 days)
rufinamide 200 mg TABLET <b>MO</b>	4	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION <b>MO</b>	4	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET <b>MO</b>	4	PA,QL(240 per 30 days)
SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	2	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>MO</b>	4	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	4	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>MO</b>	4	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET <b>MO</b>	4	
topiramate 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
topiramate 15 mg, 25 mg, 50 mg CAPSULE, SPRINKLE <b>MO</b>	3	
topiramate 25 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION <b>MO</b>	3	
valproic acid 250 mg CAPSULE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION <b>MO</b>	2	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL,PDS</b>	5	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
vigadron 500 mg POWDER IN PACKET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
vigadron 500 mg TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(600 per 25 days)
vigpoder 500 mg POWDER IN PACKET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
ZONISADE 100 MG/5 ML SUSPENSION <b>MO</b>	4	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	2	
ZTALMY 50 MG/ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(1080 per 30 days)
<b>ANTIDEMENTIA AGENTS</b>		
donepezil 10 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
donepezil 23 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
donepezil 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	4	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION <b>MO</b>	4	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION <b>MO</b>	4	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK <b>MO</b>	2	PA,QL(98 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	QL(28 per 28 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. <b>MO</b>	4	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>	3	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>	3	QL(60 per 30 days)
<b>ANTIDEPRESSANTS</b>		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
amitriptyline 25 mg TABLET <b>MO</b>	2	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>	3	
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>MO</b>	4	PA,QL(60 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>	3	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>	3	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>	3	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>	3	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
citalopram 10 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
citalopram 10 mg/5 ml SOLUTION <b>MO</b>	3	
citalopram 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	4	
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	3	
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg TABLET <b>MO</b>	1	QL(45 per 30 days)
escitalopram oxalate 20 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
escitalopram oxalate 5 mg/5 ml SOLUTION <b>MO</b>	4	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluoxetine 20 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>	3	
fluoxetine 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
imipramine hcl 10 mg, 25 mg, 50 mg TABLET <b>MO</b>	3	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE <b>MO</b>	4	
MARPLAN 10 MG TABLET <b>MO</b>	4	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING <b>MO</b>	4	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET <b>MO</b>	2	
mirtazapine 45 mg TABLET <b>MO</b>	2	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET <b>MO</b>	4	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	4	
nortriptyline 10 mg/5 ml SOLUTION <b>MO</b>	4	
paroxetine hcl 10 mg, 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>	4	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET <b>MO</b>	4	
phenelzine 15 mg TABLET <b>MO</b>	3	
protriptyline 10 mg, 5 mg TABLET <b>MO</b>	4	
RALDESY 10 MG/ML SOLUTION <b>DL,PDS</b>	5	
sertraline 100 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
sertraline 20 mg/ml CONCENTRATE <b>MO</b>	4	
sertraline 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
tranylcypromine 10 mg TABLET <b>MO</b>	4	
trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
trazodone 300 mg TABLET <b>MO</b>	3	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	4	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
venlafaxine 150 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ZURZUVAE 20 MG, 25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(14 per 365 days)
<b>ANTIEMETICS</b>		
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>	4	BvsD
aprepitant 125 mg, 40 mg CAPSULE <b>MO</b>	4	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE <b>MO</b>	4	BvsD,QL(4 per 28 days)
compro 25 mg SUPPOSITORY <b>MO</b>	4	
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	4	BvsD,QL(120 per 30 days)
gransetron hcl 1 mg TABLET <b>MO</b>	3	BvsD,QL(28 per 28 days)
meclizine 12.5 mg TABLET <b>MO</b>	2	
meclizine 25 mg TABLET <b>MO</b>	2	
metoclopramide hcl 10 mg, 5 mg TABLET <b>MO</b>	1	
ondansetron 4 mg TABLET, DISINTEGRATING <b>MO</b>	2	BvsD
ondansetron 8 mg TABLET, DISINTEGRATING <b>MO</b>	2	BvsD
ondansetron hcl 2 mg/ml SOLUTION <b>MO</b>	4	
ondansetron hcl 4 mg TABLET <b>MO</b>	2	BvsD
ondansetron hcl 4 mg/5 ml SOLUTION <b>MO</b>	4	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET <b>MO</b>	2	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION <b>MO</b>	4	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE <b>MO</b>	4	
prochlorperazine 25 mg SUPPOSITORY <b>MO</b>	4	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION <b>MO</b>	4	
prochlorperazine maleate 10 mg, 5 mg TABLET <b>MO</b>	2	BvsD
promethazine 12.5 mg, 50 mg TABLET <b>MO</b>	4	
promethazine 25 mg TABLET <b>MO</b>	4	
scopolamine base 1 mg over 3 days PATCH, 3 DAY <b>MO</b>	3	QL(10 per 30 days)
<b>ANTIFUNGALS</b>		
ABELCET 5 MG/ML SUSPENSION <b>MO</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amphotericin b 50 mg RECON SOLUTION <b>MO</b>	4	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	BvsD
caspofungin 50 mg, 70 mg RECON SOLUTION <b>MO</b>	4	
cyclodan 8 % SOLUTION <b>MO</b>	2	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM <b>MO</b>	2	QL(90 per 30 days)
ciclopirox 0.77 % GEL <b>MO</b>	4	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION <b>MO</b>	4	QL(60 per 30 days)
ciclopirox 8 % SOLUTION <b>MO</b>	2	QL(13.2 per 30 days)
clotrimazole 1 % CREAM <b>MO</b>	2	
clotrimazole 1 % SOLUTION <b>MO</b>	3	
clotrimazole 10 mg TROCHE <b>MO</b>	2	
clotrimazole-betamethasone 1-0.05 % CREAM <b>MO</b>	3	QL(180 per 30 days)
clotrimazole-betamethasone 1-0.05 % LOTION <b>MO</b>	4	QL(90 per 28 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
fluconazole 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	2	
fluconazole 150 mg TABLET <b>MO</b>	2	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml <b>PIGGYBACK MO</b>	3	
flucytosine 250 mg, 500 mg CAPSULE <b>DL,PDS</b>	5	
griseofulvin microsize 125 mg/5 ml SUSPENSION <b>MO</b>	4	
griseofulvin microsize 500 mg TABLET <b>MO</b>	4	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET <b>MO</b>	4	
itraconazole 100 mg CAPSULE <b>MO</b>	4	QL(120 per 30 days)
ketoconazole 2 % CREAM <b>MO</b>	3	QL(60 per 30 days)
ketoconazole 2 % SHAMPOO <b>MO</b>	2	QL(120 per 30 days)
ketoconazole 200 mg TABLET <b>MO</b>	4	PA
klayesta 100,000 unit/gram POWDER <b>MO</b>	4	PA
micafungin 100 mg, 50 mg RECON SOLUTION <b>MO</b>	4	
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 150 MG/150 ML, 50 MG/50 ML PIGGYBACK <b>DL,PDS</b>	5	
micafungin in 0.9 % sodium chl 150 mg/150 ml PIGGYBACK <b>DL,PDS</b>	5	
miconazole-3 200 mg SUPPOSITORY <b>MO</b>	3	
nyamyc 100,000 unit/gram POWDER <b>MO</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nystatin 100,000 unit/gram CREAM <b>MO</b>	2	
nystatin 100,000 unit/gram OINTMENT <b>MO</b>	2	
nystatin 100,000 unit/gram POWDER <b>MO</b>	4	PA
nystatin 100,000 unit/ml SUSPENSION <b>MO</b>	2	
nystatin 500,000 unit TABLET <b>MO</b>	3	
nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM <b>MO</b>	4	
nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT <b>MO</b>	4	
nystop 100,000 unit/gram POWDER <b>MO</b>	4	PA
posaconazole 100 mg TABLET, DR/EC <b>DL,PDS</b>	5	PA
posaconazole 300 mg/16.7 ml SOLUTION <b>DL,PDS</b>	5	PA
terbinafine hcl 250 mg TABLET <b>MO</b>	1	
terconazole 0.4 %, 0.8 % CREAM <b>MO</b>	2	
terconazole 80 mg SUPPOSITORY <b>MO</b>	4	
voriconazole 200 mg RECON SOLUTION <b>MO</b>	4	PA
voriconazole 200 mg, 50 mg TABLET <b>MO</b>	4	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	PA,QL(400 per 30 days)
<b>ANTIGOUT AGENTS</b>		
allopurinol 100 mg, 300 mg TABLET <b>MO</b>	1	
colchicine 0.6 mg TABLET <b>MO</b>	3	QL(120 per 30 days)
febuxostat 40 mg, 80 mg TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
probenecid 500 mg TABLET <b>MO</b>	3	
probenecid-colchicine 500-0.5 mg TABLET <b>MO</b>	3	
<b>ANTIMIGRAINE AGENTS</b>		
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL <b>DL,PDS</b>	5	PA,QL(8 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>	4	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>	4	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>	4	PA,QL(3 per 30 days)
ergotamine-caffeine 1-100 mg TABLET <b>MO</b>	3	QL(40 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET <b>MO</b>	2	QL(9 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
rizatriptan 10 mg, 5 mg TABLET <b>MO</b>	2	QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	3	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	4	QL(12 per 30 days)
sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE <b>MO</b>	4	QL(6 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR <b>MO</b>	4	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION <b>MO</b>	4	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SYRINGE <b>MO</b>	4	QL(6 per 30 days)
UBRELVY 100 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(16 per 30 days)
<b>ANTIMYASTHENIC AGENTS</b>		
pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>	3	
VYVGART 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(22.4 per 28 days)
<b>ANTIMYCOTBACTERIALS</b>		
dapsone 100 mg, 25 mg TABLET <b>MO</b>	3	
ethambutol 100 mg, 400 mg TABLET <b>MO</b>	3	
isoniazid 100 mg, 300 mg TABLET <b>MO</b>	1	
isoniazid 100 mg/ml SOLUTION <b>MO</b>	1	
isoniazid 50 mg/5 ml SOLUTION <b>MO</b>	4	
PRIFTIN 150 MG TABLET <b>MO</b>	4	
pyrazinamide 500 mg TABLET <b>MO</b>	4	
rifabutin 150 mg CAPSULE <b>MO</b>	4	
rifampin 150 mg, 300 mg CAPSULE <b>MO</b>	3	
rifampin 600 mg RECON SOLUTION <b>MO</b>	4	
SIRTURO 100 MG, 20 MG TABLET <b>DL,PDS</b>	5	PA
TRECATOR 250 MG TABLET <b>MO</b>	4	
<b>ANTINEOPLASTICS</b>		
abiraterone 250 mg TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
abiraterone 500 mg TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
abirtega 250 mg TABLET <b>MO</b>	4	PA,QL(120 per 30 days)
ADCETRIS 50 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ADRIAMYCIN 50 MG RECON SOLUTION <b>MO</b>	4	BvsD
AKEEGA 100-500 MG, 50-500 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALECensa 150 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
ALIQOPA 60 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
anastrozole 1 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION <b>DL,PDS</b>	5	PA
ARRANON 250 MG/50 ML SOLUTION <b>DL,PDS</b>	5	
arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION <b>DL,PDS</b>	5	PA
ASPARLAS 750 UNIT/ML SOLUTION <b>DL,PDS</b>	5	PA
AUGTYRO 160 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
AUGTYRO 40 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
AXTLE 100 MG, 500 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
azacitidine 100 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
BALVERSA 3 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
BELEODAQ 500 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
bendamustine 100 mg, 25 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION <b>DL,PDS</b>	5	PA
bexarotene 1 % GEL <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
bexarotene 75 mg CAPSULE <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
bicalutamide 50 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION <b>MO</b>	4	
BIZENGRI 375 MG/18.75 ML (20 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(75 per 28 days)
bleomycin 15 unit, 30 unit RECON SOLUTION <b>MO</b>	3	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
bortezomib 3.5 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
BOSULIF 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BOSULIF 400 MG, 500 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
busulfan 60 mg/10 ml SOLUTION <b>MO</b>	4	
BUSULFEX 60 MG/10 ML SOLUTION <b>MO</b>	4	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
CAPRELSA 100 MG TABLET <b>DL,LA,PDS</b>	5	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL,LA,PDS</b>	5	PA,QL(30 per 30 days)
carboplatin 10 mg/ml SOLUTION <b>MO</b>	3	
carmustine 100 mg RECON SOLUTION <b>MO</b>	4	
cisplatin 1 mg/ml SOLUTION <b>MO</b>	4	
cladribine 10 mg/10 ml SOLUTION <b>DL,PDS</b>	5	BvsD
clofarabine 1 mg/ml SOLUTION <b>DL,PDS</b>	5	
CLOALAR 1 MG/ML SOLUTION <b>DL,PDS</b>	5	
COLUMVI 1 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL,PDS</b>	5	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION <b>DL,PDS</b>	5	
COTELLIC 20 MG TABLET <b>DL,PDS</b>	5	PA,QL(63 per 28 days)
cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION <b>MO</b>	4	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	4	BvsD
cyclophosphamide 200 mg/ml SOLUTION <b>MO</b>	4	BvsD
cyclophosphamide 25 mg, 50 mg CAPSULE <b>MO</b>	4	BvsD
cyclophosphamide 25 mg, 50 mg TABLET <b>MO</b>	3	BvsD
CYRAMZA 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
cytarabine 20 mg/ml SOLUTION <b>MO</b>	1	BvsD
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dacarbazine 100 mg, 200 mg RECON SOLUTION <b>MO</b>	4	
dactinomycin 0.5 mg RECON SOLUTION <b>DL,PDS</b>	5	
DANYELZA 4 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(120 per 28 days)
DANZITEN 71 MG, 95 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
DARZALEX 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION <b>DL,PDS</b>	5	PA
dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
dasatinib 140 mg TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
dasatinib 20 mg TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
DATROWAY 100 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
daunorubicin 5 mg/ml SOLUTION <b>MO</b>	1	
DAURISMO 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION <b>MO</b>	4	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION <b>MO</b>	4	
doxorubicin 10 mg, 50 mg RECON SOLUTION <b>MO</b>	4	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION <b>MO</b>	3	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION <b>DL,PDS</b>	5	PA
ELAHERE 5 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
ELREXFIO 40 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
ELZONRIS 1,000 MCG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE <b>DL,PDS</b>	5	
EMPLICITI 300 MG, 400 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ENHERTU 100 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION <b>MO</b>	4	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION <b>DL,PDS</b>	5	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION <b>DL,PDS</b>	5	PA
eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION <b>DL,PDS</b>	5	
ERIVEDGE 150 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERLEADA 60 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
ETOPOPHOS 100 MG RECON SOLUTION <b>MO</b>	4	
etoposide 20 mg/ml SOLUTION <b>MO</b>	3	
EULEXIN 125 MG CAPSULE <b>DL,PDS</b>	5	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION <b>DL,PDS</b>	5	PA
EVOMELA 50 MG RECON SOLUTION <b>DL,PDS</b>	5	
exemestane 25 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
flouxuridine 0.5 gram RECON SOLUTION <b>MO</b>	1	BvsD
fludarabine 50 mg RECON SOLUTION <b>MO</b>	4	
fludarabine 50 mg/2 ml SOLUTION <b>DL,PDS</b>	5	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION <b>MO</b>	3	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
FRUZAQLA 1 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	PA
GAVRETO 100 MG CAPSULE <b>DL,LA,PDS</b>	5	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET <b>DL,PDS</b>	5	PA
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION <b>MO</b>	4	
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION <b>MO</b>	4	
GILOTrif 20 MG, 30 MG, 40 MG TABLET <b>DL,LA,PDS</b>	5	PA,QL(30 per 30 days)
GLEOSTINE 10 MG CAPSULE <b>MO</b>	4	PA
GLEOSTINE 100 MG CAPSULE <b>DL,PDS</b>	5	PA
GLEOSTINE 40 MG CAPSULE	5	PA
GOMEKLI 1 MG TABLET FOR SUSPENSION <b>DL,PDS</b>	5	PA
GOMEKLI 1 MG, 2 MG CAPSULE <b>DL,PDS</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GRAFAPEX 1 GRAM, 5 GRAM RECON SOLUTION <b>DL,PDS</b>	5	
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION <b>DL,PDS</b>	5	
hydroxyurea 500 mg CAPSULE <b>MO</b>	2	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
idarubicin 1 mg/ml SOLUTION <b>DL,PDS</b>	5	
IDHIFA 100 MG, 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ifosfamide 1 gram, 3 gram RECON SOLUTION <b>MO</b>	3	
ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION <b>MO</b>	3	
imatinib 100 mg TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
imatinib 400 mg TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
IMBRUVICA 420 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
IMBRUVICA 560 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION <b>DL,PDS</b>	5	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
IMFINZI 50 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
IMJUDO 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
IMKELDI 80 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
INLYTA 1 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
INQOVI 35-100 MG TABLET <b>DL,PDS</b>	5	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION <b>MO</b>	4	
ISTODAX 10 MG/2 ML RECON SOLUTION <b>DL,PDS</b>	5	PA
ITOVEBI 3 MG TABLET <b>DL,PDS</b>	5	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ITOVEBI 9 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
IVRA 90 MG/ML SOLUTION <b>DL,PDS</b>	5	
IWLIFIN 192 MG TABLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
IXEMPRIA 15 MG, 45 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	5	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION <b>DL,PDS</b>	5	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
KEYTRUDA 25 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION <b>DL,PDS</b>	5	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL,PDS</b>	5	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL,PDS</b>	5	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL,PDS</b>	5	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL,PDS</b>	5	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL,PDS</b>	5	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(12 per 28 days)
lapatinib 250 mg TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
letrozole 2.5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>MO</b>	4	
leucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	2	
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION <b>MO</b>	4	
LEUKERAN 2 MG TABLET <b>DL,PDS</b>	5	
levoleucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	4	PA
levoleucovorin calcium 50 mg RECON SOLUTION <b>MO</b>	4	PA
LEVULAN 20 % SOLUTION <b>MO</b>	4	
LIBTAYO 50 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET <b>DL,PDS</b>	5	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET <b>DL,PDS</b>	5	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
LORBRENA 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
LUMAKRAS 240 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
LUMAKRAS 320 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET <b>DL,PDS</b>	5	
LYTGEOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET <b>DL,PDS</b>	5	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
MATULANE 50 MG CAPSULE <b>DL,PDS</b>	5	
MEKINIST 0.05 MG/ML RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
melphalan 2 mg TABLET <b>MO</b>	4	BvsD
melphalan hcl 50 mg RECON SOLUTION <b>MO</b>	1	
mercaptopurine 20 mg/ml SUSPENSION <b>DL,PDS</b>	5	
mercaptopurine 50 mg TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mesna 400 mg TABLET <b>DL,PDS</b>	5	
MESNEX 400 MG TABLET <b>DL,PDS</b>	5	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION <b>DL,PDS</b>	5	
mitoxantrone 2 mg/ml CONCENTRATE <b>MO</b>	3	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION <b>DL,PDS</b>	5	
MVASI 25 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION <b>DL,PDS</b>	5	PA
nelarabine 250 mg/50 ml SOLUTION <b>DL,PDS</b>	5	
NERLYNX 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
nilutamide 150 mg TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION <b>DL,PDS</b>	5	
NUBEQA 300 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
OGSIVEO 100 MG, 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET <b>DL,PDS</b>	5	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET <b>DL,PDS</b>	5	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET <b>DL,PDS</b>	5	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION <b>DL,PDS</b>	5	PA
ONIVYDE 4.3 MG/ML DISPERSION <b>DL,PDS</b>	5	PA
ONUREG 200 MG, 300 MG TABLET <b>DL,PDS</b>	5	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(16 per 28 days)
OPDIVO QVANTIG 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(10 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET <b>DL,PDS</b>	5	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxaliplatin 100 mg, 50 mg RECON SOLUTION <b>MO</b>	4	
oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	4	
paclitaxel 6 mg/ml CONCENTRATE <b>MO</b>	4	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	PA
PADCEV 20 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL <b>DL,PDS</b>	5	PA
paraplatin 10 mg/ml SOLUTION <b>MO</b>	3	
pazopanib 200 mg TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
pemetrexed 25 mg/ml SOLUTION <b>DL,PDS</b>	5	PA,QL(120 per 21 days)
pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION <b>DL,PDS</b>	5	PA
pemetrexed disodium 25 mg/ml SOLUTION <b>DL,PDS</b>	5	PA
PEMRYDI RTU 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION <b>DL,PDS</b>	5	PA
PURIXAN 20 MG/ML SUSPENSION <b>DL,PDS</b>	5	
QINLOCK 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
RETEVMO 80 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
REVUFORJ 110 MG, 160 MG, 25 MG TABLET <b>DL,PDS</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REZLIDHIA 150 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
romidepsin 10 mg/2 ml RECON SOLUTION <b>DL,PDS</b>	5	PA
ROMIDEPSIN 5 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
ROMVIMZA 14 MG, 20 MG, 30 MG CAPSULE <b>DL,PDS</b>	5	PA
ROZLYTREK 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET <b>DL,PDS</b>	5	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
RYBREVANT 50 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION <b>DL,PDS</b>	5	PA
RYTELO 188 MG, 47 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
SARCLISA 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
SCEMBLIX 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION <b>DL,PDS</b>	5	
sorafenib 200 mg TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
TABLOID 40 MG TABLET <b>MO</b>	4	
TABRECTA 150 MG, 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION <b>DL,PDS</b>	5	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TALVEY 2 MG/ML, 40 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
tamoxifen 10 mg, 20 mg TABLET <b>MO</b>	2	
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
TEPMETKO 225 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
TEVIMBRA 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(20 per 21 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
thiotepa 100 mg RECON SOLUTION <b>DL,PDS</b>	5	
thiotepa 15 mg RECON SOLUTION <b>MO</b>	1	
TIBSOVO 250 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(5 per 21 days)
topotecan 4 mg RECON SOLUTION <b>MO</b>	4	
topotecan 4 mg/4 ml (1 mg/ml) SOLUTION <b>MO</b>	4	
toremifene 60 mg TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
TRAZIMERA 150 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
TRAZIMERA 420 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
tretinoin (antineoplastic) 10 mg CAPSULE <b>DL,PDS</b>	5	
TRISENOX 2 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
TRODELVY 180 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
TRUQAP 160 MG, 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(64 per 28 days)
TUKYSA 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
TURALIO 125 MG CAPSULE <b>DL,LA,PDS</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UNITUXIN 3.5 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
VALCHLOR 0.016 % GEL <b>DL,PDS</b>	5	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION <b>DL,PDS</b>	5	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET <b>MO</b>	3	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL,PDS</b>	5	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
vinblastine 1 mg/ml SOLUTION <b>MO</b>	3	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	3	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	3	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	4	
VITRAKVI 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
VYLOY 100 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
VYXEOS 44-100 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
XALKORI 150 MG PELLET <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
XALKORI 20 MG PELLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
XALKORI 50 MG PELLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL,PDS</b>	5	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XPOVIO 40 MG/WEEK (10 MG X 4) TABLET <b>DL,PDS</b>	5	PA,QL(16 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET <b>DL,PDS</b>	5	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL,PDS</b>	5	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL,PDS</b>	5	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
YEROVY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
YONDELIS 1 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA
ZANOSAR 1 GRAM RECON SOLUTION <b>MO</b>	4	
ZEJULA 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ZIIHERA 300 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ZIRABEV 25 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
ZOLINZA 100 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ZYNYZ 500 MG/20 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(20 per 28 days)
<b>ANTIPARASITICS</b>		
albendazole 200 mg TABLET <b>MO</b>	4	
atovaquone 750 mg/5 ml SUSPENSION <b>MO</b>	4	
atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b>	4	
chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b>	4	
COARTEM 20-120 MG TABLET <b>MO</b>	4	QL(24 per 30 days)
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b>	2	
hydroxychloroquine 200 mg TABLET <b>MO</b>	2	
ivermectin 3 mg, 6 mg TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	4	
mefloquine 250 mg TABLET <b>MO</b>	2	
nitazoxanide 500 mg TABLET <b>DL,PDS</b>	5	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	4	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	4	BvsD
praziquantel 600 mg TABLET <b>MO</b>	4	
primaquine 26.3 mg (15 mg base) TABLET <b>MO</b>	3	
pyrimethamine 25 mg TABLET <b>DL,PDS</b>	5	QL(90 per 30 days)
quinine sulfate 324 mg CAPSULE <b>MO</b>	4	PA,QL(42 per 7 days)
<b>ANTIPARKINSON AGENTS</b>		
amantadine hcl 100 mg CAPSULE <b>MO</b>	3	
amantadine hcl 50 mg/5 ml SOLUTION <b>MO</b>	2	
benztropine 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	2	
benztropine 1 mg/ml SOLUTION <b>MO</b>	4	
bromocriptine 2.5 mg TABLET <b>MO</b>	4	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, <b>DISINTEGRATING MO</b>	4	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>MO</b>	2	
carbidopa-levodopa 25-100 mg TABLET <b>MO</b>	2	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>	3	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET <b>MO</b>	4	
entacapone 200 mg TABLET <b>MO</b>	3	QL(300 per 30 days)
INBRIJA 42 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL,PDS</b>	5	PA,QL(300 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET <b>MO</b>	2	
rasagiline 0.5 mg, 1 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET <b>MO</b>	2	
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER <b>MO</b>	4	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>	4	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>	4	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
selegiline hcl 5 mg TABLET <b>MO</b>	3	
trihexyphenidyl 0.4 mg/ml ELIXIR <b>MO</b>	3	
trihexyphenidyl 2 mg, 5 mg TABLET <b>MO</b>	3	
<b>ANTIPSYCHOTICS</b>		
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	5	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	5	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON <b>DL,PDS</b>	5	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE <b>DL,PDS</b>	5	QL(1 per 28 days)
ariPIPRAZOLE 1 mg/ml SOLUTION <b>MO</b>	4	QL(750 per 30 days)
ariPIPRAZOLE 10 mg, 15 mg TABLET, DISINTEGRATING <b>MO</b>	4	QL(60 per 30 days)
ariPIPRAZOLE 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>	3	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	5	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE <b>DL,PDS</b>	5	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL,PDS</b>	5	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>DL,PDS</b>	5	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL,PDS</b>	5	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET <b>MO</b>	4	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	4	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE <b>MO</b>	4	
chlorpromazine 25 mg/ml SOLUTION <b>MO</b>	4	
clozapine 100 mg TABLET <b>MO</b>	3	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING <b>MO</b>	4	PA
clozapine 150 mg TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(180 per 30 days)
clozapine 200 mg TABLET <b>MO</b>	3	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(135 per 30 days)
clozapine 25 mg TABLET <b>MO</b>	3	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET <b>MO</b>	3	
droperidol 2.5 mg/ml SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>	4	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	4	
fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>	4	
fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>	4	
fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>	4	
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	4	
haloperidol lactate 2 mg/ml CONCENTRATE <b>MO</b>	2	
haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>	2	
haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>	2	
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	5	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	5	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE <b>DL,PDS</b>	5	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE <b>DL,PDS</b>	5	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>	4	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	5	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	5	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	5	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	5	QL(2.63 per 90 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>MO</b>	2	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
lurasidone 80 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
molindone 10 mg TABLET <b>MO</b>	4	PA,QL(240 per 30 days)
molindone 25 mg TABLET <b>MO</b>	4	PA,QL(270 per 30 days)
molindone 5 mg TABLET <b>MO</b>	4	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	3	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	4	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>	4	QL(60 per 30 days)
OPIPZA 10 MG FILM <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
OPIPZA 2 MG FILM <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
OPIPZA 5 MG FILM <b>DL,PDS</b>	5	PA,QL(180 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	4	
pimozide 1 mg, 2 mg TABLET <b>MO</b>	4	
quetiapine 100 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
quetiapine 150 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)
quetiapine 200 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>	4	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON <b>DL,PDS</b>	5	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING <b>MO</b>	4	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING <b>MO</b>	4	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION <b>MO</b>	2	
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	3	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	4	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VERSACLOZ 50 MG/ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK <b>MO</b>	4	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	3	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION <b>MO</b>	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	5	QL(1 per 28 days)
<b>ANTISPASTICITY AGENTS</b>		
baclofen 10 mg TABLET <b>MO</b>	2	
baclofen 20 mg TABLET <b>MO</b>	2	
baclofen 5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	4	
tizanidine 2 mg, 4 mg TABLET <b>MO</b>	1	
<b>ANTIVIRALS</b>		
abacavir 20 mg/ml SOLUTION <b>MO</b>	4	QL(960 per 30 days)
abacavir 300 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
acyclovir 200 mg CAPSULE <b>MO</b>	2	
acyclovir 400 mg, 800 mg TABLET <b>MO</b>	2	
acyclovir 5 % OINTMENT <b>MO</b>	4	PA,QL(30 per 30 days)
acyclovir sodium 50 mg/ml SOLUTION <b>MO</b>	4	BvsD
adefovir 10 mg TABLET <b>MO</b>	4	
APTVUS 250 MG CAPSULE <b>DL,PDS</b>	5	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE <b>MO</b>	4	QL(60 per 30 days)
atazanavir 300 mg CAPSULE <b>MO</b>	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION <b>DL,PDS</b>	5	QL(630 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER <b>DL,PDS</b>	5	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION <b>DL,PDS</b>	5	
CIMDUO 300-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COMPLERA 200-25-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
darunavir 600 mg TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
darunavir 800 mg TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
DESCOVY 120-15 MG, 200-25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC <b>MO</b>	4	QL(30 per 30 days)
DOVATO 50-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
EDURANT 25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
efavirenz 200 mg CAPSULE <b>MO</b>	4	QL(120 per 30 days)
efavirenz 50 mg CAPSULE <b>MO</b>	4	QL(480 per 30 days)
efavirenz 600 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
efavirenz-lamivu-tenofovir disop 400-300-300 mg, 600-300-300 mg TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
emtricitabine 200 mg CAPSULE <b>MO</b>	4	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION <b>MO</b>	4	QL(680 per 28 days)
entecavir 0.5 mg, 1 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION <b>MO</b>	4	
etravirine 100 mg TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
etravirine 200 mg TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg TABLET <b>MO</b>	3	QL(90 per 30 days)
fosamprenavir 700 mg TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
FUZEON 90 MG RECON SOLUTION <b>DL,PDS</b>	5	QL(60 per 30 days)
GENVOYA 150-150-200-10 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
INTELENCE 25 MG TABLET <b>MO</b>	4	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET <b>DL,PDS</b>	5	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>	4	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	3	QL(180 per 30 days)
ISENTRESS 400 MG TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
JULUCA 50-25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
lamivudine 10 mg/ml SOLUTION <b>MO</b>	3	QL(900 per 30 days)
lamivudine 100 mg TABLET <b>MO</b>	3	QL(90 per 30 days)
lamivudine 150 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
lamivudine 300 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
LEXIVA 50 MG/ML SUSPENSION <b>MO</b>	4	QL(1575 per 28 days)
LIVTENCITY 200 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>	4	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>	4	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b>	4	
maraviroc 150 mg TABLET <b>DL,PDS</b>	5	QL(240 per 30 days)
maraviroc 300 mg TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(120 per 30 days)
nevirapine 200 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>	4	QL(1200 per 30 days)
NORVIR 100 MG CAPSULE <b>MO</b>	4	QL(360 per 30 days)
NORVIR 100 MG POWDER IN PACKET <b>MO</b>	4	QL(360 per 30 days)
ODEFSEY 200-25-25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE <b>MO</b>	3	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE <b>MO</b>	3	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	QL(1440 per 365 days)
PAXLOVID 150-100 MG TABLET, DOSE PACK <b>MO</b>	3	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK <b>MO</b>	3	QL(60 per 10 days)
PIFELTRO 100 MG TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
PREVYMIS 120 MG, 20 MG PELLETS IN PACKET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
PREVYMIS 240 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
PREVYMIS 480 MG TABLET <b>DL,PDS</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREZCOBIX 800-150 MG-MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION <b>DL,PDS</b>	5	QL(360 per 30 days)
PREZISTA 150 MG TABLET <b>DL,PDS</b>	5	QL(240 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	4	QL(480 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	4	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION <b>MO</b>	4	
REYATAZ 50 MG POWDER IN PACKET <b>MO</b>	4	
ribavirin 200 mg CAPSULE <b>MO</b>	3	
ribavirin 200 mg TABLET <b>MO</b>	3	
rimantadine 100 mg TABLET <b>MO</b>	4	
ritonavir 100 mg TABLET <b>MO</b>	3	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL,PDS</b>	5	QL(60 per 30 days)
SELZENTRY 20 MG/ML SOLUTION <b>DL,PDS</b>	5	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET <b>MO</b>	4	QL(240 per 30 days)
SELZENTRY 75 MG TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
stavudine 15 mg, 20 mg CAPSULE <b>MO</b>	3	QL(120 per 30 days)
stavudine 30 mg, 40 mg CAPSULE <b>MO</b>	3	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
SUNLENCA 300 MG TABLET <b>DL,PDS</b>	5	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	5	QL(9 per 365 days)
SYMTUZA 800-150-200-10 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
tenofovir disoproxil fumarate 300 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
TIVICAY 10 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL,PDS</b>	5	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>MO</b>	4	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET <b>DL,PDS</b>	5	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL,PDS</b>	5	
TYBOST 150 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
valacyclovir 1 gram, 500 mg TABLET <b>MO</b>	3	
valganciclovir 450 mg TABLET <b>MO</b>	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valganciclovir 50 mg/ml RECON SOLUTION <b>DL,PDS</b>	5	QL(1056 per 30 days)
VEMLIDY 25 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
VIRACEPT 250 MG TABLET <b>DL,PDS</b>	5	QL(300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL,PDS</b>	5	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL,PDS</b>	5	QL(240 per 30 days)
VOCABRIA 30 MG TABLET <b>DL,PDS</b>	5	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
zidovudine 10 mg/ml SYRUP <b>MO</b>	3	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE <b>MO</b>	4	QL(180 per 30 days)
zidovudine 300 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
ZIRGAN 0.15 % GEL <b>MO</b>	4	QL(5 per 30 days)
<b>ANXIOLYTICS</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL,PDS</b>	2	QL(120 per 30 days)
alprazolam 2 mg TABLET <b>DL,PDS</b>	2	QL(150 per 30 days)
buspirone 10 mg, 5 mg TABLET <b>MO</b>	1	
buspirone 15 mg, 30 mg, 7.5 mg TABLET <b>MO</b>	1	
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL,PDS</b>	4	
clonazepam 0.5 mg, 1 mg TABLET <b>DL,PDS</b>	3	
clonazepam 2 mg TABLET <b>DL,PDS</b>	3	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL,PDS</b>	4	
diazepam 10 mg TABLET <b>DL,PDS</b>	3	QL(120 per 30 days)
diazepam 2 mg TABLET <b>DL,PDS</b>	3	QL(90 per 30 days)
diazepam 5 mg TABLET <b>DL,PDS</b>	3	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL,PDS</b>	4	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE <b>DL,PDS</b>	4	QL(240 per 30 days)
diazepam intensol 5 mg/ml CONCENTRATE <b>DL,PDS</b>	4	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	3	
doxepin 10 mg/ml CONCENTRATE <b>MO</b>	4	
hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>	3	
hydroxyzine hcl 10 mg/5 ml SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydroxyzine hcl 25 mg TABLET <b>MO</b>	3	
lorazepam 0.5 mg, 1 mg TABLET <b>DL,PDS</b>	2	QL(90 per 30 days)
lorazepam 2 mg TABLET <b>DL,PDS</b>	2	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE <b>DL,PDS</b>	3	QL(150 per 30 days)
lorazepam intensol 2 mg/ml CONCENTRATE <b>DL,PDS</b>	3	QL(150 per 30 days)
<b>BIPOLAR AGENTS</b>		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE <b>MO</b>	1	
lithium carbonate 300 mg TABLET <b>MO</b>	1	
lithium carbonate 300 mg, 450 mg TABLET ER <b>MO</b>	2	
lithium citrate 8 meq/5 ml SOLUTION <b>MO</b>	4	
<b>BLOOD GLUCOSE REGULATORS</b>		
acarbose 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	
diazoxide 50 mg/ml SUSPENSION <b>DL,PDS</b>	5	
FARXIGA 10 MG, 5 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>CI,MO</b>	3	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
glimepiride 1 mg TABLET <b>MO</b>	1	
glimepiride 2 mg, 4 mg TABLET <b>MO</b>	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	
glipizide 10 mg, 5 mg TABLET <b>MO</b>	1	
glipizide 2.5 mg TABLET <b>MO</b>	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>MO</b>	2	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	2	
GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	3	
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION <b>CI,MO</b>	3	
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN <b>CI,MO</b>	3	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	3	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION <b>CI,MO</b>	3	
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	3	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	3	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION <b>CI,DL,PDS</b>	5	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN <b>CI,DL,PDS</b>	5	
INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>liraglutide 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR MO</i>	4	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
<i>metformin 1,000 mg, 500 mg TABLET MO</i>	1	
<i>metformin 500 mg TABLET, ER 24 HR. MO</i>	1	QL(120 per 30 days)
<i>metformin 750 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>metformin 850 mg TABLET MO</i>	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
<i>nateglinide 120 mg, 60 mg TABLET MO</i>	3	
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	3	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	3	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	3	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
OZEMPIK 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>	3	PA,QL(3 per 28 days)
OZEMPIK 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	3	PA,QL(1.5 per 28 days)
<i>pioglitazone 15 mg, 45 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>pioglitazone 30 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MO</i>	3	QL(90 per 30 days)
<i>repaglinide 0.5 mg, 1 mg, 2 mg TABLET MO</i>	3	
RYBELSUS 1.5 MG, 4 MG, 9 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>saxagliptin 2.5 mg, 5 mg TABLET MO</i>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>CI,MO</b>	3	QL(15 per 24 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>CI,MO</b>	3	
TRADJENTA 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(60 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	3	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>	3	
<b>BLOOD PRODUCTS AND MODIFIERS</b>		
anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b>	3	
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	4	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
cilostazol 100 mg, 50 mg TABLET <b>MO</b>	2	
clopidogrel 300 mg TABLET <b>MO</b>	4	
clopidogrel 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE <b>MO</b>	4	QL(60 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	3	QL(74 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b> enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml <b>SYRINGE MO</b>	3 4	QL(74 per 30 days)
enoxaparin 300 mg/3 ml <b>SOLUTION MO</b>	4	
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml <b>SOLUTION MO</b>	3	
heparin (porcine) 5,000 unit/ml (1 ml) <b>CARTRIDGE MO</b>	3	
heparin (porcine) 5,000 unit/ml <b>SYRINGE MO</b>	3	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml <b>SOLUTION MO</b>	3	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml <b>SYRINGE MO</b>	3	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg <b>TABLET MO</b>	1	
NIVESTYM 300 MCG/0.5 ML <b>SYRINGE DL,PDS</b>	5	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML <b>SOLUTION DL,PDS</b>	5	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML <b>SYRINGE DL,PDS</b>	5	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML <b>SOLUTION DL,PDS</b>	5	PA,QL(22.4 per 30 days)
prasugrel hcl 10 mg, 5 mg <b>TABLET MO</b>	4	QL(30 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET <b>DL,LA,PDS</b>	5	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 25 MG <b>TABLET DL,LA,PDS</b>	5	PA,QL(30 per 30 days)
PROMACTA 25 MG POWDER IN PACKET <b>DL,LA,PDS</b>	5	PA,QL(180 per 30 days)
PROMACTA 50 MG <b>TABLET DL,LA,PDS</b>	5	PA,QL(90 per 30 days)
PROMACTA 75 MG <b>TABLET DL,LA,PDS</b>	5	PA,QL(60 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML <b>SOLUTION MO</b>	4	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML <b>SOLUTION DL,PDS</b>	5	PA,QL(14 per 30 days)
rivaroxaban 2.5 mg <b>TABLET MO</b>	3	QL(60 per 30 days)
tranexamic acid 650 mg <b>TABLET MO</b>	3	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML <b>SYRINGE DL,PDS</b>	5	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML <b>AUTO-INJECTOR DL,PDS</b>	5	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML <b>SYRINGE W/WEARABLE INJECTOR DL,PDS</b>	5	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg <b>TABLET MO</b>	1	
warfarin 5 mg <b>TABLET MO</b>	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	ST,QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>	3	QL(51 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(11.2 per 30 days)
<b>CARDIOVASCULAR AGENTS</b>		
acebutolol 200 mg, 400 mg CAPSULE <b>MO</b>	1	
acetazolamide 125 mg, 250 mg TABLET <b>MO</b>	4	
acetazolamide 500 mg CAPSULE, ER <b>MO</b>	4	
adenosine 3 mg/ml SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SYRINGE <b>MO</b>	1	
aliskiren 150 mg, 300 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
amiloride 5 mg TABLET <b>MO</b>	3	
amiloride-hydrochlorothiazide 5-50 mg TABLET <b>MO</b>	2	
amiodarone 100 mg, 400 mg TABLET <b>MO</b>	4	
amiodarone 150 mg/3 ml SYRINGE <b>MO</b>	2	
amiodarone 200 mg TABLET <b>MO</b>	2	
amiodarone 50 mg/ml SOLUTION <b>MO</b>	2	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
atenolol 100 mg TABLET <b>MO</b>	1	
atenolol 25 mg, 50 mg TABLET <b>MO</b>	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>MO</b>	1	
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bisoprolol fumarate 10 mg, 5 mg TABLET <b>MO</b>	2	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
bumetanide 0.25 mg/ml SOLUTION <b>MO</b>	2	
bumetanide 0.5 mg, 2 mg TABLET <b>MO</b>	2	
bumetanide 1 mg TABLET <b>MO</b>	2	
candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
candesartan 32 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b>	3	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b>	3	
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>	1	
chlorothiazide sodium 500 mg RECON SOLUTION <b>MO</b>	2	
chlorthalidone 25 mg TABLET <b>MO</b>	1	
chlorthalidone 50 mg TABLET <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER <b>MO</b>	3	
cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>	3	
cholestyramine light 4 gram POWDER <b>MO</b>	3	
cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>	4	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET <b>MO</b>	1	
clonidine hcl 0.2 mg, 0.3 mg TABLET <b>MO</b>	1	
colestipol 1 gram TABLET <b>MO</b>	3	
colestipol 5 gram GRANULES <b>MO</b>	4	QL(1000 per 30 days)
colestipol 5 gram PACKET <b>MO</b>	4	
CORLOPAM 10 MG/ML SOLUTION <b>MO</b>	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 100 mg RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	2	
diltiazem hcl 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR. <b>MO</b>	2	
diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION <b>MO</b>	2	
DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>	4	
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>	4	
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>MO</b>	1	
enalaprilat 1.25 mg/ml SOLUTION <b>MO</b>	2	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLET <b>MO</b>	3	QL(240 per 30 days)
ezetimibe 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibrate 54 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE <b>MO</b>	4	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE <b>MO</b>	3	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	3	
fluvastatin 20 mg, 40 mg CAPSULE <b>MO</b>	4	ST,QL(60 per 30 days)
fluvastatin 80 mg TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET <b>MO</b>	1	
furosemide 10 mg/ml SYRINGE <b>MO</b>	2	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	2	
furosemide 20 mg, 40 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
furosemide 80 mg TABLET <b>MO</b>	1	
gemfibrozil 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
guanfacine 1 mg, 2 mg TABLET <b>MO</b>	2	
hydralazine 10 mg, 100 mg TABLET <b>MO</b>	2	
hydralazine 20 mg/ml SOLUTION <b>MO</b>	4	
hydralazine 25 mg, 50 mg TABLET <b>MO</b>	2	
hydrochlorothiazide 12.5 mg CAPSULE <b>MO</b>	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 50 mg TABLET <b>MO</b>	1	
ibutilide fumarate 0.1 mg/ml SOLUTION <b>MO</b>	1	
indapamide 1.25 mg, 2.5 mg TABLET <b>MO</b>	1	
irbesartan 150 mg, 300 mg, 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>	3	
isosorbide mononitrate 10 mg, 20 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide-hydralazine 20-37.5 mg TABLET <b>MO</b>	4	QL(180 per 30 days)
ISUPREL 0.2 MG/ML SOLUTION <b>MO</b>	4	
KERENDIA 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg, 400 mg TABLET <b>MO</b>	2	
labetalol 5 mg/ml SOLUTION <b>MO</b>	4	
lidocaine (pf) 20 mg/ml (2 %) SOLUTION <b>MO</b>	2	
lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION <b>MO</b>	1	
lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
lisinopril 30 mg TABLET <b>MO</b>	1	
lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
losartan 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
lovastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methyldopa 250 mg, 500 mg TABLET <b>MO</b>	2	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>	3	
metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	3	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>	2	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>	1	
metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>	3	
metyrosine 250 mg CAPSULE <b>DL,PDS</b>	5	
midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	3	
minoxidil 10 mg, 2.5 mg TABLET <b>MO</b>	2	
moexipril 15 mg, 7.5 mg TABLET <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	3	
nebivolol 10 mg TABLET <b>MO</b>	3	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
nebivolol 20 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION <b>MO</b>	4	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. <b>MO</b>	4	
niacin 500 mg TABLET <b>MO</b>	4	
niacor 500 mg TABLET <b>MO</b>	4	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER <b>MO</b>	3	QL(60 per 30 days)
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
nimodipine 30 mg CAPSULE <b>MO</b>	4	
nimodipine 60 mg/20 ml SOLUTION <b>DL,PDS</b>	5	QL(2838 per 28 days)
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>MO</b>	2	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET <b>MO</b>	3	
nitroglycerin 0.4 mg SUBLINGUAL TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	2	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION <b>MO</b>	2	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>	3	
norepinephrine bitartrate 1 mg/ml SOLUTION <b>MO</b>	1	
olmesartan 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan 5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
olmesartan-amlodipine-hcthyiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE <b>MO</b>	3	QL(120 per 30 days)
PACERONE 100 MG, 400 MG TABLET <b>MO</b>	4	
pacerone 200 mg TABLET <b>MO</b>	2	
pentoxifylline 400 mg TABLET ER <b>MO</b>	2	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	
pravastatin 10 mg, 80 mg TABLET <b>MO</b>	1	
pravastatin 20 mg, 40 mg TABLET <b>MO</b>	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	2	
prevalite 4 gram POWDER <b>MO</b>	4	
prevalite 4 gram POWDER IN PACKET <b>MO</b>	4	
procainamide 100 mg/ml, 500 mg/ml SOLUTION <b>MO</b>	1	
propafenone 150 mg, 225 mg, 300 mg TABLET <b>MO</b>	3	
propafenone 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR. <b>MO</b>	4	
propranolol 1 mg/ml SOLUTION <b>MO</b>	2	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>MO</b>	2	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>	3	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET <b>MO</b>	3	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
quinidine sulfate 200 mg, 300 mg TABLET <b>MO</b>	4	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>	3	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>	3	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
simvastatin 5 mg, 80 mg TABLET <b>MO</b>	1	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	2	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	2	
sotalol af 120 mg, 160 mg, 80 mg TABLET <b>MO</b>	2	
spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>MO</b>	2	
spironolactone 100 mg TABLET <b>MO</b>	1	
spironolactone 25 mg, 50 mg TABLET <b>MO</b>	1	
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
telmisartan 80 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	4	
torsemide 10 mg, 100 mg, 5 mg TABLET <b>MO</b>	2	
torsemide 20 mg TABLET <b>MO</b>	2	
trandolapril 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>MO</b>	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET <b>MO</b>	1	
valsartan 160 mg TABLET <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valsartan 320 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	3	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	3	QL(120 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	
verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>MO</b>	2	
verapamil 120 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
verapamil 2.5 mg/ml SOLUTION <b>MO</b>	2	
verapamil 2.5 mg/ml SYRINGE <b>MO</b>	2	
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
<b>CENTRAL NERVOUS SYSTEM AGENTS</b>		
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE <b>MO</b>	3	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK <b>DL,PDS</b>	5	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK <b>DL,PDS</b>	5	PA,QL(42 per 28 days)
BETASERON 0.3 MG KIT <b>DL,PDS</b>	5	PA,QL(15 per 30 days)
COPAXONE 20 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(12 per 28 days)
dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
dexamethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg TABLET <b>MO</b>	4	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg TABLET <b>MO</b>	4	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET <b>MO</b>	4	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextroamphetamine sulfate 30 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET <b>MO</b>	4	QL(150 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	3	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET <b>MO</b>	3	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46) CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC <b>MO</b>	4	PA,QL(14 per 30 days)
dimethyl fumarate 240 mg CAPSULE, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b>	4	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC <b>MO</b>	2	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC <b>MO</b>	2	QL(90 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
fingolimod 0.5 mg CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL,PDS</b>	5	PA,QL(240 per 30 days)
glatiramer 20 mg/ml SYRINGE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
glatiramer 40 mg/ml SYRINGE <b>DL,PDS</b>	5	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE <b>DL,PDS</b>	5	PA,QL(12 per 28 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(1.2 per 28 days)
methylphenidate hcl 10 mg TABLET ER <b>MO</b>	3	QL(180 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	3	QL(90 per 30 days)
methylphenidate hcl 20 mg TABLET ER <b>MO</b>	3	QL(90 per 30 days)
NUEDEXTA 20-10 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	3	QL(90 per 30 days)
pregabalin 20 mg/ml SOLUTION <b>MO</b>	3	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>	3	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RADICAVA ORS 105 MG/5 ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION <b>DL,PDS</b>	5	PA,QL(70 per 28 days)
riluzole 50 mg TABLET <b>MO</b>	4	
teriflunomide 14 mg, 7 mg TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
tetrabenazine 12.5 mg TABLET <b>MO</b>	4	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET <b>MO</b>	4	PA,QL(120 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
<b>DENTAL &amp; ORAL AGENTS</b>		
chlorhexidine gluconate 0.12 % MOUTHWASH <b>MO</b>	1	
periogard 0.12 % MOUTHWASH <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>	4	
triamcinolone acetonide 0.1 % PASTE <b>MO</b>	3	
<b>DERMATOLOGICAL AGENTS</b>		
accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	4	
acitretin 10 mg, 17.5 mg, 25 mg CAPSULE <b>MO</b>	4	PA
adapalene 0.3 % GEL <b>MO</b>	3	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
ammonium lactate 12 % CREAM <b>MO</b>	2	
ammonium lactate 12 % LOTION <b>MO</b>	2	
amnesteem 10 mg, 20 mg, 40 mg CAPSULE <b>MO</b>	4	
azelaic acid 15 % GEL <b>MO</b>	4	ST,QL(50 per 30 days)
betamethasone dipropionate 0.05 % CREAM <b>MO</b>	3	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION <b>MO</b>	3	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT <b>MO</b>	4	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM <b>MO</b>	2	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION <b>MO</b>	3	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT <b>MO</b>	2	QL(180 per 30 days)
betamethasone, augmented 0.05 % CREAM <b>MO</b>	2	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL <b>MO</b>	4	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION <b>MO</b>	4	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT <b>MO</b>	4	QL(100 per 30 days)
calcipotriene 0.005 % CREAM <b>MO</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
calcipotriene 0.005 % SOLUTION <b>MO</b>	4	QL(60 per 30 days)
claravis 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	4	
clindamycin phosphate 1 % GEL <b>MO</b>	4	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION <b>MO</b>	4	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB <b>MO</b>	2	
clindamycin-benzoyl peroxide 1-5 % GEL <b>MO</b>	4	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL <b>MO</b>	4	QL(45 per 30 days)
clobetasol 0.05 % CREAM <b>MO</b>	3	QL(120 per 30 days)
clobetasol 0.05 % FOAM <b>MO</b>	4	QL(100 per 28 days)
clobetasol 0.05 % GEL <b>MO</b>	4	QL(120 per 28 days)
clobetasol 0.05 % LOTION <b>MO</b>	4	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT <b>MO</b>	3	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO <b>MO</b>	4	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION <b>MO</b>	3	QL(100 per 30 days)
clobetasol-emollient 0.05 % CREAM <b>MO</b>	4	QL(120 per 30 days)
diclofenac sodium 3 % GEL <b>MO</b>	3	PA
ENSTILAR 0.005-0.064 % FOAM <b>MO</b>	4	QL(120 per 30 days)
ery pads 2 % SWAB <b>MO</b>	3	QL(60 per 30 days)
erythromycin with ethanol 2 % SOLUTION <b>MO</b>	3	QL(120 per 30 days)
fluocinolone 0.01 % OIL <b>MO</b>	4	QL(118.28 per 30 days)
fluocinolone 0.01 % SOLUTION <b>MO</b>	4	QL(180 per 30 days)
fluocinolone 0.025 % CREAM <b>MO</b>	4	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT <b>MO</b>	4	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL <b>MO</b>	4	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM <b>MO</b>	4	QL(120 per 30 days)
fluocinonide 0.05 % GEL <b>MO</b>	4	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT <b>MO</b>	4	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION <b>MO</b>	4	QL(120 per 30 days)
fluorouracil 2 % SOLUTION <b>MO</b>	3	QL(30 per 30 days)
fluorouracil 5 % CREAM <b>MO</b>	4	
fluorouracil 5 % SOLUTION <b>MO</b>	3	QL(60 per 30 days)
fluticasone propionate 0.005 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propionate 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	4	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION <b>MO</b>	2	QL(236 per 30 days)
HYFTOR 0.2 % GEL <b>DL,PDS</b>	5	PA
imiquimod 5 % CREAM IN PACKET <b>MO</b>	3	QL(12 per 30 days)
isotretinoin 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	4	
lindane 1 % SHAMPOO <b>MO</b>	4	QL(60 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM <b>MO</b>	4	QL(240 per 30 days)
malathion 0.5 % LOTION <b>MO</b>	4	
mometasone 0.1 % CREAM <b>MO</b>	2	QL(180 per 30 days)
mometasone 0.1 % OINTMENT <b>MO</b>	2	QL(180 per 30 days)
mometasone 0.1 % SOLUTION <b>MO</b>	2	QL(180 per 30 days)
mupirocin 2 % OINTMENT <b>MO</b>	2	
permethrin 5 % CREAM <b>MO</b>	3	
pimecrolimus 1 % CREAM <b>MO</b>	4	PA,QL(100 per 30 days)
podofilox 0.5 % SOLUTION <b>MO</b>	4	QL(7 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	4	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	4	QL(60 per 30 days)
proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	4	QL(60 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>	4	PA,QL(180 per 30 days)
selenium sulfide 2.5 % LOTION <b>MO</b>	2	QL(120 per 30 days)
silver sulfadiazine 1 % CREAM <b>MO</b>	2	
SSD 1 % CREAM <b>MO</b>	2	
tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>	4	QL(200 per 30 days)
tazarotene 0.1 % CREAM <b>MO</b>	3	QL(120 per 30 days)
tretinoin 0.01 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 % GEL <b>MO</b>	4	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	4	PA,QL(45 per 30 days)
zenatane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE <b>MO</b>	4	
<b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	4	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	4	
calcium chloride 100 mg/ml (10 %) SOLUTION <b>MO</b>	4	
calcium chloride 100 mg/ml (10 %) SYRINGE <b>MO</b>	4	
calcium gluconate 100 mg/ml (10%) SOLUTION <b>MO</b>	2	
carglumic acid 200 mg TABLET, DISPERSIBLE <b>DL,PDS</b>	5	PA
CHEMET 100 MG CAPSULE <b>DL,PDS</b>	5	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINOLIPID 20 % EMULSION <b>MO</b>	4	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	4	
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
deferasirox 180 mg, 360 mg TABLET <b>MO</b>	4	PA
deferasirox 90 mg TABLET <b>MO</b>	3	PA
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 25 % in water (d25w) SYRINGE <b>MO</b>	2	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>MO</b>	2	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 50 % in water (d50w) SYRINGE <b>MO</b>	2	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>MO</b>	2	
electrolyte-148 PARENTERAL SOLUTION <b>MO</b>	4	
electrolyte-48 in d5w PARENTERAL SOLUTION <b>MO</b>	2	
electrolyte-a PARENTERAL SOLUTION <b>MO</b>	4	
GLYCOPHOS 1 MMOL/ML SOLUTION <b>MO</b>	1	
INTRALIPID 20 %, 30 % EMULSION <b>MO</b>	4	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	4	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	4	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION <b>MO</b>	4	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	4	
ISOLYTE-S PARENTERAL SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KABIVEN 3.31-10.8-3.9 % EMULSION <b>MO</b>	4	BvsD
kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION <b>MO</b>	3	
KLOR-CON 10 10 MEQ TABLET ER <b>MO</b>	2	
KLOR-CON 8 8 MEQ TABLET ER <b>MO</b>	2	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
lactated ringers PARENTERAL SOLUTION <b>MO</b>	2	
levocarnitine 330 mg TABLET <b>MO</b>	4	
levocarnitine (with sugar) 100 mg/ml SOLUTION <b>MO</b>	4	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET <b>MO</b>	3	QL(30 per 30 days)
m-natal plus 27 mg iron- 1 mg TABLET <b>MO</b>	4	
magnesium sulfate 500 mg/ml (50 %) SOLUTION <b>MO</b>	2	
magnesium sulfate 500 mg/ml (50 %) SYRINGE <b>MO</b>	2	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK <b>MO</b>	2	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK <b>MO</b>	2	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION <b>MO</b>	2	
neo-vital rx 27 mg iron- 1 mg TABLET <b>MO</b>	4	
NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>	4	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>	4	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>	4	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION <b>MO</b>	4	
NUTRILIPID 20 % EMULSION <b>MO</b>	4	BvsD
penicillamine 250 mg TABLET <b>DL,PDS</b>	5	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION <b>MO</b>	4	BvsD
PLASMA-LYTE 148 PARENTERAL SOLUTION <b>MO</b>	4	
PLASMA-LYTE A PARENTERAL SOLUTION <b>MO</b>	4	
PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
potassium acetate 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
potassium chloride 10 meq CAPSULE, ER <b>MO</b>	2	
potassium chloride 10 meq, 20 meq TABLET ER <b>MO</b>	2	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
potassium chloride 15 meq, 8 meq TABLET ER <b>MO</b>	2	
potassium chloride 2 meq/ml SOLUTION <b>MO</b>	2	
potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID <b>MO</b>	4	
potassium chloride 8 meq CAPSULE, ER <b>MO</b>	2	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK <b>MO</b>	2	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER <b>MO</b>	3	
pr natal 400 29-1-400 mg COMBO PACK <b>MO</b>	4	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	4	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK <b>MO</b>	4	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	4	
PREMASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	4	
PRENATABS FA 29-1 MG TABLET <b>MO</b>	4	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET <b>MO</b>	4	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET <b>MO</b>	4	
PRENATE ELITE 26 MG IRON- 1 MG TABLET <b>MO</b>	4	
PROSOL 20 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
ringer's PARENTERAL SOLUTION <b>MO</b>	1	
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET <b>MO</b>	4	
SMOFLIPID 20 % EMULSION <b>MO</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE <b>MO</b>	4	
sodium chloride 2.5 meq/ml SOLUTION <b>MO</b>	2	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium chloride 0.9 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium chloride 0.9 % PIGGYBACK <b>MO</b>	2	
sodium chloride 0.9 % SOLUTION <b>MO</b>	2	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium phosphate 3 mmol/ml SOLUTION <b>MO</b>	4	
sodium polystyrene sulfonate POWDER <b>MO</b>	3	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <b>MO</b>	3	
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION <b>MO</b>	4	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
trientine 250 mg CAPSULE <b>DL,PDS</b>	5	QL(240 per 30 days)
trientine 500 mg CAPSULE <b>DL,PDS</b>	5	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET <b>MO</b>	4	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	4	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	4	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	4	
westab plus 27 mg iron- 1 mg TABLET <b>MO</b>	4	
<b>GASTROINTESTINAL AGENTS</b>		
alosetron 0.5 mg, 1 mg TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>MO</b>	2	
cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>	3	
constulose 10 gram/15 ml SOLUTION <b>MO</b>	2	
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE <b>MO</b>	2	
dicyclomine 10 mg/5 ml SOLUTION <b>MO</b>	4	
dicyclomine 20 mg TABLET <b>MO</b>	2	
diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>	4	
enulose 10 gram/15 ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>	3	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>	3	QL(60 per 30 days)
famotidine 10 mg/ml SOLUTION <b>MO</b>	2	
famotidine 20 mg, 40 mg TABLET <b>MO</b>	2	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
famotidine (pf) 20 mg/2 ml SOLUTION <b>MO</b>	2	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK <b>MO</b>	2	
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>MO</b>	2	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	2	
gavilyte-n 420 gram RECON SOLUTION <b>MO</b>	2	
generlac 10 gram/15 ml SOLUTION <b>MO</b>	2	
glycopyrrolate 0.2 mg/ml SOLUTION <b>MO</b>	4	
glycopyrrolate 1 mg, 2 mg TABLET <b>MO</b>	3	
lactulose 10 gram/15 ml SOLUTION <b>MO</b>	2	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
loperamide 2 mg CAPSULE <b>MO</b>	2	
lubiprostone 24 mcg, 8 mcg CAPSULE <b>MO</b>	3	QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET <b>MO</b>	4	
misoprostol 100 mcg, 200 mcg TABLET <b>MO</b>	3	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE <b>MO</b>	2	
omeprazole 10 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole 20 mg, 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET <b>DL,PDS</b>	5	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE <b>MO</b>	4	QL(30 per 30 days)
pantoprazole 20 mg, 40 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
pantoprazole 40 mg RECON SOLUTION <b>MO</b>	3	
pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 40 mg/50 ml (0.8 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK <b>MO</b>	4	
PANTOPRAZOLE IN 0.9% SOD CHLOR 40 MG/50 ML (0.8 MG/ML) PIGGYBACK <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	2	
peg-electrolyte soln 420 gram RECON SOLUTION <b>MO</b>	2	
rabeprazole 20 mg TABLET, DR/EC <b>MO</b>	3	QL(60 per 30 days)
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION <b>MO</b>	3	
sucralfate 1 gram TABLET <b>MO</b>	2	
sucralfate 100 mg/ml SUSPENSION <b>MO</b>	4	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION <b>MO</b>	4	
SUTAB 1.479-0.188- 0.225 GRAM TABLET <b>MO</b>	3	
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	4	
ursodiol 250 mg TABLET <b>MO</b>	3	
ursodiol 300 mg CAPSULE <b>MO</b>	4	
ursodiol 500 mg TABLET <b>MO</b>	4	
VOWST CAPSULE <b>DL,PDS</b>	5	PA
XIFAXAN 200 MG TABLET <b>MO</b>	4	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
<b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>		
betaine 1 gram/scoop POWDER <b>DL,PDS</b>	5	
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	4	
ELELYSO 200 UNIT RECON SOLUTION <b>DL,PDS</b>	5	PA
nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE <b>DL,PDS</b>	5	
sapropterin 100 mg POWDER IN PACKET <b>DL,PDS</b>	5	PA
sodium phenylbutyrate 0.94 gram/gram POWDER <b>DL,PDS</b>	5	
sodium phenylbutyrate 500 mg TABLET <b>DL,PDS</b>	5	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 80 MG/0.8 ML SOLUTION <b>DL,PDS</b>	5	PA
STRENSIQ 40 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
VYNDAMAX 61 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
WELIREG 40 MG TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION <b>DL,PDS</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC <b>MO</b>	4	
<b>GENITOURINARY AGENTS</b>		
alfuzosin 10 mg TABLET, ER 24 HR. <b>MO</b>	1	
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET <b>MO</b>	3	
darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
dutasteride 0.5 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE <b>MO</b>	4	QL(90 per 30 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
finasteride 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
GEMTESA 75 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(300 per 30 days)
oxybutynin chloride 10 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
oxybutynin chloride 5 mg TABLET <b>MO</b>	2	
oxybutynin chloride 5 mg/5 ml SYRUP <b>MO</b>	2	
silodosin 4 mg, 8 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
solifenacain 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
tadalafil 5 mg TABLET <b>MO</b>	4	PA
tamsulosin 0.4 mg CAPSULE <b>MO</b>	2	
tolterodine 1 mg, 2 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
trospium 20 mg TABLET <b>MO</b>	4	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>		
betamethasone acet,sod phos 6 mg/ml SUSPENSION <b>MO</b>	3	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET <b>MO</b>	2	
dexamethasone 0.5 mg/5 ml ELIXIR <b>MO</b>	2	
dexamethasone 0.5 mg/5 ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone intensol 1 mg/ml DROPS <b>MO</b>	3	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION <b>MO</b>	2	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE <b>MO</b>	2	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION <b>MO</b>	2	
dexamethasone sodium phosphate 4 mg/ml SYRINGE <b>MO</b>	2	
fludrocortisone 0.1 mg TABLET <b>MO</b>	2	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK <b>MO</b>	2	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>MO</b>	2	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg RECON SOLUTION <b>MO</b>	4	
prednisolone 15 mg/5 ml SOLUTION <b>MO</b>	2	
prednisolone sodium phosphate 15 mg/5 ml (3 mg/ml) SOLUTION <b>MO</b>	2	
prednisolone sodium phosphate 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>	4	
prednisolone sodium phosphate 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b>	3	
prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>MO</b>	2	
prednisone 5 mg/5 ml SOLUTION <b>MO</b>	4	BvsD
prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>	4	BvsD
SOLU-MEDROL 2 GRAM RECON SOLUTION <b>MO</b>	4	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	4	
triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>	3	
triamcinolone acetonide 0.025 %, 0.1 %, 0.5 % OINTMENT <b>MO</b>	2	
triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>MO</b>	2	
triamcinolone acetonide 0.1 % CREAM <b>MO</b>	2	
triderm 0.1 %, 0.5 % CREAM <b>MO</b>	2	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)</b>		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>	4	PA
desmopressin 0.1 mg TABLET <b>MO</b>	3	
desmopressin 0.2 mg TABLET <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EGRIFTA SV 2 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
INCRELEX 10 MG/ML SOLUTION <b>DL,PDS</b>	5	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL,PDS</b>	5	PA
OMNITROPE 5.8 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>		
afirmelle 0.1-20 mg-mcg TABLET <b>MO</b>	4	
altavera (28) 0.15-0.03 mg TABLET <b>MO</b>	4	
alyacen 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	4	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	4	
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	4	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET <b>MO</b>	4	
apri 0.15-0.03 mg TABLET <b>MO</b>	4	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	4	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET <b>MO</b>	4	
aubra eq 0.1-20 mg-mcg TABLET <b>MO</b>	4	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	4	
aurovela 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	3	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
aviane 0.1-20 mg-mcg TABLET <b>MO</b>	4	
ayuna 0.15-0.03 mg TABLET <b>MO</b>	4	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>	4	
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
briellyn 0.4-35 mg-mcg TABLET <b>MO</b>	4	
camila 0.35 mg TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>	4	
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	4	QL(8 per 28 days)
cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b>	4	
cyred 0.15-0.03 mg TABLET <b>MO</b>	4	
cyred eq 0.15-0.03 mg TABLET <b>MO</b>	4	
danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b>	4	
dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	4	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	4	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
deblitane 0.35 mg TABLET <b>MO</b>	3	
DEPO-ESTRADIOL 5 MG/ML OIL <b>MO</b>	3	QL(5 per 30 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>	3	QL(0.65 per 90 days)
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET <b>MO</b>	4	
dolishale 90-20 mcg (28) TABLET <b>MO</b>	4	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b>	4	
DUAVEE 0.45-20 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
elinet 0.3-30 mg-mcg TABLET <b>MO</b>	4	
eluryng 0.12-0.015 mg/24 hr RING <b>MO</b>	3	QL(1 per 28 days)
emzahh 0.35 mg TABLET <b>MO</b>	3	
ENDOMETRIN 100 MG INSERT <b>MO</b>	4	
enilloring 0.12-0.015 mg/24 hr RING <b>MO</b>	3	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	4	
enskyce 0.15-0.03 mg TABLET <b>MO</b>	4	
errin 0.35 mg TABLET <b>MO</b>	3	
estarylla 0.25-0.035 mg TABLET <b>MO</b>	4	
estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
estradiol 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
estradiol 10 mcg TABLET <b>MO</b>	4	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL <b>MO</b>	4	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	3	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING <b>MO</b>	4	QL(1 per 90 days)
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	4	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>	3	QL(1 per 28 days)
falmina (28) 0.1-20 mg-mcg TABLET <b>MO</b>	4	
feirza 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING <b>MO</b>	4	
gallifrey 5 mg TABLET <b>MO</b>	3	
hailey 1.5-30 mg-mcg TABLET <b>MO</b>	4	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
haloette 0.12-0.015 mg/24 hr RING <b>MO</b>	3	QL(1 per 28 days)
heather 0.35 mg TABLET <b>MO</b>	3	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
incassia 0.35 mg TABLET <b>MO</b>	3	
isibloom 0.15-0.03 mg TABLET <b>MO</b>	4	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET <b>MO</b>	4	
jencycla 0.35 mg TABLET <b>MO</b>	3	
juleber 0.15-0.03 mg TABLET <b>MO</b>	4	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	4	
junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	3	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
kalliga 0.15-0.03 mg TABLET <b>MO</b>	4	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	4	
kelnor 1/50 (28) 1-50 mg-mcg TABLET <b>MO</b>	4	
kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>	4	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	4	
larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	3	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	4	
lessina 0.1-20 mg-mcg TABLET <b>MO</b>	4	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	4	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	4	
levonorgestrel-ethynodiol estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>	4	
levonorgestrel-ethynodiol estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET <b>MO</b>	4	
lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>	4	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>	4	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>	3	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	4	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	4	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET <b>MO</b>	4	
low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>	4	
lutera (28) 0.1-20 mg-mcg TABLET <b>MO</b>	4	
lyleq 0.35 mg TABLET <b>MO</b>	3	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lyza 0.35 mg TABLET <b>MO</b>	3	
marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>	4	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
medroxyprogesterone 150 mg/ml SUSPENSION <b>MO</b>	2	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE <b>MO</b>	2	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET <b>MO</b>	2	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml) SUSPENSION <b>MO</b>	3	
megestrol 625 mg/5 ml (125 mg/ml) SUSPENSION <b>MO</b>	4	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET <b>MO</b>	3	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	4	
microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	3	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
mili 0.25-0.035 mg TABLET <b>MO</b>	4	
mono-linyah 0.25-0.035 mg TABLET <b>MO</b>	4	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET <b>MO</b>	4	
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	4	
NEXPLANON 68 MG IMPLANT <b>DL,PDS</b>	3	
nikki (28) 3-0.02 mg TABLET <b>MO</b>	4	
NORA-BE 0.35 MG TABLET <b>MO</b>	3	
nora-be 0.35 mg TABLET <b>MO</b>	3	
norelgestromin-ethin.estradol 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	3	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	4	
norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>	3	
norethindrone ac-eth estradiol 1-20 mg-mcg TABLET <b>MO</b>	3	
norethindrone ac-eth estradiol 1.5-30 mg-mcg TABLET <b>MO</b>	4	
norethindrone acetate 5 mg TABLET <b>MO</b>	3	
norethindrone-e.estradol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7)/1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg TABLET <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	4	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>	4	
nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	4	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	4	
nylia 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	4	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	4	
nymyo 0.25-35 mg-mcg TABLET <b>MO</b>	4	
ocella 3-0.03 mg TABLET <b>MO</b>	4	
OSPHENA 60 MG TABLET <b>MO</b>	3	PA
oxandrolone 10 mg TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
oxandrolone 2.5 mg TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
philith 0.4-35 mg-mcg TABLET <b>MO</b>	4	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
portia 28 0.15-0.03 mg TABLET <b>MO</b>	4	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	4	
PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>	3	
progesterone 50 mg/ml OIL <b>MO</b>	3	
progesterone micronized 100 mg, 200 mg CAPSULE <b>MO</b>	3	
raloxifene 60 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET <b>MO</b>	4	
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
sharobel 0.35 mg TABLET <b>MO</b>	3	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
simpesesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
sprintec (28) 0.25-0.035 mg TABLET <b>MO</b>	4	
sronyx 0.1-20 mg-mcg TABLET <b>MO</b>	4	
syeda 3-0.03 mg TABLET <b>MO</b>	4	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	4	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	4	
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>	3	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>	3	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(150 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>	3	PA
testosterone enanthate 200 mg/ml OIL <b>MO</b>	3	PA,QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	4	
tri-estarrylla 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	4	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	4	
tri-linyah 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	4	
tri-lo-estarrylla 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	4	
tri-lo-marzia 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	4	
tri-lo-mili 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	4	
tri-lo-sprintec 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	4	
tri-mili 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	4	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	4	
tri-sprintec (28) 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	4	
tri-vylibra 0.18/0.215/0.25 mg-0.035mg (28) TABLET <b>MO</b>	4	
tri-vylibra lo 0.18/0.215/0.25 mg-0.025 mg TABLET <b>MO</b>	4	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	4	
tulana 0.35 mg TABLET <b>MO</b>	3	
turqoz (28) 0.3-30 mg-mcg TABLET <b>MO</b>	4	
valtya 1-50 mg-mcg TABLET <b>MO</b>	4	
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	4	
vestura (28) 3-0.02 mg TABLET <b>MO</b>	4	
vienna 0.1-20 mg-mcg TABLET <b>MO</b>	4	
viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	4	
vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>	4	
vylibra 0.25-0.035 mg TABLET <b>MO</b>	4	
wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>	4	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	4	
xarah fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	4	
xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	3	QL(3 per 28 days)
zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	3	QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<u>zarah 3-0.03 mg TABLET MO</u>	4	
<u>zovia 1-35 (28) 1-35 mg-mcg TABLET MO</u>	4	
<u>zumandimine (28) 3-0.03 mg TABLET MO</u>	4	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
<i>levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MO</i>	1	
<i>levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET MO</i>	1	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
<i>liothyronine 10 mcg/ml SOLUTION MO</i>	3	
<i>liothyronine 25 mcg, 5 mcg, 50 mcg TABLET MO</i>	3	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION <b>MO</b>	4	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
<b>HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)</b>		
<i>cabergoline 0.5 mg TABLET MO</i>	4	
ELIGARD 7.5 MG (1 MONTH) SYRINGE <b>MO</b>	4	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE <b>MO</b>	4	PA
ELIGARD (4 MONTH) 30 MG SYRINGE <b>MO</b>	4	PA
ELIGARD (6 MONTH) 45 MG SYRINGE <b>MO</b>	4	PA
FIRMAGON 120 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lanreotide 120 mg/0.5 ml SYRINGE <b>DL,PDS</b>	5	PA,QL(0.5 per 28 days)
lanreotide 60 mg/0.2 ml SYRINGE <b>DL,PDS</b>	5	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE <b>DL,PDS</b>	5	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT <b>MO</b>	4	
leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	5	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT <b>DL,PDS</b>	5	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	5	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	5	PA,QL(1 per 90 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 500 mcg/ml <b>SOLUTION MO</b>	4	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) <b>SYRINGE MO</b>	4	PA
octreotide acetate 50 mcg/ml <b>SOLUTION MO</b>	3	PA
octreotide,microspheres 20 mg, 30 mg SUSPENSION, ER, RECON <b>DL,PDS</b>	5	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL,PDS</b>	5	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	PA
<b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>		
methimazole 10 mg, 5 mg TABLET <b>MO</b>	2	
propylthiouracil 50 mg TABLET <b>MO</b>	3	
<b>IMMUNOLOGICAL AGENTS</b>		
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION <b>AV,DL,PDS</b>	1	
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL,PDS</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL,PDS</b>	5	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>AV,DL,PDS</b>	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
ADALIMUMAB-ADAZ 20 MG/0.2 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(1.2 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 80 MG/0.8 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(4.8 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
ARCALYST 220 MG RECON SOLUTION <b>DL,PDS</b>	5	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
azathioprine 50 mg TABLET <b>MO</b>	2	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
BENLYSTA 120 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
BESREMI 500 MCG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>AV,DL,PDS</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>AV,DL,PDS</b>	1	
COSENTYX 150 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
COSENTYX 75 MG/0.5 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COSENTYX UNOREADY PEN 300 MG/2 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
cyclosporine 100 mg, 25 mg CAPSULE <b>MO</b>	4	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	4	BvsD
cyclosporine modified 100 mg/ml SOLUTION <b>MO</b>	4	BvsD
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>DL,PDS</b>	1	
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>AV,DL,PDS</b>	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>AV,DL,PDS</b>	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	BvsD
ENVARSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. <b>MO</b>	4	PA
ENVARSUS XR 4 MG TABLET, ER 24 HR. <b>DL,PDS</b>	4	PA
everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b>	4	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET <b>DL,PDS</b>	5	BvsD,QL(120 per 30 days)
everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET <b>DL,PDS</b>	5	BvsD,QL(60 per 30 days)
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL,PDS</b>	5	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL,PDS</b>	5	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>AV,DL,PDS</b>	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL,PDS</b>	5	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE <b>AV,DL,PDS</b>	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE <b>DL,PDS</b>	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL,PDS</b>	1	
HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL,PDS</b>	5	PA,QL(6 per 28 days)
<i>icatibant 30 mg/3 ml SYRINGE</i> <b>DL,PDS</b>	5	PA,QL(18 per 30 days)
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>AV,DL,PDS</b>	1	BvsD
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>DL,PDS</b>	1	
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>AV,DL,PDS</b>	1	
IXCHIQ (PF) 1,000 TCID50/0.5 ML RECON SOLUTION <b>AV,DL,PDS</b>	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
JYLAJVO 2 MG/ML SOLUTION <b>DL,PDS</b>	4	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION <b>AV,DL,PDS</b>	1	
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>DL,PDS</b>	1	
<i>leflunomide 10 mg, 20 mg TABLET</i> <b>MO</b>	3	QL(30 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>AV,DL,PDS</b>	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION <b>AV,DL,PDS</b>	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>AV,DL,PDS</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>AV,DL,PDS</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>AV,DL,PDS</b>	1	
<i>methotrexate sodium 2.5 mg TABLET</i> <b>MO</b>	2	BvsD
<i>methotrexate sodium 25 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>methotrexate sodium (pf) 1 gram RECON SOLUTION</i> <b>MO</b>	2	
<i>methotrexate sodium (pf) 25 mg/ml SOLUTION</i> <b>MO</b>	1	
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mycophenolate mofetil 250 mg CAPSULE <b>MO</b>	3	BvsD
mycophenolate mofetil 500 mg TABLET <b>MO</b>	3	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION <b>MO</b>	4	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC <b>MO</b>	4	BvsD
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>DL,PDS</b>	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>DL,PDS</b>	1	
PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT <b>AV,DL,PDS</b>	1	
PENTACEL (PF) 15LF-20MCG-5LF- 62 DU/0.5 ML KIT <b>DL,PDS</b>	1	
PREHEVBRIOS (PF) 10 MCG/ML SUSPENSION <b>AV,DL,PDS</b>	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>	4	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>DL,PDS</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>DL,PDS</b>	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>AV,DL,PDS</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	BvsD
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE <b>MO</b>	4	
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. <b>DL,PDS</b>	5	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION <b>DL,PDS</b>	5	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION <b>DL,PDS</b>	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION <b>DL,PDS</b>	1	
ROTAQUE VACCINE 2 ML SOLUTION <b>DL,PDS</b>	1	
sajazir 30 mg/3 ml SYRINGE <b>DL,PDS</b>	5	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>	4	BvsD
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
sirolimus 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sirolimus 1 mg/ml SOLUTION <b>MO</b>	4	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	5	PA,QL(2 per 84 days)
SKYRIZI 150 MG/ML SYRINGE	5	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL,PDS</b>	5	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL,PDS</b>	5	PA,QL(16.8 per 365 days)
STELARA 45 MG/0.5 ML SOLUTION <b>DL,PDS</b>	5	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(3 per 84 days)
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE <b>MO</b>	4	BvsD
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>AV,DL,PDS</b>	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>AV,DL,PDS</b>	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	5	PA,QL(3 per 84 days)
TREMFYA 100 MG/ML SYRINGE	5	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(120 per 365 days)
TREMFYA PEN 200 MG/2 ML PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(2 per 28 days)
TRUMENBA 120 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>AV,DL,PDS</b>	1	
TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>AV,DL,PDS</b>	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE <b>AV,DL,PDS</b>	1	
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION <b>DL,PDS</b>	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE <b>DL,PDS</b>	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION <b>AV,DL,PDS</b>	1	
VAQTA (PF) 50 UNIT/ML SYRINGE <b>AV,DL,PDS</b>	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION <b>AV,MO</b>	1	
VIMKUNYA 40 MCG/0.8 ML SYRINGE <b>DL,PDS</b>	1	
VIVOTIF 2 BILLION UNIT CAPSULE, DR/EC <b>MO</b>	1	
XATMEP 2.5 MG/ML SOLUTION <b>MO</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR <b>DL,LA,PDS</b>	5	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE <b>DL,LA,PDS</b>	5	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR <b>DL,LA,PDS</b>	5	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE <b>DL,LA,PDS</b>	5	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,PDS</b>	1	
<b>INFLAMMATORY BOWEL DISEASE AGENTS</b>		
balsalazide 750 mg CAPSULE <b>MO</b>	4	
budesonide 3 mg CAPSULE, DR/EC <b>MO</b>	4	
budesonide 9 mg TABLET, DR/ER <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
hydrocortisone 100 mg/60 ml ENEMA <b>MO</b>	3	
mesalamine 0.375 gram CAPSULE, ER 24 HR. <b>MO</b>	4	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY <b>MO</b>	4	QL(30 per 30 days)
mesalamine 4 gram/60 ml ENEMA <b>MO</b>	4	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET <b>MO</b>	2	
sulfasalazine 500 mg TABLET, DR/EC <b>MO</b>	2	
<b>METABOLIC BONE DISEASE AGENTS</b>		
alendronate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
alendronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>	3	QL(3.7 per 28 days)
calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>MO</b>	2	
calcitriol 1 mcg/ml SOLUTION <b>MO</b>	4	
cinacalcet 30 mg, 60 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
cinacalcet 90 mg TABLET <b>MO</b>	4	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE <b>MO</b>	4	
doxercalciferol 4 mcg/2 ml SOLUTION <b>MO</b>	4	
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(2.4 per 28 days)
ibandronate 150 mg TABLET <b>MO</b>	2	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION <b>MO</b>	4	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE <b>MO</b>	4	PA,QL(3 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE <b>DL,LA,PDS</b>	5	PA,QL(2 per 28 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION <b>MO</b>	3	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION <b>MO</b>	3	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE <b>MO</b>	4	
paricalcitol 2 mcg/ml SOLUTION <b>MO</b>	3	QL(24 per 30 days)
paricalcitol 5 mcg/ml SOLUTION <b>MO</b>	3	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE <b>MO</b>	4	QL(1 per 180 days)
risedronate 150 mg TABLET <b>MO</b>	3	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
risedronate 35 mg TABLET <b>MO</b>	3	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC <b>MO</b>	4	QL(4 per 28 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL,PDS</b>	5	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL,PDS</b>	5	PA,QL(1.7 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK <b>MO</b>	4	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION <b>MO</b>	4	
zoledronic acid 4 mg/5 ml SOLUTION <b>MO</b>	4	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK <b>MO</b>	4	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>	1	PA,QL(100 per 365 days)
<b>MISCELLANEOUS THERAPEUTIC AGENTS</b>		
acetic acid 0.25 % SOLUTION <b>MO</b>	2	
acetylcysteine 200 mg/ml (20 %) SOLUTION <b>MO</b>	4	
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	5	PA
ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL WIPES PADS, MEDICATED <b>MO</b>	1	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>MO</b>	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN <b>MO</b>	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN <b>MO</b>	1	
AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>MO</b>	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>MO</b>	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" SYRINGE <b>MO</b>	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE <b>MO</b>	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE <b>MO</b>	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE <b>MO</b>	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE <b>MO</b>	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
BORDERED GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL,PDS</b>	4	QL(360 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg CAPSULE <b>MO</b>	4	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>MO</b>	1	
CEQUR SIMPLICITY 2 UNIT DEVICE <b>MO</b>	3	
CEQUR SIMPLICITY INSERTER MISCELLANEOUS <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
CURITY ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
CURITY GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
DERMACEA 2 X 2 " BANDAGE <b>MO</b>	1	
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16" <b>MO</b>	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 <b>MO</b>	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE <b>MO</b>	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	4	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED <b>MO</b>	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
flumazenil 0.1 mg/ml SOLUTION <b>MO</b>	4	
GAUZE BANDAGE 2 X 2 " BANDAGE <b>MO</b>	1	
GAUZE PAD 2 X 2 " BANDAGE <b>MO</b>	1	
INCONTROL ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
INSULIN U-500 SYRINGE-NEEDLE 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IV PREP WIPES PADS, MEDICATED <b>MO</b>	1	
<i>lactated ringers</i> SOLUTION <b>MO</b>	2	
<i>mifepristone</i> 300 mg TABLET <b>DL,PDS</b>	5	PA,QL(120 per 30 days)
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD <b>MO</b>	3	
NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
<i>nitroglycerin</i> 0.4 % (w/w) OINTMENT <b>MO</b>	4	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN <b>MO</b>	1	
OMNIPOD 5 (G6/LIBRE 2 PLUS) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) CARTRIDGE <b>MO</b>	3	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE <b>MO</b>	3	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE <b>MO</b>	3	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE <b>MO</b>	3	
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
PRO COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
<i>protamine</i> 10 mg/ml SOLUTION <b>MO</b>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
<i>ringer's</i> SOLUTION <b>MO</b>	1	
<i>sodium chloride</i> 0.9 % SOLUTION <b>MO</b>	2	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED <b>MO</b>	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>MO</b>	1	
ULTRA-FINE INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4" NEEDLE <b>MO</b>	1	
water for irrigation, sterile SOLUTION <b>MO</b>	2	
WEBCOL PADS, MEDICATED <b>MO</b>	1	
XDEMVY 0.25 % DROPS <b>MO</b>	4	PA,QL(10 per 42 days)
ZEVALIN (Y-90) 3.2 MG/2 ML KIT <b>DL,PDS</b>	5	PA
<b>OPHTHALMIC AGENTS</b>		
ALCAINE 0.5 % DROPS <b>MO</b>	2	
ALPHAGAN P 0.1 % DROPS <b>MO</b>	4	ST
apraclonidine 0.5 % DROPS <b>MO</b>	3	
atropine 1 % DROPS <b>MO</b>	3	
ATROPINE SULFATE (PF) 1 % DROPPERETTE <b>MO</b>	3	
azelastine 0.05 % DROPS <b>MO</b>	3	
bacitracin 500 unit/gram OINTMENT <b>MO</b>	4	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT <b>MO</b>	2	
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	4	
betaxolol 0.5 % DROPS <b>MO</b>	3	
brimonidine 0.1 % DROPS <b>MO</b>	4	ST
brimonidine 0.2 % DROPS <b>MO</b>	1	
carteolol 1 % DROPS <b>MO</b>	1	
ciprofloxacin hcl 0.3 % DROPS <b>MO</b>	2	
COMBIGAN 0.2-0.5 % DROPS <b>MO</b>	3	QL(5 per 25 days)
cromolyn 4 % DROPS <b>MO</b>	1	
cyclosporine 0.05 % DROPPERETTE <b>MO</b>	3	QL(60 per 30 days)
CYSTARAN 0.44 % DROPS <b>DL,PDS</b>	5	PA,QL(60 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone sodium phosphate 0.1 % DROPS <b>MO</b>	2	
diclofenac sodium 0.1 % DROPS <b>MO</b>	2	
dorzolamide 2 % DROPS <b>MO</b>	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS <b>MO</b>	1	
erythromycin 5 mg/gram (0.5 %) OINTMENT <b>MO</b>	2	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>	3	QL(16.6 per 30 days)
fluorometholone 0.1 % DROPS, SUSPENSION <b>MO</b>	3	
flurbiprofen sodium 0.03 % DROPS <b>MO</b>	2	
gatifloxacin 0.5 % DROPS <b>MO</b>	4	QL(2.5 per 25 days)
gentamicin 0.3 % DROPS <b>MO</b>	2	
ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>	3	QL(3 per 30 days)
ketorolac 0.4 %, 0.5 % DROPS <b>MO</b>	3	QL(10 per 30 days)
latanoprost 0.005 % DROPS <b>MO</b>	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS <b>MO</b>	1	
LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>	4	
LUMIGAN 0.01 % DROPS <b>MO</b>	3	QL(2.5 per 25 days)
methazolamide 25 mg, 50 mg TABLET <b>MO</b>	4	
moxifloxacin 0.5 % DROPS <b>MO</b>	3	
NATACYN 5 % DROPS, SUSPENSION <b>MO</b>	4	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	3	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	3	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>MO</b>	2	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>MO</b>	2	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>	3	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>	4	
ofloxacin 0.3 % DROPS <b>MO</b>	2	
olopatadine 0.1 % DROPS <b>MO</b>	3	
olopatadine 0.2 % DROPS <b>MO</b>	2	
pilocarpine hcl 1 %, 2 %, 4 % DROPS <b>MO</b>	3	
polycin 500-10,000 unit/gram OINTMENT <b>MO</b>	2	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>	3	
prednisolone sodium phosphate 1 % DROPS <b>MO</b>	3	
proparacaine 0.5 % DROPS <b>MO</b>	2	
RHOPRESSA 0.02 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>	4	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS <b>MO</b>	2	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>MO</b>	2	
timolol maleate 0.25 % DROPS <b>MO</b>	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	4	
timolol maleate 0.5 % DROPS <b>MO</b>	1	
tobramycin 0.3 % DROPS <b>MO</b>	2	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	
travoprost 0.004 % DROPS <b>MO</b>	3	QL(2.5 per 25 days)
trifluridine 1 % DROPS <b>MO</b>	4	
VYZULTA 0.024 % DROPS <b>MO</b>	4	QL(2.5 per 25 days)
ZERVIATE 0.24 % DROPPERETTE <b>MO</b>	4	QL(60 per 30 days)
<b>OTIC AGENTS</b>		
fluocinolone acetonide oil 0.01 % DROPS <b>MO</b>	3	
hydrocortisone-acetic acid 1-2 % DROPS <b>MO</b>	4	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION <b>MO</b>	3	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION <b>MO</b>	3	
ofloxacin 0.3 % DROPS <b>MO</b>	3	
<b>RESPIRATORY TRACT/PULMONARY AGENTS</b>		
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION <b>MO</b>	4	BvsD
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL,LA,PDS</b>	5	PA,QL(90 per 30 days)
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	4	PA,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(12 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
albuterol sulfate 2 mg, 4 mg TABLET <b>MO</b>	4	
albuterol sulfate 2 mg/5 ml SYRUP <b>MO</b>	2	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. <b>MO</b>	4	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	3	QL(36 per 30 days)
alyq 20 mg TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>	2	
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	4	BvsD,QL(120 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	QL(30 per 30 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	PA,QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL <b>MO</b>	3	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL <b>MO</b>	4	QL(30 per 25 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(10.7 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>	4	BvsD
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION <b>MO</b>	2	QL(300 per 30 days)
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>	4	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE <b>MO</b>	4	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	3	BvsD
desloratadine 5 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
diphenhydramine hcl 50 mg/ml SOLUTION <b>MO</b>	4	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR <b>MO</b>	3	QL(4 per 30 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR <b>DL,PDS</b>	5	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL <b>MO</b>	3	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	QL(1 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>MO</b>	2	QL(16 per 30 days)
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	3	
ipratropium bromide 0.02 % SOLUTION <b>MO</b>	2	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD
KALYDECO 150 MG TABLET <b>DL,PDS</b>	5	PA,QL(60 per 30 days)
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(30 per 30 days)
levocetirizine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL <b>MO</b>	4	QL(34 per 30 days)
montelukast 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET <b>MO</b>	4	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(30 per 30 days)
NUCALA 100 MG/ML AUTO-INJECTOR <b>DL,PDS</b>	5	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE <b>DL,PDS</b>	5	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE <b>DL,PDS</b>	5	PA,QL(0.4 per 28 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL,LA,PDS</b>	5	PA,QL(60 per 30 days)
OPSUMIT 10 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
pirfenidone 267 mg CAPSULE <b>DL,PDS</b>	5	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET <b>DL,PDS</b>	5	PA,QL(270 per 30 days)
pirfenidone 534 mg, 801 mg TABLET <b>DL,PDS</b>	5	PA,QL(90 per 30 days)
PULMOZYME 1 MG/ML SOLUTION <b>DL,PDS</b>	5	BvsD
roflumilast 250 mcg TABLET <b>MO</b>	3	QL(28 per 365 days)
roflumilast 500 mcg TABLET <b>MO</b>	3	QL(30 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>	3	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(30.6 per 30 days)
tadalafil (pulm. hypertension) 20 mg TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. <b>MO</b>	4	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	4	
theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION <b>MO</b>	4	
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL,PDS</b>	5	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL <b>DL,PDS</b>	5	PA,QL(56 per 28 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(36 per 30 days)
wixela inhale 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
zafirlukast 10 mg, 20 mg TABLET <b>MO</b>	4	QL(60 per 30 days)
<b>SKELETAL MUSCLE RELAXANTS</b>		
carisoprodol 350 mg TABLET <b>MO</b>	4	QL(120 per 30 days)
cyclobenzaprine 10 mg, 5 mg TABLET <b>MO</b>	2	
methocarbamol 500 mg, 750 mg TABLET <b>MO</b>	2	
<b>SLEEP DISORDER AGENTS</b>		
BELSOMRA 10 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
sodium oxybate 500 mg/ml SOLUTION <b>DL,PDS</b>	5	PA,QL(540 per 30 days)
tasimelteon 20 mg CAPSULE <b>DL,PDS</b>	5	PA,QL(30 per 30 days)
temazepam 15 mg, 30 mg CAPSULE <b>DL,PDS</b>	3	QL(30 per 30 days)
zaleplon 10 mg, 5 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
zolpidem 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE <b>MO</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

## Humana Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Erectile Dysfunction</b>		
sildenafil 100 mg, 25 mg, 50 mg TABLET	1	QL(6 per 30 days)
<b>Weight Loss</b>		
CONTRAVE 8-90 MG TABLET ER	2	PA,QL(120 per 30 days)

Your Plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • Bvs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

# Index

## A

- abacavir... 47  
abacavir-lamivudine... 47  
ABELCET... 26  
ABILIFY ASIMTUFII... 44  
ABILIFY MAINTENA... 44  
abiraterone... 29  
abirtega... 29  
ABRYSVO (PF)... 86  
acamprosate... 13  
acarbose... 52  
accutane... 66  
acebutolol... 57  
acetaminophen-codeine... 11  
acetazolamide... 57  
acetic acid... 14, 93  
acetylcysteine... 93, 99  
acitretin... 66  
ACTHIB (PF)... 86  
ACTIMMUNE... 87  
acyclovir sodium... 47  
acyclovir... 47  
ADACEL(TDAP  
ADOLESN/ADULT)(PF)... 87  
ADALIMUMAB-ADAZ... 87  
ADALIMUMAB-ADBM... 87  
ADALIMUMAB-ADBM(CF) PEN  
CROHNS... 87  
ADALIMUMAB-ADBM(CF) PEN  
PS-UV... 87  
adapalene... 66  
ADCETRIS... 29  
adefovir... 47  
ADEMPAS... 99  
adenosine... 57  
ADRIAMYCIN... 29  
ADSTILADRIN... 93  
ADVAIR DISKUS... 99  
ADVAIR HFA... 99  
afirmelle... 78  
AKEEGA... 29  
albendazole... 42  
albuterol sulfate... 99, 100  
ALCAINE... 97  
ALCOHOL PADS... 93  
ALCOHOL PREP PADS... 93  
ALCOHOL SWABS... 93  
ALCOHOL WIPES... 93  
ALECENSA... 30  
alendronate... 92  
alfuzosin... 76  
ALIQOPA... 30  
aliskiren... 57  
allopurinol... 28  
alosetron... 73  
ALPHAGAN P... 97  
alprazolam... 51  
altavera (28)... 78  
ALUNBRIG... 30  
alyacen 1/35 (28)... 78  
alyacen 7/7/7 (28)... 78  
alyq... 100  
amabelz... 78  
amantadine hcl... 43  
ambrisentan... 100  
amethia... 78  
amethyst (28)... 78  
amikacin... 14  
amiloride... 57  
amiloride-hydrochlorothiazide... 57  
aminophylline... 100  
AMINOSYN II 10 %... 69  
AMINOSYN II 7 %... 69  
AMINOSYN II 8.5 %... 69  
AMINOSYN II 8.5  
%-ELECTROLYTES... 69  
AMINOSYN M 3.5 %... 69  
AMINOSYN 10 %... 69  
AMINOSYN 7 % WITH  
ELECTROLYTES... 69

AMINOSYN 8.5 %... 69	APTIVUS... 47	aubra... 78
AMINOSYN 8.5 %-ELECTROLYTES... 69	aranelle (28)... 78	AUGTYRO... 30
AMINOSYN-RF 5.2 %... 69	ARCALYST... 87	aurovela fe 1.5/30 (28)... 78
amiodarone... 57	AREXVY (PF)... 87	aurovela fe 1-20 (28)... 78
amitriptyline... 24	arformoterol... 100	aurovela 1.5/30 (21)... 78
amlodipine... 57	ARIKAYCE... 15	aurovela 1/20 (21)... 78
amlodipine-atorvastatin... 57	aripiprazole... 44	aurovela 24 fe... 78
amlodipine-benazepril... 57	ARISTADA INITIO... 44	AUSTEDO XR TITRATION
amlodipine-olmesartan... 57	ARISTADA... 44	KT(WK1-4)... 64
amlodipine-valsartan... 57	ARMOUR THYROID... 85	AUSTEDO XR... 64
ammonium lactate... 66	ARNUITY ELLIPTA... 100	AUSTEDO... 64
amnesteem... 66	ARRANON... 30	AUTOJECT 2 INJECTION DEVICE... 93
amoxapine... 24	arsenic trioxide... 30	AUTOPEN 1 TO 21 UNITS... 93
amoxicillin... 14	asenapine maleate... 44	AUTOPEN 2 TO 42 UNITS... 93
amoxicillin-pot clavulanate... 14	ashlyna... 78	AUTOSHIELD DUO PEN NEEDLE... 93
amphotericin b liposome... 27	ASPARLAS... 30	AUVELITY... 24
amphotericin b... 27	aspirin-dipyridamole... 55	AUVI-Q... 100
ampicillin sodium... 15	atazanavir... 47	aviane... 78
ampicillin... 15	atenolol... 57	AXTLE... 30
ampicillin-sulbactam... 15	atenolol-chlorthalidone... 57	ayuna... 78
anagrelide... 55	atomoxetine... 64	AYVAKIT... 30
anastrozole... 30	atorvastatin... 57	azacitidine... 30
ANKTIVA... 30	atovaquone... 42	azathioprine... 87
apraclonidine... 97	atovaquone-proguanil... 42	azelaic acid... 66
aprepitant... 26	ATROPINE SULFATE (PF)... 97	azelastine... 97, 100
apri... 78	atropine... 97	azithromycin... 15
APTIOM... 20	ATROVENT HFA... 100	aztreonam... 15
	aubra eq... 78	azurette (28)... 78

**B**

bacitracin... 15, 97	BD SAFETYGLIDE SYRINGE... 94	BETASERON... 64
bacitracin-polymyxin b... 97	BD ULTRA-FINE MICRO PEN NEEDLE... 94	betaxolol... 97
baclofen... 47	BD ULTRA-FINE MINI PEN NEEDLE... 94	bethanechol chloride... 76
bal-care dha... 69	BD ULTRA-FINE NANO PEN NEEDLE... 94	bexarotene... 30
balsalazide... 92	BD ULTRA-FINE ORIG PEN NEEDLE... 94	BEXSERO... 87
BALVERSA... 30	BD ULTRA-FINE SHORT PEN NEEDLE... 94	bicalutamide... 30
balziva (28)... 78	BD VEO INSULIN SYR (HALF UNIT)... 94	BICILLIN C-R... 15
BAND-AID GAUZE PADS... 93	BD VEO INSULIN SYRINGE UF... 94	BICILLIN L-A... 15
BAQSIMI... 52	BELEODAQ... 30	BICNU... 30
BARACLUDE... 47	BELSOMRA... 102	BIKTARVY... 47
BAVENCIO... 30	benazepril... 57	bisoprolol fumarate... 58
BCG VACCINE, LIVE (PF)... 87	benazepril-hydrochlorothiazide... 57	bisoprolol-hydrochlorothiazide... 58
BD ALCOHOL SWABS... 94	bendamustine... 30	BIZENGRI... 30
BD AUTOSHIELD DUO PEN NEEDLE... 94	BENLYSTA... 87	bleomycin... 30
BD ECLIPSE LUER-LOK... 94	benztropine... 43	blisovi fe 1.5/30 (28)... 78
BD INSULIN SYRINGE (HALF UNIT)... 94	BESPONSA... 30	blisovi fe 1/20 (28)... 78
BD INSULIN SYRINGE MICRO-FINE... 94	BESREMI... 87	blisovi 24 fe... 78
BD INSULIN SYRINGE U-500... 94	BETADINE OPHTHALMIC PREP... 97	BOOSTRIX TDAP... 87
BD INSULIN SYRINGE ULTRA-FINE... 94	betaine... 75	BORDERED GAUZE... 94
BD INSULIN SYRINGE... 94	betamethasone acet,sod phos... 76	BORTEZOMIB... 30
BD LO-DOSE MICRO-FINE IV... 94	betamethasone dipropionate... 66	BOSULIF... 30, 31
BD NANO 2ND GEN PEN NEEDLE... 94	betamethasone valerate... 66	BRAFTOVI... 31
BD SAFETYGLIDE INSULIN SYRINGE... 94	betamethasone, augmented... 66	BREO ELLIPTA... 100
		BREZTRI AEROSPHERE... 100
		brielllyn... 78
		BRILINTA... 55
		brimonidine... 97
		BRIVIACT... 20

bromocriptine... 43	camila... 78	cefdinir... 15
BRUKINSA... 31	camrese lo... 79	cefepime in dextrose 5 %... 15
budesonide... 92, 100	camrese... 79	cefepime in dextrose,iso-osm... 15
bumetanide... 58	candesartan... 58	cefepime... 15
bupivacaine (pf)... 13	candesartan-hydrochlorothiazid... 58	cefixime... 15
bupivacaine hcl... 13	CAPLYTA... 44	cefotetan... 15
buprenorphine hcl... 13	CAPRELSA... 31	cefoxitin in dextrose, iso-osm... 16
buprenorphine... 11	captopril... 58	cefoxitin... 15
buprenorphine-naloxone... 14	captopril-hydrochlorothiazide... 58	cefpodoxime... 16
bupropion hcl (smoking deter)... 14	carbamazepine... 20	cefprozil... 16
bupropion hcl... 24	carbidopa-levodopa... 43	ceftazidime in d5w... 16
buspirone... 51	carbidopa-levodopa-entacapone... 43	ceftazidime... 16
busulfan... 31	carboplatin... 31	ceftriaxone in dextrose,iso-os... 16
BUSULFEX... 31	CARETOUCH ALCOHOL PREP PAD... 94	ceftriaxone... 16
butilbital-acetaminop-caf-cod... 94	carglumic acid... 69	cefuroxime axetil... 16
butilbital-acetaminophen-caff... 94	carisoprodol... 102	cefuroxime sodium... 16
<b>C</b>		
c-nate dha... 69	carmustine... 31	celecoxib... 11
CABENUVA... 47	carteolol... 97	cephalexin... 16
cabergoline... 85	cartia xt... 58	CEQUR SIMPLICITY INSERTER... 94
CABOMETYX... 31	carvedilol... 58	CEQUR SIMPLICITY... 94
calcipotriene... 66, 67	caspofungin... 27	cetirizine... 100
calcitonin (salmon)... 92	CAYSTON... 100	chateal eq (28)... 79
calcitriol... 92	cefaclor... 15	CHEMET... 69
calcium chloride... 69	cefadroxil... 15	chloramphenicol sod succinate... 16
calcium gluconate... 69	cefazolin in dextrose (iso-os)... 15	chlorhexidine gluconate... 66
CALQUENCE (ACALABRUTINIB MAL)... 31	cefazolin... 15	chloroquine phosphate... 42
		chlorothiazide sodium... 58
		chlorpromazine... 44

chlorthalidone... 58	CLINIMIX E 2.75%/D5W SULF FREE... 69	clobetasol-emollient... 67
cholestyramine (with sugar)... 58	CLINIMIX E 4.25%/D10W SULF FREE... 69	clofarabine... 31
cholestyramine light... 58	CLINIMIX E 4.25%/D5W SULF FREE... 69	CLOLAR... 31
CHORIONIC GONADOTROPIN, HUMAN... 77	CLINIMIX E 5%/D15W SULFIT FREE... 69	clomipramine... 24
cyclodan... 27	CLINIMIX E 5%/D20W SULFIT FREE... 69	clonazepam... 51
ciclopirox... 27	CLINIMIX E 8%-D10W SULFITEFREE... 70	clonidine hcl... 58
cidofovir... 47	CLINIMIX E 8%-D14W SULFITEFREE... 70	clonidine... 58
cilostazol... 55	CLINIMIX 4.25%/D10W SULF FREE... 69	clopidogrel... 55
CIMDUO... 47	CLINIMIX 4.25%/D5W SULFIT FREE... 69	clorazepate dipotassium... 51
cimetidine hcl... 73	CLINIMIX 5%-D20W(SULFITE-FREE)... 69	clotrimazole... 27
cimetidine... 73	CLINIMIX 5%/D15W SULFITE FREE... 69	clotrimazole-betamethasone... 27
cinacalcet... 92	CLINIMIX 6%-D5W (SULFITE-FREE)... 69	clozapine... 44
ciprofloxacin hcl... 16, 97	CLINIMIX 8%-D10W(SULFITE-FREE)... 69	COARTEM... 42
ciprofloxacin in 5 % dextrose... 16	CLINIMIX 8%-D14W(SULFITE-FREE)... 69	COBENFY STARTER PACK... 95
cisplatin... 31	CLINIMIX 8%-D20W(SULFITE-FREE)... 69	COBENFY... 95
citalopram... 24	CLINIMIX 5%-D20W(SULFITE-FREE)... 69	colchicine... 28
cladribine... 31	CLINIMIX 5%/D15W SULFITE FREE... 69	colestipol... 58
claravis... 67	CLINIMIX 6%-D5W (SULFITE-FREE)... 69	colistin (colistimethate na)... 16
clarithromycin... 16	CLINIMIX 8%-D10W(SULFITE-FREE)... 69	COLUMVI... 31
CLEOCIN... 16	CLINIMIX 8%-D14W(SULFITE-FREE)... 69	COMBIGAN... 97
clindamycin hcl... 16	CLINIMIX 8%-D20W(SULFITE-FREE)... 69	COMBIPATCH... 79
clindamycin in 0.9 % sod chlor... 16	CLINIMIX 5%-D20W(SULFITE-FREE)... 69	COMBIVENT RESPIMAT... 100
clindamycin in 5 % dextrose... 16	CLINIMIX 8%-D14W(SULFITE-FREE)... 69	COMETRIQ... 31
clindamycin palmitate hcl... 16	CLINISOL SF 15 %... 70	COMPLERA... 48
clindamycin pediatric... 16	CLINOLIPID... 70	complete natal dha... 70
clindamycin phosphate... 16, 67	clobazam... 20	compro... 26
clindamycin-benzoyl peroxide... 67	clobetasol... 67	constulose... 73
		CONTRAVE... 103

COPAXONE... 64	dacarbazine... 32	DEPO-ESTRADIOL... 79
COPIKTRA... 31	dactinomycin... 32	DEPO-SUBQ PROVERA 104... 79
CORLOPAM... 58	dalfampridine... 64	DERMACEA... 95
COSENTYX (2 SYRINGES)... 87	danazol... 79	DESCOVY... 48
COSENTYX PEN (2 PENS)... 87	dantrolene... 47	desipramine... 24
COSENTYX PEN... 87	DANYELZA... 32	desloratadine... 100
COSENTYX UNOREADY PEN... 88	DANZITEN... 32	desmopressin... 77
COSENTYX... 87	dapsone... 29	desog-e.estriadiol/e.estriadiol... 79
COSMEGEN... 31	DAPTACEL (DTAP PEDIATRIC) (PF)... 88	desogestrel-ethynodiol... 79
COTELLIC... 31	daptomycin in 0.9 % sod chlor... 17	desvenlafaxine succinate... 24
CREON... 75	daptomycin... 17	dexamethasone intensol... 77
cromolyn... 97, 100	darifenacin... 76	dexamethasone sodium phos (pf)... 77
cryselle (28)... 79	darunavir... 48	dexamethasone sodium phosphate... 77, 98
CURITY ALCOHOL SWABS... 95	DARZALEX FASPRO... 32	dexamethasone... 76
CURITY GAUZE... 95	DARZALEX... 32	dexlansoprazole... 73
cyclobenzaprine... 102	dasatinib... 32	dexamethylphenidate... 64
cyclophosphamide... 31	dasetta 1/35 (28)... 79	dexrazoxane hcl... 32
cyclosporine modified... 88	dasetta 7/7/7 (28)... 79	dextroamphetamine sulfate... 64, 65
cyclosporine... 88, 97	DATROWAY... 32	dextroamphetamine-amphetamine... 65
CYRAMZA... 31	daunorubicin... 32	dextrose 10 % and 0.2 % nacl... 70
cyred eq... 79	DAURISMO... 32	dextrose 10 % in water (d10w)... 70
cyred... 79	daysee... 79	dextrose 25 % in water (d25w)... 70
CYSTAGON... 75	deblitane... 79	dextrose 5 % in water (d5w)... 70
CYSTARAN... 97	decitabine... 32	dextrose 5 %-lactated ringers... 70
cytarabine (pf)... 31	deferasirox... 70	
cytarabine... 31	DELSTRIGO... 48	
<b>D</b>		
dabigatran etexilate... 55	DENGVAXIA (PF)... 88	

dextrose 5%-0.2 % sod chloride...	dofetilide... 59	DUAVEE... 79
70	dolishale... 79	duloxetine... 65
dextrose 5%-0.3 % sod.chloride...	donepezil... 23	DUPIXENT PEN... 88
70	dorzolamide... 98	DUPIXENT SYRINGE... 88
dextrose 50 % in water (d50w)... 70	dorzolamide-timolol... 98	dutasteride... 76
dextrose 70 % in water (d70w)... 70	dotti... 79	dutasteride-tamsulosin... 76
DIACOMIT... 20	DOVATO... 48	d10 %-0.45 % sodium chloride... 70
diazepam intensol... 51	doxazosin... 59	d2.5 %-0.45 % sodium chloride... 70
diazepam... 20, 51	doxepin... 51	d5 % and 0.9 % sodium chloride... 70
diazoxide... 52	doxercalciferol... 92	d5 %-0.45 % sodium chloride... 70
diclofenac potassium... 11	doxorubicin... 32	<b>E</b>
diclofenac sodium... 11, 67, 98	doxorubicin, peg-liposomal... 32	EASY COMFORT ALCOHOL PAD... 95
dicloxacillin... 17	doxy-100... 17	EASY TOUCH ALCOHOL PREP PADS... 95
dicyclomine... 73	doxycycline hyclate... 17	EDURANT... 48
didanosine... 48	doxycycline monohydrate... 17	efavirenz... 48
DIFICID... 17	DRIZALMA SPRINKLE... 65	efavirenz-emtricitabin-tenofov... 48
digitek... 58	dronabinol... 26	efavirenz-lamivu-tenofov disop... 48
digoxin... 58	droperidol... 44	EGRIFTA SV... 78
dihydroergotamine... 28	DROPLET INSULIN SYR(HALF UNIT)... 95	ELAHERE... 32
dilt-xr... 58	DROPLET INSULIN SYRINGE... 95	electrolyte-a... 70
diltiazem hcl... 58, 59	DROPLET MICRON PEN NEEDLE... 95	electrolyte-148... 70
dimethyl fumarate... 65	DROPLET PEN NEEDLE... 95	electrolyte-48 in d5w... 70
diphenhydramine hcl... 100	DROPSAFE ALCOHOL PREP PADS... 95	EELYSO... 75
diphenoxylate-atropine... 73	DROPSAFE PEN NEEDLE... 95	ELIGARD (3 MONTH)... 85
disulfiram... 14	drospirenone-ethinyl estradiol... 79	ELIGARD (4 MONTH)... 85
DIURIL... 59	DROXIA... 95	ELIGARD (6 MONTH)... 85
divalproex... 20		
docetaxel... 32		

ELIGARD... 85	enpresse... 79	erythromycin with ethanol... 67
elinest... 79	enskyce... 79	erythromycin... 17, 98
ELIQUIS DVT-PE TREAT 30D START... 56	ENSTILAR... 67	escitalopram oxalate... 24
ELIQUIS... 55	entacapone... 43	esomeprazole magnesium... 74
ELMIRON... 76	entecavir... 48	estarrylla... 79
ELREXFIO... 32	ENTRESTO SPRINKLE... 59	estradiol valerate... 80
eluryng... 79	ENTRESTO... 59	estradiol... 79, 80
ELZONRIS... 32	enulose... 73	estradiol-norethindrone acet... 80
EMCYT... 32	ENVARSUS XR... 88	ESTRING... 80
EMGALITY PEN... 28	EPCLUSA... 48	eszopiclone... 102
EMGALITY SYRINGE... 28	EPIDIOLEX... 20	ethambutol... 29
EMPLICITI... 32	epinephrine... 100	ethosuximide... 20
EMSAM... 24	epirubicin... 32	ethynodiol diac-eth estradiol... 80
emtricitabine... 48	epitol... 20	etodolac... 11
emtricitabine-tenofovir (tdf)... 48	EPIVIR HBV... 48	etonogestrel-ethinyl estradiol... 80
EMTRIVA... 48	EPKINLY... 32	ETOPOPHOS... 33
emzahh... 79	EPRONTIA... 20	etoposide... 33
enalapril maleate... 59	ERBITUX... 32	etravirine... 48
enalapril-hydrochlorothiazide... 59	ergotamine-caffeine... 28	EULEXIN... 33
enalaprilat... 59	eribulin... 32	EUTHYROX... 85
endocet... 11	ERIVEDGE... 32	everolimus (antineoplastic)... 33
ENDOMETRIN... 79	ERLEADA... 32, 33	everolimus (immunosuppressive)... 88
ENGERIX-B (PF)... 88	erlotinib... 33	EVOMELA... 33
ENGERIX-B PEDIATRIC (PF)... 88	errin... 79	EVOTAZ... 48
ENHERTU... 32	ertapenem... 17	exemestane... 33
enilloring... 79	ery pads... 67	EXKIVITY... 33
enoxaparin... 56	ERYTHROCIN... 17	EYSUVIS... 98
	erythromycin lactobionate... 17	

ezetimibe... 59	FIASP U-100 INSULIN... 52	fluticasone propion-salmeterol... 100, 101	
ezetimibe-simvastatin... 59	finasteride... 76	fluticasone propionate... 67, 68, 101	
<b>F</b>			
falmina (28)... 80	fingolimod... 65	fluvastatin... 59	
famciclovir... 48	FINTEPLA... 20	fluvoxamine... 25	
famotidine (pf)... 74	FIRDAPSE... 65	FOLOTYN... 33	
famotidine (pf)-nacl (iso-os)... 74	FIRMAGON KIT W DILUENT SYRINGE... 85	FORTEO... 92	
famotidine... 74	FIRMAGON... 85	fosamprenavir... 48	
FANAPT... 45	flecainide... 59	fosinopril... 59	
FARXIGA... 52	floxuridine... 33	fosinopril-hydrochlorothiazide... 59	
FASENRA PEN... 100	fluconazole in nacl (iso-osm)... 27	fosphenytoin... 21	
febuxostat... 28	fluconazole... 27	FOTIVDA... 33	
feirza... 80	flucytosine... 27	FRUZAQLA... 33	
felbamate... 20	fludarabine... 33	furosemide... 59, 60	
felodipine... 59	fludrocortisone... 77	FUZEON... 48	
FEMLYV... 80	flumazenil... 95	FYARRO... 33	
fenofibrate micronized... 59	flunisolide... 100	FYCOMPA... 21	
fenofibrate nanocrystallized... 59	fluocinolone acetonide oil... 99	<b>G</b>	
fenofibrate... 59	fluocinolone and shower cap... 67	gabapentin... 21	
fenofibric acid... 59	fluocinolone... 67	galantamine... 23	
fentanyl citrate (pf)... 11	fluocinonide... 67	gallifrey... 80	
fentanyl citrate... 11	fluorometholone... 98	GAMUNEX-C... 88	
fentanyl... 11	fluorouracil... 33, 67	GARDASIL 9 (PF)... 88	
fesoterodine... 76	fluoxetine... 24, 25	gatifloxacin... 98	
FETZIMA... 24	fluphenazine decanoate... 45	GAUZE BANDAGE... 95	
FIASP FLETOUCH U-100 INSULIN... 52	fluphenazine hcl... 45	GAUZE PAD... 95	
FIASP PENFILL U-100 INSULIN... 52	flurbiprofen sodium... 98	gavilyte-c... 74	
	flurbiprofen... 11	gavilyte-g... 74	

gavilyte-n... 74	granisetron hcl... 26	HUMALOG MIX
GAVRETO... 33	griseofulvin microsize... 27	75-25(U-100)INSULN... 53
GAZYVA... 33	griseofulvin ultramicrosize... 27	HUMALOG U-100 INSULIN... 53
gefitinib... 33	guanfacine... 60, 65	HUMATIN... 17
gemcitabine... 33	<b>H</b>	
gemfibrozil... 60	HAEGARDA... 88	HUMIRA PEN CROHNS-UC-HS
GEMTESA... 76	hailey fe 1.5/30 (28)... 80	START... 89
generlac... 74	hailey fe 1/20 (28)... 80	HUMIRA PEN PSOR-UVEITS-ADOL
gentamicin in nacl (iso-osm)... 17	hailey 24 fe... 80	HS... 89
gentamicin sulfate (ped) (pf)... 17	hailey... 80	HUMIRA PEN... 89
gentamicin sulfate (pf)... 17	HALAVEN... 34	HUMIRA... 88
gentamicin... 17, 98	haloette... 80	HUMIRA(CF) PEDI CROHNS
GENVOYA... 48	haloperidol decanoate... 45	STARTER... 89
GILOTrif... 33	haloperidol lactate... 45	HUMIRA(CF) PEN CROHNS-UC-HS...
glatiramer... 65	haloperidol... 45	89
glatopa... 65	HAVRIX (PF)... 88	HUMIRA(CF) PEN PEDIATRIC UC... 89
GLEOSTINE... 33	heather... 80	HUMIRA(CF) PEN PSOR-UV-ADOL
glimepiride... 52	heparin (porcine)... 56	HS... 89
glipizide... 52	heparin, porcine (pf)... 56	HUMIRA(CF) PEN... 89
glipizide-metformin... 52	HEPLISAV-B (PF)... 88	HUMIRA(CF)... 89
glyburide micronized... 52	HIBERIX (PF)... 88	HUMULIN N NPH INSULIN
glyburide... 52	HUMALOG JUNIOR KWIKPEN	KWIKPEN... 53
glyburide-metformin... 52	U-100... 52	HUMULIN N NPH U-100 INSULIN...
GLYCOPHOS... 70	HUMALOG KWIKPEN INSULIN... 52	53
glycopyrrolate... 74	HUMALOG MIX 50-50 INSULN	HUMULIN R REGULAR U-100
GLYXAMBI... 52	U-100... 53	INSULN... 53
GOMEKLI... 33	HUMALOG MIX 50-50 KWIKPEN... 53	HUMULIN R U-500 (CONC)
GRAFAPEX... 34	HUMALOG MIX 75-25 KWIKPEN... 53	INSULIN... 53

HUMULIN 70/30 U-100 KWIKPEN... 53	IMBRUVICA... 34	INTELENCE... 48
hydralazine... 60	IMDELLTRA... 34	INTRALIPID... 70
hydrochlorothiazide... 60	IMFINZI... 34	INVEGA HAFYERA... 45
hydrocodone-acetaminophen... 11, 12	imipenem-cilastatin... 17	INVEGA SUSTENNA... 45
hydrocodone-ibuprofen... 12	imipramine hcl... 25	INVEGA TRINZA... 45
hydrocortisone... 68, 92	imipramine pamoate... 25	INVOKAMET XR... 53
hydrocortisone-acetic acid... 99	imiquimod... 68	INVOKAMET... 53
hydromorphone... 12	IMJUDO... 34	INVOKANA... 53
hydroxychloroquine... 42	IMKELDI... 34	IONOSOL-B IN D5W... 70
hydroxyurea... 34	IMLYGIC... 34	IONOSOL-MB IN D5W... 70
hydroxyzine hcl... 51, 52	IMOVAX RABIES VACCINE (PF)... 89	IPOL... 89
hydroxyzine pamoate... 101	INBRIJA... 43	ipratropium bromide... 101
HYFTOR... 68	incassia... 80	ipratropium-albuterol... 101
<b>I</b>		
ibandronate... 92	INCONTROL ALCOHOL PADS... 95	irbesartan... 60
IBRANCE... 34	INCRELEX... 78	irbesartan-hydrochlorothiazide... 60
ibu... 12	indapamide... 60	irinotecan... 34
ibuprofen... 12	indomethacin... 12	ISENTRESS HD... 49
ibutilide fumarate... 60	INFANRIX (DTAP) (PF)... 89	ISENTRESS... 48, 49
icatibant... 89	INLYTA... 34	isibloom... 80
iclevia... 80	INQOVI... 34	ISOLYTE S PH 7.4... 70
ICLUSIG... 34	INREBIC... 34	ISOLYTE-P IN 5 % DEXTROSE... 70
idarubicin... 34	INSULIN LISPRO... 53	ISOLYTE-S... 70
IDHIFA... 34	INSULIN SYRINGE MICROFINE... 95	isoniazid... 29
ifosfamide... 34	INSULIN SYRINGE... 95	isosorbide dinitrate... 60
ILEVRO... 98	INSULIN SYRINGE-NEEDLE U-100... 95	isosorbide mononitrate... 60
imatinib... 34	INSULIN U-500 SYRINGE-NEEDLE... 95	isosorbide-hydralazine... 60
		isotretinoin... 68
		ISTODAX... 34

ISUPREL... 60	junel fe 1/20 (28)... 80	klor-con m20... 71	
ITOVEBI... 34, 35	junel fe 24... 80	KLOR-CON 10... 71	
itraconazole... 27	junel 1.5/30 (21)... 80	KLOR-CON 8... 71	
IV PREP WIPES... 96	junel 1/20 (21)... 80	KLOXXADO... 14	
ivermectin... 42	JYLAMVO... 89	KOSELUGO... 35	
IVRA... 35	JYNNEOS (PF)... 89	KRAZATI... 35	
IWILFIN... 35	<b>K</b>		
IXCHIQ (PF)... 89	KABIVEN... 71	kurvelo (28)... 81	
IXEMPRA... 35	KADCYLA... 35	<b>L</b>	
IXIARO (PF)... 89	kalliga... 81	lnorgest/e.estradiol-e.estrad... 81	
<b>J</b>		labetalol... 60	
jaimiess... 80	KALYDECO... 101	lacosamide... 21	
JAKAFI... 35	KANJINTI... 35	lactated ringers... 71, 96	
jantoven... 56	kariva (28)... 81	lactulose... 74	
JANUMET XR... 53	kelnor 1/35 (28)... 81	lamivudine... 49	
JANUMET... 53	kelnor 1/50 (28)... 81	lamivudine-zidovudine... 49	
JANUVIA... 53	KERENDIA... 60	lamotrigine... 21	
JARDIANCE... 53	KESIMPTA PEN... 65	LAMPIT... 43	
jasmiel (28)... 80	ketoconazole... 27	lanreotide... 86	
JAYPIRCA... 35	ketorolac... 12, 98	lansoprazole... 74	
JEMPERLI... 35	KEYTRUDA... 35	LANTUS SOLOSTAR U-100	
jencycla... 80	KIMMTRAK... 35	INSULIN... 53	
JENTADUETO XR... 53	KINRIX (PF)... 89	LANTUS U-100 INSULIN... 53	
JENTADUETO... 53	kionex (with sorbitol)... 71	lapatinib... 35	
JEVTANA... 35	KISQALI FEMARA CO-PACK... 35	larin fe 1.5/30 (28)... 81	
juleber... 80	KISQALI... 35	larin fe 1/20 (28)... 81	
JULUCA... 49	klayesta... 27	larin 1.5/30 (21)... 81	
junel fe 1.5/30 (28)... 80	klor-con m10... 71	larin 1/20 (21)... 81	
	KLOR-CON M15... 71		

larin 24 fe... 81	levothyroxine... 85	LOESTRIN FE 1.5/30 (28-DAY)... 81
latanoprost... 98	LEVOXYL... 85	LOESTRIN FE 1/20 (28-DAY)... 81
LAZCLUZE... 35	LEVULAN... 36	LOESTRIN 1.5/30 (21)... 81
leena 28... 81	LEXIVA... 49	LOESTRIN 1/20 (21)... 81
leflunomide... 89	LIBERVANT... 21	lojaimiess... 81
lenalidomide... 35	LIBTAYO... 36	LOKELMA... 71
LENVIMA... 35	lidocaine (pf)... 60	LONSURF... 36
lessina... 81	lidocaine hcl... 13	loperamide... 74
letrozole... 36	lidocaine in 5 % dextrose (pf)... 60	lopinavir-ritonavir... 49
leucovorin calcium... 36	lidocaine viscous... 13	LOQTORZI... 36
LEUKERAN... 36	lidocaine... 13	lorazepam intensol... 52
leuprolide (3 month)... 86	lidocaine-epinephrine... 13	lorazepam... 52
leuprolide... 86	lidocaine-prilocaine... 13	LORBRENA... 36
levalbuterol tartrate... 101	lincomycin... 18	loryna (28)... 81
levetiracetam in nacl (iso-os)... 21	lindane... 68	losartan... 60
levetiracetam... 21	linezolid in dextrose 5%... 18	losartan-hydrochlorothiazide... 60
LEVO-T... 85	linezolid... 18	LOTEMAX SM... 98
levobunolol... 98	linezolid-0.9% sodium chloride... 18	lovastatin... 60
levocarnitine (with sugar)... 71	LINZESS... 74	low-ogestrel (28)... 81
levocarnitine... 71	liothyronine... 85	loxapine succinate... 45
levocetirizine... 101	liraglutide... 54	lubiprostone... 74
levofloxacin in d5w... 18	lisinopril... 60	LUMAKRAS... 36
levofloxacin... 17	lisinopril-hydrochlorothiazide... 60	LUMIGAN... 98
levoleucovorin calcium... 36	lithium carbonate... 52	LUNSUMIO... 36
levonest (28)... 81	lithium citrate... 52	LUPRON DEPOT (3 MONTH)... 86
levonorg-eth estrad triphasic... 81	LIVTENCITY... 49	LUPRON DEPOT (4 MONTH)... 86
levonorgestrel-ethynodiol dihydro... 81	lo-zumandimine (28)... 81	LUPRON DEPOT (6 MONTH)... 86
levora-28... 81	LOCOID LIPOCREAM... 68	LUPRON DEPOT... 86

LUPRON DEPOT-PED (3 MONTH)...	86	medroxyprogesterone...	82	methotrexate sodium...	89
LUPRON DEPOT-PED...	86	mefloquine...	43	methscopolamine...	74
lurasidone...	45	megestrol...	82	methsuximide...	21
lutera (28)...	81	MEKINIST...	36	methyldopa...	61
LYBALVI...	45	MEKTOVI...	36	methyldopa-hydrochlorothiazide...	
lyleq...	81	meloxicam...	12	61	
lyllana...	81	melphalan hcl...	36	methylphenidate hcl...	65
LYNPARZA...	36	melphalan...	36	methylprednisolone acetate...	77
LYSODREN...	36	memantine...	23	methylprednisolone sodium succ...	
LYTGEOBI...	36	MENACTRA (PF)...	89	77	
LYUMJEV KWIKPEN U-100		MENEST...	82	methylprednisolone...	77
INSULIN...	54	MENQUADFI (PF)...	89	metoclopramide hcl...	26
LYUMJEV KWIKPEN U-200		MENVEO A-C-Y-W-135-DIP (PF)...	89	metolazone...	61
INSULIN...	54	mercaptopurine...	36	metoprolol succinate...	61
LYUMJEV U-100 INSULIN...	54	meropenem...	18	metoprolol ta-hydrochlorothiaz...	
lyza...	82	meropenem-0.9% sodium		61	
<b>M</b>		chloride...	18	metoprolol tartrate...	61
M-M-R II (PF)...	89	mesalamine...	92	metronidazole in nacl (iso-os)...	18
m-natal plus...	71	mesna...	37	metronidazole...	18
magnesium sulfate in d5w...	71	MESNEX...	37	metyrosine...	61
magnesium sulfate in water...	71	metformin...	54	MICAFUNGIN IN 0.9 % SODIUM	
magnesium sulfate...	71	methadone intensol...	12	CHL...	27
malathion...	68	methadone...	12	micafungin...	27
maraviroc...	49	methazolamide...	98	miconazole-3...	27
MARGENZA...	36	methenamine hippurate...	18	microgestin fe 1.5/30 (28)...	82
marlissa (28)...	82	methimazole...	86	microgestin fe 1/20 (28)...	82
MARPLAN...	25	methocarbamol...	102	microgestin 1.5/30 (21)...	82
MATULANE...	36	methotrexate sodium (pf)...	89	microgestin 1/20 (21)...	82
meclizine...	26			microgestin 24 fe...	82

midodrine...	61	mycophenolate mofetil (hcl)...	90	neomycin...	18
mifepristone...	96	mycophenolate mofetil...	89, 90	neomycin-bacitracin-poly-hc...	98
mili...	82	mycophenolate sodium...	90	neomycin-bacitracin-polymyxin...	
minocycline...	18	MYLOTARG...	37	98	
minoxidil...	61	MYRBETRIQ...	76	neomycin-polymyxin b-dexameth...	
MIRENA...	96	<b>N</b>			
mirtazapine...	25	nabumetone...	12	neomycin-polymyxin-gramicidin...	
misoprostol...	74	nadolol...	61	98	
mitomycin...	37	nafcillin in dextrose iso-osm...	18	neomycin-polymyxin-hc...	98, 99
mitoxantrone...	37	nafcillin...	18	NEONATAL COMPLETE...	71
modafinil...	102	naloxone...	14	NEONATAL PLUS VITAMIN...	71
moexipril...	61	naltrexone...	14	NEONATAL-DHA...	71
molindone...	45	NAMZARIC...	24	NERLYNX...	37
mometasone...	68, 101	NANO PEN NEEDLE...	96	nevirapine...	49
monodoxine nl...	18	NANO 2ND GEN PEN NEEDLE...	96	NEXPLANON...	82
mono-linyah...	82	naproxen sodium...	13	NEXTERONE...	61
montelukast...	101	naproxen...	12	niacin...	61
morphine concentrate...	12	naratriptan...	28	niacor...	61
morphine...	12	NATACYN...	98	NICOTROL NS...	14
MOUNJARO...	54	NATAZIA...	82	nifedipine...	61
MOVANTIK...	74	nateglinide...	54	nikki (28)...	82
moxifloxacin...	18, 98	NATPARA...	93	nilutamide...	37
moxifloxacin-sod.chloride(iso)...	18	NAYZILAM...	21	nimodipine...	61
MRESVIA (PF)...	89	nebivolol...	61	NINLARO...	37
MULTAQ...	61	necon 0.5/35 (28)...	82	NIPENT...	37
mupirocin...	68	nefazodone...	25	nisoldipine...	61
MUTAMYCIN...	37	nelarabine...	37	nitazoxanide...	43
MVASI...	37	neo-vital rx...	71	nitisinone...	75
				nitrofurantoin macrocrystal...	18

nitrofurantoin monohyd/m-cryst...	NOVOLIN R REGULAR U100	ocella... 83
18	INSULIN... 54	octreotide acetate... 86
nitroglycerin in 5 % dextrose... 62	NOVOLIN 70-30 FLEXPEN U-100...	octreotide,microspheres... 86
nitroglycerin... 61, 62, 96	54	ODEFSEY... 49
NITROSTAT... 62	NOVOLIN 70/30 U-100 INSULIN...	ODOMZO... 37
NIVESTYM... 56	54	OFEV... 101
nizatidine... 74	NOVOLOG FLEXPEN U-100	ofloxacin... 18, 98, 99
NORA-BE... 82	INSULIN... 54	OGSIVEO... 37
norelgestromin-ethin.estriadiol... 82	NOVOLOG MIX 70-30 U-100	OJEMDA... 37
norepinephrine bitartrate... 62	INSULN... 54	OJJAARA... 37
noreth-ethinyl estradiol-iron... 82	NOVOLOG MIX 70-30FLEXPEN	olanzapine... 45, 46
norethindrone (contraceptive)... 82	U-100... 54	olmesartan... 62
norethindrone ac-eth estradiol... 82	NOVOLOG PENFILL U-100	olmesartan-amlodipin-hcthiazid...
norethindrone acetate... 82	INSULIN... 54	62
norethindrone-e.estriadiol-iron... 82	NOVOLOG U-100 INSULIN ASPART...	olmesartan-hydrochlorothiazide...
norgestimate-ethinyl estradiol... 82	54	62
NORMOSOL-M IN 5 % DEXTROSE...	NOVOPEN ECHO... 96	olopatadine... 98
71	NUBEQA... 37	omega-3 acid ethyl esters... 62
nortrel 0.5/35 (28)... 83	NUCALA... 101	omeprazole... 74
nortrel 1/35 (21)... 83	NUEDEXTA... 65	omeprazole-sodium bicarbonate...
nortrel 1/35 (28)... 83	NUPLAZID... 45	74
nortrel 7/7/7 (28)... 83	NUTRILIPID... 71	OMNIPOD CLASSIC PODS (GEN 3)... 96
nortriptyline... 25	nyamyc... 27	OMNIPOD DASH INTRO KIT (GEN 4)... 96
NORVIR... 49	nylia 1/35 (28)... 83	OMNIPOD DASH PODS (GEN 4)... 96
NOVOLIN N FLEXPEN... 54	nylia 7/7/7 (28)... 83	OMNIPOD GO PODS 10 UNITS/DAY... 96
NOVOLIN N NPH U-100 INSULIN...	nystatin... 28	OMNIPOD GO PODS 15 UNITS/DAY... 96
54	nystatin-triamcinolone... 28	
NOVOLIN R FLEXPEN... 54	nystop... 28	

OMNIPOD GO PODS 20 UNITS/DAY... 96	ORGOWYX... 37 ORSERDU... 37 oseltamivir... 49	pazopanib... 38 PEDIARIX (PF)... 90 PEDVAX HIB (PF)... 90
OMNIPOD GO PODS 25 UNITS/DAY... 96	OSPHENA... 83 oxacillin in dextrose(iso-osm)... 18	peg 3350-electrolytes... 75 peg-electrolyte soln... 75
OMNIPOD GO PODS 30 UNITS/DAY... 96	oxacillin... 18 oxaliplatin... 38	PEGASYS... 90 PEMAZYRE... 38
OMNIPOD GO PODS 40 UNITS/DAY... 96	oxandrolone... 83 oxcarbazepine... 21	pemetrexed disodium... 38 pemetrexed... 38
OMNIPOD GO PODS... 96	oxybutynin chloride... 76 oxycodone... 13	PEMRYDI RTU... 38 PEN NEEDLE, DIABETIC... 96
OMNIPOD 5 (G6/LIBRE 2 PLUS)... 96	oxycodone-acetaminophen... 13	PENBRAYA (PF)... 90
OMNIPOD 5 G6-G7 INTRO KT(GEN5)... 96	OZEMPIC... 54	penicillamine... 71
OMNIPOD 5 G6-G7 PODS (GEN 5)... 96	<b>P</b>	penicillin g pot in dextrose... 18
OMNIPOD 5 INTRO(G6/LIBRE2PLUS)... 96	PACERONE... 62 paclitaxel protein-bound... 38	penicillin g potassium... 18
OMNITROPE... 78	paclitaxel... 38	penicillin g procaine... 19
ONCASPAR... 37	PADCEV... 38 paliperidone... 46	penicillin g sodium... 19
ondansetron hcl (pf)... 26	pamidronate... 93	penicillin v potassium... 19
ondansetron hcl... 26	PANRETIN... 38	PENTACEL (PF)... 90
ondansetron... 26	pantoprazole in 0.9% sod chlor... 74	pentamidine... 43
ONIVYDE... 37	pantoprazole... 74	pentoxifylline... 62
ONUREG... 37	paraplatin... 38	PERIKABIVEN... 71
OPDIVO QVANTIG... 37	paricalcitol... 93	perindopril erbumine... 62
OPDIVO... 37	paramomycin... 18	periogard... 66
OPDUALAG... 37	paroxetine hcl... 25	PERJETA... 38
OPIPZA... 46	PAXLOVID... 49	permethrin... 68
OPSUMIT... 101		perphenazine... 46
OPSYNVI... 101		perphenazine-amitriptyline... 25
OPVEE... 14		

pfizerpen-g... 19	polymyxin b sulfate... 19	prasugrel hcl... 56
phenelzine... 25	POMALYST... 38	pravastatin... 62
phenobarbital... 21, 22	portia 28... 83	praziquantel... 43
PHENYTEK... 22	PORTRAZZA... 38	prazosin... 62
phenytoin sodium extended... 22	posaconazole... 28	prednisolone acetate... 99
phenytoin sodium... 22	potassium acetate... 71	prednisolone sodium phosphate... 77, 99
phenytoin... 22	potassium chlorid-d5-0.45%nacl... 71	prednisolone... 77
philith... 83	potassium chloride in lr-d5... 72	prednisone intensol... 77
PIFELTRO... 49	potassium chloride in water... 72	prednisone... 77
pilocarpine hcl... 66, 98	potassium chloride in 0.9%nacl... 72	pregabalin... 65
pimecrolimus... 68	potassium chloride in 5 % dex... 72	PREHEVBARIO (PF)... 90
pimozide... 46	potassium chloride... 72	PREMARIN... 83
pimtrea (28)... 83	potassium chloride-d5-0.2%nacl... 72	PREMASOL 10 %... 72
pioglitazone... 54	potassium chloride-d5-0.3%nacl... 72	PRENATA... 72
pioglitazone-metformin... 54	potassium chloride-d5-0.9%nacl... 72	PRENATABS FA... 72
piperacillin-tazobactam... 19	potassium chloride-0.45 % nacl... 72	prenatal plus (calcium carb)... 72
PIQRAY... 38	potassium citrate... 72	prenatal plus vitamin-mineral... 72
pirfenidone... 101	POTELIGEO... 38	PRENATE ELITE... 72
piroxicam... 13	pr natal 400 ec... 72	prevalite... 62
PLASMA-LYTE A... 71	pr natal 400... 72	PREVYMIS... 49
PLASMA-LYTE 148... 71	pr natal 430 ec... 72	PREZCOBIX... 50
PLENAMINE... 71	pr natal 430... 72	PREZISTA... 50
podofilox... 68	pralatrexate... 38	PRIFTIN... 29
POLIVY... 38	pramipexole... 43	primaquine... 43
polocaine... 13		primidone... 22
polocaine-mpf... 13		PRIMSOL... 19
polycin... 98		PRIORIX (PF)... 90
polymyxin b sulf-trimethoprim... 98		

PRO COMFORT ALCOHOL PADS...	96	pyrazinamide...	29	REPATHA SURECLICK...	63
probenecid...	28	pyridostigmine bromide...	29	REPATHA SYRINGE...	63
probenecid-colchicine...	28	pyrimethamine...	43	RETACRIT...	56
procainamide...	62		<b>Q</b>	RETEVMO...	38
prochlorperazine edisylate...	26	QINLOCK...	38	RETROVIR...	50
prochlorperazine maleate...	26	QUADRACEL (PF)...	90	REVUFORJ...	38
prochlorperazine...	26	quetiapine...	46	REXULTI...	46
procto-med hc...	68	quinapril...	62	REYATAZ...	50
proctosol hc...	68	quinapril-hydrochlorothiazide...	62	REZLIDHIA...	39
proctozone-hc...	68	quinidine sulfate...	62	RHOPHYLAC...	90
progesterone micronized...	83	quinine sulfate...	43	RHOPRESSA...	99
progesterone...	83	QULIPTA...	28	RIABNI...	39
PROGRAF...	90		<b>R</b>	ribavirin...	50
PROLIA...	93	RABAVERT (PF)...	90	rifabutin...	29
PROMACTA...	56	rabeprazole...	75	rifampin...	29
promethazine...	26	RADICAVA ORS STARTER KIT SUSP...	66	riluzole...	66
propafenone...	62	RADICAVA ORS...	66	rimantadine...	50
proparacaine...	99	RALDESY...	25	ringer's...	72, 96
propranolol...	62	raloxifene...	83	RINVOQ LQ...	90
propranolol-hydrochlorothiazid...	62	ramipril...	62	RINVOQ...	90
propylthiouracil...	86	ranolazine...	62	risedronate...	93
PROQUAD (PF)...	90	rasagiline...	43	RISPERDAL CONSTA...	46
PROSOL 20 %...	72	reclipsen (28)...	83	risperidone...	46
protamine...	96	RECOMBIVAX HB (PF)...	90	ritonavir...	50
protriptyline...	25	RELENZA DISKHALER...	50	rivaroxaban...	56
PULMOZYME...	101	repaglinide...	54	rivastigmine tartrate...	24
PURE COMFORT ALCOHOL PADS...	96	REPATHA PUSHTRONEX...	63	rivastigmine...	24
PURIXAN...	38			rizatriptan...	28, 29

ROCKLATAN...	99	SARCLISA...	39	sodium chloride 0.9 %...	73
roflumilast...	101	saxagliptin...	54	sodium chloride 3 % hypertonic...	73
romidepsin...	39	SCEMBLIX...	39	sodium chloride 5 % hypertonic...	73
ROMVIMZA...	39	scopolamine base...	26	sodium chloride...	73, 96
ropinirole...	43	se-natal 19 chewable...	72	sodium oxybate...	102
ropivacaine (pf)...	13	SECUADO...	46	sodium phenylbutyrate...	75
rosuvastatin...	63	selegiline hcl...	43, 44	sodium phosphate...	73
ROTARIX...	90	selenium sulfide...	68	sodium polystyrene sulfonate...	73
ROTATEQ VACCINE...	90	SELZENTRY...	50	sodium,potassium,mag sulfates...	75
roweepra xr...	22	sertraline...	25	solifenacin...	76
roweepra...	22	setlakin...	83	SOLIQUA 100/33...	55
ROZLYTREK...	39	sharobel...	83	SOLTAMOX...	39
RUBRACA...	39	SHINGRIX (PF)...	90	SOLU-MEDROL (PF)...	77
rufinamide...	22	SIGNIFOR...	86	SOLU-MEDROL...	77
RUKOBIA...	50	sildenafil (pulm.hypertension)...	101	SOMAVERT...	86
RUXIENCE...	39	sildenafil...	103	sorafenib...	39
RYBELSUS...	54	silodosin...	76	sorine...	63
RYBREVANT...	39	silver sulfadiazine...	68	sotalol af...	63
RYDAPT...	39	SIMBRINZA...	99	sotalol...	63
RYLAZE...	39	simliya (28)...	83	SPIRIVA RESPIMAT...	101
RYTARY...	43	simpesse...	83	SPIRIVA WITH HANDIHALER...	101
RYTELO...	39	simvastatin...	63	spironolacton-hydrochlorothiaz...	
<b>S</b>					
sajazir...	90	sirolimus...	90, 91	63	
SANDIMMUNE...	90	SIRTURO...	29	spironolactone...	63
SANDOSTATIN LAR DEPOT...	86	SKYRIZI...	91	sprintec (28)...	83
SANTYL...	68	SMOFLIPID...	72	SPRITAM...	22
sapropterin...	75	sodium bicarbonate...	73	SPRYCEL...	39
		sodium chloride 0.45 %...	73		

SPS (WITH SORBITOL)... 73	SUNLENCA... 50	tarina fe 1/20 (28)... 83
sronyx... 83	SURE COMFORT ALCOHOL PREP PADS... 96	tarina 24 fe... 83
SSD... 68	SURE-PREP ALCOHOL PREP PADS... 96	TASIGNA... 40
stavudine... 50	SUTAB... 75	tasimelteon... 102
STELARA... 91	syeda... 83	tazarotene... 68
STIOLTO RESPIMAT... 101	SYMBICORT... 102	taztia xt... 63
STIVARGA... 39	SYMPAZAN... 22	TAZVERIK... 40
STRENSIQ... 75	SYMTUZA... 50	TDVAX... 91
streptomycin... 19	SYNJARDY XR... 55	TECENTRIQ HYBREZA... 40
STRIBILD... 50	SYNJARDY... 55	TECENTRIQ... 40
STRIVERDI RESPIMAT... 101	SYNRIBO... 39	TECVAYLI... 40
subvenite starter (blue) kit... 22	SYNTHROID... 85	TEFLARO... 19
subvenite starter (green) kit... 22	<b>T</b>	telmisartan... 63
subvenite starter (orange) kit... 22	TABLOID... 39	telmisartan-amlodipine... 63
subvenite... 22	TABRECTA... 39	telmisartan-hydrochlorothiazid... 63
sucralfate... 75	tacrolimus... 68, 91	temazepam... 102
SUFLAVE... 75	tadalafil (pulm. hypertension)... 102	temsirolimus... 40
sulfacetamide sodium (acne)... 19	tadalafil... 76	TENIVAC (PF)... 91
sulfacetamide sodium... 19, 99	TAFINLAR... 39	tenofovir disoproxil fumarate... 50
sulfacetamide-prednisolone... 99	TAGRISSO... 39	TEPMETKO... 40
sulfadiazine... 19	TALICIA... 75	terazosin... 63
sulfamethoxazole-trimethoprim... 19	TALVEY... 40	terbinafine hcl... 28
sulfasalazine... 92	TALZENNA... 40	terconazole... 28
sulindac... 13	tamoxifen... 40	teriflunomide... 66
sumatriptan succinate... 29	tamsulosin... 76	testosterone cypionate... 84
sumatriptan... 29	tarina fe 1-20 eq (28)... 83	testosterone enanthate... 84
sunitinib malate... 39		testosterone... 83, 84
		tetrabenazine... 66

TEVIMBRA... 40	torpenz... 40	tri-linyah... 84
THALOMID... 40	torsemide... 63	tri-lo-estarrylla... 84
theophylline in dextrose 5 %... 102	TOUJEO MAX U-300 SOLOSTAR... 55	tri-lo-marzia... 84
theophylline... 102	TOUJEO SOLOSTAR U-300	tri-lo-mili... 84
thioridazine... 46	INSULIN... 55	tri-lo-sprintec... 84
thiotepa... 40	TPN ELECTROLYTES... 73	tri-mili... 84
thiothixene... 46	TRADJENTA... 55	tri-nymyo... 84
tiadylt er... 63	tramadol... 13	tri-sprintec (28)... 84
tiagabine... 22	trandolapril... 63	tri-vylibra lo... 84
TIBSOVO... 40	trandolapril-verapamil... 63	tri-vylibra... 84
TICOVAC... 91	tranexamic acid... 56	triamcinolone acetonide... 66, 77
tigecycline... 19	tranylcypromine... 25	triamterene-hydrochlorothiazid...
tilia fe... 84	TRAVASOL 10 %... 73	63
timolol maleate... 63, 99	travoprost... 99	triderm... 77
tinidazole... 19	TRAZIMERA... 40	trientine... 73
TIROSINT-SOL... 85	trazodone... 25	trifluoperazine... 46
TIVDAK... 40	TRECATOR... 29	trifluridine... 99
TIVICAY PD... 50	TRELEGY ELLIPTA... 102	trihexyphenidyl... 44
TIVICAY... 50	TRELSTAR... 86	TRIJARDY XR... 55
tizanidine... 47	TREMFYA PEN... 91	TRIKAFTA... 102
tobramycin in 0.225 % nacl... 19	TREMFYA... 91	trimethoprim... 19
tobramycin sulfate... 19	TRESIBA FLEXTOUCH U-100... 55	trimipramine... 25
tobramycin... 99	TRESIBA FLEXTOUCH U-200... 55	trinatal rx 1... 73
tobramycin-dexamethasone... 99	TRESIBA U-100 INSULIN... 55	TRINELLIX... 25
tolterodine... 76	tretinoin (antineoplastic)... 40	TRISENOX... 40
topiramate... 22	tretinoin... 68, 69	TRIUMEQ PD... 50
topotecan... 40	tri-estarrylla... 84	TRIUMEQ... 50
toremifene... 40	tri-legest fe... 84	trivora (28)... 84

TRIZIVIR... 50	UNITHROID... 85	VECTIBIX... 41
TRODELVY... 40	UNITUXIN... 41	velivet triphasic regimen (28)... 84
TROGARZO... 50	ursodiol... 75	VEMLIDY... 51
TROPHAMINE 10 %... 73		VENCLEXTA STARTING PACK... 41
trospium... 76	valacyclovir... 50	VENCLEXTA... 41
TRUE COMFORT ALCOHOL PADS... 96	VALCHLOR... 41	venlafaxine... 25, 26
TRUE COMFORT PRO ALCOHOL PADS... 97	valganciclovir... 50, 51	VENTOLIN HFA... 102
TRULICITY... 55	valproate sodium... 22	verapamil... 64
TRUMENBA... 91	valproic acid (as sodium salt)... 23	VERQUVO... 64
TRUQAP... 40	valproic acid... 22	VERSACLOZ... 47
TUKYSA... 40	valrubicin... 41	VERZENIO... 41
tulana... 84	valsartan... 63, 64	vestura (28)... 84
TURALIO... 40	valsartan-hydrochlorothiazide... 64	vienna... 84
turqoz (28)... 84	VALSTAR... 41	vigabatrin... 23
TWINRIX (PF)... 91	VALTOCO... 23	vigadrone... 23
TYBOST... 50	valtya... 84	VIGAFYDE... 23
TYMLOS... 93	vancomycin in dextrose 5 %... 19, 20	vigpoder... 23
TYPHIM VI... 91	vancomycin in 0.9 % sodium chl... 19	VIIBRYD... 26
<b>U</b>		
UBRELVY... 29	vancomycin... 19	VIMKUNYA... 91
UDENYCA AUTOINJECTOR... 56	vancomycin-diluent combo no.1... 20	vinblastine... 41
UDENYCA ONBODY... 56	VANFLYTA... 41	vincasar pfs... 41
UDENYCA... 56	VAQTA (PF)... 91	vincristine... 41
ULTILET ALCOHOL SWAB... 97	varenicline tartrate... 14	vinorelbine... 41
ULTRA-FINE INS SYR (HALF UNIT)... 97	VARIVAX (PF)... 91	viorele (28)... 84
ULTRA-FINE INSULIN SYRINGE... 97	VASCEPA... 64	VIRACEPT... 51
ULTRA-FINE PEN NEEDLE... 97	VAXCHORA VACCINE... 91	VIREAD... 51
		virt-nate dha... 73

VITRAKVI... 41	wesnate dha... 73	zafemy... 84
VIVITROL... 14	westab plus... 73	zaflukast... 102
VIVOTIF... 91	wixela inhub... 102	zaleplon... 102
VIZIMPRO... 41	wymzya fe... 84	ZALTRAP... 42
VOCABRIA... 51		X
volnea (28)... 84	XALKORI... 41	ZANOSAR... 42
VONJO... 41	xarah fe... 84	zarah... 85
VORANIGO... 41	XARELTO DVT-PE TREAT 30D	ZARXIO... 57
voriconazole... 28	START... 57	ZEGALOGUE AUTOINJECTOR... 55
VOSEVI... 51	XARELTO... 56, 57	ZEGALOGUE SYRINGE... 55
VOWST... 75	XATMEP... 91	ZEJULA... 42
VRAYLAR... 47	XCOPRI MAINTENANCE PACK... 23	ZELBORA... 42
VUMERTY... 66	XCOPRI TITRATION PACK... 23	ZEMAIRA... 75, 76
vyfemla (28)... 84	XCOPRI... 23	zenatane... 69
vylibra... 84	XDEMVY... 97	ZENPEP... 76
VYLOY... 41	XGEVA... 93	ZEPZELCA... 42
VYNDAMAX... 75	XIFAXAN... 75	ZERVIATE... 99
VYVGART HYTRULO... 29	XIGDUO XR... 55	ZEVALIN (Y-90)... 97
VYVGART... 29	XOLAIR... 92	zidovudine... 51
VYXEOS... 41	XOSPATA... 41	ZIIHERA... 42
VYZULTA... 99	XPOVIO... 41, 42	ziprasidone hcl... 47
	XTANDI... 42	ziprasidone mesylate... 47
<b>W</b>	xulane... 84	ZIRABEV... 42
warfarin... 56		ZIRGAN... 51
water for irrigation, sterile... 97	<b>Y</b>	zoledronic ac-mannitol-0.9nacl... 93
WEBCOL... 97	YEROVY... 42	zoledronic acid... 93
WELIREG... 75	YF-VAX (PF)... 92	zoledronic acid-mannitol-water... 93
wera (28)... 84	YONDELIS... 42	
wesnatal dha complete... 73	<b>Z</b>	

ZOLINZA... 42  
zolpidem... 102  
ZONISADE... 23  
zonisamide... 23  
zovia 1-35 (28)... 85  
ZTALMY... 23  
ZUBSOLV... 14  
zumandimine (28)... 85  
ZURZUVAE... 26  
ZYDELIG... 42  
ZYKADIA... 42  
ZYNLONTA... 42  
ZYNYZ... 42  
ZYPITAMAG... 64  
ZYPREXA RELPREVV... 47

## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 ( 听障专线 : 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 ( 聽障專線 : 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오 . 한국어를 하는 담당자가 도와 드릴 것입니다 . 이 서비스는 무료로 운영됩니다 .

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخطتنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。





This formulary was updated on 04/01/2025. For more recent information or other questions, please contact the Humana Customer Care Team with any questions at 1-800-457-4708 or, for TTY users, 711, five days a week April 1 – September 30 or seven days a week October 1– March 31 from 8 a.m. - 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting **Humana.com**.

H1036-308; H5619-161; H6622-084

**Humana**<sup>®</sup>

[Humana.com](http://Humana.com)