

## Preventive screenings

# Breast Cancer Screening (BCS-E)

Breast Cancer Screening (BCS-E) Measure Year 26 | Weight = 1

### Measurement period

Oct. 1, 2024–Dec. 31, 2026

### Eligible population

Women ages 52\*–74 during the measurement period, including those recommended for routine breast cancer screening with any of the following criteria:

- Administrative gender of female at any time in the patient’s history
- Sex assigned at birth of female at any time in the patient’s history
- Sex parameter for clinical use of female during the measurement period

### Service required

Mammogram(s) performed on or between Oct. 1 two years prior to the measurement period and Dec. 31 of the measurement period (27-month period)

Mammogram or mastectomy status must be documented in the medical record:

- Results are not required
- Documentation in the medical record must include:
  - Type and date of most recent mammogram with as much specificity as possible (minimum of month and year) or mastectomy status and date of procedure (minimum is year performed)

The following types and methods of mammograms can be used to satisfy this measure: all types of mammograms including screening, diagnostic, film, digital, digital breast tomosynthesis.

**Note:** Biopsies, breast ultrasounds and MRIs are not compliant.

### Exclusions

At any time during the patient’s history:

- Patients who had a bilateral mastectomy (double mastectomy) at the same time or two unilateral mastectomies removing both breasts at different times
- Patients who had gender-affirming chest surgery

During the measurement period:

- Patients in hospice, using hospice services or receiving palliative care
- Patients who died
- Patients 66 years of age and older living long-term in an institutional setting or are enrolled in an Institutional Special Needs Plan (I-SNP)
- Patients 66 years of age and older with [frailty and advanced illness](#)

### Measure best practices

- Obtain and review past medical records for new patients, including mammogram history.
- Ensure office processes include key tests and exams into the patient record, and confirm the look-back period is two years.
- When referring/ordering mammograms, ensure office practices have a process for appropriate follow-up and documentation of test. Document date of service (at minimum month and year) of the most recent mammogram in the medical record.
- Document mastectomy status and date of service (minimum year performed) in the medical record. Supplemental data can be used to communicate historical evidence of testing and mastectomies completed.
- Ask specifically about mammogram history.
- Schedule a mammogram prior to the Annual Wellness Visit.

*\* Women must be 52 years of age in the measurement period. However, since the measure has a “look-back” period of two years, the patient may have been 50 years of age at the time of the screening.*

# Healthcare Effectiveness Data and Information Set (HEDIS®)

Code	Code type	Definition
77061-77063	CPT	Breast, mammography
77065	CPT	Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral
77066	CPT	Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral
77067	CPT	Screening mammography, bilateral (two-view study of each breast), including computer-aided detection (CAD) when performed

The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and supported by medical necessity and appropriate documentation in the medical record.

The information offered in this flyer is based on HEDIS technical specifications. It is not meant to preclude your clinical judgment.

The HEDIS measures and specifications were developed by and are owned by NCQA. The HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures and specifications. NCQA holds a copyright in these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. Any commercial use and/or internal or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. Any use of the materials to identify records or calculate measure results, for example, requires a custom license and may necessitate certification pursuant to NCQA's Measure Certification Program. Reprinted with permission by NCQA. ©2026 NCQA, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. NCQA disclaims all liability for use or accuracy of any third-party code values contained in the specifications. The full text of this notice and disclaimer is available [here](#).