
## 2025 Recommended immunizations for children 7–18 years old

Recommended vaccines	7 years	8 years	9 years	10 years	11 years	12 years	13 years	14 years	15 years	16 years	17 years	18 years
HPV												
Tdap												
Meningococcal ACWY												
Meningococcal B												
Influenza/Flu	doses fo	ear. Two or some dren	Every year									
COVID-19				At lec	ıst 1 dose	of the cu	urrent CO	VID-19 vo	accine			
Мрох												
Dengue			Only if living in a place where dengue is common and has laboratory test confirming past dengue infection									









## Talk to your child's health care provider for more guidance if:

- 1. Your child has any medical condition that puts them at higher risk for infection.
- 2. Your child is traveling outside the United States. Visit wwwnc.cdc.gov/travel for more information.
- 3. Your child misses a vaccine recommended for their age.





## What diseases do these vaccines protect against?

Vaccine-preventable disease	Disease complications	Number of vaccine doses
HPV (Human papillomavirus)  Contagious viral infection spread by close skin-to-skin touching, including during sex	Genital warts and many types of cancers later in life, including cancers of the cervix, vagina, penis, anus, and throat	2 or 3 doses
Tetanus (Lockjaw)*  Infection caused by bacterial spores found in soil and dust everywhere; spores enter the body through wounds or broken skin	Seizures, broken bones, difficulty breathing, death	1 dose at age 11-12 years Additional doses if missed childhood doses 1 dose for dirty wounds
Diphtheria*  Illness caused by a toxin produced by bacteria that infects the nose, throat, and sometimes skin	Swelling of the heart muscle, heart failure, coma, paralysis, death	1 dose at age 11-12 years Additional doses if missed childhood doses
Pertussis (Whooping Cough)*  Contagious bacterial infection of the lungs and airway; spread through air and direct contact	Infection of the lungs (pneumonia), death; especially dangerous for babies	1 dose at age 11-12 years Additional doses if missed childhood doses 1 dose every pregnancy
Meningococcal**  Contagious bacterial infection of the lining of the brain and spinal cord or the bloodstream; spread through air and direct contact	Loss of arm or leg, deafness, seizures, death	2 doses.  Additional doses may be needed depending on medical condition or vaccine used.
Influenza (Flu)  Contagious viral infection of the nose, throat, and sometimes lungs; spread through air and direct contact	Infection of the lungs (pneumonia), sinus and ear infections, worsening of underlying heart or lung conditions, death	1 dose each year 2 doses in some children aged 6months through 8 years

Vaccine-preventable disease	Disease complications	Number of vaccine doses
COVID-19  Contagious viral infection of the nose, throat, or lungs; may feel like a cold or flu. Spread through air and direct contact	Infection of the lungs (pneumonia); blood clots; liver, heart or kidney damage; long COVID; death	1 or more doses of the current COVID-19 vaccine depending on health status. For more information: www.cdc.gov/covidschedule
Mpox Contagious viral infection spread through close, often skin-to-skin contact, including sex; causes a painful rash, fever, headache, tiredness, cough, runny nose, sore throat, swollen lymph nodes	Infected sores, brain swelling, infection of the lungs (pneumonia), eye infection, blindness, death	2 doses
Dengue Viral infection spread by bite from infected mosquito; causes fever, headache, pain behind the eyes, rash, joint pain, body ache, nausea, loss of appetite, feeling tired, abdominal pain	Severe bleeding, seizures, shock, damage to the liver, heart, and lungs, death	3 doses

**<sup>\*</sup>Tdap** protects against tetanus, diphtheria, and pertussis

**<sup>\*\*</sup>Healthy adolescents:** Meningococcal ACWY vaccine (2 doses); Meningococcal B vaccine (2 doses if needed).

Auxiliary aids and services, free of charge, are available to you. **866-432-0001 (TTY: 711)**, Monday through Friday, from 8:00 a.m. to 8:00 p.m., Eastern time.

Humana Inc. and its subsidiaries comply with Section 1557 by providing free auxiliary aids and services to people with disabilities when auxiliary aids and services are necessary to ensure an equal opportunity to participate. Services include qualified sign language interpreters, video remote interpretation, and written information in other formats.

**English:** Call the number above to receive free language assistance services.

Español (Spanish): Llame al número que se indica arriba para recibir servicios gratuitos de asistencia lingüística.

繁體中文 (Chinese): 您可以撥打上面的電話號碼以獲得免費的語言協助服務。

**Tiếng Việt (Vietnamese):** Gọi số điện thoại ở trên để nhận các dịch vụ hỗ trợ ngôn ngữ miễn phí.

한국어 (Korean): 무료 언어 지원 서비스를 받으려면 위 번호로 전화하십시오.

**Français (French):** Appelez le numéro ci-dessus pour recevoir des services gratuits d'assistance linguistique.

Tagalog (Tagalog – Filipino): Tawagan ang numero sa itaas para makatanggap ng mga libreng serbisyo sa tulong sa wika.

Русский (Russian): Позвоните по вышеуказанному номеру, чтобы получить бесплатную языковую поддержку.

**Deutsch (German):** Wählen Sie die oben angegebene Nummer, um kostenlose sprachliche Hilfsdienstleistungen zu erhalten.

ગુજરાતી (Gujarati): મફત ભાષા સહાય સેવાઓ મેળવવા માટે ઉપર આપેલા નંબર પર કૉલ કરો.

العربية (Arabic): اتصل برقم الهاتف أعلاه للحصول على خدمات المساعدة اللغوية المجانية.

Português (Portuguese): Ligue para o número acima para receber serviços gratuitos de assistência no idioma.

日本語 (Japanese): 無料の言語支援サービスを受けるには、上記の番号までお電話ください。

**Українська (Ukrainian):** Зателефонуйте за вказаним вище номером для отримання безкоштовної мовної підтримки.

हिंदी (Hindi): भाषा सहायता सेवाएं मुफ्त में प्राप्त करने के लिए ऊपर के नंबर पर कॉल करें।

ខ្មែរ (Cambodian): ហៅមកលេខទូរស័ព្ទខាងលើ ដើម្បីទទួលបានសេវាកម្មបកប្រែភាសាដោយមិនអស់ប្រាក់ ។

This notice is available at Humana.com/SouthCarolinaDocuments.

Humana Healthy Horizons in South Carolina is a Medicaid product of Humana Benefit Plan of South Carolina, Inc. SCHMEDVEN\_Approved