2027

Prescription Drug Guide

NC State Health Plan Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.

42

Formulary 27800

This formulary was updated on 11/02/2026. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263, or for TTY users, 711, or visit **your.humana.com/ncshp**.

Humana®

North Carolina State Health Plan
FOR TEACHERS AND STATE EMPLOYEES
A Division of the Department of State Treasurer

Welcome to Humana Group Medicare Plan!

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana Group Medicare Plan.

This document includes a Drug List (formulary) for our plan which is current as of January 1, 2027. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the Humana formulary?
In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is the entire list of covered drugs or medications selected by Humana. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana Group Medicare Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. Humana Group Medicare Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Group Medicare Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medications, please review your Evidence of Coverage.

Can the formulary change?
Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: **your.humana.com/ncshp**.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products**. We may immediately remove a drug on our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

  We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

  If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

  If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Humana Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled "What are original biological products and how are they related to biosimilars?"

- **Drugs removed from the market**. If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.

- **Other changes**. We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

We will notify members who are affected by the following changes to the formulary:
- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?
We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2027. To get updated information about the drugs covered by Humana please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?
There are two ways to find your drug in the formulary:

Medical condition
The formulary begins on page 11. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

Alphabetical listing
If you are not sure what category to look under, you should look for your drug in the Index that begins on page 188. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

What are generic drugs?
Humana covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?
On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered." if you have a Medicare Advantage plan. If you have a Prescription Drug Plan (PDP), please see the Evidence of Coverage, Chapter 3, Section 3.1, "The 'Drug List' tells which Part D drugs are covered". *The type of plan can be found at the top of your Evidence of Coverage.*

Prescription drugs are grouped into one of four tiers.
Humana Group Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?
The Humana Group Medicare Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:
- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for Extra Help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call NC State Health Plan Humana Customer Care to find out what your costs are.

Are there any restrictions on my coverage?
Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** Humana Group Medicare Plan requires you to get prior authorization for certain drugs. This means that you will need to get approval from Humana Group Medicare Plan based on specific criteria before you fill your prescriptions. If you do not get approval, Humana Group Medicare Plan may not cover the drug.

- **Quantity Limits (QL):** For certain drugs, the Humana Group Medicare Plan limits the amount of the drug that is covered. The Humana Group Medicare Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.

- **Step Therapy (ST):** In some cases, the Humana Group Medicare Plan requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Group Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Group Medicare Plan will then cover Drug B.

- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to Humana that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana Group Medicare Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11. You can also get more information about the restrictions applied to specific covered drugs by visiting **your.humana.com/ncshp**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Humana to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the Humana Formulary?**" on page 7 for information about how to request an exception.

What if my drug is not on the Formulary?
If your drug is not included in this formulary (list of covered drugs), you should first contact NC State Health Plan Humana Customer Care and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Humana Group Medicare Plan does not cover your drug, you have two options:
- You can ask NC State Health Plan Humana Customer Care for a list of similar drugs that are covered by Humana Group Medicare Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Humana Group Medicare Plan.
- You can ask Humana Group Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Humana Formulary?
You can ask the Humana Group Medicare Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Humana Group Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, Humana Group Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering, or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception**.

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?
As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day

emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana Group Medicare Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana Group Medicare Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension
Humana Group Medicare Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on **your.humana.com/ncshp**, in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™
You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151** (**TTY: 711**) Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Group Medicare Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Humana Group Medicare Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE** (**1-800-633-4227**) 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

Humana Group Medicare Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana Group Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 188.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 185.

How to read your formulary
The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

$0 - Most vaccines and diabetic supplies covered 100% with no member cost.
DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.
MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.
LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.
CI – Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.
PDS – Preferred Diabetic Supplies; BD/Embecta and HTL-Droplet products are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana Group Medicare Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, 90, or 100 days. The amount of any quantity limits will also be in this column (Example: "QL – 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE **DL**	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION **DL**	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET **DL**	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET **DL**	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET **DL**	1	QL(180 per 30 days)
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET **DL**	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC **MO**	3	
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC **MO**	3	
ascomp with codeine 30-50-325-40 mg CAPSULE **DL**	1	QL(180 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM **DL**	3	PA,QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET **DL**	3	
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY **DL**	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE **DL**	1	QL(240 per 30 days)
butorphanol 1 mg/ml SOLUTION **DL**	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL **DL**	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION **DL**	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY **DL**	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK **MO**	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION **MO**	3	
CAMBIA 50 MG POWDER IN PACKET **DL**	4	ST,QL(9 per 30 days)
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE **MO**	3	
celecoxib 100 mg, 200 mg CAPSULE **MO**	1	
celecoxib 400 mg, 50 mg CAPSULE **MO**	1	
codeine sulfate 15 mg, 30 mg TABLET **DL**	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET **DL**	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE **DL**	1	QL(180 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC **DL**	3	PA,QL(30 per 30 days)
DAYPRO 600 MG TABLET **MO**	3	
DEMEROL 50 MG/ML SOLUTION **DL**	3	QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEMEROL (PF) 100 MG/ML SYRINGE **DL**	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE **DL**	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE **DL**	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE **DL**	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. **MO**	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE **MO**	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET **DL**	4	
diclofenac potassium 50 mg POWDER IN PACKET **MO**	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET **MO**	1	
diclofenac sodium 1.5 % DROPS **MO**	1	QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. **MO**	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP **DL**	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC **MO**	1	
diclofenac sodium 75 mg TABLET, DR/EC **MO**	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC **MO**	1	
diflunisal 500 mg TABLET **MO**	1	
DILAUDID 1 MG/ML LIQUID **DL**	3	QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET **DL**	3	QL(360 per 30 days)
DILAUDID 8 MG TABLET **DL**	3	QL(240 per 30 days)
dolobid 250 mg TABLET **DL**	4	ST
DOLOBID 375 MG TABLET **DL**	4	ST
DUEXIS 800-26.6 MG TABLET **DL**	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION **DL**	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION **DL**	3	BvsD,QL(3600 per 30 days)
ec-naproxen 500 mg TABLET, DR/EC **MO**	3	
ENDOCET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG TABLET **DL**	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE **MO**	1	
etodolac 400 mg, 500 mg TABLET **MO**	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. **MO**	1	
fenoprofen 200 mg CAPSULE	4	ST
fenoprofen 300 mg CAPSULE **DL**	4	ST
fenoprofen 400 mg CAPSULE **MO**	1	ST
fenoprofen 600 mg TABLET **MO**	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fenopron 300 mg CAPSULE **DL**	4	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. **DL**	1	QL(20 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. **MO**	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET **MO**	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. **DL**	1	PA,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. **DL**	1	PA,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. **DL**	1	PA,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET **DL**	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-300 mg/15 ml SOLUTION **DL**	4	QL(6000 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET **DL**	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION **DL**	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET **DL**	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION **DL**	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET **DL**	1	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE **DL**	1	BvsD
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE **DL**	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID **DL**	1	QL(2400 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. **DL**	1	PA,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. **DL**	1	PA,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET **DL**	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION **DL**	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE **DL**	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. **DL**	1	PA,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE **DL**	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET **DL**	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. **DL**	1	PA,QL(240 per 30 days)
hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE **DL**	1	BvsD
hydromorphone (pf) 1 mg/ml SOLUTION **DL**	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION **DL**	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 2 mg/ml SOLUTION **DL**	1	BvsD
hydromorphone (pf) 4 mg/ml SOLUTION **DL**	1	BvsD,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. **DL**	3	PA,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET **MO**	1	
ibuprofen 100 mg/5 ml SUSPENSION **MO**	1	
ibuprofen 300 mg TABLET **MO**	1	ST
ibuprofen 400 mg TABLET **MO**	1	
ibuprofen 600 mg, 800 mg TABLET **MO**	1	
ibuprofen-famotidine 800-26.6 mg TABLET **MO**	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION **DL**	4	
INDOCIN 50 MG SUPPOSITORY	4	
indomethacin 25 mg, 50 mg CAPSULE **MO**	1	
indomethacin 25 mg/5 ml SUSPENSION **DL**	4	
indomethacin 50 mg SUPPOSITORY	4	
indomethacin 75 mg CAPSULE, ER **MO**	1	
indomethacin sodium 1 mg RECON SOLUTION **MO**	1	
INFUMORPH P/F 10 MG/ML SOLUTION **DL**	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION **DL**	3	BvsD,QL(150 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. **MO**	1	
ketoprofen 25 mg CAPSULE	4	
ketoprofen 50 mg CAPSULE **MO**	1	ST
ketoprofen 75 mg CAPSULE **DL**	4	ST
ketorolac 10 mg TABLET **MO**	1	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION **MO**	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE **MO**	1	
kiprofen 25 mg CAPSULE **MO**	1	ST
levorphanol tartrate 2 mg TABLET **DL**	4	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET **DL**	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. **MO**	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET **MO**	3	
lofena 25 mg TABLET **DL**	4	
lurbiro 100 mg TABLET **DL**	4	
meclofenamate 100 mg, 50 mg CAPSULE **MO**	1	
mefenamic acid 250 mg CAPSULE **MO**	1	
meloxicam 15 mg TABLET **MO**	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET **MO**	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meloxicam 7.5 mg/5 ml SUSPENSION DL	4	QL(300 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE MO	3	QL(30 per 30 days)
meperidine 50 mg TABLET DL	1	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	PA,QL(60 per 30 days)
morphine 10 mg/5 ml (2 mg/ml) SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	PA,QL(60 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER DL	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	PA,QL(30 per 30 days)
morphine 4 mg/ml SOLUTION DL	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE DL	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
morphine 8 mg/ml SOLUTION **DL**	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE **DL**	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION **DL**	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION **DL**	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN **DL**	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION **DL**	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER **DL**	3	QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER **DL**	3	QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER **DL**	3	QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET **MO**	1	
nalbuphine 10 mg/ml SOLUTION **DL**	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION **DL**	1	QL(120 per 30 days)
NALFON 600 MG TABLET **MO**	1	ST
nalocet 2.5-300 mg TABLET **DL**	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE **MO**	2	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE **MO**	2	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE **MO**	2	ST,QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION **DL**	4	
naproxen 125 mg/5 ml SUSPENSION **MO**	1	
naproxen 250 mg, 375 mg TABLET **MO**	1	
naproxen 375 mg, 500 mg TABLET, DR/EC **MO**	1	
naproxen 500 mg TABLET **MO**	1	
naproxen sodium 275 mg, 550 mg TABLET **MO**	1	
naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	ST,QL(120 per 30 days)
naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	ST,QL(90 per 30 days)
naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	ST,QL(60 per 30 days)
naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC **MO**	1	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET **DL**	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. **DL**	4	PA,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. **DL**	3	PA,QL(60 per 30 days)
orudis 75 mg CAPSULE **DL**	4	ST
oxaprozin 600 mg TABLET **MO**	1	
oxycodone 10 mg, 5 mg TABLET **DL**	1	QL(360 per 30 days)
oxycodone 10 mg, 5 mg TABLET, ORAL ONLY **DL**	4	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxycodone 15 mg, 20 mg, 30 mg TABLET **DL**	1	QL(360 per 30 days)
oxycodone 15 mg, 30 mg TABLET, ORAL ONLY **DL**	4	PA,QL(180 per 30 days)
oxycodone 20 mg, 40 mg TABLET, ER 12 HR. **DL**	3	PA,QL(90 per 30 days)
oxycodone 20 mg/ml CONCENTRATE **DL**	1	QL(270 per 30 days)
oxycodone 5 mg CAPSULE **DL**	1	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION **DL**	1	QL(5400 per 30 days)
oxycodone 80 mg TABLET, ER 12 HR. **DL**	3	PA,QL(120 per 30 days)
oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET **DL**	4	PA,QL(390 per 30 days)
oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION **DL**	4	PA,QL(900 per 30 days)
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET **DL**	1	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-300 mg TABLET **DL**	4	PA,QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET **DL**	1	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION **DL**	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. **DL**	3	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. **DL**	3	PA,QL(120 per 30 days)
oxymorphone 10 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. **DL**	1	PA,QL(60 per 30 days)
oxymorphone 10 mg, 5 mg TABLET **DL**	1	QL(360 per 30 days)
oxymorphone 30 mg, 40 mg TABLET, ER 12 HR. **DL**	4	PA,QL(60 per 30 days)
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP **DL**	4	QL(224 per 28 days)
pentazocine-naloxone 50-0.5 mg TABLET **DL**	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET **DL**	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET **DL**	1	PA,QL(360 per 30 days)
piroxicam 10 mg, 20 mg CAPSULE **MO**	1	
primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET **DL**	4	PA,QL(390 per 30 days)
prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET **DL**	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION **DL**	4	PA,QL(900 per 30 days)
QDOLO 5 MG/ML SOLUTION **DL**	4	QL(2400 per 30 days)
RELAFEN DS 1,000 MG TABLET **DL**	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET **DL**	3	QL(360 per 30 days)
ROXICODONE 30 MG TABLET **DL**	4	QL(360 per 30 days)
ROXYBOND 10 MG, 5 MG TABLET, ORAL ONLY **DL**	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY **DL**	4	PA,QL(180 per 30 days)
SEGLENTIS 44-56 MG TABLET **DL**	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL **DL**	4	PA,QL(5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sulindac 150 mg, 200 mg TABLET **MO**	1	
tapentadol 100 mg, 150 mg, 200 mg, 250 mg TABLET, ER 12 HR. **DL**	4	PA,QL(60 per 30 days)
tapentadol 100 mg, 50 mg, 75 mg TABLET **DL**	4	ST,QL(180 per 30 days)
tapentadol 20 mg/ml SOLUTION **DL**	4	PA,QL(900 per 30 days)
tapentadol 50 mg TABLET, ER 12 HR. **DL**	3	PA,QL(60 per 30 days)
tolectin 600 600 mg TABLET	4	
tolectin ds 400 mg CAPSULE **DL**	4	
tolmetin 200 mg TABLET **DL**	4	
tolmetin 400 mg CAPSULE	4	
tolmetin 600 mg TABLET	4	
tramadol 100 mg TABLET **DL**	1	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC **DL**	1	PA,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. **DL**	1	PA,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE **DL**	1	PA,QL(30 per 30 days)
tramadol 25 mg TABLET **DL**	1	QL(180 per 30 days)
tramadol 5 mg/ml SOLUTION **DL**	3	QL(2400 per 30 days)
tramadol 50 mg TABLET **DL**	1	QL(240 per 30 days)
tramadol 75 mg TABLET **DL**	1	QL(150 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET **DL**	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE **DL**	1	QL(300 per 30 days)
VIMOVO 500-20 MG TABLET, IR, DR, BIPHASIC **DL**	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE **MO**	3	QL(30 per 30 days)
VYSCOXA 10 MG/ML SUSPENSION **DL**	4	ST,QL(1200 per 30 days)
XIFYRM 30 MG/ML SOLUTION **MO**	3	
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. **DL**	3	PA,QL(60 per 30 days)
xyvona 2 mg TABLET **DL**	4	ST,QL(240 per 30 days)
xyvona 3 mg TABLET **DL**	4	ST,QL(150 per 30 days)
ZIPSOR 25 MG CAPSULE **DL**	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE **MO**	3	ST,QL(90 per 30 days)
ZYBIC 7.5 MG/5 ML SUSPENSION **DL**	4	QL(300 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION **MO**	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bupivacaine liposome (pf) 1.3 % (13.3 mg/ml) SUSPENSION **MO**	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION **MO**	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION **MO**	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION **MO**	1	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE **MO**	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION **MO**	1	
CLOROTEKAL (PF) 10 MG/ML (1 %) SOLUTION **MO**	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED **MO**	1	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION **MO**	3	
glydo 2 % JELLY IN APPLICATOR **MO**	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED **MO**	1	QL(90 per 30 days)
lidocaine 5 % OINTMENT **MO**	1	
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION **MO**	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION **MO**	1	
lidocaine hcl 2 % JELLY **MO**	1	
lidocaine hcl 2 % JELLY IN APPLICATOR **MO**	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION **MO**	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE **MO**	1	
lidocaine-prilocaine 2.5-2.5 % CREAM **MO**	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED **MO**	1	PA,QL(90 per 30 days)
lidocan iv 5 % ADHESIVE PATCH, MEDICATED **MO**	1	PA,QL(90 per 30 days)
lidocan v 5 % ADHESIVE PATCH, MEDICATED **MO**	1	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED **MO**	3	PA,QL(90 per 30 days)
lignospan forte 2 %-1:50,000 CARTRIDGE **MO**	1	
lignospan standard 2 %-1:100,000 CARTRIDGE **MO**	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION **MO**	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION **MO**	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION **MO**	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION **MO**	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION **MO**	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION **MO**	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION **MO**	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION **MO**	3	
PLIAGLIS 7-7 % CREAM **MO**	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION **MO**	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION **MO**	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION **MO**	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION **MO**	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION **MO**	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION **MO**	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION **MO**	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION **MO**	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION **MO**	1	
vivacaine 0.5 %-1:200,000 CARTRIDGE **MO**	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED **MO**	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
acamprosate 333 mg TABLET, DR/EC **MO**	1	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET **MO**	1	QL(120 per 30 days)
buprenorphine-naloxone 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg FILM **MO**	1	
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET **MO**	1	
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. **MO**	1	QL(90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET **MO**	3	QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET **MO**	3	QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK **MO**	3	QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET **MO**	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL **MO**	3	
lofexidine 0.18 mg TABLET **DL**	4	PA,QL(224 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE MO	1	
naltrexone 50 mg TABLET MO	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	
REXTOVY 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
REZENOPY 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	
SUBOXONE 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG FILM MO	3	PA
varenicline tartrate 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK MO	1	QL(53 per 28 days)
varenicline tartrate 0.5 mg, 1 mg TABLET MO	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE MO	3	PA
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG SUBLINGUAL TABLET MO	1	
ZURNAI 1.5 MG/0.5 ML AUTO-INJECTOR MO	2	
ANTIBACTERIALS		
acetic acid 2 % SOLUTION MO	1	
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION MO	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET MO	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin 250 mg CAPSULE MO	1	
amoxicillin 500 mg CAPSULE MO	1	
amoxicillin 500 mg TABLET MO	1	
amoxicillin 875 mg TABLET MO	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. MO	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET MO	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO	1	
amoxicillin-pot clavulanate 875-125 mg TABLET MO	1	
ampicillin 500 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION **MO**	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION **MO**	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION **DL**	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION **DL**	4	
AUGMENTIN 500-125 MG TABLET **MO**	3	
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION **MO**	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK **MO**	3	
avidoxy 100 mg TABLET **MO**	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION **DL**	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION **MO**	3	
azithromycin 1 gram PACKET **MO**	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
azithromycin 250 mg TABLET **MO**	1	
azithromycin 500 mg RECON SOLUTION **MO**	1	
azithromycin 500 mg, 600 mg TABLET **MO**	1	
aztreonam 1 gram, 2 gram RECON SOLUTION **MO**	1	
bacitracin 50,000 unit RECON SOLUTION **MO**	1	
BACTRIM 400-80 MG TABLET **MO**	3	
BACTRIM DS 800-160 MG TABLET **MO**	3	
BAXDELA 300 MG RECON SOLUTION **DL**	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET **DL**	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION **DL**	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE **MO**	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE **MO**	3	
BLUJEPA 750 MG TABLET **DL**	4	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefaclor 250 mg, 500 mg CAPSULE **MO**	1	
cefaclor 500 mg TABLET, ER 12 HR. **MO**	1	
cefadroxil 1 gram TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefadroxil 500 mg CAPSULE **MO**	1	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION **MO**	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION **MO**	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml, 3 gram/50 ml PIGGYBACK **MO**	1	
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK **MO**	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefdinir 300 mg CAPSULE **MO**	1	
cefepime 1 gram, 2 gram RECON SOLUTION **MO**	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK **MO**	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK **MO**	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefixime 400 mg CAPSULE **MO**	1	
cefixime 400 mg TABLET **MO**	1	
cefotetan 1 gram, 2 gram RECON SOLUTION **MO**	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION **MO**	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK **MO**	1	
cefpodoxime 100 mg, 200 mg TABLET **MO**	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cefprozil 250 mg, 500 mg TABLET **MO**	1	
ceftaroline fosamil 400 mg, 600 mg RECON SOLUTION **DL**	4	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION **MO**	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION **MO**	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK **MO**	1	
cefuroxime axetil 250 mg, 500 mg TABLET **MO**	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION **MO**	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
cephalexin 250 mg, 500 mg TABLET **MO**	1	
cephalexin 250 mg, 750 mg CAPSULE **MO**	1	
cephalexin 500 mg CAPSULE **MO**	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION **MO**	1	
CIPRO 250 MG, 500 MG TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON **MO**	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON **MO**	1	
ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET **MO**	1	
ciprofloxacin hcl 500 mg TABLET **MO**	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK **MO**	1	
clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
clarithromycin 250 mg, 500 mg TABLET **MO**	1	
clarithromycin 500 mg TABLET, ER 24 HR. **MO**	1	
CLEOCIN 100 MG SUPPOSITORY **MO**	3	
CLEOCIN 150 MG/ML SOLUTION **MO**	1	
CLEOCIN 2 % CREAM **MO**	3	
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE **MO**	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION **MO**	1	
clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE **MO**	1	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK **MO**	1	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK **MO**	1	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION **MO**	1	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION **MO**	1	
clindamycin phosphate 150 mg/ml SOLUTION **MO**	1	
clindamycin phosphate 2 % CREAM **MO**	1	
CLINDESSE 2 % CREAM, ER **MO**	3	
colistin (colistimethate na) 150 mg RECON SOLUTION **MO**	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION **DL**	4	
CONTEPO 6 GRAM RECON SOLUTION **DL**	4	
dalbavancin 500 mg SOLUTION **DL**	4	QL(4 per 28 days)
DALVANCE 500 MG SOLUTION **DL**	4	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION **MO**	1	
daptomycin 500 mg RECON SOLUTION **DL**	1	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK **MO**	3	
demeclocycline 150 mg TABLET **MO**	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
demeclocycline 300 mg TABLET **MO**	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE **MO**	1	
DIFICID 200 MG TABLET **DL**	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION **DL**	4	
DORYX 200 MG TABLET, DR/EC **MO**	3	ST,QL(30 per 30 days)
DORYX 80 MG TABLET, DR/EC **DL**	4	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC **DL**	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION **MO**	1	
doxycycline hyclate 100 mg CAPSULE **MO**	1	
doxycycline hyclate 100 mg RECON SOLUTION **MO**	1	
doxycycline hyclate 100 mg TABLET **MO**	1	
doxycycline hyclate 100 mg TABLET, DR/EC **MO**	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET **MO**	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC **MO**	1	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET **MO**	1	
doxycycline hyclate 200 mg TABLET, DR/EC **MO**	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE **MO**	1	
doxycycline hyclate 50 mg TABLET **MO**	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET **MO**	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC **MO**	3	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET **MO**	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE **MO**	1	
doxycycline monohydrate 150 mg CAPSULE **MO**	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC **MO**	1	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE **MO**	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET **MO**	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION **MO**	3	
EMBLAVEO 2 GRAM RECON SOLUTION **DL**	4	
EMROSI 40 MG CAPSULE, IR/ER, BIPHASIC **DL**	4	PA,QL(30 per 30 days)
ertapenem 1 gram RECON SOLUTION **MO**	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC **MO**	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION **MO**	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERYTHROCIN 500 MG RECON SOLUTION **MO**	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET **MO**	1	
erythromycin 250 mg CAPSULE, DR/EC **MO**	1	
erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC **MO**	1	
erythromycin 250 mg, 500 mg TABLET **MO**	1	
erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION **MO**	1	
erythromycin ethylsuccinate 400 mg TABLET **MO**	1	
erythromycin lactobionate 500 mg RECON SOLUTION **DL**	4	
FETROJA 1 GRAM RECON SOLUTION **DL**	4	QL(84 per 14 days)
fidaxomicin 200 mg TABLET **DL**	4	
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION **MO**	3	
FLAGYL 375 MG CAPSULE **MO**	3	QL(320 per 30 days)
fosfomycin tromethamine 3 gram PACKET **MO**	1	
FURADANTIN 25 MG/5 ML SUSPENSION **MO**	3	
gentamicin 0.1 % CREAM **MO**	1	
gentamicin 0.1 % OINTMENT **MO**	1	
gentamicin 40 mg/ml SOLUTION **MO**	1	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml PIGGYBACK **MO**	1	
gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION **MO**	1	
HUMATIN 250 MG CAPSULE **DL**	4	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION **MO**	1	
KIMYRSA 1,200 MG RECON SOLUTION **DL**	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION **DL**	4	PA
KLARON 10 % SUSPENSION **MO**	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION **MO**	1	
levofloxacin 250 mg, 750 mg TABLET **MO**	1	
levofloxacin 500 mg TABLET **MO**	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK **MO**	1	
LINCOCIN 300 MG/ML SOLUTION **MO**	3	
lincomycin 300 mg/ml SOLUTION **MO**	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION **DL**	4	QL(1800 per 30 days)
linezolid 600 mg TABLET **MO**	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK **MO**	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION **MO**	1	
MACROBID 100 MG CAPSULE **MO**	3	
meropenem 1 gram, 500 mg RECON SOLUTION **MO**	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK **MO**	1	
methenamine hippurate 1 gram TABLET **MO**	1	
METRO I.V. 500 MG/100 ML PIGGYBACK **MO**	3	
metronidazole 0.75 % CREAM **MO**	1	
metronidazole 0.75 % LOTION **MO**	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) GEL **MO**	1	
metronidazole 1 % GEL WITH PUMP **MO**	1	
metronidazole 125 mg, 250 mg, 500 mg TABLET **MO**	1	
metronidazole 375 mg CAPSULE **MO**	1	QL(320 per 30 days)
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK **MO**	1	
MINOCIN 100 MG RECON SOLUTION **DL**	4	
minocycline 100 mg, 50 mg, 75 mg CAPSULE **MO**	1	
minocycline 100 mg, 50 mg, 75 mg TABLET **MO**	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. **MO**	1	ST,QL(30 per 30 days)
mondoxyne nl 100 mg CAPSULE **MO**	1	
mondoxyne nl 75 mg CAPSULE **MO**	1	ST,QL(60 per 30 days)
morgidox 50 mg CAPSULE **MO**	1	ST
moxifloxacin 400 mg TABLET **MO**	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK **MO**	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK **MO**	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION **MO**	1	
nafcillin in dextrose iso-osm 2 gram/100 ml PIGGYBACK **MO**	1	
neomycin 500 mg TABLET **MO**	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION **DL**	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE **MO**	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE **MO**	1	
NORITATE 1 % CREAM **DL**	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUZOLVENCE 3 GRAM GRANULES IN PACKET **MO**	3	
NUZYRA 100 MG RECON SOLUTION **DL**	4	
NUZYRA 150 MG TABLET **DL**	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET **MO**	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC **MO**	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION **DL**	4	QL(3 per 28 days)
ORLYNVAH 500-500 MG TABLET **DL**	4	
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION **MO**	1	
oxacillin in dextrose(iso-osm) 2 gram/50 ml PIGGYBACK **MO**	3	
penicillin g pot in dextrose 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK **MO**	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION **MO**	1	
penicillin g sodium 5 million unit RECON SOLUTION **MO**	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION **MO**	1	
penicillin v potassium 250 mg, 500 mg TABLET **MO**	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION **MO**	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION **MO**	1	
PIPERACILLIN-TAZOBACTAM 2.25 GRAM/50 ML, 3.375 GRAM/50 ML PIGGYBACK **MO**	3	
PIPERACILLIN-TAZOBACTAM 4.5 GRAM/100 ML PIGGYBACK **DL**	4	
PIVYA 185 MG TABLET **DL**	4	
polymyxin b sulfate 500,000 unit RECON SOLUTION **MO**	1	
PRIMAXIN IV 500 MG RECON SOLUTION **MO**	3	
PRIMSOL 50 MG/5 ML SOLUTION **MO**	3	
RECARBRIO 1.25 GRAM RECON SOLUTION **DL**	4	
rosadan 0.75 % CREAM **MO**	1	ST
rosadan 0.75 % GEL **MO**	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET **MO**	3	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION **DL**	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET **DL**	4	QL(6 per 28 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET **MO**	3	
streptomycin 1 gram RECON SOLUTION **DL**	4	
sulfacetamide sodium 10 % OINTMENT **MO**	1	
sulfacetamide sodium (acne) 10 % SUSPENSION **MO**	1	QL(118 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sulfadiazine 500 mg TABLET **MO**	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION **MO**	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET **MO**	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION **MO**	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET **MO**	1	
TARGADOX 50 MG TABLET **MO**	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION **MO**	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION **DL**	4	
tetracycline 250 mg, 500 mg CAPSULE **MO**	1	
tetracycline 250 mg, 500 mg TABLET **DL**	4	
tigecycline 50 mg RECON SOLUTION **MO**	1	
tinidazole 250 mg, 500 mg TABLET **MO**	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION **DL**	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION **DL**	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION **MO**	1	BvsD
tobramycin sulfate 1.2 gram RECON SOLUTION **DL**	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION **MO**	1	
trimethoprim 100 mg TABLET **MO**	1	
TYGACIL 50 MG RECON SOLUTION **DL**	4	
TYZAVAN 1 GRAM/200 ML, 1.25 GRAM/250 ML, 1.5 GRAM/300 ML, 1.75 GRAM/350 ML, 2 GRAM/400 ML, 500 MG/100 ML, 750 MG/150 ML PIGGYBACK **MO**	3	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION **MO**	3	
VABOMERE 2 GRAM RECON SOLUTION **DL**	4	QL(84 per 14 days)
VANCOCIN 125 MG CAPSULE	4	QL(120 per 30 days)
VANCOCIN 250 MG CAPSULE **DL**	4	QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION **MO**	1	
vancomycin 1.75 gram, 2 gram RECON SOLUTION **MO**	3	
vancomycin 125 mg CAPSULE **MO**	1	QL(120 per 30 days)
vancomycin 250 mg CAPSULE **MO**	1	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK **MO**	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK **MO**	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK **MO**	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL **MO**	3	
VIBATIV 750 MG RECON SOLUTION **DL**	4	
XACDURO 1 GRAM-1 GRAM (0.5 GRAM X 2) RECON SOLUTION	4	
XACIATO 2 % GEL **MO**	3	
XERAVA 100 MG, 50 MG RECON SOLUTION	4	
XIMINO 135 MG, 45 MG, 90 MG CAPSULE, ER 24 HR. **MO**	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION **DL**	4	
ZERBAXA 1.5 GRAM RECON SOLUTION **DL**	4	
ZEVTERA 667 MG RECON SOLUTION **DL**	4	
ZITHROMAX 1 GRAM PACKET **MO**	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION **MO**	3	
ZITHROMAX 250 MG, 500 MG TABLET **MO**	3	
ZITHROMAX 500 MG RECON SOLUTION **MO**	3	
ZITHROMAX TRI-PAK 500 MG TABLET **MO**	3	
ZITHROMAX Z-PAK 250 MG TABLET **MO**	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK **MO**	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION **DL**	4	QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK **MO**	3	
ZYVOX 600 MG TABLET **DL**	4	QL(60 per 30 days)
ANTICONVULSANTS		
APTIOM 200 MG, 400 MG TABLET	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET **DL**	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION **DL**	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET **DL**	4	PA,QL(240 per 30 days)
brivaracetam 10 mg, 100 mg, 25 mg, 50 mg, 75 mg TABLET **DL**	4	PA,QL(60 per 30 days)
brivaracetam 10 mg/ml SOLUTION **MO**	1	PA,QL(600 per 30 days)
brivaracetam 50 mg/5 ml SOLUTION **MO**	1	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION	4	PA
carbamazepine 100 mg, 200 mg CHEWABLE TABLET **MO**	1	
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. **MO**	1	
carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR. **MO**	1	
carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION **MO**	1	
carbamazepine 200 mg TABLET **MO**	1	
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. **MO**	3	
CELONTIN 300 MG CAPSULE **MO**	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION **MO**	3	
clobazam 10 mg, 20 mg TABLET **DL**	1	PA
clobazam 2.5 mg/ml SUSPENSION **DL**	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC **MO**	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. **MO**	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE **MO**	3	
DIACOMIT 250 MG, 500 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT **DL**	1	
DILANTIN 30 MG CAPSULE **MO**	1	
DILANTIN EXTENDED 100 MG CAPSULE **MO**	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET **MO**	1	
DILANTIN-125 125 MG/5 ML SUSPENSION **MO**	3	
divalproex 125 mg CAPSULE, DR SPRINKLE **MO**	1	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC **MO**	1	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. **MO**	1	
ELEPSIA XR 1,000 MG, 1,500 MG TABLET, ER 24 HR. **DL**	4	QL(60 per 30 days)
EPIDIOLEX 100 MG/ML SOLUTION **DL**	4	PA
epitol 200 mg TABLET **MO**	1	
EPRONTIA 25 MG/ML SOLUTION **MO**	3	PA,QL(480 per 30 days)
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. **MO**	3	PA
eslicarbazepine 200 mg, 400 mg TABLET **DL**	1	PA,QL(30 per 30 days)
eslicarbazepine 600 mg, 800 mg TABLET **DL**	4	PA,QL(60 per 30 days)
ethosuximide 250 mg CAPSULE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ethosuximide 250 mg/5 ml SOLUTION **MO**	1	
felbamate 400 mg, 600 mg TABLET **MO**	1	PA
felbamate 600 mg/5 ml SUSPENSION **MO**	1	PA
FELBATOL 400 MG, 600 MG TABLET **DL**	4	PA
FINTEPLA 2.2 MG/ML SOLUTION **DL,LA**	4	PA,QL(360 per 30 days)
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION **MO**	1	
FYCOMPA 0.5 MG/ML SUSPENSION	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET **MO**	3	PA,QL(30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg CAPSULE **MO**	1	QL(270 per 30 days)
gabapentin 200 mg CAPSULE **DL**	4	QL(270 per 30 days)
gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION **MO**	1	QL(2250 per 30 days)
gabapentin 600 mg, 800 mg TABLET **MO**	1	QL(180 per 30 days)
GABARONE 100 MG, 400 MG TABLET **DL**	4	QL(270 per 30 days)
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET	4	
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION	4	
KEPPRA 250 MG TABLET **MO**	3	
KEPPRA XR 500 MG TABLET, ER 24 HR.	4	QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR.	4	QL(120 per 30 days)
lacosamide 10 mg/ml SOLUTION **MO**	1	QL(1395 per 30 days)
lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET **MO**	1	QL(60 per 30 days)
lacosamide 200 mg/20 ml SOLUTION **DL**	4	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET **MO**	3	
LAMICTAL 25 MG TABLET, CHEWABLE DISPERSIBLE	4	
LAMICTAL 5 MG TABLET, CHEWABLE DISPERSIBLE **MO**	3	
LAMICTAL ODT 100 MG, 200 MG, 50 MG TABLET, DISINTEGRATING	4	
LAMICTAL ODT 25 MG TABLET, DISINTEGRATING **MO**	3	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK **MO**	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK **MO**	3	
LAMICTAL XR 100 MG, 200 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR.	4	
LAMICTAL XR 25 MG TABLET, ER 24 HR. **MO**	3	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK **MO**	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK **MO**	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK **MO**	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET **MO**	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. **MO**	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING **MO**	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK **MO**	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK **MO**	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE **MO**	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET **MO**	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION **MO**	1	
levetiracetam 250 mg TABLET FOR SUSPENSION **MO**	3	ST,QL(360 per 30 days)
levetiracetam 500 mg TABLET **MO**	1	
levetiracetam 500 mg TABLET FOR SUSPENSION **MO**	3	ST,QL(180 per 30 days)
levetiracetam 500 mg TABLET, ER 24 HR. **MO**	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION **MO**	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. **MO**	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK **MO**	1	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM **DL**	4	QL(10 per 30 days)
methsuximide 300 mg CAPSULE **MO**	1	
MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. **DL**	4	PA,QL(60 per 30 days)
MYSOLINE 250 MG, 50 MG TABLET **DL**	4	
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL **DL**	3	QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE **MO**	3	QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION **MO**	3	QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET	4	QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET **DL**	4	PA
ONFI 2.5 MG/ML SUSPENSION **DL**	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET **MO**	1	
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET, ER 24 HR. **MO**	1	ST
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION **MO**	1	
OXTELLAR XR 150 MG, 300 MG TABLET, ER 24 HR. **MO**	3	ST
OXTELLAR XR 600 MG TABLET, ER 24 HR.	4	ST
pentobarbital sodium 50 mg/ml SOLUTION **MO**	1	
perampanel 0.5 mg/ml SUSPENSION **DL**	4	PA,QL(680 per 28 days)
perampanel 10 mg, 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET **MO**	1	PA,QL(30 per 30 days)
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET **MO**	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET **MO**	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR **MO**	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET **MO**	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION **DL**	4	
PHENYTEK 200 MG, 300 MG CAPSULE **MO**	1	
phenytoin 125 mg/5 ml SUSPENSION **MO**	1	
phenytoin 50 mg CHEWABLE TABLET **MO**	1	
phenytoin sodium 50 mg/ml SOLUTION **MO**	1	
phenytoin sodium 50 mg/ml SYRINGE **MO**	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE **MO**	1	
primidone 125 mg, 250 mg, 50 mg TABLET **MO**	1	
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(30 per 30 days)
QUDEXY XR 150 MG CAPSULE ER SPRINKLE 24 HR. **DL**	4	PA,QL(60 per 30 days)
QUDEXY XR 200 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(90 per 30 days)
RELGAABI 200 MG CAPSULE **DL**	4	QL(270 per 30 days)
relgaabi 300 mg, 400 mg CAPSULE **DL**	4	QL(270 per 30 days)
roweepra 500 mg TABLET **MO**	1	
rufinamide 200 mg TABLET **MO**	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION **MO**	1	PA,QL(2760 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rufinamide 400 mg TABLET **MO**	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET **DL**	4	QL(180 per 30 days)
SABRIL 500 MG TABLET **DL**	4	QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION **DL**	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION **MO**	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION **MO**	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION **MO**	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION **MO**	3	ST,QL(120 per 30 days)
SUBVENITE 10 MG/ML SUSPENSION **MO**	3	
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET **MO**	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK **MO**	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK **MO**	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK **MO**	1	
SYMPAZAN 10 MG, 20 MG FILM **DL**	4	PA,QL(60 per 30 days)
SYMPAZAN 5 MG FILM **DL**	3	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION **MO**	3	
TEGRETOL 200 MG TABLET **MO**	3	
TEGRETOL XR 100 MG, 200 MG, 400 MG TABLET, ER 12 HR. **MO**	3	
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET **MO**	1	
TOPAMAX 100 MG, 200 MG TABLET	4	
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE	4	
TOPAMAX 25 MG, 50 MG TABLET **MO**	3	
topiramate 100 mg, 200 mg, 25 mg, 50 mg TABLET **MO**	1	
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(30 per 30 days)
topiramate 100 mg, 50 mg CAPSULE, ER 24 HR. **MO**	1	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg, 50 mg CAPSULE, SPRINKLE **MO**	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR. **MO**	1	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(90 per 30 days)
topiramate 25 mg CAPSULE, ER 24 HR. **MO**	1	PA,QL(90 per 30 days)
topiramate 25 mg/ml SOLUTION **MO**	1	PA,QL(480 per 30 days)
TRILEPTAL 150 MG TABLET **MO**	3	
TRILEPTAL 300 MG, 600 MG TABLET	4	
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TROKENDI XR 100 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(90 per 30 days)
TROKENDI XR 50 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(30 per 30 days)
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION **MO**	1	
valproic acid 250 mg CAPSULE **MO**	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION **MO**	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL **DL**	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET **DL**	4	PA,QL(180 per 30 days)
vigadrone 500 mg POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
vigadrone 500 mg TABLET **DL**	4	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION **DL**	4	PA,QL(600 per 25 days)
vigpoder 500 mg POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION **DL**	4	QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET **DL**	4	QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION **DL**	4	
VIMPAT 50 MG TABLET **MO**	3	QL(60 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET **DL**	4	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET **DL**	4	PA,QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET **DL**	4	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK **MO**	3	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK **DL**	4	PA,QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE **MO**	3	
ZARONTIN 250 MG/5 ML SOLUTION **MO**	1	
ZONEGRAN 100 MG, 25 MG CAPSULE	4	
ZONISADE 100 MG/5 ML SUSPENSION **MO**	3	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE **MO**	1	
ZTALMY 50 MG/ML SUSPENSION **DL**	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY **MO**	3	ST,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARICEPT 10 MG, 5 MG TABLET **MO**	3	
ARICEPT 23 MG TABLET **MO**	3	QL(30 per 30 days)
donepezil 10 mg, 5 mg TABLET **MO**	1	
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING **MO**	1	
donepezil 23 mg TABLET **MO**	1	QL(30 per 30 days)
ergoloid 1 mg TABLET **MO**	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. **MO**	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET **MO**	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. **MO**	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION **MO**	1	QL(200 per 30 days)
LEQEMBI IQLIK 360 MG/1.8 ML, 500 MG/2.5 ML (250MG/1.25MLX2) AUTO-INJECTOR **DL**	4	PA
memantine 10 mg, 5 mg TABLET **MO**	1	PA
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. **MO**	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION **MO**	1	PA
memantine 5-10 mg TABLET, DOSE PACK **MO**	1	PA,QL(98 per 30 days)
memantine-donepezil 14-10 mg, 21-10 mg, 28-10 mg CAPSULE ER SPRINKLE 24 HR. **MO**	1	PA,QL(30 per 30 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. **MO**	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE **MO**	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE **MO**	1	QL(60 per 30 days)
ZUNVEYL 10 MG, 15 MG, 5 MG TABLET, DR/EC **MO**	3	PA,QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET **MO**	1	
amitriptyline 25 mg TABLET **MO**	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET **DL**	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET **MO**	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE **DL**	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR.	4	ST,QL(30 per 30 days)
AUVELITY 30 MG-105 MG /45 MG-105 MG tablet,IR ER biphasic,dosepack **MO**	3	ST
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC **MO**	3	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bupropion hcl 100 mg TABLET, SR 12 HR. **MO**	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET **MO**	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. **MO**	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. **MO**	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. **MO**	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. **MO**	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 20 MG, 40 MG TABLET **MO**	3	
citalopram 10 mg, 20 mg, 40 mg TABLET **MO**	1	
citalopram 10 mg/5 ml SOLUTION **MO**	1	
CITALOPRAM 30 MG CAPSULE **MO**	3	QL(30 per 30 days)
citalopram 30 mg CAPSULE **MO**	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE **MO**	1	
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET **MO**	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. **MO**	3	QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. **MO**	3	QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR.	4	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg, 20 mg, 5 mg TABLET **MO**	1	
escitalopram oxalate 15 mg CAPSULE **MO**	3	
escitalopram oxalate 5 mg/5 ml SOLUTION **MO**	1	QL(600 per 30 days)
EXXUA 18.2 MG (32 TABS) TABLET, ER 24 HR., DOSE PACK **DL**	4	PA
EXXUA 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. **MO**	3	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE **MO**	1	QL(60 per 30 days)
fluoxetine 10 mg TABLET **MO**	1	QL(240 per 30 days)
fluoxetine 20 mg CAPSULE **MO**	1	QL(120 per 30 days)
fluoxetine 20 mg TABLET **MO**	1	QL(120 per 30 days)
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION **MO**	1	
fluoxetine 40 mg CAPSULE **MO**	1	QL(90 per 30 days)
fluoxetine 60 mg TABLET **MO**	1	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC **MO**	1	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. **MO**	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET **MO**	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. **MO**	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg, 25 mg, 50 mg TABLET **MO**	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE **MO**	1	
LEXAPRO 10 MG, 20 MG, 5 MG TABLET **MO**	3	
MARPLAN 10 MG TABLET **MO**	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING **MO**	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET **MO**	1	
mirtazapine 45 mg TABLET **MO**	1	
NARDIL 15 MG TABLET **MO**	3	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET **MO**	1	
NORPRAMIN 10 MG, 25 MG TABLET **MO**	3	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE **MO**	1	
nortriptyline 10 mg/5 ml SOLUTION **MO**	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE **MO**	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE **DL**	4	
PARNATE 10 MG TABLET **DL**	4	
paroxetine hcl 10 mg, 20 mg, 30 mg, 40 mg TABLET **MO**	1	
paroxetine hcl 10 mg/5 ml SUSPENSION **MO**	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. **MO**	1	QL(90 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE **MO**	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG, 30 MG, 40 MG TABLET **MO**	3	
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. **MO**	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET **MO**	1	
phenelzine 15 mg TABLET **MO**	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET **MO**	1	
PROZAC 10 MG CAPSULE	4	QL(60 per 30 days)
PROZAC 20 MG CAPSULE	4	QL(120 per 30 days)
PROZAC 40 MG CAPSULE	4	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RALDESY 10 MG/ML SOLUTION **MO**	3	
REMERON 15 MG, 30 MG TABLET **MO**	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING **MO**	3	QL(30 per 30 days)
sertraline 100 mg TABLET **MO**	1	QL(60 per 30 days)
sertraline 150 mg, 200 mg CAPSULE **MO**	3	QL(30 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE **MO**	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE **MO**	1	
sertraline 25 mg, 50 mg TABLET **MO**	1	QL(90 per 30 days)
tranylcypromine 10 mg TABLET **MO**	1	
trazodone 100 mg, 150 mg, 50 mg TABLET **MO**	1	
trazodone 25 mg, 300 mg, 75 mg TABLET **MO**	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE **MO**	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET **MO**	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET **MO**	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. **MO**	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. **MO**	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. **MO**	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
VIIBRYD 10 MG, 20 MG, 40 MG TABLET **MO**	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET **MO**	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. **MO**	3	QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. **MO**	3	QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. **MO**	3	QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR.	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR.	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET **MO**	3	QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE **MO**	3	
ZOLOFT 25 MG, 50 MG TABLET **MO**	3	QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION **DL**	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE **DL**	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE **DL**	4	PA,QL(14 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION **DL**	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION **DL**	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE **MO**	3	PA
ANTIVERT 25 MG CHEWABLE TABLET **MO**	3	
ANTIVERT 50 MG TABLET **MO**	3	
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION **MO**	3	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK **MO**	1	BvsD
aprepitant 125 mg CAPSULE	4	BvsD,QL(2 per 28 days)
aprepitant 40 mg CAPSULE **MO**	1	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE **MO**	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC **MO**	3	QL(60 per 30 days)
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION **MO**	3	QL(36 per 28 days)
COMPAZINE 10 MG, 5 MG TABLET **MO**	3	BvsD
COMPAZINE 25 MG SUPPOSITORY **MO**	1	
compro 25 mg SUPPOSITORY **MO**	1	
DICLEGIS 10-10 MG TABLET, DR/EC **MO**	3	QL(120 per 30 days)
dimenhydrinate 50 mg/ml SOLUTION **MO**	1	
doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC **MO**	1	QL(120 per 30 days)
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE **MO**	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK **MO**	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION **MO**	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE **MO**	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION **MO**	3	
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION **MO**	3	PA
fosaprepitant 150 mg RECON SOLUTION **MO**	1	
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP **DL**	4	PA,QL(9.8 per 28 days)
granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION **MO**	1	
granisetron hcl 1 mg TABLET **MO**	1	BvsD,QL(28 per 28 days)
granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION **MO**	1	
granisol 1 mg/5 ml SOLUTION **DL**	4	BvsD,QL(300 per 30 days)
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE **DL**	4	BvsD,QL(120 per 30 days)
meclizine 12.5 mg TABLET **MO**	1	
meclizine 25 mg CHEWABLE TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meclizine 25 mg TABLET **MO**	1	
meclizine 50 mg TABLET **MO**	3	
metoclopramide hcl 10 mg, 5 mg TABLET **MO**	1	
metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION **MO**	1	
metoclopramide hcl 5 mg/ml SYRINGE **MO**	1	
NAVITRUX 150 MG RECON SOLUTION **MO**	3	
NEREUS 85 MG CAPSULE **DL**	4	PA
ondansetron 16 mg TABLET, DISINTEGRATING **DL**	4	BvsD
ondansetron 4 mg, 8 mg TABLET, DISINTEGRATING **MO**	1	BvsD
ondansetron hcl 2 mg/ml SOLUTION **MO**	1	
ondansetron hcl 4 mg TABLET **MO**	1	BvsD
ondansetron hcl 4 mg/5 ml SOLUTION **MO**	1	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET **MO**	1	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION **MO**	1	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE **MO**	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION **MO**	1	
prochlorperazine 25 mg SUPPOSITORY **MO**	1	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION **MO**	1	
prochlorperazine maleate 10 mg, 5 mg TABLET **MO**	1	BvsD
promethazine 12.5 mg, 25 mg SUPPOSITORY **MO**	1	
promethazine 12.5 mg, 25 mg, 50 mg TABLET **MO**	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION **MO**	1	
promethazine 6.25 mg/5 ml SYRUP **MO**	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY **MO**	1	
REGLAN 10 MG, 5 MG TABLET **MO**	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY **DL**	4	PA,QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY **MO**	1	QL(10 per 30 days)
TIGAN 100 MG/ML SOLUTION **MO**	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY **MO**	3	QL(10 per 30 days)
trimethobenzamide 100 mg/ml SOLUTION **MO**	1	
trimethobenzamide 300 mg CAPSULE **MO**	1	BvsD
VARUBI 90 MG TABLET **MO**	3	BvsD
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION **MO**	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION **DL**	4	BvsD
amphotericin b 50 mg RECON SOLUTION **MO**	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION **DL**	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE **MO**	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION **DL**	4	
caspofungin 50 mg, 70 mg RECON SOLUTION **MO**	1	
ciclodan 8 % SOLUTION **MO**	1	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM **MO**	1	QL(90 per 30 days)
ciclopirox 0.77 % GEL **MO**	1	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION **MO**	1	QL(60 per 30 days)
ciclopirox 1 % SHAMPOO **MO**	1	QL(120 per 30 days)
ciclopirox 8 % SOLUTION **MO**	1	QL(13.2 per 30 days)
clotrimazole 1 % CREAM **MO**	1	
clotrimazole 1 % SOLUTION **MO**	1	
clotrimazole 10 mg TROCHE **MO**	1	
clotrimazole-betamethasone 1-0.05 % CREAM **MO**	1	QL(180 per 30 days)
clotrimazole-betamethasone 1-0.05 % LOTION **MO**	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE **DL**	4	PA
CRESEMBA 372 MG RECON SOLUTION **DL**	4	PA
DIFLUCAN 100 MG TABLET **MO**	3	
DIFLUCAN 40 MG/ML SUSPENSION FOR RECONSTITUTION **DL**	4	
econazole nitrate 1 % CREAM **MO**	1	PA,QL(85 per 30 days)
econazole nitrate 1 % FOAM **DL**	4	
ERAXIS(WATER DILUENT) 100 MG RECON SOLUTION **MO**	3	
ERAXIS(WATER DILUENT) 50 MG RECON SOLUTION **DL**	4	
ERTACZO 2 % CREAM **DL**	4	QL(60 per 30 days)
EXELDERM 1 % CREAM	4	ST
EXELDERM 1 % SOLUTION	4	ST,QL(60 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION **MO**	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET **MO**	1	
fluconazole 150 mg TABLET **MO**	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK **MO**	1	
flucytosine 250 mg, 500 mg CAPSULE **DL**	4	
FULVICIN P/G 165 MG TABLET **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
griseofulvin microsize 125 mg/5 ml SUSPENSION **MO**	1	
griseofulvin microsize 500 mg TABLET **MO**	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET **MO**	1	
griseofulvin ultramicrosize 165 mg TABLET **DL**	4	
gynazole-1 2 % CREAM **MO**	1	
itraconazole 10 mg/ml SOLUTION **MO**	1	
itraconazole 100 mg CAPSULE **MO**	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR **DL**	4	PA,QL(4 per 28 days)
ketoconazole 2 % CREAM **MO**	1	QL(60 per 30 days)
ketoconazole 2 % FOAM **MO**	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO **MO**	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET **MO**	1	
ketodan 2 % FOAM **MO**	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER **MO**	1	
LOPROX (AS OLAMINE) 0.77 % CREAM **MO**	3	QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION **MO**	3	QL(60 per 30 days)
luliconazole 1 % CREAM **MO**	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM **MO**	3	ST,QL(60 per 28 days)
micafungin 100 mg, 50 mg RECON SOLUTION **MO**	1	
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 150 MG/150 ML, 50 MG/50 ML PIGGYBACK **DL**	4	
micafungin in 0.9 % sodium chl 150 mg/150 ml PIGGYBACK **DL**	4	
miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT **MO**	1	
miconazole-3 200 mg SUPPOSITORY **MO**	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION **DL**	4	
naftifine 1 % CREAM **MO**	1	ST,QL(90 per 30 days)
naftifine 2 % CREAM **MO**	1	ST,QL(120 per 30 days)
naftifine 2 % GEL **MO**	1	ST,QL(120 per 30 days)
NAFTIN 2 % GEL **MO**	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC **DL**	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION **DL**	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON **DL**	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION **DL**	4	PA
nyamyc 100,000 unit/gram POWDER **MO**	1	
nystatin 100,000 unit/gram CREAM **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nystatin 100,000 unit/gram OINTMENT **MO**	1	
nystatin 100,000 unit/gram POWDER **MO**	1	
nystatin 100,000 unit/ml SUSPENSION **MO**	1	
nystatin 500,000 unit TABLET **MO**	1	
nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM **MO**	1	
nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT **MO**	1	
nystop 100,000 unit/gram POWDER **MO**	1	
oxiconazole 1 % CREAM **MO**	1	PA,QL(60 per 30 days)
OXISTAT 1 % LOTION **MO**	3	PA
posaconazole 100 mg TABLET, DR/EC **MO**	1	PA
posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION **DL**	4	PA,QL(840 per 28 days)
posaconazole 300 mg/16.7 ml SOLUTION **DL**	4	PA
REZZAYO 200 MG RECON SOLUTION **DL**	4	PA
SPORANOX 10 MG/ML SOLUTION **DL**	4	
SPORANOX 100 MG CAPSULE **MO**	3	QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR **MO**	1	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET **MO**	1	
terconazole 0.4 %, 0.8 % CREAM **MO**	1	
terconazole 80 mg SUPPOSITORY **MO**	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION **DL**	4	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION **DL**	4	QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION **MO**	3	
VIVJOA 150 MG CAPSULE **MO**	3	
voriconazole 10 mg/ml SOLUTION **MO**	1	
voriconazole 200 mg RECON SOLUTION **MO**	1	
voriconazole 200 mg, 50 mg TABLET **MO**	1	QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION **DL**	4	QL(400 per 30 days)
voriconazole-hpbcd 200 mg RECON SOLUTION **MO**	1	
VUSION 0.25-15-81.35 % OINTMENT **MO**	3	
XOLEGEL 2 % GEL **MO**	3	
ANTIGOUT AGENTS		
allopurinol 100 mg, 300 mg TABLET **MO**	1	
allopurinol 200 mg TABLET **MO**	3	
allopurinol sodium 500 mg RECON SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALOPRIM 500 MG RECON SOLUTION **MO**	3	
colchicine 0.6 mg CAPSULE **MO**	1	PA
colchicine 0.6 mg TABLET **MO**	1	QL(120 per 30 days)
COLCRYS 0.6 MG TABLET **MO**	3	PA,QL(120 per 30 days)
febuxostat 40 mg, 80 mg TABLET **MO**	1	QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION **MO**	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE **MO**	3	PA
probenecid 500 mg TABLET **MO**	1	
probenecid-colchicine 500-0.5 mg TABLET **MO**	1	
ULORIC 40 MG, 80 MG TABLET **MO**	3	PA,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET **MO**	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR **MO**	3	PA,QL(1 per 28 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR **MO**	3	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR **MO**	3	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE **MO**	3	PA,QL(1.5 per 28 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET **MO**	1	ST,QL(9 per 30 days)
BREKIYA 1 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(24 per 28 days)
CAFERGOT 1-100 MG TABLET **DL**	4	QL(40 per 28 days)
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL **DL**	1	PA,QL(8 per 30 days)
dihydroergotamine 1 mg/ml SOLUTION **MO**	1	PA
eletriptan 20 mg, 40 mg TABLET **MO**	1	QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR **MO**	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE **MO**	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE **MO**	3	PA,QL(3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET **DL**	4	QL(20 per 28 days)
ergotamine-caffeine 1-100 mg TABLET **MO**	1	QL(40 per 28 days)
FROVA 2.5 MG TABLET **DL**	4	ST,QL(12 per 30 days)
frovatriptan 2.5 mg TABLET **MO**	1	ST,QL(12 per 30 days)
IMITREX 100 MG, 25 MG, 50 MG TABLET **MO**	3	QL(9 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML PEN INJECTOR **MO**	3	QL(6 per 30 days)
IMITREX STATDOSE PEN 6 MG/0.5 ML PEN INJECTOR	4	QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE **DL**	4	QL(6 per 30 days)
MAXALT 10 MG TABLET **MO**	3	QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO	3	QL(12 per 30 days)
migergot 2-100 mg SUPPOSITORY DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET MO	1	QL(9 per 30 days)
NURTEC ODT 75 MG TABLET, DISINTEGRATING	4	PA,QL(18 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(16 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
RELPAX 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET MO	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET MO	3	PA,QL(4 per 30 days)
RIZAFILM 10 MG, 5 MG FILM MO	3	ST,QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET MO	1	QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL MO	1	QL(12 per 30 days)
sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET MO	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE MO	3	QL(6 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR MO	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION MO	1	QL(6 per 30 days)
sumatriptan-naproxen 85-500 mg TABLET MO	1	ST,QL(18 per 30 days)
SYMBRAVO 10-20 MG TABLET DL	4	ST,QL(9 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
UBRELVY 100 MG, 50 MG TABLET MO	2	PA,QL(16 per 30 days)
VYEPTI 100 MG/ML SOLUTION	4	PA,QL(3 per 90 days)
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL MO	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET MO	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET MO	3	ST,QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL **MO**	3	ST,QL(12 per 30 days)
zomig 5 mg TABLET **MO**	3	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET	4	
MESTINON 60 MG/5 ML SYRUP	4	
MESTINON TIMESPAN 180 MG TABLET ER	4	
pyridostigmine bromide 180 mg TABLET ER **MO**	1	
pyridostigmine bromide 30 mg, 60 mg TABLET **MO**	1	
pyridostigmine bromide 60 mg/5 ml SYRUP **MO**	1	
REGONOL 5 MG/ML SOLUTION **MO**	3	
VYVGART 20 MG/ML SOLUTION **DL**	4	PA
VYVGART HYTRULO 1,000 MG-10,000 UNIT/5 ML SYRINGE **DL**	4	PA,QL(20 per 28 days)
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION **DL**	4	PA,QL(22.4 per 28 days)
ANTIMYCOBACTERIALS		
cycloserine 250 mg CAPSULE **DL**	4	
dapsone 100 mg, 25 mg TABLET **MO**	1	
ethambutol 100 mg, 400 mg TABLET **MO**	1	
isoniazid 100 mg, 300 mg TABLET **MO**	1	
isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION **MO**	1	
LAMPRENE 50 MG CAPSULE **DL**	4	
PRETOMANID 200 MG TABLET **MO**	3	QL(30 per 30 days)
PRIFTIN 150 MG TABLET **MO**	3	
pyrazinamide 500 mg TABLET **MO**	1	
rifabutin 150 mg CAPSULE **MO**	1	
RIFADIN 600 MG RECON SOLUTION **MO**	3	
rifampin 150 mg, 300 mg CAPSULE **MO**	1	
rifampin 600 mg RECON SOLUTION **MO**	1	
rifapentine 150 mg TABLET **MO**	1	
SIRTURO 100 MG, 20 MG TABLET **DL**	4	PA
ANTINEOPLASTICS		
abiraterone 250 mg TABLET **MO**	1	PA,QL(120 per 30 days)
abiraterone 500 mg TABLET **DL**	4	PA,QL(60 per 30 days)
abirtega 250 mg TABLET **MO**	1	PA,QL(120 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADCETRIS 50 MG RECON SOLUTION **DL**	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION **MO**	1	BvsD
adrucil 2.5 gram/50 ml SOLUTION **MO**	1	BvsD
afatinib 20 mg, 30 mg, 40 mg TABLET **DL,LA**	4	PA,QL(30 per 30 days)
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET **DL**	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION **DL**	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE **DL**	4	PA,QL(240 per 30 days)
ALIQOPA 60 MG RECON SOLUTION **DL**	4	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET **DL**	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK **DL**	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION **DL**	4	PA
anastrozole 1 mg TABLET **MO**	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION **DL**	4	PA
ARIMIDEX 1 MG TABLET **DL**	4	QL(30 per 30 days)
AROMASIN 25 MG TABLET **DL**	4	QL(60 per 30 days)
ARRANON 5 MG/ML SOLUTION **DL**	4	
arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION **DL**	4	PA
ASPARLAS 750 UNIT/ML SOLUTION **DL**	4	PA
AUGTYRO 160 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
AUGTYRO 40 MG CAPSULE **DL**	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION **DL**	4	PA
AVMAPKI-FAKZYNJA 0.8-200 MG COMBO PACK **DL**	4	PA,QL(66 per 28 days)
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET **DL**	4	PA,QL(30 per 30 days)
azacitidine 100 mg RECON SOLUTION **DL**	4	PA
BALVERSA 3 MG TABLET **DL**	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET **DL**	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET **DL**	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION **DL**	4	PA
BELEODAQ 500 MG RECON SOLUTION **DL**	4	PA
bendamustine 100 mg, 25 mg RECON SOLUTION **MO**	1	PA
bendamustine 25 mg/ml SOLUTION **DL**	4	PA
BENDEKA 25 MG/ML SOLUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BEQALZI 1 MG, 20 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
BEQALZI 80 MG TABLET DL	4	PA,QL(120 per 30 days)
BEQALZI STARTER PACK 1-5-20-80 MG TABLET, DOSE PACK DL	4	PA,QL(44 per 28 days)
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
bexarotene 1 % GEL DL	4	PA,QL(240 per 30 days)
bexarotene 75 mg CAPSULE DL	4	PA,QL(300 per 30 days)
bicalutamide 50 mg TABLET MO	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION MO	3	
BIZENGRI 375 MG/18.75 ML (20 MG/ML) SOLUTION DL	4	PA,QL(75 per 28 days)
BLENREP 70 MG RECON SOLUTION DL	4	PA
bleomycin 15 unit, 30 unit RECON SOLUTION MO	1	BvsD
bortezomib 1 mg, 2.5 mg RECON SOLUTION MO	3	PA
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION MO	3	PA
bortezomib 3.5 mg RECON SOLUTION MO	1	PA
BORUZU 2.5 MG/ML SOLUTION DL	4	PA
BOSULIF 100 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET DL	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET DL	4	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE DL	4	PA,QL(360 per 30 days)
bosutinib 100 mg TABLET DL	4	PA,QL(120 per 30 days)
bosutinib 400 mg, 500 mg TABLET DL	4	PA,QL(30 per 30 days)
BRAFTOVI 75 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BRUKINSA 160 MG TABLET DL	4	PA,QL(120 per 30 days)
BRUKINSA 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
busulfan 60 mg/10 ml SOLUTION MO	1	
BUSULFEX 60 MG/10 ML SOLUTION MO	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL	4	PA,QL(30 per 30 days)
carmustine 100 mg RECON SOLUTION MO	1	
CASODEX 50 MG TABLET DL	4	QL(30 per 30 days)
CAVHANZA 60 MG, 80 MG TABLET, DISINTEGRATING DL	4	PA,QL(112 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cisplatin 1 mg/ml SOLUTION **MO**	1	
cladribine 10 mg/10 ml SOLUTION **DL**	4	BvsD
CLIGAVYX 250 MG/5 ML SYRINGE **DL**	4	PA,QL(30 per 30 days)
clofarabine 1 mg/ml SOLUTION **DL**	4	
COLUMVI 1 MG/ML SOLUTION **DL**	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE **DL**	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE **DL**	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE **DL**	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE **DL**	4	PA,QL(56 per 28 days)
COTELLIC 20 MG TABLET **DL**	4	PA,QL(63 per 28 days)
cyclophosphamide 25 mg, 50 mg CAPSULE **MO**	1	BvsD
cyclophosphamide 25 mg, 50 mg TABLET **MO**	1	BvsD
CYRAMZA 10 MG/ML SOLUTION **DL**	4	PA
cytarabine 20 mg/ml SOLUTION **MO**	1	BvsD
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION **MO**	1	BvsD
dacarbazine 100 mg, 200 mg RECON SOLUTION **MO**	1	
dactinomycin 0.5 mg RECON SOLUTION **DL**	4	
DANYELZA 4 MG/ML SOLUTION **DL**	4	PA,QL(120 per 28 days)
DANZITEN 71 MG, 95 MG TABLET **DL**	4	PA,QL(120 per 30 days)
DARZALEX 20 MG/ML SOLUTION **DL**	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION **DL**	4	PA
dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET **DL**	4	PA,QL(60 per 30 days)
dasatinib 140 mg TABLET **DL**	4	PA,QL(30 per 30 days)
dasatinib 20 mg TABLET **DL**	4	PA,QL(90 per 30 days)
DATROWAY 100 MG RECON SOLUTION **DL**	4	PA
daunorubicin 5 mg/ml SOLUTION **MO**	1	
DAURISMO 100 MG TABLET **DL**	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET **DL**	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION **DL**	4	PA
DECNUPAZ 2 MG RECON SOLUTION **DL**	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION **MO**	1	
docetaxel 80 mg/8 ml (10 mg/ml) SOLUTION **MO**	1	
DOXIL 2 MG/ML SUSPENSION **DL**	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION **MO**	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION **MO**	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION **DL**	4	PA
ELAHERE 5 MG/ML SOLUTION **DL**	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION **DL**	4	PA
ELLENCE 200 MG/100 ML, 50 MG/25 ML SOLUTION **DL**	4	
ELREXFIO 40 MG/ML SOLUTION **DL**	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION **DL**	4	PA,QL(10 per 21 days)
EMPLICITI 300 MG, 400 MG RECON SOLUTION **DL**	4	PA
EMRELIS 100 MG, 20 MG RECON SOLUTION **DL**	4	PA
ENHERTU 100 MG RECON SOLUTION **DL**	4	PA
ENSACOVE 100 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
ENSACOVE 25 MG CAPSULE **DL**	4	PA,QL(270 per 30 days)
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION **MO**	1	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION **DL**	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION **DL**	4	PA
eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION **DL**	4	
ERIVEDGE 150 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET **DL**	4	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET **MO**	1	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET **MO**	1	PA,QL(90 per 30 days)
ETCAMAH 75 MG TABLET **DL**	4	PA,QL(56 per 28 days)
ETOPOPHOS 100 MG RECON SOLUTION **MO**	3	
etoposide 20 mg/ml SOLUTION **MO**	1	
EULEXIN 125 MG CAPSULE **DL**	4	PA
EVDI 1 MG/20 ML (0.05 MG/ML) SOLUTION **DL**	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET **DL**	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION **DL**	4	PA
EVOMELA 50 MG RECON SOLUTION **DL**	4	
exemestane 25 mg TABLET **MO**	1	QL(60 per 30 days)
FARESTON 60 MG TABLET **DL**	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE **DL**	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET **MO**	3	QL(30 per 30 days)
floxuridine 0.5 gram RECON SOLUTION **MO**	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fludarabine 50 mg RECON SOLUTION **MO**	1	
fludarabine 50 mg/2 ml SOLUTION **DL**	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION **MO**	1	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION **DL**	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE **DL**	4	PA,QL(21 per 28 days)
FRUZAQLA 1 MG CAPSULE **DL**	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE **DL**	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE **MO**	1	PA,QL(30 per 30 days)
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION **DL**	4	PA
GAVRETO 100 MG CAPSULE **DL,LA**	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION **DL**	4	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET **DL**	4	PA
GILOTRIF 20 MG, 30 MG, 40 MG TABLET **DL,LA**	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET **DL**	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET **DL**	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG, 40 MG CAPSULE **MO**	3	
GLEOSTINE 100 MG CAPSULE **DL**	4	
GOMEKLI 1 MG TABLET FOR SUSPENSION **DL**	4	PA
GOMEKLI 1 MG, 2 MG CAPSULE **DL**	4	PA
GRAFAPEX 1 GRAM, 5 GRAM RECON SOLUTION **DL**	4	
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION **DL**	4	
HERCEPTIN 150 MG RECON SOLUTION **DL**	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION **DL**	4	PA,QL(5 per 21 days)
HERCESSI 150 MG, 420 MG RECON SOLUTION **DL**	4	PA
HERNEXEOS 60 MG TABLET **DL**	4	PA,QL(180 per 30 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION **DL**	4	PA
HYDREA 500 MG CAPSULE **MO**	3	
hydroxyurea 500 mg CAPSULE **MO**	1	
HYRNUO 10 MG TABLET **DL**	4	PA,QL(120 per 30 days)
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE **DL**	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET **DL**	4	PA,QL(21 per 28 days)
IBTROZI 200 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET **DL**	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IDAMYCIN PFS 1 MG/ML SOLUTION **DL**	4	
idarubicin 1 mg/ml SOLUTION **DL**	4	
IDHIFA 100 MG, 50 MG TABLET **DL**	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION **MO**	3	
ifosfamide 1 gram, 3 gram RECON SOLUTION **MO**	1	
ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION **MO**	1	
imatinib 100 mg TABLET **MO**	1	PA,QL(90 per 30 days)
imatinib 400 mg TABLET **MO**	1	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
IMBRUVICA 140 MG, 280 MG TABLET **DL**	4	PA
IMBRUVICA 420 MG TABLET **DL**	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION **DL**	4	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION **DL**	4	PA
IMFINZI 50 MG/ML SOLUTION **DL**	4	PA
IMJUDO 20 MG/ML SOLUTION **DL**	4	PA
IMKELDI 80 MG/ML SOLUTION **DL**	4	PA,QL(300 per 30 days)
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION **DL**	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION **DL**	4	PA,QL(8 per 28 days)
INLEXZO 225 MG IMPLANT **DL**	4	PA
INLURIYO 200 MG TABLET **DL**	4	PA,QL(84 per 28 days)
INLYTA 1 MG TABLET **DL**	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET **DL**	4	PA,QL(120 per 30 days)
INQOVI 35-100 MG TABLET **DL**	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET **DL**	4	PA
irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION **MO**	1	
ISTODAX 10 MG/2 ML RECON SOLUTION **DL**	4	PA
ITOVEBI 3 MG TABLET **DL**	4	PA,QL(56 per 28 days)
ITOVEBI 9 MG TABLET **DL**	4	PA,QL(28 per 28 days)
IVRA 90 MG/ML SOLUTION **DL**	4	
IWILFIN 192 MG TABLET **DL**	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION **DL**	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET **DL**	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JAKAFI XR 11 MG, 22 MG, 33 MG, 44 MG, 55 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET DL	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 60 MG/1.5 ML (DILUTE10MG/ML) SOLUTION DL	4	PA
JIDEYTRO 100 MG TABLET DL	4	PA,QL(30 per 30 days)
JIDEYTRO 25 MG TABLET DL	4	PA,QL(90 per 30 days)
JOBEVNE 25 MG/ML SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL	4	PA
KEYTRUDA QLEX 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML SOLUTION DL	4	PA
KHAPZORY 175 MG RECON SOLUTION DL	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL	4	PA,QL(63 per 28 days)
KOMZIFTI 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
KOSELUGO 10 MG CAPSULE DL	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL	4	PA,QL(120 per 30 days)
KOSELUGO 5 MG CAPSULE, SPRINKLE DL	4	PA,QL(600 per 30 days)
KOSELUGO 7.5 MG CAPSULE, SPRINKLE DL	4	PA,QL(360 per 30 days)
KRAZATI 200 MG TABLET DL	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION DL	4	PA,QL(12 per 28 days)
lapatinib 250 mg TABLET DL	4	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET DL	4	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET DL	4	PA,QL(60 per 30 days)
lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
letrozole 2.5 mg TABLET **MO**	1	QL(30 per 30 days)
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET **MO**	1	
leucovorin calcium 10 mg/ml SOLUTION **MO**	1	
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION **MO**	1	
LEUKERAN 2 MG TABLET **DL**	4	
levoleucovorin calcium 10 mg/ml SOLUTION **MO**	1	PA
levoleucovorin calcium 50 mg RECON SOLUTION **MO**	1	PA
LEVULAN 20 % SOLUTION **MO**	3	
LIBTAYO 50 MG/ML SOLUTION **DL**	4	PA,QL(7 per 21 days)
LIFYORLI 125 MG/DAY(100 MG X1-25MG X1), 150 MG/DAY(100 MG X1-25MG X2) CAPSULE **DL**	4	PA
lomustine 10 mg CAPSULE **MO**	1	
lomustine 100 mg CAPSULE **DL**	4	
lomustine 40 mg CAPSULE **DL**	1	
LONSURF 15-6.14 MG TABLET **DL**	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET **DL**	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION **DL**	4	PA
LORBRENA 100 MG TABLET **DL**	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET **DL**	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET **DL**	4	PA,QL(240 per 30 days)
LUMAKRAS 240 MG TABLET **DL**	4	PA,QL(120 per 30 days)
LUMAKRAS 320 MG TABLET **DL**	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION **DL**	4	PA
LUNSUMIO VELO 45 MG/ML, 5 MG/0.5 ML SOLUTION **DL**	4	PA
LYNOZYFIC 2 MG/ML, 20 MG/ML SOLUTION **DL**	4	PA
LYNPARZA 100 MG, 150 MG TABLET **DL**	4	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET **DL**	4	
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET **DL**	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION **DL**	4	PA
MATULANE 50 MG CAPSULE **DL**	4	
MEKINIST 0.05 MG/ML RECON SOLUTION **DL**	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET **DL**	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MEKTOVI 15 MG TABLET DL	4	PA,QL(180 per 30 days)
melphalan hcl 50 mg RECON SOLUTION MO	1	
mercaptopurine 20 mg/ml SUSPENSION DL	4	
mercaptopurine 50 mg TABLET MO	1	
mesna 100 mg/ml SOLUTION MO	1	
mesna 400 mg TABLET DL	1	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET DL	4	
mitomycin 20 mg, 40 mg RECON SOLUTION DL	4	
mitomycin 5 mg RECON SOLUTION MO	1	
mitoxantrone 2 mg/ml CONCENTRATE MO	1	
MODEYSO 125 MG CAPSULE DL	4	PA,QL(20 per 28 days)
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
nelarabine 5 mg/ml SOLUTION DL	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET DL	4	QL(60 per 30 days)
nilotinib d-tartrate 150 mg, 200 mg, 50 mg CAPSULE DL	4	PA,QL(120 per 30 days)
nilotinib hcl 150 mg, 200 mg, 50 mg CAPSULE DL	4	PA,QL(120 per 30 days)
nilutamide 150 mg TABLET DL	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL	4	PA
OGSIVEO 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET DL	4	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET DL	4	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET DL	4	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET DL	4	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ONCASPAR 750 UNIT/ML SOLUTION **DL**	4	PA
ONIVYDE 4.3 MG/ML DISPERSION **DL**	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION **DL**	4	PA
ONUREG 200 MG, 300 MG TABLET **DL**	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION **DL**	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION **DL**	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION **DL**	4	PA,QL(16 per 28 days)
OPDIVO QVANTIG 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML SOLUTION **DL**	4	PA,QL(10 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION **DL**	4	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET **DL**	4	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET **DL**	4	PA,QL(90 per 30 days)
oxaliplatin 100 mg, 50 mg RECON SOLUTION **MO**	1	
oxaliplatin 100 mg/20 ml, 50 mg/10 ml (5 mg/ml) SOLUTION **MO**	1	
paclitaxel 6 mg/ml CONCENTRATE **MO**	1	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION **DL**	4	PA
PADCEV 20 MG RECON SOLUTION **DL**	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION **DL**	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL **DL**	4	PA
pazopanib 200 mg TABLET **DL**	4	PA,QL(120 per 30 days)
pazopanib 400 mg TABLET **DL**	4	PA,QL(60 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION **DL**	4	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET **DL**	4	PA,QL(28 per 28 days)
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION **DL**	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION **DL**	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION **DL**	4	PA,QL(10 per 21 days)
PHYRAGO 100 MG, 50 MG, 70 MG, 80 MG TABLET **DL**	4	PA,QL(60 per 30 days)
PHYRAGO 140 MG TABLET **DL**	4	PA,QL(30 per 30 days)
PHYRAGO 20 MG TABLET **DL**	4	PA,QL(90 per 30 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET **DL**	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET **DL**	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION **DL**	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION **DL**	4	PA,QL(8 per 21 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pomalidomide 1 mg, 2 mg, 3 mg, 4 mg CAPSULE **DL**	4	PA,QL(21 per 28 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE **DL**	4	PA,QL(21 per 28 days)
POTELIGEO 4 MG/ML SOLUTION **DL**	4	PA
pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION **DL**	4	PA
PURIXAN 20 MG/ML SUSPENSION **DL**	4	
QINLOCK 50 MG TABLET **DL**	4	PA,QL(90 per 30 days)
RASONQUE 100 MG TABLET **DL**	4	PA,QL(120 per 30 days)
RASONQUE 150 MG TABLET **DL**	4	PA,QL(60 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET **DL**	4	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET **DL**	4	PA,QL(90 per 30 days)
RETEVMO 80 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
REVLIMID 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
REVTORPYK 180 MG RECON SOLUTION **DL**	4	PA
REVUFORJ 110 MG, 160 MG, 25 MG TABLET **DL**	4	PA
REZLIDHIA 150 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION **DL**	4	PA
RITUXAN 10 MG/ML CONCENTRATE **DL**	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION **DL**	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION **DL**	4	PA,QL(13.4 per 28 days)
romidepsin 10 mg/2 ml RECON SOLUTION **DL**	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION **DL**	4	PA
romidepsin 5 mg/ml SOLUTION **DL**	4	PA
ROMVIMZA 14 MG, 20 MG, 30 MG CAPSULE **DL**	4	PA
ROZLYTREK 100 MG CAPSULE **DL**	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET **DL**	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET **DL**	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION **DL**	4	PA
RYBREVANT 50 MG/ML SOLUTION **DL**	4	PA,QL(784 per 365 days)
RYBREVANT FASPRO 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML, 2,400 MG-30,000 UNIT/15 ML, 3,520 MG-44,000 UNIT/22 ML SOLUTION **DL**	4	PA
RYDAPT 25 MG CAPSULE **DL**	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYTELO 188 MG, 47 MG RECON SOLUTION DL	4	PA
SARCLISA 20 MG/ML SOLUTION DL	4	PA
SARCLISA ESCENA 1,400 MG/10 ML SOLUTION DL	4	PA
SCEMBLIX 100 MG TABLET DL	4	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET DL	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL	4	
sorafenib 200 mg TABLET DL	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE DL	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
TABLOID 40 MG TABLET MO	3	
TABRECTA 150 MG, 200 MG TABLET DL	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
tamoxifen 10 mg, 20 mg TABLET MO	1	
TARCEVA 100 MG, 150 MG TABLET DL	4	PA,QL(30 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL	4	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
temsirolimus 25 mg/ml (dilute10mg/ml) RECON SOLUTION **DL**	4	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION **DL**	4	
TEPADINA 200 MG, 400 MG SOLUTION **DL**	4	
TEPMETKO 225 MG TABLET **DL**	4	PA,QL(60 per 30 days)
TEPYLUTE 10 MG/ML SOLUTION **DL**	4	
TEVIMBRA 10 MG/ML SOLUTION **DL**	4	PA,QL(20 per 21 days)
THALOMID 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
THALOMID 50 MG CAPSULE **DL**	4	PA,QL(240 per 30 days)
thiotepa 100 mg RECON SOLUTION **DL**	4	
thiotepa 15 mg RECON SOLUTION **MO**	1	
TIBSOVO 250 MG TABLET **DL**	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION **DL**	4	PA,QL(5 per 21 days)
topotecan 4 mg RECON SOLUTION	4	
topotecan 4 mg/4 ml (1 mg/ml) SOLUTION **MO**	1	
toremifene 60 mg TABLET **MO**	1	QL(30 per 30 days)
TORISEL 25 MG/ML (DILUTE10MG/ML) RECON SOLUTION **DL**	4	PA,QL(8 per 28 days)
torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET **DL**	4	PA,QL(30 per 30 days)
TRAZIMERA 150 MG, 420 MG RECON SOLUTION **DL**	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION **DL**	4	PA
tretinoin (antineoplastic) 10 mg CAPSULE **DL**	4	
TRISENOX 2 MG/ML SOLUTION **DL**	4	PA
TRODELVY 180 MG RECON SOLUTION **DL**	4	PA
TRUQAP 160 MG, 200 MG TABLET **DL**	4	PA,QL(64 per 28 days)
TRUXIMA 10 MG/ML SOLUTION **DL**	4	PA
TUDRIQEV 10EXP6 PFU/ML, 10EXP7 PFU/ML SUSPENSION **DL**	4	PA
TUKYSA 150 MG TABLET **DL**	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET **DL**	4	PA,QL(300 per 30 days)
TURALIO 125 MG CAPSULE **DL,LA**	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET **DL**	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION **DL**	4	PA
UNLOXCYT 300 MG/5 ML (60 MG/ML) SOLUTION **DL**	4	PA
VALCHLOR 0.016 % GEL **DL**	4	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION **DL**	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION **DL**	4	PA,QL(80 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANFLYTA 17.7 MG, 26.5 MG TABLET **DL**	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION **DL**	4	PA
VEGZELMA 25 MG/ML SOLUTION **DL**	4	PA
VELCADE 3.5 MG RECON SOLUTION **DL**	4	PA
VENCLEXTA 10 MG TABLET **MO**	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET **DL**	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET	4	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK **DL**	4	PA,QL(42 per 28 days)
VEPPANU 100 MG TABLET **DL**	4	PA,QL(90 per 30 days)
VEPPANU 200 MG TABLET **DL**	4	PA,QL(30 per 30 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET **DL**	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION **DL**	4	PA
vinblastine 1 mg/ml SOLUTION **MO**	1	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION **MO**	1	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION **MO**	1	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION **MO**	1	
VITRAKVI 100 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION **DL**	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)
VIVIMUSTA 25 MG/ML SOLUTION **DL**	4	PA
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET **DL**	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET **DL**	4	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET **DL**	4	PA,QL(30 per 30 days)
VOTRIENT 200 MG TABLET **DL**	4	PA,QL(120 per 30 days)
VYKOURA 10 MG/ML SOLUTION **DL**	4	
VYLOY 100 MG, 300 MG RECON SOLUTION **DL**	4	PA
VYXEOS 44-100 MG RECON SOLUTION **DL**	4	PA
XALKORI 150 MG PELLET **DL**	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLET **DL**	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLET **DL**	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET **DL**	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET **DL**	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XPOVIO 40 MG/WEEK (10 MG X 4) TABLET **DL**	4	PA,QL(16 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (80 MG X 1) TABLET **DL**	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET **DL**	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET **DL**	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET **DL**	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET **DL**	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION **DL**	4	PA
YONDELIS 1 MG RECON SOLUTION **DL**	4	PA
YONSA 125 MG TABLET **DL**	4	PA,QL(120 per 30 days)
yulithira 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET **MO**	1	PA,QL(30 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION **DL**	4	PA
ZANOSAR 1 GRAM RECON SOLUTION **MO**	3	
ZEGFROVY 150 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ZEGFROVY 200 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET **DL**	4	PA,QL(240 per 30 days)
ZENBEXUS 0.75 MG, 1 MG CAPSULE **DL**	4	PA,QL(21 per 28 days)
ZEPZELCA 4 MG RECON SOLUTION **DL**	4	PA
ZIIHERA 300 MG RECON SOLUTION **DL**	4	PA
ZIRABEV 25 MG/ML SOLUTION **DL**	4	PA
ZOLINZA 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET **DL**	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION **DL**	4	PA
ZYNYZ 500 MG/20 ML SOLUTION **DL**	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET **DL**	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ANTIPARASITICS		
albendazole 200 mg TABLET **MO**	1	
atovaquone 750 mg/5 ml SUSPENSION **MO**	1	
atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET **MO**	1	
benznidazole 100 mg, 12.5 mg TABLET **MO**	3	
BILTRICIDE 600 MG TABLET **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
chloroquine phosphate 250 mg, 500 mg TABLET **MO**	1	
COARTEM 20-120 MG TABLET **MO**	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET **DL**	4	QL(90 per 30 days)
EGATEN 250 MG TABLET **MO**	3	
emverm 100 mg CHEWABLE TABLET **DL**	4	
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET **MO**	1	
hydroxychloroquine 200 mg TABLET **MO**	1	
IMPAVIDO 50 MG CAPSULE **DL**	4	QL(84 per 28 days)
ivermectin 3 mg, 6 mg TABLET **MO**	1	
KRINTAFEL 150 MG TABLET **MO**	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET **MO**	3	
MALARONE 250-100 MG TABLET **MO**	3	
MALARONE PEDIATRIC 62.5-25 MG TABLET **MO**	3	
mefloquine 250 mg TABLET **MO**	1	
MEPRON 750 MG/5 ML SUSPENSION **DL**	4	
NEBUPENT 300 MG RECON SOLUTION **MO**	3	BvsD
nitazoxanide 500 mg TABLET **DL**	4	
PENTAM 300 MG RECON SOLUTION **MO**	3	
pentamidine 300 mg RECON SOLUTION **MO**	1	
pentamidine 300 mg RECON SOLUTION **MO**	1	BvsD
PLAQUENIL 200 MG TABLET **MO**	3	
praziquantel 600 mg TABLET **MO**	1	
primaquine 26.3 mg (15 mg base) TABLET **MO**	1	
pyrimethamine 25 mg TABLET **DL**	4	QL(90 per 30 days)
quinine sulfate 324 mg CAPSULE **MO**	1	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET **MO**	3	
STROMECTOL 3 MG TABLET **MO**	3	
ANTIPARKINSON AGENTS		
amantadine hcl 100 mg CAPSULE **MO**	1	
amantadine hcl 100 mg TABLET **MO**	1	
amantadine hcl 50 mg/5 ml SOLUTION **MO**	1	
APOKYN 10 MG/ML CARTRIDGE **DL**	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE **DL**	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET **DL**	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
benztropine 0.5 mg, 1 mg, 2 mg TABLET **MO**	1	
benztropine 1 mg/ml SOLUTION **MO**	1	
bromocriptine 2.5 mg TABLET **MO**	1	
bromocriptine 5 mg CAPSULE **MO**	1	QL(600 per 30 days)
carbidopa 25 mg TABLET **MO**	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING **MO**	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET **MO**	1	
carbidopa-levodopa 23.75-95 mg, 48.75-195 mg CAPSULE, ER **MO**	3	ST,QL(360 per 30 days)
carbidopa-levodopa 25-100 mg TABLET **MO**	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER **MO**	1	
carbidopa-levodopa 36.25-145 mg CAPSULE, ER **MO**	3	ST,QL(270 per 30 days)
carbidopa-levodopa 61.25-245 mg CAPSULE, ER **MO**	3	ST,QL(300 per 30 days)
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET **MO**	1	
CREXONT 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG CAPSULE, IR/ER, BIPHASIC **MO**	3	ST,QL(180 per 30 days)
DHIVY 25-100 MG TABLET **MO**	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION **DL**	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET **MO**	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR.	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR.	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE **DL**	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE **DL**	4	PA,QL(300 per 30 days)
JUVMO 10 MG TABLET **DL**	4	PA,QL(30 per 30 days)
JUVMO 15 MG, 5 MG TABLET **DL**	4	PA,QL(90 per 30 days)
JUVMO TITRATION PACK 0.25 MG (36)- 1 MG (64) TABLET, DOSE PACK	4	PA
LODOSYN 25 MG TABLET **DL**	4	
MIRAPEX ER 1.5 MG, 2.25 MG, 3 MG, 3.75 MG TABLET, ER 24 HR. **MO**	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. **MO**	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ONAPGO 4.9 MG/ ML CARTRIDGE **DL**	4	PA,QL(600 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE **MO**	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET **MO**	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. **MO**	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET **MO**	1	QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET **MO**	1	
ropinirole 12 mg TABLET, ER 24 HR. **MO**	1	ST,QL(60 per 30 days)
ropinirole 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. **MO**	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER **MO**	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER **MO**	3	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER **MO**	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE **MO**	1	
selegiline hcl 5 mg TABLET **MO**	1	
SINEMET 10-100 MG, 25-100 MG TABLET **MO**	3	
TASMAR 100 MG TABLET **DL**	4	
tolcapone 100 mg TABLET **DL**	4	
trihexyphenidyl 0.4 mg/ml ELIXIR **MO**	1	
trihexyphenidyl 2 mg, 5 mg TABLET **MO**	1	
VYALEV 12-240 MG/ML SOLUTION **DL**	4	PA
XADAGO 100 MG, 50 MG TABLET	4	QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING **DL**	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET **MO**	3	
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON **DL**	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE **DL**	4	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND STRIP **DL**	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD **DL**	4	PA,QL(30 per 30 days)
aripiprazole 1 mg/ml SOLUTION **MO**	1	QL(750 per 30 days)
aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING **MO**	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET **MO**	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET **MO**	1	QL(60 per 30 days)
BYSANTI 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET **DL**	4	PA,QL(60 per 30 days)
BYSANTI TITRATION PACK A 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK **DL**	3	PA
BYSANTI TITRATION PACK B 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) TABLET, DOSE PACK **DL**	3	PA
BYSANTI TITRATION PACK C 1 MG(4)-2MG(2)- 6 MG (2) TABLET, DOSE PACK **DL**	3	PA
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE **MO**	3	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET **MO**	1	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET **MO**	1	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE **MO**	1	
chlorpromazine 25 mg/ml SOLUTION **MO**	1	
clozapine 100 mg TABLET **MO**	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING **MO**	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING **MO**	1	PA
clozapine 150 mg TABLET, DISINTEGRATING **MO**	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET **MO**	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING **MO**	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET **MO**	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING **MO**	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET **MO**	1	
CLOZARIL 100 MG TABLET **DL**	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET **DL**	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET **MO**	3	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET **DL**	4	
droperidol 2.5 mg/ml SOLUTION **MO**	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET **MO**	3	PA,QL(60 per 30 days)
FANAPT TITRATION PACK A 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK **MO**	3	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FANAPT TITRATION PACK B 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) TABLET, DOSE PACK **MO**	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK C 1 MG(4)-2 MG(2) -6 MG (2) TABLET, DOSE PACK **MO**	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION **MO**	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR **MO**	1	
fluphenazine hcl 2.5 mg/ml SOLUTION **MO**	1	
fluphenazine hcl 5 mg/ml CONCENTRATE **MO**	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE **DL**	4	
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION **MO**	3	
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION **MO**	3	
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET **MO**	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION **MO**	1	
haloperidol lactate 2 mg/ml CONCENTRATE **MO**	1	
haloperidol lactate 5 mg/ml SOLUTION **MO**	1	
haloperidol lactate 5 mg/ml SYRINGE **MO**	1	
INVEGA 3 MG, 9 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE **DL**	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE **DL**	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE **MO**	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET	4	QL(30 per 30 days)
LATUDA 80 MG TABLET	4	QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE **MO**	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET **MO**	1	QL(30 per 30 days)
lurasidone 80 mg TABLET **MO**	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET **MO**	3	PA,QL(30 per 30 days)
molindone 10 mg TABLET **MO**	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
molindone 25 mg TABLET **MO**	1	QL(270 per 30 days)
molindone 5 mg TABLET **MO**	1	QL(360 per 30 days)
NUPLAZID 10 MG TABLET **DL**	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION **MO**	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET **MO**	1	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING **MO**	1	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING **MO**	1	QL(60 per 30 days)
OPIPZA 10 MG FILM **DL**	4	PA,QL(90 per 30 days)
OPIPZA 2 MG FILM **DL**	4	PA,QL(30 per 30 days)
OPIPZA 5 MG FILM **DL**	4	PA,QL(150 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET **MO**	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE **DL**	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET **MO**	1	
quetiapine 100 mg TABLET **MO**	1	QL(90 per 30 days)
quetiapine 150 mg TABLET **MO**	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. **MO**	1	QL(90 per 30 days)
quetiapine 200 mg TABLET **MO**	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET **MO**	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET **MO**	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. **MO**	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET **MO**	3	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET **MO**	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG, 3 MG, 4 MG TABLET **MO**	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION **MO**	3	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON **MO**	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON **DL**	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET **MO**	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING **MO**	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET **MO**	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
risperidone 0.5 mg TABLET, DISINTEGRATING **MO**	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION **MO**	1	
risperidone microspheres 12.5 mg/2 ml, 25 mg/2 ml SUSPENSION, ER, RECON **MO**	1	QL(2 per 28 days)
risperidone microspheres 37.5 mg/2 ml, 50 mg/2 ml SUSPENSION, ER, RECON **DL**	4	QL(2 per 28 days)
SAPHRIS 10 MG SUBLINGUAL TABLET **DL**	4	QL(60 per 30 days)
SAPHRIS 2.5 MG, 5 MG SUBLINGUAL TABLET **MO**	3	QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. **DL**	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET **MO**	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET **MO**	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET **MO**	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. **MO**	3	QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. **MO**	3	QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK **MO**	3	QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET **MO**	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE **MO**	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET **MO**	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE **DL**	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE **DL**	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE **DL**	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE **DL**	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION **DL**	4	PA,QL(540 per 30 days)
VRAYLAR 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE **MO**	2	PA,QL(30 per 30 days)
WELTRUZA 318 MG, 425 MG, 531 MG SUSPENSION, ER, RECON **DL**	4	QL(1 per 28 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE **MO**	1	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION **MO**	1	
ZYPREXA 10 MG RECON SOLUTION **MO**	3	
ZYPREXA 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYPREXA 15 MG, 20 MG TABLET	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MO	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG, 5 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING	4	QL(60 per 30 days)
ANTISPASTICITY AGENTS		
baclofen 10 mg TABLET MO	1	
baclofen 10 mg/5 ml (2 mg/ml) SOLUTION DL	4	
baclofen 15 mg, 20 mg TABLET MO	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION MO	1	QL(480 per 30 days)
baclofen 5 mg TABLET MO	1	QL(90 per 30 days)
baclofen 5 mg/5 ml SOLUTION MO	1	
DANTRIUM 20 MG RECON SOLUTION MO	3	
DANTRIUM 25 MG CAPSULE MO	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE MO	1	
dantrolene 20 mg RECON SOLUTION MO	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET MO	3	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET MO	3	ST,QL(270 per 30 days)
ONTRALFY 2 MG/5 ML SOLUTION DL	4	ST
OZOBAX 5 MG/5 ML SOLUTION DL	4	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION DL	4	
revonto 20 mg RECON SOLUTION MO	1	
tizanidine 2 mg TABLET MO	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE MO	1	ST
tizanidine 4 mg TABLET MO	1	
tizanidine 8 mg CAPSULE DL	4	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MO	3	ST
ZANAFLEX 4 MG TABLET MO	3	ST
ZANAFLEX 8 MG CAPSULE DL	4	ST
ANTIVIRALS		
abacavir 20 mg/ml SOLUTION MO	1	QL(960 per 30 days)
abacavir 300 mg TABLET MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
abacavir-lamivudine 600-300 mg TABLET **MO**	1	QL(30 per 30 days)
acyclovir 200 mg CAPSULE **MO**	1	
acyclovir 200 mg/5 ml (5 ml) SUSPENSION **DL**	4	
acyclovir 200 mg/5 ml SUSPENSION **MO**	1	
acyclovir 400 mg, 800 mg TABLET **MO**	1	
acyclovir 5 % CREAM **MO**	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT **MO**	1	PA,QL(30 per 30 days)
acyclovir sodium 50 mg/ml SOLUTION **MO**	1	BvsD
adefovir 10 mg TABLET **MO**	1	
APTIVUS 250 MG CAPSULE **DL**	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE **MO**	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE **MO**	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET **DL**	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION **DL**	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET **DL**	4	QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET **DL**	4	QL(30 per 30 days)
BIXLENVO 75-50 MG TABLET **DL**	4	QL(30 per 30 days)
BIXLENVO-SUNLENCA STARTER PACK 75 MG-50 MG /300 MG TABLET **DL**	4	QL(34 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER **DL**	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION **DL**	4	
CIMDUO 300-300 MG TABLET **DL**	4	QL(30 per 30 days)
COMPLERA 200-25-300 MG TABLET **DL**	4	QL(30 per 30 days)
darunavir 600 mg TABLET **MO**	1	QL(60 per 30 days)
darunavir 800 mg TABLET **DL**	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET **DL**	4	QL(30 per 30 days)
DENAVIR 1 % CREAM **MO**	3	PA
DESCOVY 120-15 MG, 200-25 MG TABLET **DL**	4	QL(30 per 30 days)
DOVATO 50-300 MG TABLET **DL**	4	QL(30 per 30 days)
EDURANT 25 MG TABLET **DL**	4	QL(30 per 30 days)
EDURANT PED 2.5 MG TABLET FOR SUSPENSION **DL**	4	QL(180 per 30 days)
efavirenz 600 mg TABLET **MO**	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofov 600-200-300 mg TABLET **MO**	1	QL(30 per 30 days)
efavirenz-lamivu-tenofov disop 400-300-300 mg, 600-300-300 mg TABLET **DL**	4	QL(30 per 30 days)
emtricita-rilpivirine-tenof df 200-25-300 mg TABLET **DL**	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
emtricitabine 200 mg CAPSULE **MO**	1	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET **MO**	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION **MO**	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE **MO**	3	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET **MO**	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET **DL**	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET **DL**	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET **DL**	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION **MO**	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET **MO**	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET **MO**	3	QL(30 per 30 days)
etravirine 100 mg TABLET **DL**	4	QL(120 per 30 days)
etravirine 200 mg TABLET **DL**	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET **DL**	4	QL(30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg TABLET **MO**	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET **MO**	3	
fosamprenavir 700 mg TABLET **MO**	1	QL(120 per 30 days)
foscarnet 24 mg/ml SOLUTION **MO**	1	BvsD
FUZEON 90 MG RECON SOLUTION **DL**	4	QL(60 per 30 days)
ganciclovir sodium 50 mg/ml SOLUTION **MO**	1	BvsD
ganciclovir sodium 500 mg RECON SOLUTION **MO**	1	BvsD
GENVOYA 150-150-200-10 MG TABLET **DL**	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET **DL**	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET **DL**	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG, 90-400 MG TABLET **DL**	4	PA,QL(28 per 28 days)
IDVYNSO 100-0.25 MG TABLET **DL**	4	QL(30 per 30 days)
INTELENCE 100 MG TABLET **DL**	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET **DL**	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET **MO**	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET **DL**	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET **MO**	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET **MO**	2	QL(180 per 30 days)
ISENTRESS 400 MG TABLET **DL**	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET **DL**	4	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JULUCA 50-25 MG TABLET **DL**	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET **MO**	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET **MO**	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION **DL**	3	
lamivudine 10 mg/ml SOLUTION **MO**	1	QL(900 per 30 days)
lamivudine 100 mg TABLET **MO**	1	QL(90 per 30 days)
lamivudine 150 mg TABLET **MO**	1	QL(60 per 30 days)
lamivudine 300 mg TABLET **MO**	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET **MO**	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET **DL**	4	PA,QL(28 per 28 days)
LIVTENCITY 200 MG TABLET **DL**	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET **MO**	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET **MO**	1	QL(150 per 30 days)
maraviroc 150 mg TABLET **MO**	1	QL(240 per 30 days)
maraviroc 300 mg TABLET **MO**	1	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET **DL**	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET **DL**	4	PA,QL(150 per 30 days)
nevirapine 200 mg TABLET **MO**	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION **MO**	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET **MO**	3	QL(360 per 30 days)
NORVIR 100 MG TABLET **MO**	3	QL(360 per 30 days)
ODEFSEY 200-25-25 MG TABLET **DL**	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE **MO**	1	QL(224 per 365 days)
oseltamivir 45 mg CAPSULE **MO**	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION **MO**	1	QL(1440 per 365 days)
oseltamivir 75 mg CAPSULE **MO**	1	QL(112 per 365 days)
PAXLOVID 150 MG (10)- 100 MG (10) TABLET, DOSE PACK **MO**	1	QL(40 per 10 days)
PAXLOVID 150 MG (6)- 100 MG (5) TABLET, DOSE PACK **MO**	1	QL(22 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK **MO**	1	QL(60 per 10 days)
penciclovir 1 % CREAM **MO**	1	PA
PIFELTRO 100 MG TABLET **DL**	4	QL(60 per 30 days)
PREVYMIS 120 MG, 20 MG PELLETS IN PACKET **DL**	4	PA,QL(120 per 30 days)
PREVYMIS 240 MG TABLET **DL**	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREVYMIS 240 MG/12 ML SOLUTION **DL**	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET **DL**	4	PA
PREVYMIS 480 MG/24 ML SOLUTION **DL**	4	PA,QL(672 per 28 days)
PREZCOBIX 675-150 MG, 800-150 MG-MG TABLET **DL**	4	QL(30 per 30 days)
PREZCOBIX PED 600-90 MG TABLET FOR SUSPENSION **DL**	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION **DL**	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET **DL**	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET **DL**	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET **MO**	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET **DL**	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE **MO**	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION **MO**	3	
RETROVIR 10 MG/ML SYRUP **MO**	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE **MO**	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE **DL**	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE **DL**	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET **MO**	3	
ribavirin 200 mg CAPSULE **MO**	1	
ribavirin 200 mg TABLET **MO**	1	
rilpivirine hcl 25 mg TABLET **DL**	4	QL(30 per 30 days)
rimantadine 100 mg TABLET **MO**	1	
ritonavir 100 mg TABLET **MO**	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. **DL**	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET **DL**	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION **DL**	4	QL(1800 per 30 days)
SELZENTRY 300 MG TABLET **DL**	4	QL(120 per 30 days)
sofosbuvir-velpatasvir 400-100 mg TABLET **DL**	4	PA,QL(28 per 28 days)
SOVALDI 150 MG PELLETS IN PACKET **DL**	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET **DL**	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET **DL**	4	PA,QL(28 per 28 days)
STRIBILD 150-150-200-300 MG TABLET **DL**	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET **DL**	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SYMFI 600-300-300 MG TABLET **DL**	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMFI LO 400-300-300 MG TABLET **DL**	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET **DL**	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE **MO**	3	QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE **MO**	3	QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION **MO**	3	QL(1440 per 365 days)
tenofovir disoproxil fumarate 300 mg TABLET **MO**	1	QL(30 per 30 days)
TIVICAY 50 MG TABLET **DL**	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION **DL**	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET **DL**	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION **MO**	3	QL(180 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION **DL**	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET **DL**	4	QL(30 per 30 days)
TYBOST 150 MG TABLET **MO**	2	QL(30 per 30 days)
valacyclovir 1 gram, 500 mg TABLET **MO**	1	
VALCYTE 450 MG TABLET **DL**	4	QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION **DL**	4	QL(1056 per 30 days)
valganciclovir 450 mg TABLET **MO**	1	QL(120 per 30 days)
valganciclovir 50 mg/ml RECON SOLUTION **DL**	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET **MO**	3	PA
VEMLIDY 25 MG TABLET **DL**	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET **DL**	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET **DL**	4	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET **DL**	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER **DL**	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET **DL**	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET **DL**	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM **DL**	4	QL(5 per 30 days)
XOCOVA 125 MG TABLET **DL**	4	QL(7 per 5 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET **MO**	3	
ZEPATIER 50-100 MG TABLET **DL**	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION **MO**	3	QL(960 per 30 days)
zidovudine 10 mg/ml SYRUP **MO**	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE **MO**	1	QL(180 per 30 days)
zidovudine 300 mg TABLET **MO**	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIRGAN 0.15 % GEL **MO**	3	QL(5 per 30 days)
ZOVIRAX 5 % CREAM **MO**	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT **MO**	3	PA,QL(30 per 30 days)
ANXIOLYTICS		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET **DL**	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING **DL**	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. **DL**	1	QL(60 per 30 days)
alprazolam 2 mg TABLET **DL**	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE **DL**	1	
ATIVAN 0.5 MG, 1 MG TABLET **DL**	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET **DL**	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION **DL**	3	PA
BUCAPSOL 10 MG, 15 MG, 5 MG, 7.5 MG CAPSULE **DL**	4	
buspirone 10 mg, 5 mg TABLET **MO**	1	
buspirone 12.5 mg, 2.5 mg TABLET **DL**	4	
buspirone 15 mg, 30 mg, 7.5 mg TABLET **MO**	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE **DL**	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING **DL**	1	
clonazepam 0.25 mg, 2 mg TABLET **DL**	1	
clonazepam 0.5 mg, 1 mg TABLET **DL**	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET **DL**	1	
diazepam 10 mg TABLET **DL**	1	QL(120 per 30 days)
diazepam 2 mg TABLET **DL**	1	QL(90 per 30 days)
diazepam 5 mg TABLET **DL**	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION **DL**	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE **DL**	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION **DL**	1	
diazepam 5 mg/ml SYRINGE **DL**	1	
diazepam intensol 5 mg/ml CONCENTRATE **DL**	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE **MO**	1	
doxepin 10 mg/ml CONCENTRATE **MO**	1	
hydroxyzine hcl 10 mg, 50 mg TABLET **MO**	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION **MO**	1	
hydroxyzine hcl 25 mg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET **DL**	3	
lorazepam 0.5 mg, 1 mg TABLET **DL**	1	QL(90 per 30 days)
lorazepam 2 mg TABLET **DL**	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE **DL**	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE **DL**	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION **DL**	1	
lorazepam intensol 2 mg/ml CONCENTRATE **DL**	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. **DL**	3	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. **DL**	3	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. **DL**	3	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET **MO**	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE **DL**	1	
VALIUM 10 MG TABLET **DL**	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET **DL**	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET **DL**	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET **DL**	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. **DL**	3	QL(60 per 30 days)
BIPOLAR AGENTS		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE **MO**	1	
lithium carbonate 300 mg TABLET **MO**	1	
lithium carbonate 300 mg, 450 mg TABLET ER **MO**	1	
lithium citrate 8 meq/5 ml SOLUTION **MO**	1	
LITHOBID 300 MG TABLET ER **MO**	3	
BLOOD GLUCOSE REGULATORS		
acarbose 100 mg, 25 mg, 50 mg TABLET **MO**	1	
ACTOPLUS MET 15-850 MG TABLET **MO**	3	QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET **MO**	3	QL(30 per 30 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN **CI,MO**	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION **CI,MO**	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER **CI**	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER **CI**	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER **CI,MO**	3	PA,QL(90 per 30 days)
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN **CI,MO**	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	3	ST
AWIQLI FLEXTOUCH 700 UNIT/ML (1.5 ML) INSULIN PEN **CI,MO**	3	PA
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL **MO**	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR **CI,MO**	3	PA
BRYNOVIN 25 MG/ML SOLUTION **MO**	3	PA,QL(120 per 30 days)
CYCLOSET 0.8 MG TABLET **MO**	3	ST,QL(180 per 30 days)
dapagliflozin 10 mg, 5 mg TABLET **MO**	2	QL(30 per 30 days)
dapagliflozin-metformin 10-1,000 mg, 10-500 mg, 5-500 mg TABLET, IR/ER 24 HR., BIPHASIC **MO**	1	QL(30 per 30 days)
dapagliflozin-metformin 5-1,000 mg TABLET, IR/ER 24 HR., BIPHASIC **MO**	1	QL(60 per 30 days)
dapagliflozin-saxagliptin 10-5 mg TABLET **MO**	1	PA,QL(30 per 30 days)
diazoxide 50 mg/ml SUSPENSION **DL**	4	
DUETACT 30-2 MG, 30-4 MG TABLET **MO**	3	QL(30 per 30 days)
exenatide 10 mcg/dose(250 mcg/ml) 2.4 ml, 5 mcg/dose (250 mcg/ml) 1.2 ml PEN INJECTOR **MO**	1	PA,QL(2.4 per 30 days)
FARXIGA 10 MG, 5 MG TABLET **MO**	2	PA,QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE **CI,MO**	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	2	
glimepiride 1 mg, 3 mg TABLET **MO**	1	
glimepiride 2 mg, 4 mg TABLET **MO**	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. **MO**	1	
glipizide 10 mg, 5 mg TABLET **MO**	1	
glipizide 15 mg, 2.5 mg TABLET **MO**	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET **MO**	1	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION **MO**	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION **MO**	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION **MO**	3	ST
GLUCOTROL XL 10 MG, 5 MG TABLET, ER 24 HR. **MO**	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. **DL**	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. **DL**	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET **MO**	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET **MO**	1	
GLYXAMBI 10-5 MG, 25-5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION **MO**	2	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR **MO**	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR **MO**	2	
GVOKE PFS 1-PACK SYRINGE 1 MG/0.2 ML SYRINGE **MO**	2	
GVOKE PFS 2-PACK SYRINGE 1 MG/0.2 ML SYRINGE **MO**	2	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT **CI,MO**	3	ST
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	ST
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN **CI,MO**	3	ST
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN **CI,MO**	3	ST
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION **CI,MO**	3	ST
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR **CI,MO**	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE **CI,MO**	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	3	ST
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION **CI,MO**	3	ST
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN **CI,MO**	3	ST
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	ST
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION **CI,MO**	3	ST
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION **CI,MO**	3	ST
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN **CI**	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN **CI,MO**	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION **CI,MO**	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION **CI,MO**	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION **CI,MO**	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN **CI,MO**	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT **CI,MO**	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO 100 UNIT/ML SOLUTION **CI,MO**	2	
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN **CI,MO**	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
INVOKANA 100 MG TABLET **MO**	3	PA,QL(60 per 30 days)
INVOKANA 300 MG TABLET **MO**	3	PA,QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET **MO**	2	PA,QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE **MO**	2	PA,QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE **MO**	2	PA,QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET **MO**	2	PA,QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET **MO**	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET **MO**	3	PA,QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
KIRSTY 100 UNIT/ML SOLUTION **CI,MO**	3	ST
KIRSTY PEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	ST
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	2	
linagliptin 5 mg TABLET **MO**	1	QL(30 per 30 days)
linagliptin-metformin 2.5-1,000 mg, 2.5-500 mg, 2.5-850 mg TABLET **MO**	1	QL(60 per 30 days)
liraglutide 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR **MO**	3	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN **CI,MO**	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	ST
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR **CI,MO**	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	3	ST
MERILOG 100 UNIT/ML SOLUTION **CI,MO**	3	ST
MERILOG SOLOSTAR 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	ST
metformin 1,000 mg TABLET, ER 24 HR. **MO**	1	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. **MO**	1	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 500 mg TABLET, ER 24 HR. **MO**	1	ST,QL(150 per 30 days)
metformin 500 mg TABLET, ER 24 HR. **MO**	1	QL(120 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR. **MO**	1	ST,QL(120 per 30 days)
metformin 500 mg/5 ml SOLUTION **MO**	1	QL(750 per 30 days)
metformin 625 mg TABLET **DL**	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET **DL**	4	ST
metformin 750 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
metformin 850 mg TABLET **MO**	1	
miglitol 100 mg, 25 mg, 50 mg TABLET **MO**	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR **MO**	2	PA,QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET **MO**	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET **MO**	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN **CI,MO**	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION **CI,MO**	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION **CI,MO**	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION **CI,MO**	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN **CI,MO**	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE **CI,MO**	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION **CI,MO**	2	
OSENI 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET **MO**	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR **MO**	2	PA,QL(3 per 28 days)
OZEMPIC 1.5 MG, 4 MG, 9 MG TABLET **MO**	2	PA,QL(30 per 30 days)
pioglitazone 15 mg, 45 mg TABLET **MO**	1	QL(30 per 30 days)
pioglitazone 30 mg TABLET **MO**	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET **MO**	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET **MO**	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET **MO**	3	
PROGLYCEM 50 MG/ML SUSPENSION **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QTERN 10-5 MG, 5-5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET **MO**	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
RIOMET 500 MG/5 ML SOLUTION **MO**	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET **MO**	2	PA,QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET **MO**	1	PA,QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION **CI,MO**	3	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET **MO**	3	PA,QL(30 per 30 days)
sitagliptin phos-metformin 100-1,000 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	QL(30 per 30 days)
sitagliptin phos-metformin 50-1,000 mg, 50-500 mg TABLET **MO**	1	QL(60 per 30 days)
sitagliptin phos-metformin 50-1,000 mg, 50-500 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	QL(60 per 30 days)
sitagliptin phosphate 100 mg, 25 mg, 50 mg TABLET **MO**	1	QL(30 per 30 days)
sitagliptin-metformin 100-1,000 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET **MO**	3	PA,QL(60 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET, ER 24 HR., MULTIPHASE **MO**	1	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN **CI,MO**	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET **MO**	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR **MO**	3	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN **CI,MO**	2	
TRADJENTA 5 MG TABLET **MO**	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN **CI,MO**	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION **CI,MO**	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR **MO**	2	PA,QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR **MO**	3	PA,QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR **MO**	3	PA,QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	PA,QL(60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN **CI,MO**	3	PA,QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR **MO**	3	ST
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE **MO**	3	ST
ZITUVIMET 50-1,000 MG, 50-500 MG TABLET **MO**	3	PA,QL(60 per 30 days)
ZITUVIMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE **MO**	3	PA,QL(30 per 30 days)
ZITUVIMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE **MO**	3	PA,QL(60 per 30 days)
ZITUVIO 100 MG, 25 MG, 50 MG TABLET **MO**	3	PA,QL(30 per 30 days)
BLOOD PRODUCTS AND MODIFIERS		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT **DL**	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE **MO**	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION **MO**	3	
AGRYLIN 0.5 MG CAPSULE **MO**	3	
ALVAIZ 18 MG, 9 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET **DL**	4	PA,QL(60 per 30 days)
aminocaproic acid 1,000 mg TABLET **DL**	4	
aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION **MO**	1	
aminocaproic acid 500 mg TABLET **MO**	1	
anagrelide 0.5 mg, 1 mg CAPSULE **MO**	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE **MO**	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE **DL**	4	PA,QL(2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARANESP (IN POLYSORBATE) 100 MCG/ML, 25 MCG/ML, 40 MCG/ML SOLUTION **MO**	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE **DL**	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE **DL**	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/ML, 60 MCG/ML SOLUTION **DL**	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE **MO**	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE **DL**	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE **DL**	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE **MO**	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE **DL**	4	QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE **DL**	4	QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE **DL**	4	QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE **DL**	4	QL(18 per 30 days)
ARMLUPEG 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. **MO**	1	QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET **MO**	3	QL(60 per 30 days)
CABLIVI 11 MG KIT **DL**	4	QL(30 per 30 days)
cilostazol 100 mg, 50 mg TABLET **MO**	1	
clopidogrel 300 mg TABLET **MO**	1	
clopidogrel 75 mg TABLET **MO**	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION **DL**	4	
dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE **MO**	1	QL(60 per 30 days)
dipyridamole 25 mg, 50 mg, 75 mg TABLET **MO**	1	
DOPTELET (10 TAB PACK) 20 MG TABLET **DL**	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET **DL**	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET **DL**	4	PA,QL(60 per 30 days)
DOPTELET SPRINKLE 10 MG CAPSULE, SPRINKLE **DL**	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET **MO**	3	QL(30 per 30 days)
ELIQUIS 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) TABLET FOR SUSPENSION **MO**	2	QL(592 per 30 days)
ELIQUIS 2.5 MG TABLET **MO**	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET **MO**	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK **MO**	2	QL(74 per 30 days)
ELIQUIS SPRINKLE 0.15 MG CAPSULE, SPRINKLE **MO**	2	QL(74 per 30 days)
eltrombopag olamine 12.5 mg POWDER IN PACKET **DL**	4	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
eltrombopag olamine 12.5 mg, 25 mg TABLET **DL**	4	PA,QL(30 per 30 days)
eltrombopag olamine 25 mg POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
eltrombopag olamine 50 mg TABLET **DL**	4	PA,QL(90 per 30 days)
eltrombopag olamine 75 mg TABLET **DL**	4	PA,QL(60 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE **MO**	1	
enoxaparin 300 mg/3 ml SOLUTION **MO**	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION **MO**	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION **MO**	3	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION **MO**	1	
FILKRI 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
fondaparinux 10 mg/0.8 ml SYRINGE **MO**	3	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE **MO**	3	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE **MO**	3	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE **MO**	3	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE **DL**	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE **DL**	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE **DL**	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE **DL**	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE **DL**	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION **DL**	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION **DL**	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE **DL**	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
GRANIX 300 MCG/ML, 480 MCG/1.6 ML SOLUTION **DL**	4	PA
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION **MO**	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE **MO**	1	
heparin (porcine) 5,000 unit/ml SYRINGE **MO**	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION **MO**	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET **MO**	1	
KENGREAL 50 MG RECON SOLUTION **DL**	4	
LEUKINE 250 MCG RECON SOLUTION **DL**	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE **MO**	3	
LOVENOX 150 MG/ML SYRINGE **DL**	4	
LOVENOX 300 MG/3 ML SOLUTION **DL**	4	
MIRCERA 100 MCG/0.3 ML SYRINGE	4	PA,QL(1.2 per 28 days)
MIRCERA 120 MCG/0.3 ML SYRINGE **DL**	4	PA,QL(0.9 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML SYRINGE	4	PA,QL(0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML SYRINGE	4	PA,QL(0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION **DL**	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET **DL**	4	PA
NEULASTA 4 MG/0.4 ML SOLUTION **DL**	4	PA,QL(0.8 per 28 days)
NEULASTA 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR **DL**	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
NEUPOGEN 300 MCG/ML, 480 MCG/1.6 ML SOLUTION **DL**	4	PA
NIVESTYM 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
NIVESTYM 300 MCG/ML, 480 MCG/1.6 ML SOLUTION **DL**	4	PA
NYPOZI 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
NYVEPRIA 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET **MO**	3	QL(30 per 30 days)
plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION **DL**	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE **MO**	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET **DL**	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET **DL**	4	PA,QL(60 per 30 days)
prasugrel hcl 10 mg, 5 mg TABLET **MO**	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION **MO**	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION **MO**	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION **DL**	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET **DL**	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 25 MG TABLET **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROMACTA 25 MG POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
PROMACTA 50 MG TABLET **DL**	4	PA,QL(90 per 30 days)
PROMACTA 75 MG TABLET **DL**	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION **DL**	4	PA
RELEUKO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION **MO**	3	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML SOLUTION **DL**	4	PA,QL(14 per 30 days)
RHAPSIDO 25 MG TABLET **DL**	4	PA,QL(60 per 30 days)
rivaroxaban 1 mg/ml SUSPENSION FOR RECONSTITUTION **MO**	1	QL(600 per 30 days)
rivaroxaban 2.5 mg TABLET **MO**	1	QL(60 per 30 days)
ROLVEDON 13.2 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
RYZNEUTA 20 MG/ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET **MO**	3	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
TAVALISSE 100 MG, 150 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ticagrelor 60 mg, 90 mg TABLET **MO**	1	QL(60 per 30 days)
tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION **MO**	1	
tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION **MO**	1	
tranexamic acid 650 mg TABLET **MO**	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR **DL**	4	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR **DL**	4	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET **MO**	1	
warfarin 5 mg TABLET **MO**	1	
WAYRILZ 400 MG TABLET **DL**	4	PA,QL(60 per 30 days)
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION **MO**	3	QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET **MO**	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET **MO**	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK **MO**	2	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
ZARXIO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE **DL**	4	PA
ZIEXTENZO 6 MG/0.6 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET **MO**	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET **MO**	3	
acebutolol 200 mg, 400 mg CAPSULE **MO**	1	
acetazolamide 125 mg, 250 mg TABLET **MO**	1	
acetazolamide 500 mg CAPSULE, ER **MO**	1	
acetazolamide sodium 500 mg RECON SOLUTION **MO**	1	
adenosine 3 mg/ml SOLUTION **MO**	1	
adenosine 3 mg/ml SYRINGE **MO**	1	
ADRENALIN IN 0.9 % SOD CHLOR 10 MG/250 ML (40 MCG/ML), 2 MG/250 ML (8 MCG/ML), 4 MG/250 ML (16 MCG/ML), 5 MG/250 ML (20 MCG/ML), 8 MG/250 ML (32 MCG/ML) SOLUTION **MO**	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET **MO**	3	
aliskiren 150 mg, 300 mg TABLET **MO**	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE **MO**	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. **DL**	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET **MO**	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET **MO**	1	
amiodarone 100 mg, 400 mg TABLET **MO**	1	
amiodarone 150 mg/3 ml SYRINGE **MO**	1	
amiodarone 200 mg TABLET **MO**	1	
amiodarone 50 mg/ml SOLUTION **MO**	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET **MO**	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 10-40 mg, 5-40 mg CAPSULE **MO**	1	QL(30 per 30 days)
amlodipine-benazepril 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE **MO**	1	QL(60 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET **MO**	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET **MO**	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET **MO**	1	QL(30 per 30 days)
ARBLI 10 MG/ML SUSPENSION **DL**	4	ST,QL(300 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET **MO**	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET **MO**	3	QL(60 per 30 days)
ATACAND 32 MG TABLET **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET **MO**	3	QL(30 per 30 days)
atenolol 100 mg TABLET **MO**	1	
atenolol 25 mg, 50 mg TABLET **MO**	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET **MO**	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION **MO**	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET **MO**	1	
AVALIDE 150-12.5 MG TABLET **MO**	3	QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET **MO**	3	QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET **MO**	3	QL(30 per 30 days)
azilsartan medoxomil 40 mg, 80 mg TABLET **MO**	3	ST,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET **MO**	3	QL(30 per 30 days)
BAXFENDY 1 MG, 2 MG TABLET **MO**	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET **MO**	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET **MO**	1	
BENICAR 20 MG, 40 MG TABLET **MO**	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET **MO**	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET **MO**	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG TABLET **DL**	4	
BETAPACE 80 MG TABLET **MO**	3	
BETAPACE AF 120 MG, 160 MG TABLET **DL**	4	
BETAPACE AF 80 MG TABLET **MO**	3	
betaxolol 10 mg, 20 mg TABLET **MO**	1	
BIDIL 20-37.5 MG TABLET **MO**	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION **MO**	3	
bisoprolol fumarate 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET **MO**	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION **MO**	3	
BREVIBLOC IN NACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION **MO**	3	
bumetanide 0.25 mg/ml SOLUTION **MO**	1	
bumetanide 0.5 mg, 2 mg TABLET **MO**	1	
bumetanide 1 mg TABLET **MO**	1	
BYSTOLIC 10 MG TABLET **MO**	3	QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BYSTOLIC 20 MG TABLET **MO**	3	QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET **MO**	3	QL(30 per 30 days)
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET **MO**	1	QL(60 per 30 days)
candesartan 32 mg TABLET **MO**	1	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET **MO**	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET **MO**	1	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET **MO**	1	
CARDAMYST 70 MG/2 SPRAY SPRAY, NON-AEROSOL **DL**	4	PA
CARDIZEM 120 MG, 30 MG, 60 MG TABLET **MO**	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG, 300 MG CAPSULE, ER 24 HR. **DL**	4	
CARDIZEM CD 360 MG CAPSULE, ER 24 HR. **DL**	4	QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET **MO**	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION **MO**	3	QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg, 300 mg CAPSULE, ER 24 HR. **MO**	1	
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET **MO**	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. **MO**	1	QL(30 per 30 days)
chlorothiazide sodium 500 mg RECON SOLUTION **MO**	1	
chlorthalidone 25 mg TABLET **MO**	1	
chlorthalidone 50 mg TABLET **MO**	1	
cholestyramine (with sugar) 4 gram POWDER **MO**	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET **MO**	1	
cholestyramine light 4 gram POWDER **MO**	1	
cholestyramine light 4 gram POWDER IN PACKET **MO**	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION **MO**	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY **MO**	1	QL(4 per 28 days)
clonidine hcl 0.05 mg, 0.2 mg, 0.3 mg TABLET **MO**	1	
clonidine hcl 0.1 mg TABLET **MO**	1	
clonidine hcl 0.17 mg TABLET, ER 24 HR. **DL**	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
colesevelam 3.75 gram POWDER IN PACKET **MO**	1	QL(30 per 30 days)
colesevelam 625 mg TABLET **MO**	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET **MO**	3	
COLESTID 5 GRAM GRANULES **MO**	3	QL(1000 per 30 days)
colestipol 1 gram TABLET **MO**	1	
colestipol 5 gram GRANULES **MO**	1	QL(1000 per 30 days)
colestipol 5 gram PACKET **MO**	1	
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET **MO**	3	
COREG CR 10 MG, 20 MG, 40 MG CAPSULE ER MULTIPHASE 24 HR. **MO**	3	QL(30 per 30 days)
COREG CR 80 MG CAPSULE ER MULTIPHASE 24 HR. **DL**	4	QL(30 per 30 days)
CORLANOR 5 MG, 7.5 MG TABLET **MO**	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION **MO**	3	PA,QL(560 per 28 days)
CORVERT 0.1 MG/ML SOLUTION **MO**	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET **MO**	3	QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET **MO**	3	PA
DEMSER 250 MG CAPSULE **DL**	4	
DIBENZYLINE 10 MG CAPSULE **DL**	4	
digoxin 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET **MO**	1	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION **MO**	1	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. **MO**	1	
diltiazem hcl 100 mg RECON SOLUTION **MO**	1	
diltiazem hcl 120 mg CAPSULE, ER 24 HR. **MO**	1	
diltiazem hcl 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. **MO**	1	
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET **MO**	1	
diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
diltiazem hcl 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR. **MO**	1	
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
diltiazem hcl 360 mg CAPSULE, ER 24 HR. **MO**	1	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION **MO**	1	
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET **MO**	3	QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET **MO**	3	QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIURIL 250 MG/5 ML SUSPENSION **MO**	3	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION **MO**	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION **MO**	1	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE **MO**	1	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml) SOLUTION **MO**	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION **MO**	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET **MO**	1	
droxidopa 100 mg, 200 mg CAPSULE **MO**	1	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE **MO**	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE **MO**	3	
EDARBI 40 MG, 80 MG TABLET **MO**	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET **MO**	3	ST,QL(30 per 30 days)
EDECRIN 25 MG TABLET **DL**	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION **MO**	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET **MO**	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET **MO**	1	
enalaprilat 1.25 mg/ml SOLUTION **MO**	1	
ENBUMYST 0.5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL **DL**	4	PA
ENTRESTO 24-26 MG TABLET **MO**	3	PA,QL(180 per 30 days)
ENTRESTO 49-51 MG, 97-103 MG TABLET **MO**	3	PA,QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLET **MO**	3	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION **DL**	4	
epineph bitart in 0.9% sod chl 16 mg/250 ml (64 mcg/ml), 4 mg/250 ml (16 mcg/ml) SOLUTION **MO**	3	
eplerenone 25 mg, 50 mg TABLET **MO**	1	
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION **MO**	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION **MO**	1	
ethacrynate sodium 50 mg RECON SOLUTION **MO**	1	
ethacrynic acid 25 mg TABLET **MO**	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION **DL**	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET **MO**	3	QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE **MO**	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET **MO**	1	QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET **MO**	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. **MO**	1	
fenofibrate 120 mg TABLET **MO**	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE **MO**	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET **MO**	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET **MO**	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE **MO**	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 134 mg, 200 mg, 43 mg CAPSULE **MO**	1	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE **MO**	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET **MO**	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET **MO**	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET **MO**	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC **MO**	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET **MO**	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET **MO**	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET **MO**	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET **MO**	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION **MO**	3	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE **MO**	1	ST,QL(60 per 30 days)
fluvastatin 80 mg TABLET, ER 24 HR. **MO**	1	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET **MO**	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET **MO**	1	
FUROSCIX 80 MG/10 ML KIT	4	PA
FUROSCIX READYFLOW 80 MG/ML AUTO-INJECTOR **DL**	4	PA
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION **MO**	1	
furosemide 20 mg, 40 mg TABLET **MO**	1	
furosemide 80 mg TABLET **MO**	1	
gemfibrozil 600 mg TABLET **MO**	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET **MO**	3	
guanfacine 1 mg, 2 mg TABLET **MO**	1	
HEMANGEOL 4.28 MG/ML SOLUTION **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HEMICLOR 12.5 MG TABLET **MO**	3	
hydralazine 10 mg, 100 mg TABLET **MO**	1	
hydralazine 20 mg/ml SOLUTION **MO**	1	
hydralazine 25 mg, 50 mg TABLET **MO**	1	
hydrochlorothiazide 12.5 mg CAPSULE **MO**	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET **MO**	1	
hydrochlorothiazide 50 mg TABLET **MO**	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET **MO**	3	QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION **MO**	1	
icosapent ethyl 0.5 gram CAPSULE **MO**	1	QL(240 per 30 days)
icosapent ethyl 1 gram CAPSULE **MO**	1	QL(120 per 30 days)
IMMPHENTIV 0.1 MG/ML SOLUTION **MO**	3	
indapamide 1.25 mg, 2.5 mg TABLET **MO**	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. **DL**	4	
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR.	4	
INPEFA 200 MG, 400 MG TABLET **MO**	3	PA,QL(30 per 30 days)
INSPRA 25 MG, 50 MG TABLET **MO**	3	
INZIRQO 10 MG/ML SUSPENSION FOR RECONSTITUTION **MO**	3	
irbesartan 150 mg, 300 mg, 75 mg TABLET **MO**	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET **MO**	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET **MO**	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET **DL**	4	
ISORDIL TITRADOSE 5 MG TABLET **DL**	4	
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET **MO**	1	
isosorbide mononitrate 10 mg, 20 mg TABLET **MO**	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. **MO**	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. **MO**	1	
isosorbide-hydralazine 20-37.5 mg TABLET **MO**	1	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE **MO**	1	
ISUPREL 0.2 MG/ML SOLUTION **MO**	3	
ivabradine 5 mg, 7.5 mg TABLET **MO**	1	QL(60 per 30 days)
JAVADIN 0.02 MG/ML (20 MCG/ML) SOLUTION **DL**	4	
JUXTAPID 10 MG, 2 MG, 30 MG, 5 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE **DL**	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. **MO**	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION **MO**	3	QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET **MO**	2	PA,QL(30 per 30 days)
KERENDIA 40 MG TABLET **MO**	2	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg, 400 mg TABLET **MO**	1	
labetalol 5 mg/ml SOLUTION **MO**	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET **MO**	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION **MO**	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION **MO**	3	
LASIX 20 MG, 40 MG, 80 MG TABLET **MO**	3	
LASIX ONYU 80 MG/2.67 ML KIT **DL**	4	PA
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LEROCHOL 300 MG/1.2 ML SYRINGE **MO**	3	PA,QL(1.2 per 28 days)
LESCOL XL 80 MG TABLET, ER 24 HR. **MO**	3	ST,QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION **MO**	3	
lidocaine (pf) 20 mg/ml (2 %) SOLUTION **MO**	1	
lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION **MO**	1	
LIPFENDRA 20 MG TABLET **MO**	3	PA,QL(30 per 30 days)
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET **MO**	3	PA
LIPOFEN 150 MG CAPSULE **MO**	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE **MO**	3	QL(60 per 30 days)
lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET **MO**	1	
lisinopril 30 mg TABLET **MO**	1	
lisinopril-hydrochlorothiazide 10-12.5 mg TABLET **MO**	1	
lisinopril-hydrochlorothiazide 20-12.5 mg, 20-25 mg TABLET **MO**	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET **MO**	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET **MO**	3	QL(60 per 30 days)
LOPRESSOR 10 MG/ML SOLUTION **MO**	3	
LOPRESSOR 100 MG, 12.5 MG, 50 MG TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
losartan 100 mg, 25 mg, 50 mg TABLET **MO**	1	QL(60 per 30 days)
losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET **MO**	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET **MO**	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET **MO**	3	
LOTREL 10-20 MG, 10-40 MG CAPSULE **MO**	3	QL(30 per 30 days)
LOTREL 5-10 MG, 5-20 MG CAPSULE **MO**	3	QL(60 per 30 days)
lovastatin 10 mg, 20 mg, 40 mg TABLET **MO**	1	
LOVAZA 1 GRAM CAPSULE **MO**	3	QL(120 per 30 days)
mannitol 20 % 20 % PARENTERAL SOLUTION **MO**	1	
mannitol 25 % 25 % SOLUTION **MO**	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
methyldopa 250 mg, 500 mg TABLET **MO**	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. **MO**	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. **MO**	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET **MO**	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET **MO**	1	
metoprolol tartrate 12.5 mg TABLET **MO**	3	
metoprolol tartrate 37.5 mg, 75 mg TABLET **MO**	1	
metoprolol tartrate 5 mg/5 ml SOLUTION **MO**	1	
metyrosine 250 mg CAPSULE **DL**	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE **MO**	1	
MICARDIS 20 MG, 40 MG TABLET **MO**	3	QL(30 per 30 days)
MICARDIS 80 MG TABLET **MO**	3	QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET **MO**	3	QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET **MO**	3	QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
milrinone 1 mg/ml SOLUTION **MO**	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK **MO**	1	BvsD
minoxidil 10 mg, 2.5 mg TABLET **MO**	1	
moexipril 15 mg, 7.5 mg TABLET **MO**	1	
MULTAQ 400 MG TABLET **MO**	2	QL(60 per 30 days)
MYQORZO 10 MG, 15 MG, 20 MG, 5 MG TABLET **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nadolol 20 mg, 40 mg, 80 mg TABLET **MO**	1	
nebivolol 10 mg TABLET **MO**	1	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET **MO**	1	QL(30 per 30 days)
nebivolol 20 mg TABLET **MO**	1	QL(60 per 30 days)
NEXICLON XR 0.17 MG TABLET, ER 24 HR. **DL**	4	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET **MO**	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET **MO**	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION **MO**	3	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. **MO**	1	
niacin 500 mg TABLET **MO**	1	
niacor 500 mg TABLET **MO**	1	
nicardipine 20 mg, 30 mg CAPSULE **MO**	1	
nicardipine 25 mg/10 ml SOLUTION **MO**	1	
nicardipine (pf) 25 mg/10 ml SOLUTION **MO**	1	
nifedipine 10 mg, 20 mg CAPSULE **MO**	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET ER **MO**	1	
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. **MO**	1	
nimodipine 30 mg CAPSULE **MO**	1	
nimodipine 60 mg/20 ml SOLUTION **DL**	4	QL(2838 per 28 days)
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT **MO**	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR, 0.6 MG/HR PATCH, 24 HR. **MO**	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.8 MG/HR PATCH, 24 HR.	4	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. **MO**	1	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET **MO**	1	
nitroglycerin 0.4 mg SUBLINGUAL TABLET **MO**	1	
nitroglycerin 2 % OINTMENT **MO**	1	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL **MO**	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION **MO**	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION **MO**	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL **MO**	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET **MO**	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
norepinephrine bitartrate 1 mg/ml SOLUTION **MO**	1	
NORLIQVA 1 MG/ML SOLUTION **MO**	3	QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE **MO**	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER **MO**	3	
NORTHERA 100 MG, 200 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET **MO**	3	
NYMALIZE 30 MG/5 ML SYRINGE **DL**	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION **DL**	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE **DL**	4	QL(1260 per 28 days)
olmesartan 20 mg, 40 mg TABLET **MO**	1	QL(30 per 30 days)
olmesartan 5 mg TABLET **MO**	1	QL(60 per 30 days)
olmesartan-amlodipin-hcthiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET **MO**	1	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET **MO**	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE **MO**	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION **MO**	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION **MO**	3	
PACERONE 100 MG, 400 MG TABLET **MO**	1	
pacerone 200 mg TABLET **MO**	1	
pentoxifylline 400 mg TABLET ER **MO**	1	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET **MO**	1	
phenoxybenzamine 10 mg CAPSULE **DL**	4	
phenylephrine hcl 0.1 mg/ml, 10 mg/ml SOLUTION **MO**	1	
pindolol 10 mg, 5 mg TABLET **MO**	1	
pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET **MO**	1	QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR **MO**	3	PA,QL(2 per 28 days)
pravastatin 10 mg, 80 mg TABLET **MO**	1	
pravastatin 20 mg, 40 mg TABLET **MO**	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE **MO**	1	
prevalite 4 gram POWDER **MO**	1	
prevalite 4 gram POWDER IN PACKET **MO**	1	
procainamide 100 mg/ml, 500 mg/ml SOLUTION **MO**	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. **MO**	3	
propafenone 150 mg, 225 mg, 300 mg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
propafenone 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR. **MO**	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION **MO**	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET **MO**	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. **MO**	1	
QBRELIS 1 MG/ML SOLUTION **DL**	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER **MO**	1	
QUESTRAN 4 GRAM POWDER IN PACKET **MO**	1	
QUESTRAN LIGHT 4 GRAM POWDER **MO**	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET **MO**	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET **MO**	1	
quinidine gluconate 324 mg TABLET ER **MO**	1	
quinidine sulfate 200 mg, 300 mg TABLET **MO**	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE **MO**	1	
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. **MO**	1	QL(120 per 30 days)
REDEMPLO 25 MG/0.5 ML SYRINGE **DL**	4	PA
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR **MO**	2	PA,QL(7 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR **MO**	2	PA,QL(6 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE **MO**	2	PA,QL(6 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET **MO**	1	
sacubitril-valsartan 24-26 mg TABLET **MO**	1	QL(180 per 30 days)
sacubitril-valsartan 49-51 mg, 97-103 mg TABLET **MO**	1	QL(60 per 30 days)
SDAMLO 10 MG, 2.5 MG, 5 MG POWDER IN POD **DL**	4	QL(30 per 30 days)
simvastatin 10 mg, 20 mg, 40 mg TABLET **MO**	1	
simvastatin 5 mg, 80 mg TABLET **MO**	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET **MO**	3	ST
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET **MO**	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET **MO**	1	
SOTYLIZE 5 MG/ML SOLUTION **MO**	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET **MO**	1	
spironolactone 100 mg TABLET **MO**	1	
spironolactone 25 mg, 50 mg TABLET **MO**	1	
spironolactone 25 mg/5 ml SUSPENSION **MO**	3	QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
telmisartan 20 mg, 40 mg TABLET **MO**	1	QL(30 per 30 days)
telmisartan 80 mg TABLET **MO**	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET **MO**	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET **MO**	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET **MO**	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET **MO**	3	
TENORETIC 50 50-25 MG TABLET **MO**	3	
TENORMIN 100 MG, 25 MG, 50 MG TABLET **MO**	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE **MO**	1	
TEZRULY 1 MG/ML SOLUTION **DL**	4	PA,QL(600 per 30 days)
THALITONE 15 MG TABLET **MO**	3	
tiadylt er 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. **MO**	1	
TIAZAC 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. **MO**	3	
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE **MO**	3	
timolol maleate 10 mg, 20 mg, 5 mg TABLET **MO**	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. **MO**	3	
torsemide 10 mg, 100 mg, 5 mg TABLET **MO**	1	
torsemide 20 mg TABLET **MO**	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET **MO**	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC **MO**	1	
triamterene 100 mg, 50 mg CAPSULE **MO**	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE **MO**	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET **MO**	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET **MO**	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET **MO**	3	QL(30 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC **MO**	3	QL(30 per 30 days)
TRYNGOLZA 50 MG/0.8 ML AUTO-INJECTOR **DL**	4	PA,QL(0.8 per 28 days)
TRYNGOLZA 80 MG/0.8 ML AUTO-INJECTOR **DL**	4	PA,QL(0.8 per 28 days)
TRYVIO 12.5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
valsartan 160 mg, 320 mg TABLET **MO**	1	QL(60 per 30 days)
valsartan 4 mg/ml SOLUTION **DL**	4	ST,QL(2400 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VALSARTAN 4 MG/ML SOLUTION **DL**	4	ST,QL(2400 per 30 days)
valsartan 40 mg, 80 mg TABLET **MO**	1	QL(60 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET **MO**	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE **MO**	3	PA,QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE **MO**	3	PA,QL(120 per 30 days)
VASERETIC 10-25 MG TABLET **MO**	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET **DL**	4	
vecamyl 2.5 mg TABLET **DL**	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR. **MO**	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER **MO**	1	
verapamil 120 mg, 40 mg, 80 mg TABLET **MO**	1	
verapamil 2.5 mg/ml SOLUTION **MO**	1	
verapamil 2.5 mg/ml SYRINGE **MO**	1	
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. **MO**	3	
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET **MO**	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET **MO**	3	QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET **MO**	3	QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET **MO**	3	QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET **MO**	3	QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET **MO**	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET **MO**	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET **MO**	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET **MO**	3	
ZETIA 10 MG TABLET **MO**	3	QL(30 per 30 days)
ZOCOR 10 MG, 20 MG, 40 MG TABLET **MO**	3	
ZYPITAMAG 2 MG, 4 MG TABLET **MO**	3	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET **MO**	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET **MO**	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amphetamine 12.5 mg, 15.7 mg, 18.8 mg, 3.1 mg, 6.3 mg, 9.4 mg TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(30 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET **MO**	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. **DL**	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC **MO**	3	QL(30 per 30 days)
ARYNTA 10 MG/ML SOLUTION **DL**	4	PA,QL(210 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE **MO**	1	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE **MO**	1	QL(30 per 30 days)
atomoxetine 4 mg/ml SOLUTION **DL**	4	QL(750 per 30 days)
ATONCY 4 MG/ML SOLUTION **DL**	4	QL(750 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET **DL**	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET **DL**	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET **DL**	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. **DL**	4	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. **DL**	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK **DL**	4	PA,QL(28 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT **DL**	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT **DL**	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE **MO**	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC **DL**	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT **DL**	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
cladribine(multiple sclerosis) 10 mg TABLET **DL**	4	PA
clonidine hcl 0.1 mg TABLET, ER 12 HR. **MO**	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE **DL**	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE **DL**	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(60 per 30 days)
CYMBALTA 20 MG CAPSULE, DR/EC **MO**	3	QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC **MO**	3	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYMBALTA 60 MG CAPSULE, DR/EC **MO**	3	QL(60 per 30 days)
dalfampridine 10 mg TABLET, ER 12 HR. **MO**	1	PA,QL(60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. **MO**	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET **DL**	4	QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER **DL**	4	QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER **DL**	4	QL(120 per 30 days)
dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC **MO**	1	QL(30 per 30 days)
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER **MO**	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET **MO**	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER **MO**	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET **MO**	1	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET **MO**	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET **MO**	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER **MO**	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET **MO**	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION **MO**	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET **MO**	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. **MO**	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. **MO**	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. **MO**	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET **MO**	1	QL(60 per 30 days)
dextromethorphan-quinidine 20-10 mg CAPSULE **DL**	4	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC **MO**	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC **MO**	1	PA,QL(14 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE **MO**	3	PA,QL(60 per 30 days)
duloxetine 120 mg, 80 mg, 90 mg CAPSULE, DR/EC **MO**	3	QL(30 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC **MO**	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC **MO**	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC **MO**	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
duloxetine 60 mg CAPSULE, DR/EC **MO**	1	QL(60 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC **MO**	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC **MO**	3	QL(240 per 30 days)
edaravone 30 mg/100 ml, 60 mg/100 ml SOLUTION **DL**	4	PA
EVEKEO 10 MG, 5 MG TABLET **MO**	1	QL(90 per 30 days)
fingolimod 0.5 mg CAPSULE **MO**	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET **DL**	4	PA,QL(300 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET **MO**	3	QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC **MO**	3	QL(30 per 30 days)
gabapentin 300 mg TABLET, ER 24 HR. **MO**	1	ST,QL(30 per 30 days)
gabapentin 450 mg, 600 mg TABLET, ER 24 HR. **MO**	1	ST,QL(90 per 30 days)
gabapentin 750 mg, 900 mg TABLET, ER 24 HR. **MO**	1	ST,QL(60 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
glatiramer 20 mg/ml SYRINGE **DL**	4	PA,QL(30 per 30 days)
glatiramer 40 mg/ml SYRINGE **DL**	4	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE **DL**	4	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE **DL**	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. **MO**	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. **MO**	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. **MO**	3	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER **MO**	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK **DL**	4	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE **DL**	4	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE **MO**	3	QL(30 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR **DL**	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION **DL**	4	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET **MO**	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE **MO**	1	PA,QL(30 per 30 days)
LYNKUET 60 MG CAPSULE **MO**	3	PA,QL(60 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE **MO**	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION **MO**	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE **MO**	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. **MO**	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. **MO**	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET **DL**	4	PA
MAYZENT 0.25 MG TABLET **DL**	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET **DL**	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK **DL**	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK **DL**	4	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC **MO**	3	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC **MO**	3	QL(60 per 30 days)
methamphetamine 5 mg TABLET **DL**	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION **MO**	3	QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION **MO**	3	QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. **MO**	1	QL(30 per 30 days)
methylphenidate 17.3 mg, 8.6 mg TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(30 per 30 days)
methylphenidate 25.9 mg TABLET, DISINTEGRATING ER BIPH **MO**	3	QL(60 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET **MO**	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER **MO**	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC **MO**	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC **MO**	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET **MO**	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION **MO**	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. **MO**	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET **MO**	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER **MO**	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC **MO**	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. **MO**	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION **MO**	1	QL(1800 per 30 days)
milnacipran 100 mg, 12.5 mg, 25 mg, 50 mg TABLET **MO**	1	PA,QL(60 per 30 days)
milnacipran 12.5 mg (5)-25 mg(8)-50 mg(42) TABLET, DOSE PACK **MO**	1	PA,QL(55 per 28 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. **MO**	3	QL(30 per 30 days)
NUEDEXTA 20-10 MG CAPSULE	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
OCREVUS ZUNOVO 920 MG-23,000 UNIT/23 ML SOLUTION	4	PA,QL(46 per 365 days)
ONYDA XR 0.1 MG/ML SUSPENSION, ER 24 HR. **DL**	4	QL(120 per 30 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR **DL**	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE **DL**	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET **DL**	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK **DL**	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE **MO**	1	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. **MO**	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION **MO**	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE **MO**	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE **MO**	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. **MO**	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION **DL**	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION **DL**	4	PA
QELBREE 100 MG, 200 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(90 per 30 days)
QELBREE 150 MG CAPSULE, ER 24 HR. **MO**	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE **MO**	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE **MO**	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON **MO**	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RADICAVA ORS 105 MG/5 ML SUSPENSION **DL**	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION **DL**	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE **DL**	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR **DL**	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR **DL**	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE **DL**	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG, 72 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. **MO**	3	QL(60 per 30 days)
riluzole 50 mg TABLET **MO**	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET **MO**	3	QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC **MO**	3	QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC **MO**	3	QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET **MO**	3	PA,QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK **MO**	3	PA,QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE **MO**	3	QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE **MO**	3	QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING **DL**	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC **DL**	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC **DL**	4	PA,QL(14 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION **DL**	4	PA,QL(600 per 30 days)
teriflunomide 14 mg, 7 mg TABLET **MO**	1	PA,QL(30 per 30 days)
tetrabenazine 12.5 mg TABLET **MO**	1	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET **MO**	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION **DL**	4	PA,QL(600 per 30 days)
TYRUKO 300 MG/15 ML SOLUTION **DL**	4	PA,QL(15 per 28 days)
TYSABRI 300 MG/15 ML SOLUTION **DL**	4	PA,QL(15 per 28 days)
VEOZAH 45 MG TABLET **MO**	3	PA,QL(30 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC **DL**	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET **MO**	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE **MO**	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. **MO**	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET **DL**	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET **DL**	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zenzedi 10 mg TABLET **MO**	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET **MO**	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET **MO**	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET **MO**	1	QL(60 per 30 days)
zenzedi 5 mg TABLET **MO**	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK **DL**	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK **DL**	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
cevimeline 30 mg CAPSULE **MO**	1	
chlorhexidine gluconate 0.12 % MOUTHWASH **MO**	1	
EVOXAC 30 MG CAPSULE **MO**	3	
KEPIVANCE 5.16 MG RECON SOLUTION **DL**	4	
kourzeq 0.1 % PASTE **MO**	1	
oralone 0.1 % PASTE **MO**	1	
periogard 0.12 % MOUTHWASH **MO**	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET **MO**	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET **MO**	3	
triamcinolone acetonide 0.1 % PASTE **MO**	1	
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG CAPSULE **DL**	4	ST
ABSORICA LD 16 MG, 24 MG, 32 MG, 8 MG CAPSULE **DL**	4	ST
ACANYA 1.2-2.5 % GEL WITH PUMP **MO**	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE **MO**	1	
acitretin 10 mg, 17.5 mg, 25 mg CAPSULE **MO**	1	PA
ACZONE 5 % GEL **MO**	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP **MO**	3	QL(90 per 30 days)
adapalene 0.1 % CREAM **MO**	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION **DL**	4	QL(60 per 30 days)
adapalene 0.1 % SWAB	4	QL(30 per 30 days)
adapalene 0.3 % GEL **MO**	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP **MO**	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP **MO**	1	QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP **MO**	1	QL(60 per 30 days)
ADBRY 150 MG/ML SYRINGE **DL**	4	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR **DL**	4	PA,QL(6 per 28 days)
ADQUEY 1 % OINTMENT **DL**	4	PA
AKLIEF 0.005 % CREAM **MO**	3	QL(90 per 30 days)
ALA-CORT 1 % CREAM **MO**	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION **MO**	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM **MO**	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT **MO**	1	QL(240 per 30 days)
ALTRENO 0.05 % LOTION **MO**	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM **MO**	1	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT **DL**	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM **MO**	1	
ammonium lactate 12 % LOTION **MO**	1	
amnesteem 10 mg, 20 mg, 30 mg, 40 mg CAPSULE **MO**	1	
AMZEEQ 4 % FOAM **MO**	3	PA,QL(30 per 30 days)
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(60 per 30 days)
ANZUPGO 2 % CREAM **DL**	4	PA,QL(60 per 28 days)
apexicon e 0.05 % CREAM **MO**	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION **MO**	3	PA
ATRALIN 0.05 % GEL **MO**	3	PA,QL(45 per 30 days)
attero 0.005-0.064 % SUSPENSION **MO**	1	PA,QL(420 per 30 days)
azelaic acid 15 % GEL **MO**	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM **MO**	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL **MO**	3	QL(46.6 per 30 days)
beser 0.05 % LOTION **MO**	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM **MO**	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION **MO**	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT **MO**	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM **MO**	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION **MO**	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT **MO**	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM **MO**	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM **MO**	1	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
betamethasone, augmented 0.05 % GEL **MO**	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION **MO**	1	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT **MO**	1	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP **MO**	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION **MO**	3	ST,QL(200 per 30 days)
CABTREO 0.15-3.1-1.2 % GEL **MO**	3	QL(50 per 30 days)
calcipotriene 0.005 % CREAM **MO**	1	QL(120 per 30 days)
calcipotriene 0.005 % FOAM **MO**	1	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT **MO**	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION **MO**	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT **MO**	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION **MO**	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT **MO**	1	ST,QL(800 per 28 days)
CARAC 0.5 % CREAM **DL**	4	QL(60 per 30 days)
CENTANY 2 % OINTMENT **MO**	3	
claravis 10 mg, 20 mg, 30 mg, 40 mg CAPSULE **MO**	1	
CLEOCIN T 1 % LOTION **MO**	3	QL(60 per 30 days)
clindacin 1 % FOAM **MO**	1	QL(100 per 30 days)
clindacin etz 1 % SWAB **MO**	1	
clindacin p 1 % SWAB **MO**	1	
CLINDAGEL 1 % GEL, ONCE DAILY **DL**	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM **MO**	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL **MO**	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY **MO**	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION **MO**	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION **MO**	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB **MO**	1	
clindamycin-benzoyl peroxide 1-5 % GEL **MO**	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP **MO**	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL **MO**	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL **MO**	1	QL(60 per 30 days)
clobetasol 0.025 % CREAM **DL**	4	QL(120 per 30 days)
clobetasol 0.05 % CREAM **MO**	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM **MO**	1	QL(100 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clobetasol 0.05 % GEL **MO**	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION **MO**	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT **MO**	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO **MO**	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION **MO**	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL **MO**	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM **MO**	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM **MO**	1	QL(100 per 30 days)
clocortolone pivalate 0.1 % CREAM **MO**	1	QL(180 per 30 days)
clodan 0.05 % SHAMPOO **MO**	1	QL(240 per 30 days)
CONDYLOX 0.5 % GEL **MO**	3	
CORDRAN 0.025 % CREAM **MO**	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM **DL**	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION **DL**	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT **MO**	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE **MO**	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET **MO**	3	
crotan 10 % LOTION **DL**	4	PA,QL(454 per 30 days)
dapsone 5 %, 7.5 % GEL **MO**	1	QL(90 per 30 days)
dapsone 7.5 % GEL WITH PUMP **MO**	1	QL(90 per 30 days)
DERMA-SMOOTHE/FS BODY OIL 0.01 % OIL **MO**	3	QL(118.28 per 30 days)
DERMA-SMOOTHE/FS SCALP OIL 0.01 % OIL **MO**	3	QL(118.28 per 30 days)
desonide 0.05 % CREAM **MO**	1	QL(240 per 30 days)
desonide 0.05 % GEL **MO**	1	QL(240 per 30 days)
desonide 0.05 % LOTION **MO**	1	QL(240 per 30 days)
desonide 0.05 % OINTMENT **MO**	1	QL(240 per 30 days)
desoximetasone 0.05 % CREAM **MO**	1	QL(240 per 30 days)
desoximetasone 0.05 % GEL **MO**	1	QL(240 per 30 days)
desoximetasone 0.05 % OINTMENT **MO**	1	QL(240 per 30 days)
desoximetasone 0.25 % CREAM **MO**	1	QL(120 per 30 days)
desoximetasone 0.25 % OINTMENT **MO**	1	QL(120 per 30 days)
desoximetasone 0.25 % SPRAY, NON-AEROSOL **MO**	1	QL(100 per 30 days)
diclofenac sodium 3 % GEL **MO**	1	PA
diflorasone 0.05 % CREAM **DL**	4	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diflorasone 0.05 % OINTMENT **MO**	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT **MO**	3	QL(100 per 30 days)
doxepin 5 % CREAM **DL**	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION **MO**	3	PA,QL(200 per 28 days)
EBGLYSS PEN 250 MG/2 ML PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
EBGLYSS SYRINGE 250 MG/2 ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
EFUDEX 5 % CREAM **MO**	3	
ELIDEL 1 % CREAM **MO**	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM **MO**	3	
ENSTILAR 0.005-0.064 % FOAM **MO**	3	QL(120 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP **MO**	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM **MO**	1	
EPSOLAY 5 % CREAM **MO**	3	ST,QL(30 per 30 days)
ery pads 2 % SWAB **MO**	1	QL(60 per 30 days)
ERYGEL 2 % GEL **MO**	1	QL(60 per 30 days)
erythromycin with ethanol 2 % GEL **MO**	1	QL(60 per 30 days)
erythromycin with ethanol 2 % SOLUTION **MO**	1	QL(120 per 30 days)
erythromycin-benzoyl peroxide 3-5 % GEL **MO**	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT **MO**	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM **MO**	3	PA
EURAX 10 % LOTION **MO**	3	PA,QL(454 per 30 days)
evesse 0.1 % LOTION **MO**	1	QL(236 per 30 days)
FABIOR 0.1 % FOAM **MO**	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM **MO**	3	ST,QL(50 per 30 days)
fluocinolone 0.01 % OIL **MO**	1	QL(118.28 per 30 days)
fluocinolone 0.01 % SOLUTION **MO**	1	QL(180 per 30 days)
fluocinolone 0.01 %, 0.025 % CREAM **MO**	1	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT **MO**	1	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL **MO**	1	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM **MO**	1	QL(120 per 30 days)
fluocinonide 0.05 % GEL **MO**	1	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT **MO**	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION **MO**	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM **MO**	1	QL(120 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinonide-e 0.05 % CREAM **MO**	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM **MO**	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM **DL**	4	
fluorouracil 0.5 % CREAM **DL**	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION **MO**	1	QL(30 per 30 days)
fluorouracil 5 % CREAM **MO**	1	
fluorouracil 5 % SOLUTION **MO**	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM **MO**	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION **MO**	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT **MO**	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT **MO**	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM **MO**	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION **MO**	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM **MO**	1	QL(120 per 30 days)
halcinonide 0.1 % SOLUTION **MO**	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM **MO**	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM **MO**	3	QL(100 per 30 days)
halobetasol propionate 0.05 % LOTION **MO**	3	QL(120 per 30 days)
halobetasol propionate 0.05 % OINTMENT **MO**	1	QL(100 per 30 days)
HALOG 0.1 % CREAM **DL**	4	QL(120 per 30 days)
HALOG 0.1 % SOLUTION **MO**	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM **MO**	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT **MO**	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET **MO**	1	
hydrocortisone 2 % LOTION **DL**	4	QL(236.8 per 30 days)
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION **MO**	1	QL(236 per 30 days)
hydrocortisone 2.5 % SOLUTION **DL**	4	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM **MO**	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION **MO**	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT **MO**	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION **MO**	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM **MO**	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone valerate 0.2 % OINTMENT **MO**	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL **DL**	4	PA
ICOTYDE 200 MG TABLET **DL**	4	PA,QL(30 per 30 days)
imiquimod 3.75 % CREAM IN PACKET **MO**	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP **DL**	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET **MO**	1	QL(12 per 30 days)
isotretinoin 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg CAPSULE **MO**	1	
ivermectin 1 % CREAM **MO**	1	ST,QL(45 per 30 days)
KLISYRI (250 MG) 1 % OINTMENT IN PACKET **DL**	4	PA,QL(5 per 30 days)
KLISYRI (350 MG) 1 % OINTMENT IN PACKET **DL**	4	PA,QL(5 per 30 days)
lexette 0.05 % FOAM **MO**	3	QL(100 per 30 days)
LEXETTE 0.05 % FOAM **MO**	3	QL(100 per 30 days)
LOCOID 0.1 % LOTION **MO**	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM **MO**	3	QL(240 per 30 days)
mafenide acetate 50 gram PACKET **MO**	1	
malathion 0.5 % LOTION **MO**	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL	4	
MIRVASO 0.33 % GEL WITH PUMP **MO**	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM **MO**	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT **MO**	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION **MO**	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT **MO**	1	
mupirocin calcium 2 % CREAM **MO**	1	ST
NATROBA 0.9 % SUSPENSION **MO**	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM **MO**	3	
neuac 1.2 %(1 % base) -5 % GEL **MO**	1	QL(45 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL **MO**	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP **MO**	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM **DL**	4	PA,QL(240 per 28 days)
OTEZLA 20 MG, 30 MG TABLET **DL**	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK **DL**	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK **DL**	4	PA,QL(27 per 30 days)
OTEZLA XR 75 MG TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OTEZLA XR INITIATION 10-20-30-75 MG TABLET AND TABLET ER DOSE PACK **DL**	4	PA,QL(41 per 28 days)
OVIDE 0.5 % LOTION **MO**	3	
oxymetazoline 1 % CREAM **MO**	1	ST,QL(30 per 30 days)
PANDEL 0.1 % CREAM **DL**	4	QL(160 per 30 days)
pellix 0.005 % SOLUTION **MO**	1	QL(60 per 30 days)
permethrin 5 % CREAM **MO**	1	
pimecrolimus 1 % CREAM **MO**	1	PA,QL(100 per 30 days)
podofilox 0.5 % GEL **MO**	1	
podofilox 0.5 % SOLUTION **MO**	1	QL(7 per 30 days)
prednicarbate 0.1 % CREAM **MO**	1	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT **MO**	1	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(60 per 30 days)
proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	QL(60 per 30 days)
PRUDOXIN 5 % CREAM **DL**	4	PA,QL(45 per 30 days)
pruradik 10 % LOTION **DL**	4	PA,QL(454 per 30 days)
QBREXZA 2.4 % TOWELETTE **MO**	3	PA,QL(30 per 30 days)
REGRANEX 0.01 % GEL	4	PA
RETIN-A 0.01 %, 0.025 % GEL **MO**	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM **MO**	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL **DL**	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL **MO**	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP **DL**	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP **MO**	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM **MO**	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT **MO**	3	PA,QL(180 per 30 days)
selenium sulfide 2.5 % LOTION **MO**	1	QL(120 per 30 days)
SILVADENE 1 % CREAM **MO**	2	
silver sulfadiazine 1 % CREAM **MO**	1	
SOFDRA 12.45 % (72 MG /ACTUATION) GEL WITH PUMP **DL**	4	PA,QL(40.2 per 30 days)
SOOLANTRA 1 % CREAM **MO**	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM **DL**	4	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION **MO**	3	QL(240 per 30 days)
SSD 1 % CREAM **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SULFAMYLON 85 MG/G CREAM **MO**	3	
SYNALAR 0.01 % SOLUTION **MO**	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION **DL**	4	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT **MO**	1	QL(200 per 30 days)
tazarotene 0.05 % CREAM **MO**	1	PA,QL(120 per 30 days)
tazarotene 0.05 %, 0.1 % GEL **MO**	1	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM **MO**	1	QL(120 per 30 days)
tazarotene 0.1 % FOAM **DL**	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM **MO**	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL **MO**	3	PA,QL(200 per 30 days)
TEXACORT 2.5 % SOLUTION **MO**	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM **MO**	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL **MO**	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT **MO**	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM **MO**	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT **MO**	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL **MO**	3	QL(100 per 30 days)
tovet emollient 0.05 % FOAM **MO**	1	QL(100 per 30 days)
tretinoin 0.01 %, 0.025 %, 0.05 % GEL **MO**	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM **MO**	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.06 %, 0.08 %, 0.1 % GEL WITH PUMP **MO**	1	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL **MO**	1	PA,QL(45 per 30 days)
trilitas 0.1 % GEL **DL**	4	QL(200 per 30 days)
TWYNEO 0.1-3 % CREAM **MO**	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION **MO**	3	QL(120 per 30 days)
VANOS 0.1 % CREAM **MO**	3	QL(120 per 28 days)
VELTIN 1.2-0.025 % GEL **MO**	3	QL(60 per 30 days)
VEREGEN 15 % OINTMENT **DL**	4	QL(30 per 30 days)
VTAMA 1 % CREAM **DL**	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM **MO**	3	PA
ZELSUVMI 10.3 % GEL **DL**	4	PA
zenatane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE **MO**	1	
ZIANA 1.2-0.025 % GEL **MO**	3	QL(60 per 30 days)
ZILXI 1.5 % FOAM **MO**	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZONALON 5 % CREAM MO	3	PA,QL(45 per 30 days)
ZORYVE 0.05 %, 0.15 %, 0.3 % CREAM MO	3	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM MO	3	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION MO	3	BvsD
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP MO	1	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
calcium acetate(phosphat bind) 667 mg CAPSULE MO	1	
calcium acetate(phosphat bind) 667 mg TABLET MO	1	
calcium chloride 100 mg/ml (10 %) SOLUTION MO	1	
calcium chloride 100 mg/ml (10 %) SYRINGE MO	1	
calcium gluconate 100 mg/ml (10%) SOLUTION MO	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL	4	PA
carglumic acid 200 mg TABLET, DISPERSIBLE DL	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION MO	3	
CARNITOR 330 MG TABLET MO	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MO	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MO	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION **MO**	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION **MO**	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION **MO**	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION **MO**	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION **MO**	1	BvsD
CLINOLIPID 20 % EMULSION **MO**	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK **MO**	1	
CUPRIMINE 250 MG CAPSULE **DL**	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET **DL**	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION **MO**	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION **MO**	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION **MO**	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION **MO**	1	
deferasirox 125 mg, 250 mg TABLET, DISPERSIBLE **MO**	1	PA
deferasirox 180 mg, 360 mg GRANULES IN PACKET **DL**	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET **MO**	1	PA
deferasirox 500 mg TABLET, DISPERSIBLE **DL**	4	PA
deferasirox 90 mg GRANULES IN PACKET **MO**	1	PA
deferiprone 1,000 mg TABLET **DL**	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET **DL**	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION **MO**	1	BvsD
DEPEN TITRATABS 250 MG TABLET **DL**	4	PA
DESFERAL 500 MG RECON SOLUTION **MO**	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION **MO**	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION **MO**	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION **MO**	1	
dextrose 25 % in water (d25w) SYRINGE **MO**	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION **MO**	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION **MO**	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION **MO**	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK **MO**	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION **MO**	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION **MO**	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextrose 50 % in water (d50w) PARENTERAL SOLUTION **MO**	1	
dextrose 50 % in water (d50w) SYRINGE **MO**	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION **MO**	1	
electrolyte-148 PARENTERAL SOLUTION **MO**	1	
electrolyte-48 in d5w PARENTERAL SOLUTION **MO**	1	
electrolyte-a PARENTERAL SOLUTION **MO**	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE **DL**	4	PA
FERRIPROX 1,000 MG TABLET **DL**	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION **DL**	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET **DL**	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE **DL**	4	PA,QL(300 per 30 days)
INTRALIPID 20 %, 30 % EMULSION **MO**	3	BvsD
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION **MO**	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION **MO**	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION **MO**	3	
ISOLYTE-S PARENTERAL SOLUTION **MO**	3	
JADENU 180 MG, 360 MG, 90 MG TABLET **DL**	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET **DL**	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL **DL**	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET **DL**	4	PA,QL(120 per 30 days)
KABIVEN 3.31-10.8-3.9 % EMULSION **MO**	3	BvsD
kionex 15 gram/60 ml SUSPENSION **MO**	1	
klor-con 20 meq PACKET **MO**	1	QL(300 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER **MO**	1	
klor-con 10 10 meq TABLET ER **MO**	1	
KLOR-CON 8 8 MEQ TABLET ER **MO**	1	
klor-con 8 8 meq TABLET ER **MO**	1	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS **MO**	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS **MO**	1	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS **MO**	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET **MO**	3	
lactated ringers PARENTERAL SOLUTION **MO**	1	
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levocarnitine 330 mg TABLET **MO**	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION **MO**	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET **MO**	2	QL(30 per 30 days)
m-natal plus 27 mg iron- 1 mg TABLET **MO**	1	
magnesium sulfate 500 mg/ml (50 %) SOLUTION **MO**	1	
magnesium sulfate 500 mg/ml (50 %) SYRINGE **MO**	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK **MO**	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 3 gram/100 ml (3 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK **MO**	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION **MO**	1	
neo-vital rx 27 mg iron- 1 mg TABLET **MO**	1	
NEONATAL COMPLETE 29-1 MG TABLET **MO**	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET **MO**	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK **MO**	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION **MO**	3	
NORMOSOL-R PARENTERAL SOLUTION **MO**	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION **MO**	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION **MO**	3	
NUTRILIPID 20 % EMULSION **MO**	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE **MO**	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE **MO**	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET **MO**	3	
OMEGAVEN 10 % EMULSION **DL**	4	BvsD
one natal rx 27 mg iron- 1 mg TABLET **MO**	1	
penicillamine 250 mg CAPSULE **DL**	4	PA,QL(600 per 30 days)
penicillamine 250 mg TABLET **DL**	4	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION **MO**	3	BvsD
PLASMA-LYTE 148 PH 7.4 PARENTERAL SOLUTION **MO**	3	
PLASMA-LYTE A PARENTERAL SOLUTION **MO**	3	
PLENAMINE 15 % PARENTERAL SOLUTION **MO**	1	BvsD
pnv-dha 27 mg iron-1 mg -300 mg CAPSULE **MO**	1	
pnv-omega 28-1-300 mg CAPSULE **MO**	1	
POKONZA 10 MEQ PACKET **MO**	3	
POKONZA 10 MEQ/15 ML LIQUID **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
POKONZA 15 MEQ PACKET DL	4	
potassium acetate 2 meq/ml SOLUTION MO	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride 10 meq CAPSULE, ER MO	1	
potassium chloride 10 meq, 20 meq TABLET ER MO	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MO	1	
potassium chloride 15 meq, 8 meq TABLET ER MO	1	
potassium chloride 2 meq/ml SOLUTION MO	1	
potassium chloride 20 meq PACKET MO	1	QL(300 per 30 days)
potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID MO	1	
potassium chloride 8 meq CAPSULE, ER MO	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in lr-d5 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml PIGGYBACK MO	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.2%nacl 20 meq/l PARENTERAL SOLUTION MO	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MO	1	
pr natal 400 29-1-400 mg COMBO PACK MO	1	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP MO	1	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK MO	1	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP MO	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION DL	4	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MO	1	
PRENATABS FA 29-1 MG TABLET MO	1	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET MO	1	
prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK MO	3	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET MO	1	
prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET MO	1	
prenatal-u 106.5-1 mg CAPSULE MO	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROSOL 20 % PARENTERAL SOLUTION **MO**	3	BvsD
ringer's PARENTERAL SOLUTION **MO**	1	
SAMSCA 15 MG, 30 MG TABLET **DL**	4	PA,QL(60 per 30 days)
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET **MO**	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET **MO**	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET **MO**	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK **MO**	3	
sevelamer carbonate 0.8 gram POWDER IN PACKET **MO**	1	QL(540 per 30 days)
sevelamer carbonate 2.4 gram POWDER IN PACKET **MO**	1	QL(180 per 30 days)
sevelamer carbonate 800 mg TABLET **MO**	1	QL(540 per 30 days)
sevelamer hcl 400 mg, 800 mg TABLET **MO**	1	
SMOFLIPID 20 % EMULSION **MO**	3	BvsD
sodium bicarbonate 50 meq/50 ml (8.4 %) SYRINGE **MO**	1	
sodium chloride 2.5 meq/ml SOLUTION **MO**	1	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION **MO**	1	
sodium chloride 0.9 % PARENTERAL SOLUTION **MO**	1	
sodium chloride 0.9 % PIGGYBACK **MO**	1	
sodium chloride 0.9 % SOLUTION **MO**	1	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION **MO**	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION **MO**	1	
sodium phosphate 3 mmol/ml SOLUTION **MO**	1	
sodium polystyrene sulfonate 15 gram POWDER **MO**	1	
sodium polystyrene sulfonate 15 gram/60 ml SUSPENSION **MO**	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION **MO**	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA **MO**	1	
SYPRINE 250 MG CAPSULE **DL**	4	QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION **MO**	3	
tolvaptan 15 mg, 30 mg TABLET **DL**	4	PA,QL(60 per 30 days)
tolvaptan (polycys kidney dis) 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm) TABLET, SEQUENTIAL **DL**	4	PA,QL(56 per 28 days)
tolvaptan (polycys kidney dis) 15 mg, 30 mg TABLET **DL**	4	PA,QL(120 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION **MO**	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION **MO**	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
trientine 250 mg CAPSULE MO	1	QL(240 per 30 days)
trientine 500 mg CAPSULE DL	4	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET MO	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MO	3	
tromethamine 36 mg/ml (0.3 m) SOLUTION MO	1	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER MO	3	
UROCIT-K 15 15 MEQ TABLET ER MO	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO	3	
VELTASSA 1 GRAM POWDER IN PACKET MO	3	PA,QL(240 per 30 days)
VELTASSA 16.8 GRAM, 8.4 GRAM POWDER IN PACKET MO	3	PA,QL(30 per 30 days)
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MO	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL-OB 65-1 MG TABLET MO	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MO	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MO	3	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
westab plus 27 mg iron- 1 mg TABLET MO	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE MO	1	
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
zatean-pn plus 28-1-300 mg CAPSULE MO	1	
GASTROINTESTINAL AGENTS		
ACIPHEX 20 MG TABLET, DR/EC MO	3	QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE MO	3	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE MO	3	QL(30 per 30 days)
alosetron 0.5 mg, 1 mg TABLET MO	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE MO	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO	1	
BENTYL 10 MG/ML SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE **MO**	1	ST,QL(120 per 30 days)
CARAFATE 1 GRAM TABLET **MO**	3	
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET **MO**	1	
cimetidine hcl 300 mg/5 ml SOLUTION **MO**	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION **MO**	3	ST
constulose 10 gram/15 ml SOLUTION **MO**	1	
CTEXLI 250 MG TABLET **DL**	4	PA
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION **MO**	3	
CYTOTEC 100 MCG, 200 MCG TABLET **DL**	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING **MO**	3	QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC **MO**	3	PA,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC **MO**	1	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE **MO**	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION **MO**	1	
dicyclomine 20 mg, 40 mg TABLET **MO**	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET **MO**	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID **MO**	1	
ENDARI 5 GRAM POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION **MO**	1	
esomeprazole magnesium 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg DR GRANULES IN PACKET **MO**	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC **MO**	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC **MO**	1	QL(60 per 30 days)
esomeprazole sodium 40 mg RECON SOLUTION **MO**	1	
famotidine 10 mg/ml SOLUTION **MO**	1	
famotidine 20 mg, 40 mg TABLET **MO**	1	
FAMOTIDINE 4 MG/ML SOLUTION **MO**	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION **MO**	1	
famotidine (pf) 20 mg/2 ml SOLUTION **MO**	1	
FAMOTIDINE (PF) 4 MG/ML SOLUTION **MO**	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK **MO**	1	
GATTEX 30-VIAL 5 MG KIT **DL**	4	PA
GATTEX ONE-VIAL 5 MG KIT **DL**	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION **MO**	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gavilyte-n 420 gram RECON SOLUTION **MO**	1	
generlac 10 gram/15 ml SOLUTION **MO**	1	
glutamine (sickle cell) 5 gram POWDER IN PACKET **DL**	4	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET **MO**	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION **MO**	1	
glycopyrrolate 1 mg, 2 mg TABLET **MO**	1	
glycopyrrolate 1.5 mg TABLET	4	
glycopyrrolate (pf) 0.4 mg/2 ml (0.2 mg/ml) SYRINGE **MO**	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE **MO**	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE **MO**	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION **MO**	3	ST
IBSRELA 50 MG TABLET **DL**	4	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET **DL**	4	PA,QL(30 per 30 days)
KONVOMEP 2-84 MG/ML SUSPENSION FOR RECONSTITUTION **MO**	3	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET **MO**	1	
lactulose 10 gram, 20 gram PACKET **DL**	4	
lactulose 10 gram/15 ml SOLUTION **MO**	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC **MO**	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR **MO**	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE **MO**	2	QL(30 per 30 days)
LIVDELZI 10 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
LIVMARLI 10 MG, 15 MG, 20 MG TABLET **DL**	4	PA,QL(60 per 30 days)
LIVMARLI 19 MG/ML SOLUTION **DL**	4	PA,QL(60 per 30 days)
LIVMARLI 30 MG TABLET **DL**	4	PA,QL(30 per 30 days)
LIVMARLI 9.5 MG/ML SOLUTION **DL**	4	PA,QL(90 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET **MO**	3	
loperamide 2 mg CAPSULE **MO**	1	
LOTRONEX 0.5 MG, 1 MG TABLET	4	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE **MO**	1	QL(60 per 30 days)
LYNAVOY 40 MG TABLET **DL**	4	PA,QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET **MO**	1	
misoprostol 100 mcg, 200 mcg TABLET **MO**	1	
MOTEGRITY 1 MG, 2 MG TABLET **MO**	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MOVANTIK 12.5 MG, 25 MG TABLET **MO**	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET **MO**	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION **DL**	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC **DL**	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC **MO**	3	PA,QL(60 per 30 days)
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET **MO**	3	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE **MO**	1	
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK **MO**	3	ST
omeprazole 10 mg CAPSULE, DR/EC **MO**	1	
omeprazole 20 mg, 40 mg CAPSULE, DR/EC **MO**	1	
omeprazole-sodium bicarbonate 20-1,680 mg PACKET **DL**	4	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE **MO**	1	QL(30 per 30 days)
omeprazole-sodium bicarbonate 40-1,680 mg PACKET **MO**	1	ST,QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE **MO**	3	QL(180 per 30 days)
pantoprazole 20 mg, 40 mg TABLET, DR/EC **MO**	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET **MO**	1	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION **MO**	1	
pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 40 mg/50 ml (0.8 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK **MO**	3	
PANTOPRAZOLE IN 0.9% SOD CHLOR 40 MG/50 ML (0.8 MG/ML) PIGGYBACK **MO**	3	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION **MO**	1	
peg-electrolyte soln 420 gram RECON SOLUTION **MO**	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET **MO**	1	ST
pepcid 20 mg, 40 mg TABLET **MO**	3	
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL **MO**	3	ST
PREVACID 30 MG CAPSULE, DR/EC **MO**	3	QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR **MO**	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON **MO**	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC **MO**	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET **MO**	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION **MO**	3	
prucalopride 1 mg, 2 mg TABLET **MO**	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PYLERA 140-125-125 MG CAPSULE **MO**	3	ST,QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC **MO**	1	QL(60 per 30 days)
ranitidine hcl 150 mg, 300 mg TABLET **MO**	1	
REBYOTA 150 ML ENEMA **DL**	4	PA
RELISTOR 12 MG/0.6 ML SOLUTION **DL**	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE **DL**	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET **DL**	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE **DL**	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE **DL**	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET **MO**	3	
ROBINUL FORTE 2 MG TABLET **MO**	3	
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION **MO**	1	
sucralfate 1 gram TABLET **MO**	1	
sucralfate 100 mg/ml SUSPENSION **MO**	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION **MO**	3	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION **MO**	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET **MO**	2	
SYMPROIC 0.2 MG TABLET **MO**	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC **MO**	3	
TRULANCE 3 MG TABLET **MO**	3	PA,QL(30 per 30 days)
URSO FORTE 500 MG TABLET **MO**	3	
ursodiol 200 mg CAPSULE **DL**	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET **MO**	1	
ursodiol 300 mg CAPSULE **MO**	1	
ursodiol 400 mg CAPSULE **DL**	4	PA,QL(60 per 30 days)
URSOLIGN 150 MG CAPSULE **DL**	4	PA
VIBERZI 100 MG, 75 MG TABLET	4	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET **MO**	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET **MO**	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK **MO**	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK **MO**	3	ST,QL(112 per 30 days)
VOWST 1 X 10EXP6 TO 3 X 10EXP7 CELL CAPSULE **DL**	4	PA
XERMELO 250 MG TABLET **DL**	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XIFAXAN 200 MG TABLET **MO**	2	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET **MO**	2	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET **DL**	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE **DL**	4	QL(30 per 30 days)
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION **DL**	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE **DL**	4	PA,QL(0.5 per 90 days)
AQVESME 100 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION **DL**	4	PA
ATTRUBY 356 MG TABLET **DL**	4	PA,QL(120 per 30 days)
AVLAYAH 150 MG RECON SOLUTION **DL**	4	PA
betaine 1 gram/scoop POWDER **DL**	4	
BUPHENYL 0.94 GRAM/GRAM POWDER **DL**	4	
BUPHENYL 500 MG TABLET **DL**	4	
CERDELGA 84 MG CAPSULE **DL**	4	PA
CEREZYME 400 UNIT RECON SOLUTION **DL**	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE **DL**	4	QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC **MO**	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION **DL**	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION **DL**	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER **DL**	4	
CYSTAGON 150 MG, 50 MG CAPSULE **MO**	3	
DAYBUE 200 MG/ML SOLUTION **DL**	4	PA,QL(3600 per 30 days)
DAYBUE STIX 5,000 MG, 6,000 MG POWDER IN PACKET **DL**	4	PA,QL(120 per 30 days)
DAYBUE STIX 8,000 MG POWDER IN PACKET **DL**	4	PA,QL(60 per 30 days)
dichlorphenamide 50 mg TABLET **DL**	4	PA,QL(120 per 30 days)
DOJOLVI 8.3 KCAL/ML LIQUID **DL**	4	PA
DUVYZAT 8.86 MG/ML SUSPENSION **DL**	4	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION **DL**	4	PA
ELELYSO 200 UNIT RECON SOLUTION **DL**	4	PA
ELFABRIO 2 MG/ML SOLUTION **DL**	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION **DL**	4	PA,QL(240 per 30 days)
EVRYSDI 5 MG TABLET **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FABRAZYME 35 MG, 5 MG RECON SOLUTION **DL**	4	PA
GALAFOLD 123 MG CAPSULE **DL**	4	PA,QL(14 per 28 days)
GLASSIA 20 MG/ML (2 %) SOLUTION **DL**	4	PA
glycerol phenylbutyrate 1.1 gram/ml LIQUID **DL**	4	PA,QL(525 per 30 days)
HARLIKU 2 MG TABLET **DL**	4	PA
javygtor 100 mg TABLET, SOLUBLE **DL**	4	PA
javygtor 100 mg, 500 mg POWDER IN PACKET **DL**	4	PA
JOENJA 40 MG, 50 MG, 70 MG TABLET **DL**	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION **DL**	4	PA
KEVEYIS 50 MG TABLET **DL**	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE **DL**	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET **DL**	4	PA
KYGEVVI 4 GRAM POWDER IN PACKET **DL**	4	PA
LAMZEDE 10 MG RECON SOLUTION **DL**	4	PA
LOARGYS 5 MG/ML SOLUTION **DL**	4	PA
LUMIZYME 50 MG RECON SOLUTION **DL**	4	PA
MEPSEVII 2 MG/ML SOLUTION **DL**	4	PA
miglustat 100 mg CAPSULE **DL**	4	PA,QL(90 per 30 days)
MIPLYFFA 124 MG, 47 MG, 62 MG, 93 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION **DL**	4	PA
NEXVIAZYME 100 MG RECON SOLUTION **DL**	4	PA
nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE **DL**	4	
NITYR 10 MG, 2 MG, 5 MG TABLET **DL**	4	
NULIBRY 9.5 MG RECON SOLUTION **DL**	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET **DL**	4	PA
ONPATTRO 2 MG/ML SOLUTION **DL**	4	PA
OPFOLDA 65 MG CAPSULE **MO**	3	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE **DL**	4	
ORFADIN 4 MG/ML SUSPENSION **DL**	4	
ormalvi 50 mg TABLET **DL**	4	PA,QL(120 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE **DL**	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE **DL**	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PANCREAZE 10,500-35,500- 61,500 UNIT, 2,600-8,800- 15,200 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC **MO**	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 21,000-54,700- 83,900 UNIT CAPSULE, DR/EC	4	ST
PANCREAZE 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC **DL**	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC **DL**	4	ST
PHEBURANE 483 MG/GRAM GRANULES **DL**	4	
POMBILITI 105 MG RECON SOLUTION **DL**	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE **DL**	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET **DL**	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE **DL**	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET **DL**	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION **DL**	4	PA
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK **DL**	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET **DL**	4	PA,QL(60 per 30 days)
RAVICTI 1.1 GRAM/ML LIQUID **DL**	4	PA,QL(525 per 30 days)
REVCOVI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION **DL**	4	PA
sapropterin 100 mg TABLET, SOLUBLE **DL**	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET **DL**	4	PA
SEPHIENCE 1,000 MG, 250 MG POWDER IN PACKET **DL**	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER **DL**	4	
sodium phenylbutyrate 500 mg TABLET **DL**	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION **DL**	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION **DL**	4	PA
VIJOICE 125 MG, 50 MG TABLET **DL**	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET **DL**	4	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET **DL**	4	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET **DL**	4	ST
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION **DL**	4	PA,QL(30 per 30 days)
VPRIV 400 UNIT RECON SOLUTION **DL**	4	PA
VYNDAMAX 61 MG CAPSULE **DL**	4	PA,QL(30 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR **DL**	4	PA,QL(0.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
WAINUA 45 MG/0.8 ML SYRINGE DL	4	PA,QL(0.8 per 28 days)
WELIREG 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL	4	PA
yargesa 100 mg CAPSULE DL	4	PA,QL(90 per 30 days)
YUVIWEL 1.3 MG, 2.8 MG, 5.5 MG RECON SOLUTION DL	4	PA
ZAVESCA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
zelvysia 100 mg, 500 mg POWDER IN PACKET DL	4	PA
ZEMAIRA 1,000 MG RECON SOLUTION DL	4	PA
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION DL	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC MO	3	
ZOKINVY 50 MG, 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
GENITOURINARY AGENTS		
alfuzosin 10 mg TABLET, ER 24 HR. MO	1	
AVODART 0.5 MG CAPSULE MO	3	QL(30 per 30 days)
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET MO	1	
CIALIS 5 MG TABLET MO	3	PA
darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET MO	3	QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MO	3	QL(30 per 30 days)
dutasteride 0.5 mg CAPSULE MO	1	QL(30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MO	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE MO	3	QL(90 per 30 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
finasteride 5 mg TABLET MO	1	QL(30 per 30 days)
flavoxate 100 mg TABLET MO	1	
FLOMAX 0.4 MG CAPSULE MO	3	
GEMTESA 75 MG TABLET MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO	2	QL(300 per 30 days)
oxybutynin chloride 10 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxybutynin chloride 2.5 mg TABLET **MO**	1	QL(90 per 30 days)
oxybutynin chloride 5 mg TABLET **MO**	1	
oxybutynin chloride 5 mg/5 ml SYRUP **MO**	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY **MO**	3	QL(8 per 28 days)
PROSCAR 5 MG TABLET **MO**	3	QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE **MO**	3	QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE **MO**	1	QL(30 per 30 days)
solifenacin 10 mg, 5 mg TABLET **MO**	1	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET **MO**	1	PA
tamsulosin 0.4 mg CAPSULE **MO**	1	
THIOLA 100 MG TABLET **DL**	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC **DL**	4	
tiopronin 100 mg TABLET **DL**	4	
tiopronin 100 mg, 300 mg TABLET, DR/EC **DL**	4	
tolterodine 1 mg, 2 mg TABLET **MO**	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. **MO**	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. **MO**	3	QL(30 per 30 days)
trospium 20 mg TABLET **MO**	1	
trospium 60 mg CAPSULE, ER 24 HR. **MO**	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. **MO**	3	
venxxiva 100 mg, 300 mg TABLET, DR/EC **DL**	4	
VESICARE 10 MG, 5 MG TABLET **MO**	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION **MO**	3	PA,QL(300 per 30 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL **DL**	4	PA,QL(30 per 30 days)
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR **DL**	4	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION **DL**	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE **DL**	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION **MO**	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION **MO**	3	
CORTROPHIN GEL 40 UNIT/0.5 ML SYRINGE **DL**	4	PA,QL(45 per 30 days)
CORTROPHIN GEL 80 UNIT/ML GEL **DL**	4	PA,QL(30 per 30 days)
CORTROPHIN GEL 80 UNIT/ML SYRINGE **DL**	4	PA,QL(30 per 30 days)
deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
deflazacort 22.75 mg/ml SUSPENSION **DL**	4	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION **MO**	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK **MO**	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET **MO**	1	
dexamethasone 0.5 mg/5 ml ELIXIR **MO**	1	
dexamethasone 0.5 mg/5 ml SOLUTION **MO**	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK **MO**	1	
dexamethasone intensol 1 mg/ml DROPS **MO**	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION **MO**	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE **MO**	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION **MO**	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE **MO**	1	
dexlyt 0.25 mg TABLET **DL**	4	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET **DL**	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION **DL**	4	PA
fludrocortisone 0.1 mg TABLET **MO**	1	
HEMADY 20 MG TABLET **MO**	3	PA,QL(24 per 28 days)
hydrocortisone acetate 2.5 % CREAM W/PERINEAL APPLICATOR **DL**	4	
hydrocortisone sod succinate 100 mg RECON SOLUTION **MO**	1	
jaythari 18 mg, 30 mg, 36 mg, 6 mg TABLET **DL**	4	PA
jaythari 22.75 mg/ml SUSPENSION **DL**	4	PA
KENALOG 0.147 MG/GRAM AEROSOL **MO**	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION **MO**	3	
KENALOG-80 80 MG/ML SUSPENSION **MO**	3	
KHINDIVI 1 MG/ML SOLUTION **DL**	4	PA
kymbee 18 mg, 30 mg, 36 mg, 6 mg TABLET **DL**	4	PA
kymbee 22.75 mg/ml SUSPENSION **DL**	4	PA
MEDROL 16 MG, 2 MG, 4 MG, 8 MG TABLET **MO**	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK **MO**	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET **MO**	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK **MO**	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION **MO**	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
micort-hc 2.5 % CREAM W/PERINEAL APPLICATOR **MO**	1	
millipred 5 mg TABLET **MO**	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK **MO**	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING **MO**	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION **MO**	3	
prednisolone 15 mg/5 ml SOLUTION **MO**	1	
prednisolone 5 mg TABLET **MO**	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING **MO**	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION **MO**	1	
prednisone 1 mg, 2 mg, 5 mg TABLET, DR/EC **DL**	4	PA
prednisone 1 mg, 2.5 mg, 50 mg TABLET **MO**	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET **MO**	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK **MO**	1	
prednisone 5 mg/5 ml SOLUTION **MO**	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE **MO**	1	BvsD
pyquvi 22.75 mg/ml SUSPENSION **DL**	4	PA
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC **DL**	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION **MO**	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION **MO**	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION **MO**	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION **MO**	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK **MO**	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT **MO**	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION **MO**	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM **MO**	1	
triamcinolone acetonide 0.1 % CREAM **MO**	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL **MO**	1	QL(200 per 30 days)
triamcinolone acetonide 10 mg/ml, 40 mg/ml SUSPENSION **MO**	1	
trianex 0.05 % OINTMENT **MO**	1	
triderm 0.1 %, 0.5 % CREAM **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION **MO**	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK **MO**	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON **MO**	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION **MO**	3	PA
DDAVP 0.1 MG TABLET **MO**	3	
DDAVP 0.2 MG TABLET **DL**	4	
DDAVP 4 MCG/ML SOLUTION **MO**	3	
DESMODA 0.05 MG/ML SOLUTION **DL**	4	PA
desmopressin 0.1 mg, 0.2 mg TABLET **MO**	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP **MO**	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL **MO**	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION **DL**	4	
EGRIFTA SV 2 MG RECON SOLUTION **DL**	4	PA,QL(30 per 30 days)
EGRIFTA WR 11.6 MG KIT **DL**	4	PA,QL(1 per 28 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE **DL**	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE **DL**	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE **DL**	4	PA
INCRELEX 10 MG/ML SOLUTION **DL**	4	PA
ISTURISA 1 MG TABLET **DL**	4	PA,QL(240 per 30 days)
ISTURISA 5 MG TABLET **DL**	4	PA,QL(360 per 30 days)
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR **DL**	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING **MO**	3	QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING **MO**	3	QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR **DL**	4	PA
NOVAREL 5,000 UNIT RECON SOLUTION **MO**	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR **DL**	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE **DL**	4	PA
OMNITROPE 5.8 MG RECON SOLUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREGNYL 10,000 UNIT RECON SOLUTION **MO**	3	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION **DL**	4	PA,QL(28 per 28 days)
SKYTROFA 0.7 MG, 1.4 MG, 1.8 MG, 13.3 MG, 2.1 MG, 2.5 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE **DL**	4	PA,QL(4 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE **DL**	4	PA,QL(8 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR **DL**	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION **DL**	4	PA
ZOMACTON 5 MG RECON SOLUTION **DL**	4	PA,QL(28 per 28 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
carboprost tromethamine 250 mcg/ml SOLUTION **MO**	1	
carboprost tromethamine 250 mcg/ml SYRINGE **MO**	1	
HEMABATE 250 MCG/ML SOLUTION **MO**	3	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
abigale 1-0.5 mg TABLET **MO**	1	
abigale lo 0.5-0.1 mg TABLET **MO**	1	
ACTIVELLA 1-0.5 MG TABLET **MO**	3	
afirmelle 0.1-20 mg-mcg TABLET **MO**	1	
altavera (28) 0.15-0.03 mg TABLET **MO**	1	
alyacen 1/35 (28) 1-35 mg-mcg TABLET **MO**	1	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET **MO**	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET **MO**	1	
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP **DL**	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET **MO**	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING **MO**	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET **MO**	1	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET **MO**	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET **MO**	1	
aubra eq 0.1-20 mg-mcg TABLET **MO**	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET **MO**	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET **MO**	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION	4	PA
AVERI 0.15 MG-0.03 MG (21)/36.5 MG(7) TABLET **MO**	1	
aviane 0.1-20 mg-mcg TABLET **MO**	1	
ayuna 0.15-0.03 mg TABLET **MO**	1	
AZMIRO 200 MG/ML SYRINGE **MO**	3	PA
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET **MO**	3	
balziva (28) 0.4-35 mg-mcg TABLET **MO**	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET **MO**	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE **MO**	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
briellyn 0.4-35 mg-mcg TABLET **MO**	1	
camila 0.35 mg TABLET **MO**	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET **MO**	1	
chateal eq (28) 0.15-0.03 mg TABLET **MO**	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY **MO**	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY **MO**	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY **MO**	3	QL(8 per 28 days)
conjugated estrogens 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg TABLET **MO**	1	
CRENESSITY 100 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
CRENESSITY 25 MG, 50 MG CAPSULE **DL**	4	PA,QL(90 per 30 days)
CRENESSITY 50 MG/ML SOLUTION **DL**	4	PA,QL(240 per 30 days)
CRINONE 4 %, 8 % GEL **MO**	3	
cryselle (28) 0.3-30 mg-mcg TABLET **MO**	1	
cyred 0.15-0.03 mg TABLET **MO**	1	
cyred eq 0.15-0.03 mg TABLET **MO**	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE **MO**	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET **MO**	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET **MO**	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL **MO**	3	
DEPO-ESTRADIOL 5 MG/ML OIL **MO**	1	
DEPO-PROVERA 150 MG/ML SUSPENSION **MO**	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE **MO**	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE **MO**	2	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL **MO**	1	PA
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET **MO**	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET **MO**	3	
dolishale 90-20 mcg (28) TABLET **MO**	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY **MO**	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET **MO**	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET **MO**	1	
DUAVEE 0.45-20 MG TABLET **MO**	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP **MO**	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET **MO**	1	
eluryng 0.12-0.015 mg/24 hr RING **MO**	1	QL(1 per 28 days)
emzahh 0.35 mg TABLET **MO**	1	
ENDOMETRIN 100 MG INSERT **MO**	3	
enilloring 0.12-0.015 mg/24 hr RING **MO**	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET **MO**	1	
enskyce 0.15-0.03 mg TABLET **MO**	1	
errin 0.35 mg TABLET **MO**	1	
estarylla 0.25-0.035 mg TABLET **MO**	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM **MO**	3	
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET **MO**	1	
estradiol 0.01 % (0.1 mg/gram) CREAM **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY **MO**	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY **MO**	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET **MO**	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET **MO**	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP **MO**	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL **MO**	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET **MO**	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING **MO**	3	QL(1 per 90 days)
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET **MO**	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING **MO**	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL **MO**	3	
EVISTA 60 MG TABLET **MO**	3	QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET **MO**	1	
feirza 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING **MO**	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING **MO**	3	QL(1 per 90 days)
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET **MO**	1	
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET **MO**	1	
galbriela 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET **MO**	1	
gallifrey 5 mg TABLET **MO**	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE **MO**	1	
GWYN LO 220-20 MCG/24 HR PATCH, WEEKLY **MO**	2	QL(3 per 28 days)
hailey 1.5-30 mg-mcg TABLET **MO**	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
haloette 0.12-0.015 mg/24 hr RING **MO**	1	QL(1 per 28 days)
heather 0.35 mg TABLET **MO**	1	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
IMVEXXY MAINTENANCE PACK 10 MCG, 4 MCG INSERT **MO**	3	PA,QL(8 per 28 days)
IMVEXXY STARTER PACK 10 MCG, 4 MCG INSERT, DOSE PACK **MO**	3	PA,QL(18 per 28 days)
incassia 0.35 mg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INTRAROSA 6.5 MG INSERT **MO**	3	PA
introvale 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
isibloom 0.15-0.03 mg TABLET **MO**	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET **MO**	1	
JATENZO 158 MG, 198 MG CAPSULE **MO**	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE **MO**	3	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET **MO**	1	
jinteli 1-5 mg-mcg TABLET **MO**	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH **MO**	3	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET **MO**	1	
juleber 0.15-0.03 mg TABLET **MO**	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET **MO**	1	
junel 1/20 (21) 1-20 mg-mcg TABLET **MO**	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET **MO**	1	
kalliga 0.15-0.03 mg TABLET **MO**	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET **MO**	1	
kelnor 1/50 (28) 1-50 mg-mcg TABLET **MO**	1	
kurvelo (28) 0.15-0.03 mg TABLET **MO**	1	
KYZATREX 150 MG, 200 MG CAPSULE **MO**	3	PA,QL(120 per 30 days)
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET **MO**	1	
larin 1/20 (21) 1-20 mg-mcg TABLET **MO**	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET **MO**	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET **MO**	1	
lessina 0.1-20 mg-mcg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET **MO**	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET **MO**	1	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET **MO**	3	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET **MO**	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET **MO**	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET **MO**	3	
lo-zumandimine (28) 3-0.02 mg TABLET **MO**	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET **MO**	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET **MO**	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET **MO**	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET **MO**	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET **MO**	1	
low-ogestrel (28) 0.3-30 mg-mcg TABLET **MO**	1	
luizza 1-20 mg-mcg, 1.5-30 mg-mcg TABLET **MO**	1	
lutera (28) 0.1-20 mg-mcg TABLET **MO**	1	
lyleq 0.35 mg TABLET **MO**	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY **MO**	1	QL(8 per 28 days)
lyza 0.35 mg TABLET **MO**	1	
marlissa (28) 0.15-0.03 mg TABLET **MO**	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET **MO**	1	
medroxyprogesterone 150 mg/ml SUSPENSION **MO**	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE **MO**	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET **MO**	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION **MO**	1	
meleya 0.35 mg TABLET **MO**	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET **MO**	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY **MO**	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE **MO**	1	
METHITEST 10 MG TABLET **DL**	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methyltestosterone 10 mg CAPSULE **DL**	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET **MO**	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET **MO**	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET **MO**	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
mili 0.25-0.035 mg TABLET **MO**	1	
mimvey 1-0.5 mg TABLET **MO**	1	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY **MO**	3	QL(8 per 28 days)
minzoya 0.1 mg-0.02 mg (21)/iron (7) TABLET **MO**	1	
mono-linyah 0.25-0.035 mg TABLET **MO**	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET **MO**	3	
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET **MO**	1	
NEXPLANON 68 MG IMPLANT **MO**	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET **MO**	3	
nikki (28) 3-0.02 mg TABLET **MO**	1	
NORA-BE 0.35 MG TABLET **MO**	1	
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY **MO**	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET **MO**	1	
norethindrone (contraceptive) 0.35 mg TABLET **MO**	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET **MO**	1	
norethindrone acetate 5 mg TABLET **MO**	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET **MO**	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE **MO**	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET **MO**	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg TABLET **MO**	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET **MO**	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET **MO**	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET **MO**	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUVARING 0.12-0.015 MG/24 HR RING **MO**	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET **MO**	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET **MO**	1	
ocella 3-0.03 mg TABLET **MO**	1	
orquidea 0.35 mg TABLET **MO**	1	
OSPHENA 60 MG TABLET **MO**	2	PA
philith 0.4-35 mg-mcg TABLET **MO**	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
portia 28 0.15-0.03 mg TABLET **MO**	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET **MO**	3	PA
PREMARIN 0.625 MG/GRAM CREAM **MO**	2	
PREMARIN 25 MG RECON SOLUTION **MO**	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET **MO**	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET **MO**	3	
progesterone 50 mg/ml OIL **MO**	1	
progesterone micronized 100 mg INSERT **MO**	1	
progesterone micronized 100 mg, 200 mg CAPSULE **MO**	1	
PROMETRIUM 100 MG, 200 MG CAPSULE **MO**	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET **MO**	3	
raloxifene 60 mg TABLET **MO**	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET **MO**	1	
rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
rosyrah 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET **MO**	3	
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET **MO**	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH **MO**	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET **MO**	3	
sprintec (28) 0.25-0.035 mg TABLET **MO**	1	
sronyx 0.1-20 mg-mcg TABLET **MO**	1	
syeda 3-0.03 mg TABLET **MO**	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET **MO**	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET **MO**	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE **MO**	3	
TESTIM 50 MG/5 GRAM (1 %) GEL **MO**	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET **MO**	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET **MO**	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET **MO**	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP **MO**	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP **MO**	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP **MO**	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP **MO**	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL **MO**	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL **MO**	1	PA
testosterone enanthate 200 mg/ml OIL **MO**	1	PA,QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET **MO**	1	
TLANDO 112.5 MG CAPSULE **MO**	3	PA,QL(120 per 30 days)
tri-estarylla 0.18/0.215/0.25 mg-0.035mg (28) TABLET **MO**	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET **MO**	1	
tri-linyah 0.18/0.215/0.25 mg-0.035mg (28) TABLET **MO**	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-0.025 mg TABLET **MO**	1	
tri-lo-marzia 0.18/0.215/0.25 mg-0.025 mg TABLET **MO**	1	
tri-lo-mili 0.18/0.215/0.25 mg-0.025 mg TABLET **MO**	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-0.025 mg TABLET **MO**	1	
tri-mili 0.18/0.215/0.25 mg-0.035mg (28) TABLET **MO**	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-0.035mg (28) TABLET **MO**	1	
tri-vylibra 0.18/0.215/0.25 mg-0.035mg (28) TABLET **MO**	1	
tri-vylibra lo 0.18/0.215/0.25 mg-0.025 mg TABLET **MO**	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET **MO**	1	
tulana 0.35 mg TABLET **MO**	1	
turqoz (28) 0.3-30 mg-mcg TABLET **MO**	1	
TWIRLA 120-30 MCG/24 HR PATCH, WEEKLY **MO**	2	QL(3 per 28 days)
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET **MO**	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET **MO**	1	
UNDECATREX 200 MG CAPSULE **DL**	4	PA,QL(120 per 30 days)
VAGIFEM 10 MCG TABLET **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valtya 1-35 mg-mcg, 1-50 mg-mcg TABLET **MO**	1	
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET **MO**	1	
vestura (28) 3-0.02 mg TABLET **MO**	1	
vienva 0.1-20 mg-mcg TABLET **MO**	1	
viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY **MO**	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET **MO**	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP **MO**	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL **MO**	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET **MO**	1	
vyfemla (28) 0.4-35 mg-mcg TABLET **MO**	1	
vylibra 0.25-0.035 mg TABLET **MO**	1	
wera (28) 0.5-35 mg-mcg TABLET **MO**	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET **MO**	1	
xarah fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET **MO**	1	
xelria fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET **MO**	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY **MO**	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR **MO**	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET **MO**	3	
YAZ (28) 3-0.02 MG TABLET **MO**	3	
yuvafem 10 mcg TABLET **MO**	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY **MO**	1	QL(3 per 28 days)
zarah 3-0.03 mg TABLET **MO**	1	
zovia 1-35 (28) 1-35 mg-mcg TABLET **MO**	1	
zumandimine (28) 3-0.03 mg TABLET **MO**	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET **MO**	3	
ERMEZA 30 MCG/ML SOLUTION **MO**	3	PA
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET **MO**	2	
levothyroxine 100 mcg RECON SOLUTION **MO**	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET **MO**	1	
levothyroxine 100 mcg/ml SOLUTION	4	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET **MO**	1	
levothyroxine 20 mcg/ml, 40 mcg/ml SOLUTION **MO**	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION **DL**	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET **MO**	2	
liomny 25 mcg, 5 mcg, 50 mcg TABLET **MO**	1	
liothyronine 10 mcg/ml SOLUTION **MO**	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET **MO**	1	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET **MO**	2	
THYQUIDITY 20 MCG/ML SOLUTION **MO**	3	PA
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE **MO**	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION **MO**	3	PA
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET **MO**	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)		
BYNFEZIA 7,000 MCG/2.8ML (2,500 MCG/ML) PEN INJECTOR **DL**	4	PA
cabergoline 0.5 mg TABLET **MO**	1	
CAMCEVI (6 MONTH) 42 MG SYRINGE **MO**	3	PA,QL(1 per 180 days)
ELIGARD 7.5 MG (1 MONTH) SYRINGE **MO**	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE **MO**	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE **MO**	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE **MO**	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION **DL**	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION **DL**	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION **MO**	3	PA
lanreotide 120 mg/0.5 ml SYRINGE **DL**	4	PA,QL(0.5 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lanreotide 60 mg/0.2 ml SYRINGE **DL**	4	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE **DL**	4	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT **MO**	1	
leuprolide acetate (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION **MO**	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT **DL**	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT **DL**	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUTRATE DEPOT (3 MONTH) 22.5 MG SUSPENSION FOR RECONSTITUTION **MO**	3	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC **DL**	4	PA,QL(112 per 28 days)
MYFEMBREE 40-1-0.5 MG TABLET **DL**	4	QL(28 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION **MO**	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE **MO**	1	PA
octreotide,microspheres 10 mg, 20 mg, 30 mg SUSPENSION, ER, RECON **DL**	4	PA
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL **DL**	4	QL(56 per 28 days)
ORILISSA 150 MG TABLET **DL**	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET **DL**	4	PA,QL(56 per 28 days)
PALSONIFY 20 MG TABLET **DL**	4	PA,QL(90 per 30 days)
PALSONIFY 30 MG TABLET **DL**	4	PA,QL(120 per 30 days)
RECORLEV 150 MG TABLET **DL**	4	PA,QL(240 per 30 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION **DL**	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON **DL**	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION **DL**	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION **DL**	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE **DL**	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE **DL**	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE **DL**	4	PA,QL(0.3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION **DL**	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION **DL**	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL **DL**	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION **MO**	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
VABRINTY (1 MONTH) 7.5 MG (1 MONTH) SYRINGE **DL**	4	PA
VABRINTY (3 MONTH) 22.5 MG SYRINGE	4	PA
VABRINTY (4 MONTH) 30 MG SYRINGE	4	PA
VABRINTY (6 MONTH) 45 MG SYRINGE	4	PA
ZOLADEX 10.8 MG IMPLANT **MO**	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT **MO**	3	PA,QL(1 per 28 days)
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
methimazole 10 mg, 5 mg TABLET **MO**	1	
propylthiouracil 50 mg TABLET **MO**	1	
IMMUNOLOGICAL AGENTS		
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION **$0,DL**	1	
ACTEMRA 162 MG/0.9 ML SYRINGE **DL**	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR **DL**	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION **DL**	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION **DL**	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION **$0,DL**	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE **$0,DL**	1	
ADALIMUMAB-ADAZ 10 MG/0.1 ML SYRINGE **DL**	4	PA,QL(0.2 per 28 days)
ADALIMUMAB-ADAZ 20 MG/0.2 ML SYRINGE **DL**	4	PA,QL(1.2 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR **DL**	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE **DL**	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 80 MG/0.8 ML PEN INJECTOR **DL**	4	PA,QL(4.8 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT **DL**	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT **DL**	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION **DL**	4	PA
ANDEMBRY AUTOINJECTOR 200 MG/1.2 ML AUTO-INJECTOR **DL**	4	PA
ARAVA 10 MG, 20 MG TABLET **DL**	4	QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION **DL**	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
ASCENIV 10 % SOLUTION **DL**	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. **MO**	3	BvsD
ATGAM 50 MG/ML SOLUTION **DL**	4	PA
auranofin 3 mg CAPSULE **DL**	4	
AVSOLA 100 MG RECON SOLUTION **DL**	4	PA
AZASAN 100 MG, 75 MG TABLET **MO**	1	BvsD
azathioprine 100 mg, 50 mg, 75 mg TABLET **MO**	1	BvsD
azathioprine sodium 100 mg RECON SOLUTION **MO**	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
BENLYSTA 120 MG RECON SOLUTION **DL**	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION **DL**	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT **DL**	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION **DL**	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
BESREMI PEN 500 MCG/0.5 ML PEN INJECTOR **DL**	4	PA,QL(1 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE **$0,DL**	1	
BIMZELX 160 MG/ML, 320 MG/2 ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML, 320 MG/2 ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
BIVIGAM 10 % SOLUTION **DL**	4	PA
BKEMV 300 MG/30 ML SOLUTION **DL**	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE **$0,DL**	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION	4	BvsD
CELLCEPT 250 MG CAPSULE	4	BvsD
CELLCEPT 500 MG TABLET	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION **MO**	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET **DL**	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CIMZIA 200 MG/ML SYRINGE KIT **DL**	4	PA,QL(6 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT **DL**	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT **DL**	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT **DL**	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION **DL**	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION **DL**	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION **DL**	4	PA
cyclosporine 100 mg, 25 mg CAPSULE **MO**	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE **MO**	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION **MO**	1	BvsD
CYTOGAM 50 MG/ML SOLUTION **DL**	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION **DL**	1	
DAWNZERA 80 MG/0.8 ML AUTO-INJECTOR **DL**	4	PA,QL(0.8 per 28 days)
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION **DL**	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR **DL**	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE **DL**	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
EKTERLY 300 MG TABLET **DL**	4	PA,QL(12 per 30 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE **DL**	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION **DL**	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE **DL**	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR **DL**	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION **$0,DL**	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE **$0,DL**	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE **$0,DL**	1	BvsD
ENJAYMO 50 MG/ML SOLUTION **DL**	4	PA
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR **DL**	4	PA,QL(1.36 per 28 days)
ENVARSUS XR 0.75 MG, 1 MG, 4 MG TABLET, ER 24 HR. **MO**	3	PA
EPYSQLI 300 MG/30 ML SOLUTION **DL**	4	PA
everolimus (immunosuppressive) 0.25 mg TABLET **MO**	1	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET	4	BvsD,QL(120 per 30 days)
everolimus (immunosuppressive) 0.75 mg TABLET	4	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 1 mg TABLET **DL**	4	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE **DL**	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE **DL**	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION **DL**	4	PA
GAMASTAN 15-18 % RANGE SOLUTION **MO**	3	PA
GAMIFANT 5 MG/ML SOLUTION **DL**	4	PA
GAMMAGARD LIQUID 10 % SOLUTION **DL**	4	PA
GAMMAGARD LIQUID ERC 10 % SOLUTION **DL**	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION **DL**	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION **DL**	4	PA
GAMMAPLEX 10 % SOLUTION **DL**	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION **DL**	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION **DL**	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION **DL**	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION **$0,DL**	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE **$0,DL**	1	
gengraf 100 mg, 25 mg CAPSULE **MO**	1	BvsD
gengraf 100 mg/ml SOLUTION **MO**	1	BvsD
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION **DL**	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE **$0,DL**	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE **DL**	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE **$0,DL**	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION **DL**	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE **DL**	4	PA
HUMIRA 40 MG/0.8 ML SYRINGE KIT **DL**	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT **DL**	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT **DL**	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT **DL**	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION **DL**	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE **DL**	3	BvsD
icatibant 30 mg/3 ml SYRINGE **DL**	4	PA,QL(18 per 30 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMAAVY 185 MG/ML SOLUTION **DL**	4	PA
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION **DL**	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION **$0,DL**	1	BvsD
IMURAN 50 MG TABLET **MO**	3	BvsD
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE **DL**	1	
INFLECTRA 100 MG RECON SOLUTION **DL**	4	PA
INFLIXIMAB 100 MG RECON SOLUTION **DL**	4	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION **$0,DL**	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE **$0,DL**	1	
JYLAMVO 2 MG/ML SOLUTION **MO**	3	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION **$0,DL**	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION **DL**	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR **DL**	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE **DL**	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE **DL**	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE **DL**	1	
leflunomide 10 mg, 20 mg TABLET **MO**	1	QL(30 per 30 days)
LEQSELVI 8 MG TABLET **DL**	4	PA,QL(60 per 30 days)
LISRAYA 30 MG TABLET **DL**	4	PA,QL(30 per 30 days)
LITFULO 50 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
LUPKYNIS 7.9 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION **$0,DL**	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION **$0,DL**	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT **$0,DL**	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION **$0,DL**	1	
methotrexate sodium 2.5 mg TABLET **MO**	1	BvsD
methotrexate sodium 25 mg/ml SOLUTION **MO**	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION **MO**	1	
methotrexate sodium (pf) 25 mg/ml SOLUTION **MO**	1	
MONJUVI 200 MG RECON SOLUTION **DL**	4	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE **$0,DL**	1	
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION **MO**	1	BvsD
mycophenolate mofetil 250 mg CAPSULE **MO**	1	BvsD
mycophenolate mofetil 500 mg TABLET **MO**	1	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION **MO**	1	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC **MO**	1	BvsD
MYFORTIC 180 MG, 360 MG TABLET, DR/EC **MO**	3	BvsD
MYHIBBIN 200 MG/ML SUSPENSION **DL**	4	BvsD
NEMLUVIO 30 MG PEN INJECTOR **DL**	4	PA,QL(2 per 28 days)
NEORAL 100 MG, 25 MG CAPSULE **MO**	3	BvsD
NEORAL 100 MG/ML SOLUTION **MO**	3	BvsD
NIKTIMVO 10 MG/ML, 50 MG/ML SOLUTION **DL**	4	PA
OCTAGAM 10 %, 5 % SOLUTION **DL**	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET **DL**	4	PA,QL(30 per 30 days)
OMLYCLO 150 MG/ML, 300 MG/2 ML SYRINGE **DL**	4	PA,QL(8 per 28 days)
OMLYCLO 75 MG/0.5 ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
OMVOH 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) SYRINGE **DL**	4	PA,QL(3 per 28 days)
OMVOH 200 MG/2 ML SYRINGE	4	PA,QL(3 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION **DL**	4	PA
OMVOH PEN 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) PEN INJECTOR **DL**	4	PA,QL(3 per 28 days)
OMVOH PEN 200 MG/2 ML PEN INJECTOR	4	PA,QL(3 per 28 days)
ORENCIA 125 MG/ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE **DL**	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE **DL**	4	PA,QL(2.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
ORLADEYO 108 MG, 132 MG, 150 MG, 72 MG, 96 MG PELLETS IN PACKET **DL**	4	PA,QL(28 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE **DL**	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR **MO**	3	PA,QL(1.6 per 28 days)
OTULFI 130 MG/26 ML SOLUTION **DL**	4	PA,QL(104 per 30 days)
OTULFI 45 MG/0.5 ML SOLUTION **MO**	2	PA,QL(1.5 per 84 days)
OTULFI 45 MG/0.5 ML SYRINGE **MO**	2	PA,QL(1.5 per 84 days)
OTULFI 90 MG/ML SYRINGE **DL**	4	PA,QL(3 per 84 days)
PANZYGA 10 % SOLUTION **DL**	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE **DL**	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION **DL**	1	
PEGASYS 180 MCG/0.5 ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION **DL**	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT **$0,DL**	1	
PENMENVY MEN A-B-C-W-Y (PF) 0.5 ML KIT **$0,DL**	1	
PENTACEL (PF) 15LF-20MCG-5LF- 62 DU/0.5 ML KIT **DL**	1	
PIASKY 340 MG/2 ML (170 MG/ML) SOLUTION **DL**	4	PA
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
PRIVIGEN 10 % SOLUTION **DL**	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET **MO**	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE **MO**	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION **DL**	1	
QIVIGY 10 % SOLUTION **DL**	4	PA
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION **DL**	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE **DL**	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION **$0,DL**	1	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR **MO**	3	QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR **MO**	3	QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR **MO**	3	QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR **MO**	3	QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR **MO**	3	QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR **MO**	3	QL(1.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR **MO**	3	QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR **MO**	3	QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR **MO**	3	QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION **$0,DL**	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE **$0,DL**	1	BvsD
REMICADE 100 MG RECON SOLUTION **DL**	4	PA
RENFLEXIS 100 MG RECON SOLUTION **DL**	4	PA
REZUROCK 200 MG TABLET **DL**	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE **MO**	3	
RIDAURA 3 MG CAPSULE **DL**	4	
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. **DL**	4	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION **DL**	4	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION **DL**	1	
ROTATEQ VACCINE 2 ML SOLUTION **DL**	1	
RUCONEST 2,100 UNIT RECON SOLUTION **DL**	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION **DL**	4	PA
sajazir 30 mg/3 ml SYRINGE **DL**	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE **MO**	3	BvsD
SAPHNELO 120 MG/0.8 ML SYRINGE **DL**	4	PA,QL(3.2 per 28 days)
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION **DL**	4	PA,QL(2 per 28 days)
SAPHNELO PEN 120 MG/0.8 ML AUTO-INJECTOR **DL**	4	PA,QL(3.2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
SHINGRIX (PF) 50 MCG/0.5 ML SYRINGE **$0,DL**	1	
SILIQ 210 MG/1.5 ML SYRINGE **DL**	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR **DL**	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE **DL**	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR **DL**	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE **DL**	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION **DL**	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION **DL**	4	BvsD
sirolimus 0.5 mg, 1 mg, 2 mg TABLET **MO**	1	BvsD
sirolimus 1 mg/ml SOLUTION **MO**	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(2 per 84 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR **DL**	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR **DL**	4	PA,QL(16.8 per 365 days)
SKYRIZI 55 MG/0.37 ML SYRINGE	4	PA,QL(0.74 per 84 days)
SKYRIZI 60 MG/ML SOLUTION **DL**	4	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION **DL**	4	PA
SOTYKTU 6 MG TABLET **DL**	4	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML, 300 MG/2 ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION **DL**	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION **DL**	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION **DL**	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE **DL**	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE **DL**	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION **DL**	4	PA
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE **MO**	1	BvsD
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR. **MO**	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE **DL**	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 20 MG/0.25 ML SYRINGE **DL**	4	PA,QL(0.25 per 28 days)
TALTZ SYRINGE 40 MG/0.5 ML SYRINGE **DL**	4	PA,QL(0.5 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE **DL**	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION **$0,DL**	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION **$0,DL**	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE **$0,DL**	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR **DL**	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE **DL**	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION **MO**	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE **$0,DL**	1	
tofacitinib 1 mg/ml SOLUTION **DL**	4	PA,QL(300 per 30 days)
tofacitinib 10 mg, 5 mg TABLET **MO**	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tofacitinib 11 mg, 22 mg TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE **DL**	4	PA,QL(4 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION **DL**	4	PA,QL(120 per 365 days)
TREMFYA ONE-PRESS 100 MG/ML AUTO-INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 100 MG/ML PEN INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 200 MG/2 ML PEN INJECTOR **DL**	4	PA,QL(4 per 28 days)
TREMFYA PEN INDUCTION PK(2PEN) 200 MG/2 ML PEN INJECTOR **DL**	4	PA,QL(4 per 28 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET **MO**	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE **$0,DL**	1	
TRUTAKNA 150 MG/ML AUTO-INJECTOR **DL**	4	PA,QL(4 per 28 days)
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE **$0,DL**	1	
TYENNE 162 MG/0.9 ML SYRINGE **DL**	4	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR **DL**	4	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION **$0,DL**	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE **$0,DL**	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION **DL**	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION **DL**	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE **DL**	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION **$0,DL**	1	
VAQTA (PF) 50 UNIT/ML SYRINGE **$0,DL**	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION **DL**	4	QL(12 per 30 days)
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION **$0,MO**	1	
VELSIPITY 2 MG TABLET **DL**	4	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION **DL**	4	PA
VIMKUNYA (PF) 40 MCG/0.8 ML SYRINGE **$0,DL**	1	
VIVOTIF 2 BILLION UNIT CAPSULE, DR/EC **$0,MO**	1	
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET **DL**	4	QL(180 per 30 days)
VOYXACT 400 MG/2 ML (200 MG/ML) SYRINGE **DL**	4	PA,QL(2 per 28 days)
XATMEP 2.5 MG/ML SOLUTION **MO**	3	PA
XELJANZ 1 MG/ML SOLUTION **DL**	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET **DL**	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. **DL**	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION **DL**	4	PA
XOLAIR 150 MG RECON SOLUTION **DL**	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR **DL,LA**	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE **DL,LA**	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR **DL,LA**	4	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE **DL,LA**	4	PA,QL(4 per 28 days)
YESINTEK 130 MG/26 ML SOLUTION **DL**	4	PA,QL(104 per 30 days)
YESINTEK 45 MG/0.5 ML SOLUTION **MO**	2	PA,QL(1.5 per 84 days)
YESINTEK 45 MG/0.5 ML SYRINGE **MO**	2	PA,QL(1.5 per 84 days)
YESINTEK 90 MG/ML SYRINGE **DL**	4	PA,QL(3 per 84 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION **$0,DL**	1	
YIMMUGO 10 % SOLUTION **DL**	4	PA
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE **DL**	4	PA
ZORTRESS 0.25 MG TABLET **MO**	3	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET	4	BvsD,QL(120 per 30 days)
ZORTRESS 0.75 MG, 1 MG TABLET	4	BvsD,QL(60 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT **DL**	4	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT **DL**	4	PA,QL(2 per 28 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. **MO**	3	ST,QL(120 per 30 days)
AZULFIDINE 500 MG TABLET **MO**	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC **MO**	3	
balsalazide 750 mg CAPSULE **MO**	1	
budesonide 2 mg/actuation FOAM **MO**	1	PA
budesonide 3 mg CAPSULE, DR/EC **MO**	1	
budesonide 9 mg TABLET, DR/ER **MO**	1	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE	4	
CORTENEMA 100 MG/60 ML ENEMA **MO**	3	
CORTIFOAM 10 % (80 MG) FOAM **MO**	3	
DIPENTUM 250 MG CAPSULE	4	ST,QL(120 per 30 days)
hydrocortisone 100 mg/60 ml ENEMA **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LIALDA 1.2 GRAM TABLET, DR/EC MO	3	ST,QL(120 per 30 days)
mesalamine 0.375 gram CAPSULE, ER 24 HR. MO	1	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY MO	1	QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC MO	1	ST,QL(120 per 30 days)
mesalamine 250 mg CAPSULE, ER MO	1	ST,QL(150 per 30 days)
mesalamine 4 gram/60 ml ENEMA MO	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) MO	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER MO	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC MO	1	ST,QL(180 per 30 days)
PENTASA 250 MG CAPSULE, ER MO	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER MO	3	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM MO	1	
ROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET MO	1	
sulfasalazine 500 mg TABLET, DR/EC MO	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM MO	3	PA
UCERIS 9 MG TABLET, DR/ER	4	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET MO	3	QL(1 per 30 days)
ACTONEL 35 MG TABLET MO	3	QL(4 per 28 days)
alendronate 10 mg TABLET MO	1	QL(30 per 30 days)
alendronate 35 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION MO	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC MO	3	QL(4 per 28 days)
BILDYOS 60 MG/ML SYRINGE MO	3	PA,QL(1 per 180 days)
BINOSTO 70 MG TABLET, EFFERVESCENT MO	3	ST,QL(4 per 28 days)
BOMYNTRA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
BOMYNTRA 120 MG/1.7 ML (70 MG/ML) SYRINGE DL	4	PA,QL(1.7 per 28 days)
BOSAYA 60 MG/ML SYRINGE MO	3	PA,QL(1 per 180 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MO	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
calcitriol 0.25 mcg, 0.5 mcg CAPSULE **MO**	1	
calcitriol 1 mcg/ml SOLUTION **MO**	1	
cinacalcet 30 mg, 60 mg TABLET **MO**	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET **MO**	1	QL(120 per 30 days)
CONEXXENCE 60 MG/ML SYRINGE **MO**	3	PA,QL(1 per 180 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE **MO**	1	
doxercalciferol 4 mcg/2 ml SOLUTION **MO**	1	
ENOBY 60 MG/ML SYRINGE **MO**	3	QL(1 per 180 days)
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE **DL**	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (560MCG/2.24ML) PEN INJECTOR **DL**	4	PA,QL(2.24 per 28 days)
FOSAMAX 70 MG TABLET **MO**	3	QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET **MO**	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION **MO**	3	
ibandronate 150 mg TABLET **MO**	1	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION **MO**	1	QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE **MO**	1	QL(3 per 90 days)
JUBBONTI 60 MG/ML SYRINGE **MO**	3	PA,QL(1 per 180 days)
MIACALCIN 200 UNIT/ML SOLUTION **DL**	4	
OSPOMYV 60 MG/ML SYRINGE **MO**	3	PA,QL(1 per 180 days)
OSVYRTI 60 MG/ML SYRINGE **MO**	3	PA,QL(1 per 180 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION **MO**	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION **MO**	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE **MO**	1	
paricalcitol 2 mcg/ml SOLUTION **MO**	1	QL(24 per 30 days)
paricalcitol 5 mcg/ml SOLUTION **MO**	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE **MO**	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. **DL**	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK **MO**	3	PA,QL(100 per 365 days)
risedronate 150 mg TABLET **MO**	1	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET **MO**	1	QL(30 per 30 days)
risedronate 35 mg TABLET **MO**	1	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC **MO**	1	QL(4 per 28 days)
ROCALTROL 1 MCG/ML SOLUTION **MO**	3	
SENSIPAR 30 MG TABLET **MO**	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SENSIPAR 60 MG TABLET	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET	4	QL(120 per 30 days)
STOBOCLO 60 MG/ML SYRINGE **MO**	3	PA,QL(1 per 180 days)
TERIPARATIDE 20 MCG/DOSE (560MCG/2.24ML) PEN INJECTOR **DL**	4	PA,QL(2.24 per 28 days)
teriparatide 20 mcg/dose (560mcg/2.24ml) PEN INJECTOR **DL**	4	PA,QL(2.24 per 28 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR **DL**	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION **DL**	4	PA,QL(1.7 per 28 days)
YORVIPATH 168 MCG/0.56 ML PEN INJECTOR **DL**	4	PA,QL(1.12 per 28 days)
YORVIPATH 294 MCG/0.98 ML PEN INJECTOR **DL**	4	PA,QL(1.96 per 28 days)
YORVIPATH 420 MCG/1.4 ML PEN INJECTOR **DL**	4	PA,QL(2.8 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE **MO**	3	
ZEMPLAR 2 MCG/ML SOLUTION **DL**	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION **DL**	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK **MO**	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION **MO**	1	
zoledronic acid 4 mg/5 ml SOLUTION **MO**	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK **MO**	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK **MO**	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION **MO**	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION **MO**	1	
acetic acid 0.25 % SOLUTION **MO**	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION **MO**	1	
ADAKVEO 10 MG/ML SOLUTION **DL**	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
ALCOHOL PREP PADS PADS, MEDICATED **$0,MO**	1	
ALCOHOL SWABS PADS, MEDICATED **$0,MO**	1	
ALCOHOL WIPES PADS, MEDICATED **$0,MO**	1	
AMMONUL 10-10 % SOLUTION **DL**	4	
AQNEURSA 1 GRAM GRANULES IN PACKET **DL**	4	PA,QL(112 per 28 days)
ATEBRIOZ 25 MG TABLET **DL**	4	PA,QL(120 per 30 days)
AUTOJECT 2 INJECTION DEVICE INSULIN PEN **$0,MO**	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN **$0,MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUTOPEN 2 TO 42 UNITS INSULIN PEN **$0,MO**	1	
AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE **$0,PDS,MO**	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE **$0,MO**	1	
BD ALCOHOL SWABS PADS, MEDICATED **$0,MO**	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE **$0,PDS,MO**	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
BD INSULIN SYRINGE 1 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE **$0,PDS,MO**	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE **$0,PDS,MO**	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE **$0,PDS,MO**	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE **$0,PDS,MO**	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE **$0,PDS,MO**	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE **$0,PDS,MO**	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE **$0,PDS,MO**	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE **DL**	4	
BORDERED GAUZE 2 X 2 " BANDAGE **$0,MO**	1	
BRINSUPRI 10 MG, 25 MG TABLET **DL**	4	PA,QL(30 per 30 days)
butalbital-acetaminop-caf-cod 50-300-40-30 mg, 50-325-40-30 mg CAPSULE **DL**	1	QL(180 per 30 days)
butalbital-acetaminophen 50-300 mg CAPSULE **MO**	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET **MO**	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE **MO**	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET **MO**	1	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg/15 ml SOLUTION **DL**	4	QL(450 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE **MO**	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET **MO**	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE **DL**	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLET **DL**	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE **DL**	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLET **DL**	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION **MO**	3	
caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION **MO**	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED **$0,MO**	1	
CEQUR SIMPLICITY 1 UNIT (240 UNIT), 2 UNIT (200 UNIT), 2 UNIT (240 UNIT) DEVICE **$0,MO**	2	
CEQUR SIMPLICITY INSERTER MISCELLANEOUS **$0,MO**	2	
CERVIDIL 10 MG INSERT, ER **MO**	3	
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE **MO**	3	QL(60 per 30 days)
COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE **MO**	3	PA,QL(60 per 30 days)
COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK **MO**	3	PA,QL(56 per 28 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION **MO**	3	
CURITY ALCOHOL SWABS PADS, MEDICATED **$0,MO**	1	
CURITY GAUZE 2 X 2 " BANDAGE **$0,MO**	1	
DEFITELIO 80 MG/ML SOLUTION **DL**	4	PA
DERMACEA 2 X 2 " BANDAGE **$0,MO**	1	
dimethyl sulfoxide 50 % SOLUTION **DL**	4	
DROPLET INSULIN SYR(HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE **$0,PDS,MO**	1	
DROPLET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE **$0,PDS,MO**	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED **$0,MO**	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 31 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE **MO**	3	
dyclopro 0.5 % SOLUTION **MO**	1	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED **$0,MO**	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED **$0,MO**	1	
EASYLIFE ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
edetate calcium disodium 200 mg/ml SOLUTION **DL**	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION **DL**	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION **DL**	4	PA,QL(160 per 28 days)
ENFLONSIA 105 MG/0.7 ML SYRINGE **MO**	3	
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET **DL**	4	PA
ESGIC 50-325-40 MG TABLET **MO**	1	QL(180 per 30 days)
FILSPARI 200 MG TABLET **DL**	4	PA,QL(30 per 30 days)
FILSPARI 400 MG TABLET **DL**	4	PA,QL(60 per 30 days)
FILSUVEZ 10 % GEL **DL**	4	PA
fioricet 50-300-40 mg CAPSULE **MO**	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE **DL**	3	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION **MO**	1	
fomepizole 1 gram/ml SOLUTION **MO**	1	
FORZINITY 80 MG/ML SOLUTION **DL**	4	PA,QL(15 per 30 days)
GAUZE BANDAGE 2 X 2 " BANDAGE **$0,MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GAUZE PAD 2 X 2 " BANDAGE **$0,MO**	1	
GIVLAARI 189 MG/ML SOLUTION **DL**	4	PA
HEPCLUDEX 8.5 MG RECON SOLUTION **DL**	4	PA,QL(30 per 30 days)
IGALMI 120 MCG, 180 MCG FILM **MO**	3	
INCONTROL ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE **$0,PDS,MO**	1	
INSULIN U-500 SYRINGE-NEEDLE 1/2 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
ISEMBYLD 50 MG/ML SOLUTION **DL**	4	PA
IV PREP WIPES PADS, MEDICATED **$0,MO**	1	
JOURNAVX 50 MG TABLET **MO**	3	PA,QL(30 per 180 days)
KORLYM 300 MG TABLET **DL**	4	PA,QL(120 per 30 days)
lactated ringers SOLUTION **MO**	1	
LITHOSTAT 250 MG TABLET **MO**	3	
LUMVOA 50 MG/ML SOLUTION **DL**	4	PA
methylergonovine 0.2 mg TABLET **DL**	4	
methylergonovine 0.2 mg/ml (1 ml) SOLUTION **MO**	1	
mifepristone 300 mg TABLET **DL**	4	PA,QL(120 per 30 days)
MIMRYLO 19 MG, 28 MG, 9.5 MG RECON SOLUTION **DL**	4	PA,QL(4 per 28 days)
MIMRYLO 41 MG, 54 MG RECON SOLUTION **DL**	4	PA,QL(8 per 28 days)
MINT REFILL KIT CARTRIDGE **$0,MO**	3	PA
MINT STARTER KIT CARTRIDGE **$0,MO**	3	PA
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD **MO**	2	
MODD1 PATIENT WELCOME KIT KIT **MO**	3	PA
MODD1 SUPPLY KIT COMBO PACK **MO**	3	PA
NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION **MO**	1	
nitroglycerin 0.4 % (w/w) OINTMENT **MO**	1	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN **$0,MO**	1	
OMNIPOD 5 (LIBRE 2/3 PLUS) CARTRIDGE **$0,MO**	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE **$0,MO**	2	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE **$0,MO**	2	
OMNIPOD 5 INTRO (LIBRE2/3PLUS) CARTRIDGE **$0,MO**	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE **$0,MO**	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE **$0,MO**	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE **$0,MO**	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE **$0,MO**	2	
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
oxytocin 10 unit/ml SOLUTION **MO**	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE **MO**	3	
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET **MO**	3	
PALFORZIA INITIAL (4-17 YRS) 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE **MO**	3	
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET **MO**	3	
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE **$0,PDS,MO**	1	
phenazopyridine 100 mg, 200 mg TABLET **MO**	1	
PHEXX 1.8-1-0.4 % GEL **MO**	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PHEXXI 1.8-1-0.4 % GEL **MO**	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION **MO**	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION **MO**	1	
PITOCIN 10 UNIT/ML SOLUTION **MO**	3	
PIVOT INSULIN PUMP STARTER KIT KIT **MO**	3	PA
PIVOT SUPPLY KIT COMBO PACK **MO**	3	PA
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE **MO**	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION **DL**	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
PRO-COMFORT ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP **MO**	1	
protamine 10 mg/ml SOLUTION **MO**	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
PYRIDIUM 100 MG, 200 MG TABLET **MO**	3	
QUTENZA 8 % KIT **DL**	4	PA
RECTIV 0.4 % (W/W) OINTMENT **MO**	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION **MO**	3	
REZDIFFRA 100 MG, 60 MG, 80 MG TABLET **DL**	4	PA,QL(30 per 30 days)
ribavirin 6 gram RECON SOLUTION **DL**	4	BvsD
RIMSO-50 50 % SOLUTION **DL**	4	
ringer's SOLUTION **MO**	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE **DL**	4	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION **DL**	4	PA
SIKLOS 1,000 MG, 100 MG TABLET **MO**	3	PA
sodium benzoate-sod phenylacet 10-10 % SOLUTION **DL**	4	
sodium chloride 0.9 % SOLUTION **MO**	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE **DL**	4	PA
sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION **MO**	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED **$0,MO**	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED **$0,MO**	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION **DL**	4	
tencon 50-325 mg TABLET **MO**	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION **DL**	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED **$0,MO**	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED **$0,MO**	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE **$0,PDS,MO**	1	
ULTRA-FINE INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE **$0,PDS,MO**	1	
ULTRA-FINE INSULIN SYRINGE 1/2 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2" NEEDLE **$0,PDS,MO**	1	
ULTRA-FINE PEN NEEDLE 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4" NEEDLE **$0,PDS,MO**	1	
ULTRA-FINE SAFETY INSULIN SYRN 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 GAUGE X 15/64" SYRINGE **$0,PDS,MO**	1	
V-GO 20 DEVICE **$0,MO**	3	PA
V-GO 30 DEVICE **$0,MO**	3	PA
V-GO 40 DEVICE **$0,MO**	3	PA
VANRAFIA 0.75 MG TABLET **DL**	4	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION **DL**	4	BvsD
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL **DL**	4	PA,QL(10 per 28 days)
VYKAT XR 150 MG, 25 MG, 75 MG TABLET, ER 24 HR. **DL**	4	PA
water for irrigation, sterile SOLUTION **MO**	1	
WEBCOL PADS, MEDICATED **$0,MO**	1	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML PEN INJECTOR **DL**	2	PA,QL(2 per 28 days)
WEGOVY 1.5 MG, 25 MG, 4 MG, 9 MG TABLET **DL**	2	PA,QL(30 per 30 days)
WEGOVY 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR **DL**	2	PA,QL(3 per 28 days)
XDEMVY 0.25 % DROPS **MO**	3	PA,QL(10 per 42 days)
XROMI 100 MG/ML SOLUTION **DL**	4	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR **DL**	4	PA
ZEPBOUND KWIKPEN 10 MG/0.6 ML (40 MG/2.4 ML), 12.5 MG/0.6 ML (50 MG/2.4 ML), 15 MG/0.6 ML (60 MG/2.4 ML), 2.5 MG/0.6 ML (10 MG/2.4 ML), 5 MG/0.6 ML (20 MG/2.4 ML), 7.5 MG/0.6 ML (30 MG/2.4 ML) PEN INJECTOR **DL**	3	PA,QL(2.4 per 28 days)
ZEVALIN (Y-90) 3.2 MG/2 ML KIT **DL**	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
ALCAINE 0.5 % DROPS MO	1	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 %, 0.15 % DROPS MO	3	ST
ALREX 0.2 % DROPS, SUSPENSION MO	3	ST
apraclonidine 0.5 % DROPS MO	1	
atropine 1 % DROPS MO	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE MO	1	
AZASITE 1 % DROPS MO	3	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS MO	1	
AZOPT 1 % DROPS, SUSPENSION MO	3	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT MO	1	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT MO	1	
bepotastine besilate 1.5 % DROPS MO	1	QL(5 per 25 days)
BEPREVE 1.5 % DROPS MO	3	QL(5 per 25 days)
besifloxacin 0.6 % DROPS, SUSPENSION MO	3	ST
BESIVANCE 0.6 % DROPS, SUSPENSION MO	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION MO	3	
betaxolol 0.5 % DROPS MO	1	
BETIMOL 0.25 %, 0.5 % DROPS MO	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION MO	3	ST
bimatoprost 0.01 %, 0.03 % DROPS MO	1	QL(2.5 per 25 days)
brimonidine 0.1 %, 0.15 % DROPS MO	1	ST
brimonidine 0.2 % DROPS MO	1	
brimonidine-timolol 0.2-0.5 % DROPS MO	1	
brinzolamide 1 % DROPS, SUSPENSION MO	1	ST,QL(10 per 28 days)
bromfenac 0.07 % DROPS MO	1	ST,QL(3 per 30 days)
bromfenac 0.075 % DROPS MO	1	ST,QL(5 per 30 days)
bromfenac 0.09 % DROPS MO	1	QL(1.7 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BROMSITE 0.075 % DROPS **MO**	3	ST,QL(5 per 30 days)
BSS SOLUTION **MO**	3	
BSS PLUS SOLUTION **MO**	3	
BYQLOVI 0.05 % DROPS, SUSPENSION **MO**	3	ST
carteolol 1 % DROPS **MO**	1	
CEQUA 0.09 % DROPPERETTE **MO**	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % OINTMENT **MO**	3	
ciprofloxacin hcl 0.3 % DROPS **MO**	1	
COMBIGAN 0.2-0.5 % DROPS **MO**	3	PA
COSOPT 22.3-6.8 MG/ML DROPS **MO**	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE **MO**	3	ST,QL(60 per 30 days)
cromolyn 4 % DROPS **MO**	1	
cyclosporine 0.05 % DROPPERETTE **MO**	1	QL(60 per 30 days)
CYSTADROPS 0.37 % DROPS **DL**	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS **DL**	4	PA,QL(60 per 28 days)
dexamethasone sodium phosphate 0.1 % DROPS **MO**	1	
DEXTENZA 0.4 MG INSERT **MO**	3	QL(1 per 30 days)
diclofenac sodium 0.1 % DROPS **MO**	1	
difluprednate 0.05 % DROPS **MO**	1	ST
dorzolamide 2 % DROPS **MO**	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS **MO**	1	
dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE **MO**	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS **MO**	3	ST
ENSPRYNG 120 MG/ML SYRINGE **DL**	4	PA,QL(2 per 28 days)
epinastine 0.05 % DROPS **MO**	1	QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT **MO**	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION **MO**	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION **MO**	3	ST
fluorometholone 0.1 % DROPS, SUSPENSION **MO**	1	
flurbiprofen sodium 0.03 % DROPS **MO**	1	
FML FORTE 0.25 % DROPS, SUSPENSION **MO**	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION **MO**	3	ST
gatifloxacin 0.5 % DROPS **MO**	1	QL(2.5 per 25 days)
gentamicin 0.3 % DROPS **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ILEVRO 0.3 % DROPS, SUSPENSION MO	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION MO	3	ST
IOPIDINE 1 % DROPPERETTE MO	3	
ISTALOL 0.5 % DROPS, ONCE DAILY MO	3	
IYUZEH (PF) 0.005 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ketorolac 0.4 %, 0.5 % DROPS MO	1	QL(10 per 30 days)
latanoprost 0.005 % DROPS MO	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS MO	1	
levofloxacin 0.5 %, 1.5 % DROPS MO	1	
LOTEMAX 0.5 % DROPS, GEL MO	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION MO	3	ST
LOTEMAX 0.5 % OINTMENT MO	3	ST
LOTEMAX SM 0.38 % DROPS, GEL MO	3	
loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION MO	1	
loteprednol etabonate 0.5 % DROPS, GEL MO	1	
LUMIGAN 0.01 % DROPS MO	3	PA,QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION MO	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT MO	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION MO	1	
methazolamide 25 mg, 50 mg TABLET MO	1	
MIEBO (PF) 100 % DROPS MO	3	QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION MO	3	
moxifloxacin 0.5 % DROPS MO	1	
moxifloxacin 0.5 % DROPS, VISCOUS MO	1	ST
NATACYN 5 % DROPS, SUSPENSION MO	3	
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT MO	1	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION MO	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION MO	1	
NEVANAC 0.1 % DROPS, SUSPENSION MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OCUFLOX 0.3 % DROPS **MO**	3	
ofloxacin 0.3 % DROPS **MO**	1	
OXERVATE 0.002 % DROPS **DL**	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS **MO**	3	
pilocarpine hcl 1 %, 1.25 %, 2 %, 4 % DROPS **MO**	1	
polycin 500-10,000 unit/gram OINTMENT **MO**	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS **MO**	1	
PRED FORTE 1 % DROPS, SUSPENSION **MO**	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION **MO**	3	ST
prednisolone acetate 1 % DROPS, SUSPENSION **MO**	1	
prednisolone sodium phosphate 1 % DROPS **MO**	1	
PROLENSA 0.07 % DROPS **MO**	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS **MO**	1	
RESTASIS 0.05 % DROPPERETTE **MO**	3	PA,QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS **MO**	3	PA,QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS **MO**	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS **MO**	2	ST
SIMBRINZA 1-0.2 % DROPS, SUSPENSION **MO**	3	
sulfacetamide sodium 10 % DROPS **MO**	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS **MO**	1	
tafluprost (pf) 0.0015 % DROPPERETTE **MO**	3	ST,QL(30 per 30 days)
timolol 0.5 % DROPS **MO**	1	
timolol maleate 0.25 % DROPS **MO**	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION **MO**	1	
timolol maleate 0.5 % DROPS **MO**	1	
timolol maleate 0.5 % DROPS, ONCE DAILY **MO**	1	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE **MO**	1	
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE **MO**	3	ST
TOBRADEX 0.3-0.1 % OINTMENT **MO**	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION **MO**	3	
tobramycin 0.3 % DROPS **MO**	1	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION **MO**	1	
tobramycin-lotepred 0.3-0.5 % DROPS, SUSPENSION **MO**	1	
TOBREX 0.3 % OINTMENT **MO**	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRAVATAN Z 0.004 % DROPS MO	3	ST,QL(2.5 per 25 days)
travoprost 0.004 % DROPS MO	1	QL(2.5 per 25 days)
trifluridine 1 % DROPS MO	1	
TRYPTYR 0.003 % DROPPERETTE MO	3	QL(60 per 30 days)
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MO	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE DL	4	PA,QL(120 per 30 days)
VEVYE 0.1 % DROPS MO	3	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS MO	3	
VUITY 1.25 % DROPS MO	3	
VYZULTA 0.024 % DROPS MO	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS MO	3	QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION MO	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE MO	3	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ZOLYMBUS 0.01 % DROPPERETTE, GEL MO	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION MO	3	
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION MO	3	
ciprofloxacin hcl 0.2 % DROPPERETTE MO	1	
ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)
ciprofloxacin-hydrocortisone 0.2-1 % DROPS, SUSPENSION MO	1	
CLOTIC 1 % DROPPERETTE DL	4	QL(56 per 28 days)
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO	3	
DERMOTIC OIL 0.01 % DROPS MO	3	
flac otic oil 0.01 % DROPS MO	1	
fluocinolone acetonide oil 0.01 % DROPS MO	1	
hydrocortisone-acetic acid 1-2 % DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION MO	1	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION MO	1	
ofloxacin 0.3 % DROPS MO	1	
XTORO 0.3 % DROPS, SUSPENSION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET **MO**	3	QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION **MO**	1	BvsD
ADCIRCA 20 MG TABLET **DL**	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET **DL**	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION **MO**	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE **MO**	3	PA,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER **MO**	2	QL(12 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. **MO**	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER **MO**	2	QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml SOLUTION FOR NEBULIZATION **MO**	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET **MO**	1	
albuterol sulfate 2 mg/5 ml SYRUP **MO**	1	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION **MO**	1	BvsD
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER **MO**	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	ST,QL(18.3 per 28 days)
ALYFTREK 10-50-125 MG TABLET **DL**	4	PA,QL(56 per 28 days)
ALYFTREK 4-20-50 MG TABLET **DL**	4	PA,QL(84 per 28 days)
alyq 20 mg TABLET **MO**	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET **MO**	1	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION **MO**	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE **MO**	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION **MO**	1	BvsD,QL(120 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE **MO**	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. **MO**	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	PA,QL(25.8 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR **MO**	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL **MO**	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL **MO**	1	ST,QL(23 per 28 days)
beclomethasone dipropionate 40 mcg/actuation AEROSOL **MO**	1	ST,QL(8.7 per 30 days)
beclomethasone dipropionate 80 mcg/actuation AEROSOL **MO**	1	ST,QL(17.4 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER **MO**	3	PA,QL(10.7 per 30 days)
bosentan 125 mg TABLET **DL**	4	PA,QL(60 per 30 days)
bosentan 32 mg TABLET FOR SUSPENSION **DL**	4	PA,QL(120 per 30 days)
bosentan 62.5 mg TABLET **MO**	1	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE **MO**	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-18-4.8 MCG/ACTUATION HFA AEROSOL INHALER **MO**	2	QL(10.7 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER **MO**	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE **DL**	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION	4	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION **MO**	1	BvsD
carbinoxamine maleate 4 mg TABLET **MO**	1	
carbinoxamine maleate 4 mg/5 ml LIQUID **MO**	1	
carbinoxamine maleate 4 mg/5 ml SUSPENSION, ER 12 HR.	4	
carbinoxamine maleate 6 mg TABLET **DL**	4	QL(120 per 30 days)
carbzah 4 mg/5 ml LIQUID **DL**	4	
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION **DL**	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION **MO**	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION **DL**	4	PA
CLARINEX 5 MG TABLET **MO**	3	QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP **DL**	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET **MO**	1	
clemasz 2.68 mg TABLET **MO**	1	
clemsza 2.68 mg TABLET **DL**	4	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST **MO**	3	QL(4 per 20 days)
corphena 2 mg/5 ml SOLUTION **DL**	4	
cromolyn 100 mg/5 ml CONCENTRATE **MO**	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION **MO**	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP **MO**	1	
cyproheptadine 4 mg TABLET **MO**	1	
DALIRESP 250 MCG TABLET **MO**	3	QL(28 per 365 days)
DALIRESP 500 MCG TABLET **MO**	3	QL(30 per 30 days)
desloratadine 0.5 mg/ml SOLUTION **DL**	4	QL(300 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING **MO**	1	QL(30 per 30 days)
desloratadine 5 mg TABLET **MO**	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION **MO**	1	
diphen 12.5 mg/5 ml ELIXIR **MO**	1	
DIPHEN 12.5 MG/5 ML ELIXIR **MO**	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR **MO**	1	
diphenhydramine hcl 50 mg/ml SOLUTION **MO**	1	
diphenhydramine hcl 50 mg/ml SYRINGE **MO**	1	
DOPRAM 20 MG/ML SOLUTION **MO**	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. **MO**	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL **MO**	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR **MO**	1	
epinephrine 0.1 mg/ml SYRINGE **MO**	3	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR **MO**	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR **MO**	3	QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR **MO**	3	QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR **MO**	3	QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR **MO**	3	QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION **DL**	4	BvsD
ESBRIET 267 MG CAPSULE **DL**	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET **DL**	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET **DL**	4	PA,QL(90 per 30 days)
EXDENSUR 100 MG/ML SYRINGE **DL**	4	PA,QL(1 per 180 days)
FASENRA 10 MG/0.5 ML SYRINGE **DL**	4	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE **DL**	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MO	1	QL(50 per 30 days)
fluticasone furoate-vilanterol 100-25 mcg/dose, 200-25 mcg/dose BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE MO	3	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MO	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE MO	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE MO	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION MO	1	BvsD
ipratropium bromide 17 mcg/actuation HFA AEROSOL INHALER MO	1	PA,QL(25.8 per 30 days)
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
JASCAYD 18 MG, 9 MG TABLET DL	4	PA,QL(60 per 30 days)
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR.	4	
LETAIRIS 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MO	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION MO	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET MO	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
macitentan 10 mg TABLET DL	4	PA,QL(30 per 30 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MO	1	QL(34 per 30 days)
montelukast 10 mg TABLET MO	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET MO	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET MO	1	QL(30 per 30 days)
NEFFY 1 MG/SPRAY (0.1 ML), 2 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	PA,QL(4 per 30 days)
nintedanib 100 mg, 150 mg CAPSULE DL	4	PA,QL(60 per 30 days)
NUCALA 100 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL MO	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL MO	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET DL	4	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET DL	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL	4	PA,QL(112 per 28 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
pirfenidone 267 mg CAPSULE DL	4	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET DL	4	PA,QL(270 per 30 days)
pirfenidone 534 mg, 801 mg TABLET DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. **MO**	3	ST,QL(2 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION **MO**	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. **MO**	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION **DL**	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER **MO**	3	ST,QL(10.6 per 30 days)
QUZYTTIR 10 MG/ML SOLUTION **MO**	3	
QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED **MO**	3	ST,QL(10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED **MO**	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET **MO**	3	PA,QL(30 per 30 days)
REMODULIN 0.4 MG/ML, 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION **DL**	4	PA
REVATIO 20 MG TABLET **DL**	4	PA,QL(360 per 30 days)
riociguat 0.5 mg, 1 mg, 1.5 mg, 2 mg, 2.5 mg TABLET **DL**	4	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET **MO**	1	QL(28 per 365 days)
roflumilast 500 mcg TABLET **MO**	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL **MO**	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION **MO**	1	
RYVENT 6 MG TABLET **MO**	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE **MO**	3	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION **MO**	3	PA,QL(720 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET **MO**	1	PA,QL(360 per 30 days)
SINGULAIR 10 MG TABLET **MO**	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET **MO**	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET **MO**	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST **MO**	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE **MO**	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST **MO**	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST **MO**	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER **MO**	2	QL(30.6 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL **DL**	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tadalafil (pulm. hypertension) 20 mg TABLET **MO**	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION **DL**	4	PA,QL(300 per 30 days)
terbutaline 1 mg/ml SOLUTION **MO**	1	
terbutaline 2.5 mg, 5 mg TABLET **MO**	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. **MO**	1	
theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. **MO**	1	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. **MO**	1	
theophylline 80 mg/15 ml ELIXIR **MO**	1	
theophylline 80 mg/15 ml SOLUTION **MO**	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE **DL**	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET **DL**	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION **DL**	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE **MO**	2	QL(60 per 30 days)
treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION **DL**	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL **DL**	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL **DL**	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. **MO**	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION **DL**	4	PA
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER **DL**	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER **DL**	4	PA,QL(252 per 28 days)
TYVASO DPI 32-64 MCG, 48-64 MCG, 48-80 MCG CARTRIDGE WITH INHALER **DL**	4	PA,QL(224 per 28 days)
TYVASO DPI 80 MCG CARTRIDGE WITH INHALER **DL**	4	PA,QL(112 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION **DL**	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION **DL**	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION **DL**	4	PA
umeclidinium 62.5 mcg/actuation BLISTER WITH DEVICE **MO**	3	PA,QL(30 per 30 days)
umeclidinium-vilanterol 62.5-25 mcg/actuation BLISTER WITH DEVICE **MO**	3	PA,QL(60 per 30 days)
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET **DL**	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA
UPTRAVI 100 MCG, 150 MCG TABLET DL	4	PA,QL(60 per 30 days)
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL	4	BvsD
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(36 per 30 days)
WINREVAIR 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) KIT DL	4	PA
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MO	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION	4	PA,QL(90 per 30 days)
YUTREPIA 106 MCG, 53 MCG, 79.5 MCG CAPSULE, W/INHALATION DEVICE DL	4	PA
YUTREPIA 26.5 MCG CAPSULE, W/INHALATION DEVICE DL	4	PA
zafirlukast 10 mg, 20 mg TABLET MO	1	QL(60 per 30 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE	4	QL(120 per 30 days)
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
ATMEKSI 750 MG/5 ML SUSPENSION DL	4	PA
carisoprodol 250 mg TABLET MO	1	ST,QL(120 per 30 days)
carisoprodol 350 mg TABLET MO	1	QL(120 per 30 days)
chlorzoxazone 250 mg TABLET DL	4	ST,QL(120 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET MO	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET MO	1	
cyclobenzaprine 10 mg, 5 mg TABLET MO	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. MO	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET MO	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET MO	1	ST,QL(90 per 30 days)
metaxalone 400 mg, 800 mg TABLET MO	1	ST,QL(120 per 30 days)
METAXALONE 640 MG TABLET DL	4	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET DL	4	PA
methocarbamol 100 mg/ml SOLUTION MO	1	
methocarbamol 500 mg, 750 mg TABLET MO	1	
norgesic 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER MO	1	
orphenadrine citrate 30 mg/ml SOLUTION MO	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
orphengesic forte 50-770-60 mg TABLET DL	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SOMA 250 MG, 350 MG TABLET MO	3	ST,QL(120 per 30 days)
tanlor 1,000 mg TABLET DL	4	PA
TONMYA 2.8 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET MO	1	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET MO	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET MO	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET MO	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET MO	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET MO	3	
EDLUAR 5 MG SUBLINGUAL TABLET MO	3	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET DL	1	QL(30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg TABLET MO	1	QL(30 per 30 days)
flurazepam 15 mg CAPSULE DL	1	QL(60 per 30 days)
flurazepam 30 mg CAPSULE DL	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL	4	PA,QL(30 per 30 days)
LUMRYZ STARTER PACK 4.5-6-7.5 GRAM GRANULES ER PACKET, DOSE PACK DL	4	PA,QL(28 per 28 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET MO	3	QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET MO	1	QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET MO	3	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROVIGIL 100 MG, 200 MG TABLET	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET **MO**	3	ST,QL(30 per 30 days)
ramelteon 8 mg TABLET **MO**	1	QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE **DL**	4	QL(30 per 30 days)
ROZEREM 8 MG TABLET **MO**	3	PA,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET **MO**	3	QL(30 per 30 days)
sodium oxybate 500 mg/ml SOLUTION **DL**	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET **MO**	3	PA,QL(30 per 30 days)
tasimelteon 20 mg CAPSULE **DL**	4	PA,QL(30 per 30 days)
temazepam 15 mg, 22.5 mg, 7.5 mg CAPSULE **DL**	1	QL(30 per 30 days)
temazepam 30 mg CAPSULE **DL**	1	QL(30 per 30 days)
triazolam 0.125 mg, 0.25 mg TABLET **DL**	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET **DL**	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION **DL**	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION **DL**	4	PA,QL(540 per 30 days)
zaleplon 10 mg, 5 mg CAPSULE **MO**	1	QL(30 per 30 days)
zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET **MO**	1	QL(30 per 30 days)
zolpidem 10 mg, 5 mg TABLET **MO**	1	QL(30 per 30 days)
zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE **MO**	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE **MO**	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

BvsD – Part B vs Part D • CI – Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA – Prior Authorization • PDS – BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL – Quantity Limit • $0 – Vaccine/Diabetic • ST – Step Therapy

Humana Group Medicare Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Cough/Cold - Mail Order Available		
benzonatate 100 mg, 150 mg, 200 mg CAPSULE	1	
bromfed dm 2-30-10 mg/5 ml SYRUP	1	
brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP	1	
HYCODAN 5-1.5 MG/5 ML (5 ML) SOLUTION	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SOLUTION	1	
hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.	1	
hydrocodone-homatropine 5-1.5 mg TABLET	1	
hydrocodone-homatropine 5-1.5 mg/5 ml SOLUTION	1	
hydromet 5-1.5 mg/5 ml SOLUTION	1	
promethazine-codeine 6.25-10 mg/5 ml SYRUP	1	
promethazine-dm 6.25-15 mg/5 ml SOLUTION	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
Fertility - Mail Order Available		
cetrorelix 0.25 mg KIT	1	
CETROTIDE 0.25 MG KIT	3	
clomid 50 mg TABLET	1	
clomiphene citrate 50 mg TABLET	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
fyremadel 250 mcg/0.5 ml SYRINGE	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • $0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Fertility - Mail Order Available		
ganirelix 250 mcg/0.5 ml SYRINGE	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300 UNIT/0.48 ML, 450 UNIT/0.72 ML, 900 UNIT/1.44 ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
milophene 50 mg TABLET	1	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
Vitamins/Minerals - Mail Order Available		
ascorbic acid (vitamin c) 500 mg/ml SOLUTION	1	
b complex 100 100-2-100-2-2 mg/ml SOLUTION	1	
b-complex injection 100-2-100-2-2 mg/ml SOLUTION	1	
cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION	1	
cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL	1	
dodex 1,000 mcg/ml SOLUTION	1	
ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE	1	
folic acid 1 mg TABLET	1	
folic acid 5 mg/ml SOLUTION	1	
hydroxocobalamin 1,000 mcg/ml SOLUTION	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • $0 – Vaccine/Diabetic • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Vitamins/Minerals - Mail Order Available		
mvi, adult no.4 with vit k 3,300 unit- 150 mcg/10 ml SOLUTION	1	
mvi, pedi no.1 with vit k 80 mg-400 unit- 200 mcg/5 ml SOLUTION	1	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE	1	
phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION	1	
phytonadione (vitamin k1) 5 mg TABLET	1	
pyridoxine (vitamin b6) 100 mg/ml SOLUTION	1	
thiamine hcl (vitamin b1) 100 mg/ml SOLUTION	1	
vitamin d2 1,250 mcg (50,000 unit) CAPSULE	1	
vitamin k 1 mg/0.5 ml SOLUTION	1	
vitamin k1 10 mg/ml SOLUTION	1	

Your Humana Group Medicare Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/Embecta and HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • $0 – Vaccine/Diabetic • ST - Step Therapy

Index

A

abacavir-lamivudine... 72
abacavir... 71
ABELCET... 42
abigale lo... 137
abigale... 137
ABILIFY ASIMTUFII... 66
ABILIFY MAINTENA... 66
ABILIFY MYCITE MAINTENANCE KIT... 66
ABILIFY MYCITE STARTER KIT... 66
ABILIFY... 66
abiraterone... 48
abirtega... 48
ABRAXANE... 48
ABRYSVO (PF)... 149
ABSORICA LD... 109
ABSORICA... 109
acamprosate... 20
ACANYA... 109
acarbose... 78
ACCOLATE... 175
ACCUPRIL... 89
ACCURETIC... 89
accutane... 109
acebutolol... 89
ACETADOTE... 162
acetaminophen-caff-dihydrocod... 11
acetaminophen-codeine... 11
acetaminophen... 162
acetazolamide sodium... 89
acetazolamide... 89
acetic acid... 21, 162
acetylcysteine... 162, 175
ACIPHEX SPRINKLE... 124
ACIPHEX... 124
acitretin... 109
ACTEMRA ACTPEN... 149
ACTEMRA... 149
ACTHAR SELFJECT... 133
ACTHAR... 133
ACTHIB (PF)... 149
ACTIMMUNE... 149
ACTIVELLA... 137
ACTONEL... 160
ACTOPLUS MET... 78
ACTOS... 78
ACULAR LS... 170
ACULAR... 170
ACUVAIL (PF)... 170
acyclovir sodium... 72
acyclovir... 72
ACZONE... 109
ADACEL(TDAP ADOLESN/ADULT)(PF)... 149
ADAKVEO... 162
ADALIMUMAB-ADAZ... 149
ADALIMUMAB-ADBM(CF) PEN CROHNS... 149
ADALIMUMAB-ADBM(CF) PEN PS-UV... 150
ADALIMUMAB-ADBM... 149
adapalene-benzoyl peroxide... 109, 110
adapalene... 109
ADBRY... 110
ADCETRIS... 49
ADCIRCA... 175
ADDERALL XR... 102
ADDERALL... 102
adefovir... 72
ADEMPAS... 175
adenosine... 89
ADLARITY... 36
ADMELOG SOLOSTAR U-100 INSULIN... 78
ADMELOG U-100 INSULIN LISPRO... 78
ADQUEY... 110
ADRENALIN IN 0.9 % SOD CHLOR... 89
ADRENALIN... 175
ADRIAMYCIN... 49
adrucil... 49
ADSTILADRIN... 162
ADVAIR DISKUS... 175
ADVAIR HFA... 175
ADZENYS XR-ODT... 102
ADZYNMA... 84
afatinib... 49
AFINITOR DISPERZ... 49
AFINITOR... 49
afirmelle... 137
AFREZZA... 78
AGAMREE... 133
AGGRASTAT CONCENTRATE... 84
AGGRASTAT IN SODIUM CHLORIDE... 84
AGRYLIN... 84
AIMOVIG AUTOINJECTOR... 46
AIRDUO RESPICLICK... 175
AIRSUPRA... 175
AJOVY AUTOINJECTOR... 46
AJOVY SYRINGE... 46
AKEEGA... 49
AKLIEF... 110
AKYNZEO (FOSNETUPITANT)... 41
AKYNZEO (NETUPITANT)... 41
ALA-CORT... 110
ALA-SCALP... 110
albendazole... 63
albuterol sulfate... 175
ALCAINE... 170
alclometasone... 110
ALCOHOL PADS... 162
ALCOHOL PREP PADS... 162
ALCOHOL SWABS... 162
ALCOHOL WIPES... 162
ALDACTONE... 89
ALDURAZYME... 129
ALECENSA... 49
alendronate... 160

alfuzosin... 132
ALIQOPA... 49
aliskiren... 89
ALKINDI SPRINKLE... 133
allopurinol sodium... 45
allopurinol... 45
almotriptan malate... 46
ALOMIDE... 170
ALOPRIM... 46
alosetron... 124
ALPHAGAN P... 170
alprazolam intensol... 77
alprazolam... 77
ALREX... 170
ALTACE... 89
altavera (28)... 137
ALTOPREV... 89
ALTRENO... 110
ALUNBRIG... 49
ALVAIZ... 84
ALVESCO... 175
alyacen 1/35 (28)... 137
alyacen 7/7/7 (28)... 137
ALYFTREK... 175
ALYGLO... 150
ALYMSYS... 49
alyq... 175
amantadine hcl... 64
AMBIEN CR... 183
AMBIEN... 183
AMBISOME... 43
ambrisentan... 175
amcinonide... 110
amethia... 137
amethyst (28)... 137
amikacin... 21
amiloride-hydrochlorothiazide... 89
amiloride... 89
aminocaproic acid... 84
aminophylline... 175
AMINOSYN II 10 %... 118
AMINOSYN II 15 %... 118
AMINOSYN-PF 10 %... 118
AMINOSYN-PF 7 % (SULFITE-FREE)... 118
amiodarone... 89
AMITIZA... 124
amitriptyline-chlordiazepoxide... 37
amitriptyline... 37
amlodipine-atorvastatin... 89
amlodipine-benazepril... 89
amlodipine-olmesartan... 89
amlodipine-valsartan-hcthiazid... 89
amlodipine-valsartan... 89
amlodipine... 89
ammonium lactate... 110
AMMONUL... 162
amnesteem... 110
amoxapine... 37
amoxicil-clarithromy-lansopraz... 124
amoxicillin-pot clavulanate... 21
amoxicillin... 21
amphetamine sulfate... 103
amphetamine... 103
amphotericin b liposome... 43
amphotericin b... 43
ampicillin sodium... 22
ampicillin-sulbactam... 22
ampicillin... 21
AMPYRA... 103
AMRIX... 182
AMVUTTRA... 129
AMZEEQ... 110
ANAFRANIL... 37
anagrelide... 84
anastrozole... 49
ANCOBON... 43
ANDEMBRY AUTOINJECTOR... 150
ANDROGEL... 137
ANGELIQ... 137
ANKTIVA... 49
ANNOVERA... 137
ANORO ELLIPTA... 175
ANTIVERT... 41
anusol-hc... 110
ANZUPGO... 110
APADAZ... 11
apexicon e... 110
APIDRA SOLOSTAR U-100 INSULIN... 78
APIDRA U-100 INSULIN... 79
APLENZIN... 37
APOKYN... 64
apomorphine... 64
APONVIE... 41
apraclonidine... 170
aprepitant... 41
apri... 137
APRISO... 159
APTENSIO XR... 103
APTIOM... 30
APTIVUS... 72
AQNEURSA... 162
AQVESME... 129
ARALAST NP... 129
aranelle (28)... 137
ARANESP (IN POLYSORBATE)... 84, 85
ARAVA... 150
ARAZLO... 110
ARBLI... 89
ARCALYST... 150
AREXVY (PF)... 150
arformoterol... 175
ARICEPT... 37
ARIKAYCE... 22
ARIMIDEX... 49
aripiprazole... 66, 67
ARISTADA INITIO... 67
ARISTADA... 67
ARIXTRA... 85
ARMLUPEG... 85
armodafinil... 183
ARNUITY ELLIPTA... 175
AROMASIN... 49
ARRANON... 49
arsenic trioxide... 49

ARTHROTEC 50... 11
ARTHROTEC 75... 11
ARYNTA... 103
ASCENIV... 150
ascomp with codeine... 11
ascorbic acid (vitamin c)... 186
asenapine maleate... 67
ashlyna... 137
ASMANEX HFA... 175
ASMANEX TWISTHALER... 175
ASPARLAS... 49
aspirin-dipyridamole... 85
ASPRUZYO SPRINKLE... 89
ASTAGRAF XL... 150
ATACAND HCT... 90
ATACAND... 89
atazanavir... 72
ATEBRIOZ... 162
ATELVIA... 160
atenolol-chlorthalidone... 90
atenolol... 90
ATGAM... 150
ATIVAN... 77
ATMEKSI... 182
atomoxetine... 103
ATONCY... 103
ATORVALIQ... 90
atorvastatin... 90
atovaquone-proguanil... 63
atovaquone... 63
ATRALIN... 110
ATRIPLA... 72
ATROPINE SULFATE (PF)... 170
atropine... 124, 170
ATROVENT HFA... 175
attero... 110
ATTRUBY... 129
AUBAGIO... 103
aubra eq... 137
aubra... 137
AUGMENTIN ES-600... 22
AUGMENTIN... 22
AUGTYRO... 49
auranofin... 150
aurovela 1.5/30 (21)... 137
aurovela 1/20 (21)... 137
aurovela 24 fe... 137
aurovela fe 1-20 (28)... 137
aurovela fe 1.5/30 (28)... 138
AUSTEDO XR TITRATION KT(WK1-4)... 103
AUSTEDO XR... 103
AUSTEDO... 103
AUTOJECT 2 INJECTION DEVICE... 162
AUTOPEN 1 TO 21 UNITS... 162
AUTOPEN 2 TO 42 UNITS... 163
AUTOSHIELD DUO PEN NEEDLE... 163
AUVELITY... 37
AUVI-Q... 176
AVALIDE... 90
AVAPRO... 90
AVASTIN... 49
AVEED... 138
AVELOX IN NACL (ISO-OSMOTIC)... 22
AVERI... 138
aviane... 138
avidoxy... 22
AVLAYAH... 129
AVMAPKI-FAKZYNJA... 49
AVODART... 132
AVONEX... 103
AVSOLA... 150
AVYCAZ... 22
AWIQLI FLEXTOUCH... 79
ayuna... 138
AYVAKIT... 49
azacitidine... 49
AZACTAM... 22
AZASAN... 150
AZASITE... 170
azathioprine sodium... 150
azathioprine... 150
azelaic acid... 110
azelastine-fluticasone... 176
azelastine... 170, 176
AZELEX... 110
AZILECT... 64
azilsartan medoxomil... 90
azithromycin... 22
AZMIRO... 138
AZOPT... 170
AZOR... 90
AZSTARYS... 103
aztreonam... 22
AZULFIDINE EN-TABS... 159
AZULFIDINE... 159
azurette (28)... 138

B

b complex 100... 186
b-complex injection... 186
bacitracin-polymyxin b... 170
bacitracin... 22, 170
baclofen... 71
BACTRIM DS... 22
BACTRIM... 22
BAFIERTAM... 103
bal-care dha... 118
BALCOLTRA... 138
balsalazide... 159
BALVERSA... 49
balziva (28)... 138
BAND-AID GAUZE PADS... 163
BANZEL... 30
BAQSIMI... 79
BARACLUDE... 72
BASAGLAR KWIKPEN U-100 INSULIN... 79
BASAGLAR TEMPO PEN(U-100)INSLN... 79
BAVENCIO... 49
BAXDELA... 22
BAXFENDY... 90
BCG VACCINE, LIVE (PF)... 150
BD ALCOHOL SWABS... 163
BD AUTOSHIELD DUO PEN NEEDLE... 163

BD ECLIPSE LUER-LOK... 163
BD INSULIN SYRINGE (HALF UNIT)... 163
BD INSULIN SYRINGE MICRO-FINE... 163
BD INSULIN SYRINGE U-500... 163
BD INSULIN SYRINGE ULTRA-FINE... 163
BD INSULIN SYRINGE... 163
BD LO-DOSE MICRO-FINE IV... 163
BD NANO 2ND GEN PEN NEEDLE... 163
BD SAFETYGLIDE INSULIN SYRINGE... 163
BD SAFETYGLIDE SYRINGE... 163
BD ULTRA-FINE MICRO PEN NEEDLE... 163
BD ULTRA-FINE MINI PEN NEEDLE... 163
BD ULTRA-FINE NANO PEN NEEDLE... 163
BD ULTRA-FINE ORIG PEN NEEDLE... 163
BD ULTRA-FINE SHORT PEN NEEDLE... 163
BD VEO INSULIN SYR (HALF UNIT)... 163
BD VEO INSULIN SYRINGE UF... 163
beclomethasone dipropionate... 176
BELBUCA... 11
BELEODAQ... 49
BELSOMRA... 183
benazepril-hydrochlorothiazide... 90
benazepril... 90
bendamustine... 49
BENDEKA... 49
BENICAR HCT... 90
BENICAR... 90
BENLYSTA... 150
BENTYL... 124
BENZAMYCIN... 110
benzhydrocodone-acetaminophen... 11
benznidazole... 63
benzonatate... 185
benztropine... 65
bepotastine besilate... 170
BEPREVE... 170
BEQALZI STARTER PACK... 50
BEQALZI... 50
BERINERT... 150
beser... 110
besifloxacin... 170
BESIVANCE... 170
BESPONSA... 50
BESREMI PEN... 150
BESREMI... 150
BETADINE OPHTHALMIC PREP... 170
betaine... 129
betamethasone acet,sod phos... 133
betamethasone dipropionate... 110
betamethasone valerate... 110
betamethasone, augmented... 110, 111
BETAPACE AF... 90
BETAPACE... 90
BETASERON... 103
betaxolol... 90, 170
bethanechol chloride... 132
BETHKIS... 22
BETIMOL... 170
BETOPTIC S... 170
BEVESPI AEROSPHERE... 176
bexarotene... 50
BEXSERO... 150
BEYAZ... 138
BEYFORTUS... 163
bicalutamide... 50
BICILLIN C-R... 22
BICILLIN L-A... 22
BICNU... 50
BIDIL... 90
BIJUVA... 138
BIKTARVY... 72
BILDYOS... 160
BILTRICIDE... 63
bimatoprost... 170
BIMZELX AUTOINJECTOR... 150
BIMZELX... 150
BINOSTO... 160
BIORPHEN... 90
bismuth subcit k-metronidz-tcn... 125
bisoprolol fumarate... 90
bisoprolol-hydrochlorothiazide... 90
BIVIGAM... 150
BIXLENVO-SUNLENCA STARTER PACK... 72
BIXLENVO... 72
BIZENGRI... 50
BKEMV... 150
BLENREP... 50
bleomycin... 50
blisovi 24 fe... 138
blisovi fe 1.5/30 (28)... 138
blisovi fe 1/20 (28)... 138
BLUJEPA... 22
BOMYNTRA... 160
BONJESTA... 41
BOOSTRIX TDAP... 150
BORDERED GAUZE... 163
bortezomib... 50
BORUZU... 50
BOSAYA... 160
bosentan... 176
BOSULIF... 50
bosutinib... 50
BRAFTOVI... 50
BREKIYA... 46
BREO ELLIPTA... 176
BREVIBLOC IN NACL (ISO-OSM)... 90
BREVIBLOC... 90
BREZTRI AEROSPHERE... 176
briellyn... 138
BRILINTA... 85
brimonidine-timolol... 170
brimonidine... 111, 170
BRINSUPRI... 163

brinzolamide... 170
BRIUMVI... 103
brivaracetam... 30
BRIVIACT... 31
bromfed dm... 185
bromfenac... 170
bromocriptine... 65
brompheniramine-pseudoeph-dm... 185
BROMSITE... 171
BRONCHITOL... 176
BROVANA... 176
BRUKINSA... 50
BRYHALI... 111
BRYNOVIN... 79
BSS PLUS... 171
BSS... 171
BUCAPSOL... 77
budesonide... 159, 176
bumetanide... 90
BUPHENYL... 129
bupivacaine (pf)... 18
bupivacaine hcl... 18
bupivacaine liposome (pf)... 19
bupivacaine-dextrose-water(pf)... 19
bupivacaine-epinephrine (pf)... 19
bupivacaine-epinephrine... 19
buprenorphine hcl... 11, 20
buprenorphine-naloxone... 20
buprenorphine... 11
bupropion hcl (smoking deter)... 20
bupropion hcl... 38
buspirone... 77
busulfan... 50
BUSULFEX... 50
butalbital-acetaminop-caf-cod... 163
butalbital-acetaminophen-caff... 164
butalbital-acetaminophen... 163, 164
butalbital-aspirin-caffeine... 164
butorphanol... 11
BUTRANS... 11
BYLVAY... 164
BYNFEZIA... 147
BYQLOVI... 171
BYSANTI TITRATION PACK A... 67
BYSANTI TITRATION PACK B... 67
BYSANTI TITRATION PACK C... 67
BYSANTI... 67
BYSTOLIC... 90, 91

C

c-nate dha... 118
CABENUVA... 72
cabergoline... 147
CABLIVI... 85
CABOMETYX... 50
CABTREO... 111
CADUET... 91
CAFCIT... 164
CAFERGOT... 46
caffeine citrate... 164
calcipotriene-betamethasone... 111
calcipotriene... 111
calcitonin (salmon)... 160
calcitriol... 111, 161
calcium acetate(phosphat bind)... 118
calcium chloride... 118
calcium gluconate... 118
CALDOLOR... 11
CALQUENCE (ACALABRUTINIB MAL)... 50
CAMBIA... 11
CAMCEVI (6 MONTH)... 147
camila... 138
CAMPTOSAR... 50
camrese lo... 138
camrese... 138
CAMZYOS... 91
CANASA... 159
CANCIDAS... 43
candesartan-hydrochlorothiazid... 91
candesartan... 91
CAPLYTA... 67
CAPRELSA... 50
captopril-hydrochlorothiazide... 91
captopril... 91
CARAC... 111
CARAFATE... 125
CARBAGLU... 118
carbamazepine... 31
CARBATROL... 31
carbidopa-levodopa-entacapone... 65
carbidopa-levodopa... 65
carbidopa... 65
carbinoxamine maleate... 176
CARBOCAINE WITH NEO-COBEFRIN... 19
carboprost tromethamine... 137
carbzah... 176
CARDAMYST... 91
CARDIZEM CD... 91
CARDIZEM LA... 91
CARDIZEM... 91
CARDURA XL... 91
CARDURA... 91
CARETOUCH ALCOHOL PREP PAD... 164
carglumic acid... 118
carisoprodol... 182
carmustine... 50
CARNITOR (SUGAR-FREE)... 118
CARNITOR... 118
CAROSPIR... 91
carteolol... 171
cartia xt... 91
carvedilol phosphate... 91
carvedilol... 91
CASODEX... 50
caspofungin... 43
CAVHANZA... 50
CAYSTON... 176
cefaclor... 22
cefadroxil... 22, 23

cefazolin in dextrose (iso-os)... 23
cefazolin... 23
cefdinir... 23
cefepime in dextrose 5 %... 23
cefepime in dextrose,iso-osm... 23
cefepime... 23
cefixime... 23
cefotetan... 23
cefoxitin in dextrose, iso-osm... 23
cefoxitin... 23
cefpodoxime... 23
cefprozil... 23
ceftaroline fosamil... 23
ceftazidime... 23
ceftriaxone in dextrose,iso-os... 23
ceftriaxone... 23
cefuroxime axetil... 23
cefuroxime sodium... 23
CELEBREX... 11
celecoxib... 11
CELESTONE SOLUSPAN... 133
CELEXA... 38
CELLCEPT INTRAVENOUS... 150
CELLCEPT... 150
CELONTIN... 31
CENTANY... 111
cephalexin... 23
CEQUA... 171
CEQUR SIMPLICITY INSERTER... 164
CEQUR SIMPLICITY... 164
CERDELGA... 129
CEREBYX... 31
CEREZYME... 129
CERVIDIL... 164
cetirizine... 176
cetrorelix... 185
CETROTIDE... 185
cevimeline... 109
CHANTIX CONTINUING MONTH BOX... 20
CHANTIX STARTING MONTH BOX... 20
CHANTIX... 20
charlotte 24 fe... 138
chateal eq (28)... 138
CHEMET... 118
chloramphenicol sod succinate... 23
chlordiazepoxide hcl... 77
chlorhexidine gluconate... 109
chloroprocaine (pf)... 19
chloroquine phosphate... 64
chlorothiazide sodium... 91
chlorpromazine... 67
chlorthalidone... 91
chlorzoxazone... 182
CHOLBAM... 129
cholestyramine (with sugar)... 91
cholestyramine light... 91
CHORIONIC GONADOTROPIN, HUMAN... 136
CIALIS... 132
CIBINQO... 150
ciclodan... 43
ciclopirox... 43
cidofovir... 72
cilostazol... 85
CILOXAN... 171
CIMDUO... 72
cimetidine hcl... 125
cimetidine... 125
CIMZIA POWDER FOR RECONST... 151
CIMZIA STARTER KIT... 151
CIMZIA... 151
cinacalcet... 161
CINQAIR... 176
CINRYZE... 151
CINVANTI... 41
CIPRO HC... 174
CIPRO... 23, 24
ciprofloxacin hcl... 24, 171, 174
ciprofloxacin in 5 % dextrose... 24
ciprofloxacin-dexamethasone... 174
ciprofloxacin-hydrocortisone... 174
ciprofloxacin... 24
cisplatin... 51
citalopram... 38
CITRANATAL B-CALM (FE GLUC)... 118
cladribine(multiple sclerosis)... 103
cladribine... 51
claravis... 111
CLARINEX-D 12 HOUR... 164
CLARINEX... 176
clarithromycin... 24
clemastine... 176
clemasz... 176
clemsza... 176
CLENPIQ... 125
CLEOCIN HCL... 24
CLEOCIN PEDIATRIC... 24
CLEOCIN T... 111
CLEOCIN... 24
CLEVIPREX... 91
CLIGAVYX... 51
CLIMARA PRO... 138
CLIMARA... 138
clindacin etz... 111
clindacin p... 111
clindacin... 111
CLINDAGEL... 111
clindamycin hcl... 24
clindamycin in 0.9 % sod chlor... 24
clindamycin in 5 % dextrose... 24
clindamycin palmitate hcl... 24
clindamycin pediatric... 24
clindamycin phosphate... 24, 111
clindamycin-benzoyl peroxide... 111
clindamycin-tretinoin... 111
CLINDESSE... 24
CLINIMIX 4.25%/D10W SULF FREE... 118
CLINIMIX 4.25%/D5W SULFIT FREE... 118
CLINIMIX 5%-D20W(SULFITE-FREE)... 118

CLINIMIX 5%/D15W SULFITE FREE... 118
CLINIMIX 6%-D5W (SULFITE-FREE)... 118
CLINIMIX 8%-D10W(SULFITE-FREE)... 118
CLINIMIX 8%-D14W(SULFITE-FREE)... 118
CLINIMIX E 2.75%/D5W SULF FREE... 118
CLINIMIX E 4.25%/D10W SUL FREE... 118
CLINIMIX E 4.25%/D5W SULF FREE... 118
CLINIMIX E 5%/D15W SULFIT FREE... 119
CLINIMIX E 5%/D20W SULFIT FREE... 119
CLINIMIX E 8%-D10W SULFITEFREE... 119
CLINIMIX E 8%-D14W SULFITEFREE... 119
CLINISOL SF 15 %... 119
CLINOLIPID... 119
clobazam... 31
clobetasol-emollient... 112
clobetasol... 111, 112
clocortolone pivalate... 112
clodan... 112
clofarabine... 51
clomid... 185
clomiphene citrate... 185
clomipramine... 38
clonazepam... 77
clonidine hcl... 91, 103
clonidine... 91
clopidogrel... 85
clorazepate dipotassium... 77
CLOROTEKAL (PF)... 19
CLOTIC... 174
clotrimazole-betamethasone... 43
clotrimazole... 43
clozapine... 67
CLOZARIL... 67
COARTEM... 64
COBENFY STARTER PACK... 164
COBENFY... 164
codeine sulfate... 11
codeine-butalbital-asa-caff... 11
COLAZAL... 159
colchicine... 46
COLCRYS... 46
colesevelam... 92
COLESTID... 92
colestipol... 92
colistin (colistimethate na)... 24
COLUMVI... 51
COLY-MYCIN M PARENTERAL... 24
COMBIGAN... 171
COMBIPATCH... 138
COMBIVENT RESPIMAT... 176
COMBOGESIC IV... 164
COMETRIQ... 51
COMPAZINE... 41
COMPLERA... 72
complete natal dha... 119
compro... 41
CONCERTA... 103
CONDYLOX... 112
CONEXXENCE... 161
conjugated estrogens... 138
constulose... 125
CONTEPO... 24
CONZIP... 11
COPAXONE... 103
COPIKTRA... 51
CORDRAN TAPE LARGE ROLL... 112
CORDRAN... 112
COREG CR... 92
COREG... 92
CORLANOR... 92
corphena... 176
CORTEF... 112
CORTENEMA... 159
CORTIFOAM... 159
CORTISPORIN-TC... 174
CORTROPHIN GEL... 133
CORVERT... 92
COSENTYX (2 SYRINGES)... 151
COSENTYX PEN (2 PENS)... 151
COSENTYX PEN... 151
COSENTYX UNOREADY PEN... 151
COSENTYX... 151
COSOPT (PF)... 171
COSOPT... 171
COTELLIC... 51
COTEMPLA XR-ODT... 103
COZAAR... 92
CRENESSITY... 138
CREON... 129
CRESEMBA... 43
CRESTOR... 92
CREXONT... 65
CRINONE... 138
cromolyn... 171, 176, 177
crotan... 112
cryselle (28)... 138
CRYSVITA... 129
CTEXLI... 125
CUPRIMINE... 119
CURITY ALCOHOL SWABS... 164
CURITY GAUZE... 164
CUTAQUIG... 151
CUVPOSA... 125
CUVRIOR... 119
cyanocobalamin (vitamin b-12)... 186
cyclobenzaprine... 182
cyclophosphamide... 51
cycloserine... 48
CYCLOSET... 79
cyclosporine modified... 151
cyclosporine... 151, 171
CYKLOKAPRON... 85
CYMBALTA... 103, 104
cyproheptadine... 177
CYRAMZA... 51
cyred eq... 138
cyred... 138
CYSTADANE... 129

CYSTADROPS... 171
CYSTAGON... 129
CYSTARAN... 171
cytarabine (pf)... 51
cytarabine... 51
CYTOGAM... 151
CYTOMEL... 146
CYTOTEC... 125

D

d10 %-0.45 % sodium chloride... 119
d2.5 %-0.45 % sodium chloride... 119
d5 % and 0.9 % sodium chloride... 119
d5 %-0.45 % sodium chloride... 119
dabigatran etexilate... 85
dacarbazine... 51
dactinomycin... 51
dalbavancin... 24
dalfampridine... 104
DALIRESP... 177
DALVANCE... 24
danazol... 138
DANTRIUM... 71
dantrolene... 71
DANYELZA... 51
DANZITEN... 51
dapagliflozin-metformin... 79
dapagliflozin-saxagliptin... 79
dapagliflozin... 79
dapsone... 48, 112
DAPTACEL (DTAP PEDIATRIC) (PF)... 151
daptomycin in 0.9 % sod chlor... 24
daptomycin... 24
DARAPRIM... 64
darifenacin... 132
DARTISLA... 125
darunavir... 72
DARZALEX FASPRO... 51
DARZALEX... 51
dasatinib... 51
dasetta 1/35 (28)... 138
dasetta 7/7/7 (28)... 139
DATROWAY... 51
daunorubicin... 51
DAURISMO... 51
DAWNZERA... 151
DAYBUE STIX... 129
DAYBUE... 129
DAYPRO... 11
daysee... 139
DAYTRANA... 104
DAYVIGO... 183
DDAVP... 136
deblitane... 139
decitabine... 51
DECNUPAZ... 51
deferasirox... 119
deferiprone... 119
deferoxamine... 119
DEFITELIO... 164
deflazacort... 133, 134
DELESTROGEN... 139
DELSTRIGO... 72
demeclocycline... 24, 25
DEMEROL (PF)... 12
DEMEROL... 11
DEMSER... 92
DENAVIR... 72
DENGVAXIA (PF)... 151
DEPAKOTE ER... 31
DEPAKOTE SPRINKLES... 31
DEPAKOTE... 31
DEPEN TITRATABS... 119
DEPO-ESTRADIOL... 139
DEPO-MEDROL... 134
DEPO-PROVERA... 139
DEPO-SUBQ PROVERA 104... 139
DEPO-TESTOSTERONE... 139
DERMA-SMOOTHE/FS BODY OIL... 112
DERMA-SMOOTHE/FS SCALP OIL... 112
DERMACEA... 164
dermacinrx lidocan... 19
DERMOTIC OIL... 174
DESCOVY... 72
DESFERAL... 119
desipramine... 38
desloratadine... 177
DESMODA... 136
desmopressin... 136
desog-e.estradiol/e.estradiol... 139
desogestrel-ethinyl estradiol... 139
desonide... 112
desoximetasone... 112
DESOXYN... 104
desvenlafaxine succinate... 38
desvenlafaxine... 38
DETROL LA... 132
DETROL... 132
dexabliss... 134
dexamethasone intensol... 134
dexamethasone sodium phos (pf)... 134
dexamethasone sodium phosphate... 134, 171
dexamethasone... 134
dexchlorpheniramine maleate... 177
DEXEDRINE SPANSULE... 104
DEXILANT... 125
dexlansoprazole... 125
dexlyt... 134
dexmethylphenidate... 104
dexrazoxane hcl... 51
DEXTENZA... 171
dextroamphetamine sulfate... 104
dextroamphetamine-amphetamine... 104
dextromethorphan-quinidine... 104
dextrose 10 % and 0.2 % nacl... 119
dextrose 10 % in water (d10w)... 119
dextrose 20 % in water (d20w)... 119

dextrose 25 % in water (d25w)... 119
dextrose 30 % in water (d30w)... 119
dextrose 40 % in water (d40w)... 119
dextrose 5 % in water (d5w)... 119
dextrose 5 %-lactated ringers... 119
dextrose 5%-0.2 % sod chloride... 119
dextrose 5%-0.3 % sod.chloride... 119
dextrose 50 % in water (d50w)... 120
dextrose 70 % in water (d70w)... 120
DHIVY... 65
DIACOMIT... 31
diazepam intensol... 77
diazepam... 31, 77
diazoxide... 79
DIBENZYLINE... 92
dichlorphenamide... 129
DICLEGIS... 41
diclofenac epolamine... 12
diclofenac potassium... 12
diclofenac sodium... 12, 112, 171
diclofenac-misoprostol... 12
dicloxacillin... 25
dicyclomine... 125
DIFICID... 25
diflorasone... 112, 113
DIFLUCAN... 43
diflunisal... 12
difluprednate... 171
digoxin... 92
dihydroergotamine... 46
DILANTIN EXTENDED... 31
DILANTIN INFATABS... 31
DILANTIN-125... 31
DILANTIN... 31
DILAUDID... 12
dilt-xr... 92
diltiazem hcl... 92
dimenhydrinate... 41
dimethyl fumarate... 104
dimethyl sulfoxide... 164
DIOVAN HCT... 92
DIOVAN... 92
DIPENTUM... 159
diphen... 177
diphenhydramine hcl... 177
diphenoxylate-atropine... 125
DIPROLENE (AUGMENTED)... 113
dipyridamole... 85
disopyramide phosphate... 92
disulfiram... 20
DIURIL... 93
divalproex... 31
DIVIGEL... 139
dobutamine in d5w... 93
dobutamine... 93
docetaxel... 51
dodex... 186
dofetilide... 93
DOJOLVI... 129
dolishale... 139
dolobid... 12
donepezil... 37
dopamine in 5 % dextrose... 93
dopamine... 93
DOPRAM... 177
DOPTELET (10 TAB PACK)... 85
DOPTELET (15 TAB PACK)... 85
DOPTELET (30 TAB PACK)... 85
DOPTELET SPRINKLE... 85
DORYX MPC... 25
DORYX... 25
dorzolamide-timolol (pf)... 171
dorzolamide-timolol... 171
dorzolamide... 171
dotti... 139
DOVATO... 72
doxazosin... 93
doxepin... 77, 113, 183
doxercalciferol... 161
DOXIL... 51
doxorubicin, peg-liposomal... 52
doxorubicin... 51, 52
doxy-100... 25
doxycycline hyclate... 25
doxycycline monohydrate... 25
doxylamine-pyridoxine (vit b6)... 41
DRIZALMA SPRINKLE... 104
dronabinol... 41
droperidol... 67
DROPLET INSULIN SYR(HALF UNIT)... 164
DROPLET INSULIN SYRINGE... 165
DROPLET MICRON PEN NEEDLE... 165
DROPLET PEN NEEDLE... 165
DROPSAFE ALCOHOL PREP PADS... 165
DROPSAFE PEN NEEDLE... 165
drospirenone-e.estradiol-lm.fa... 139
drospirenone-ethinyl estradiol... 139
DROXIA... 165
droxidopa... 93
DUAKLIR PRESSAIR... 177
DUAVEE... 139
DUETACT... 79
DUEXIS... 12
DULERA... 177
duloxetine... 104, 105
DUOBRII... 113
DUOPA... 65
DUPIXENT PEN... 151
DUPIXENT SYRINGE... 151
DURAMORPH (PF)... 12
DUREZOL... 171
dutasteride-tamsulosin... 132
dutasteride... 132
DUVYZAT... 129
DYANAVEL XR... 105
dyclopro... 165
DYMISTA... 177
DYRENIUM... 93

E

E.E.S. 400... 25
E.E.S. GRANULES... 25
EASY COMFORT ALCOHOL PAD... 165
EASY TOUCH ALCOHOL PREP PADS... 165
EASYLIFE ALCOHOL PADS... 165
EBGLYSS PEN... 113
EBGLYSS SYRINGE... 113
ec-naproxen... 12
econazole nitrate... 43
edaravone... 105
EDARBI... 93
EDARBYCLOR... 93
EDECRIN... 93
edetate calcium disodium... 165
EDLUAR... 183
EDURANT PED... 72
EDURANT... 72
efavirenz-emtricitabin-tenofov... 72
efavirenz-lamivu-tenofov disop... 72
efavirenz... 72
EFFEXOR XR... 38
EFFIENT... 85
EFUDEX... 113
EGATEN... 64
EGRIFTA SV... 136
EGRIFTA WR... 136
EKTERLY... 151
ELAHERE... 52
ELAPRASE... 129
electrolyte-148... 120
electrolyte-48 in d5w... 120
electrolyte-a... 120
ELELYSO... 129
ELEPSIA XR... 31
ELESTRIN... 139
eletriptan... 46
ELFABRIO... 129
ELIDEL... 113
ELIGARD (3 MONTH)... 147
ELIGARD (4 MONTH)... 147
ELIGARD (6 MONTH)... 147
ELIGARD... 147
ELIMITE... 113
elinest... 139
ELIQUIS DVT-PE TREAT 30D START... 85
ELIQUIS SPRINKLE... 85
ELIQUIS... 85
ELITEK... 52
ELIXOPHYLLIN... 177
ELLENCE... 52
ELMIRON... 132
ELREXFIO... 52
eltrombopag olamine... 85, 86
eluryng... 139
ELYXYB... 165
ELZONRIS... 52
EMBLAVEO... 25
EMEND (FOSAPREPITANT)... 41
EMEND... 41
EMFLAZA... 134
EMGALITY PEN... 46
EMGALITY SYRINGE... 46
EMPAVELI... 165
EMPLICITI... 52
EMRELIS... 52
EMROSI... 25
EMSAM... 38
emtricita-rilpivirine-tenof df... 72
emtricitabine-tenofovir (tdf)... 73
emtricitabine... 73
EMTRIVA... 73
emverm... 64
emzahh... 139
enalapril maleate... 93
enalapril-hydrochlorothiazide... 93
enalaprilat... 93
ENBREL MINI... 151
ENBREL SURECLICK... 151
ENBREL... 151
ENBUMYST... 93
ENDARI... 125
ENDOCET... 12
ENDOMETRIN... 139
ENFLONSIA... 165
ENGERIX-B (PF)... 151
ENGERIX-B PEDIATRIC (PF)... 151
ENHERTU... 52
enilloring... 139
ENJAYMO... 151
ENOBY... 161
enoxaparin... 86
enpresse... 139
ENSACOVE... 52
enskyce... 139
ENSPRYNG... 171
ENSTILAR... 113
entacapone... 65
entecavir... 73
ENTRESTO SPRINKLE... 93
ENTRESTO... 93
ENTYVIO PEN... 152
ENTYVIO... 151
enulose... 125
ENVARSUS XR... 152
EOHILIA... 165
EPANED... 93
EPCLUSA... 73
EPIDIOLEX... 31
EPIDUO FORTE... 113
EPIFOAM... 113
epinastine... 171
epineph bitart in 0.9% sod chl... 93
epinephrine... 177
EPIPEN 2-PAK... 177
EPIPEN JR 2-PAK... 177
EPIPEN JR... 177
EPIPEN... 177
epirubicin... 52
epitol... 31
EPIVIR... 73
EPKINLY... 52
eplerenone... 93
EPOGEN... 86
epoprostenol... 177
EPRONTIA... 31
EPSOLAY... 113
eptifibatide... 86

EPYSQLI... 152
EQUETRO... 31
ERAXIS(WATER DILUENT)... 43
ERBITUX... 52
ergocalciferol (vitamin d2)... 186
ergoloid... 37
ERGOMAR... 46
ergotamine-caffeine... 46
eribulin... 52
ERIVEDGE... 52
ERLEADA... 52
erlotinib... 52
ERMEZA... 146
errin... 139
ERTACZO... 43
ertapenem... 25
ery pads... 113
ERY-TAB... 25
ERYGEL... 113
ERYPED 200... 25
ERYPED 400... 25
ERYTHROCIN (AS STEARATE)... 26
ERYTHROCIN... 26
erythromycin ethylsuccinate... 26
erythromycin lactobionate... 26
erythromycin with ethanol... 113
erythromycin-benzoyl peroxide... 113
erythromycin... 26, 171
ESBRIET... 177
escitalopram oxalate... 38
ESGIC... 165
eslicarbazepine... 31
esmolol in nacl (iso-osm)... 93
esmolol... 93
esomeprazole magnesium... 125
esomeprazole sodium... 125
estarylla... 139
estazolam... 183
ESTRACE... 139
estradiol valerate... 140
estradiol-norethindrone acet... 140
estradiol... 139, 140
ESTRING... 140
eszopiclone... 183
ETCAMAH... 52
ethacrynate sodium... 93
ethacrynic acid... 93
ethambutol... 48
ethosuximide... 31, 32
ethynodiol diac-eth estradiol... 140
etodolac... 12
etonogestrel-ethinyl estradiol... 140
ETOPOPHOS... 52
etoposide... 52
etravirine... 73
EUCRISA... 113
EULEXIN... 52
EURAX... 113
EVAMIST... 140
EVDI... 52
EVEKEO... 105
EVENITY... 161
everolimus (antineoplastic)... 52
everolimus (immunosuppressive)... 152
evesse... 113
EVISTA... 140
EVKEEZA... 93
EVOMELA... 52
EVOTAZ... 73
EVOXAC... 109
EVRYSDI... 129
EXDENSUR... 177
EXELDERM... 43
EXELON PATCH... 37
exemestane... 52
exenatide... 79
EXFORGE HCT... 94
EXFORGE... 93
EXJADE... 120
EXPAREL (PF)... 19
EXXUA... 38
EYSUVIS... 171
EZALLOR SPRINKLE... 94
ezetimibe-simvastatin... 94
ezetimibe... 94

F

FABHALTA... 152
FABIOR... 113
FABRAZYME... 130
falmina (28)... 140
famciclovir... 73
famotidine (pf)-nacl (iso-os)... 125
famotidine (pf)... 125
famotidine... 125
FANAPT TITRATION PACK A... 67
FANAPT TITRATION PACK B... 68
FANAPT TITRATION PACK C... 68
FANAPT... 67
FARESTON... 52
FARXIGA... 79
FASENRA PEN... 178
FASENRA... 177
FASLODEX... 52
febuxostat... 46
feirza... 140
felbamate... 32
FELBATOL... 32
felodipine... 94
FEMARA... 52
FEMLYV... 140
FEMRING... 140
fenofibrate micronized... 94
fenofibrate nanocrystallized... 94
fenofibrate... 94
fenofibric acid (choline)... 94
fenofibric acid... 94
FENOGLIDE... 94
fenoprofen... 12
fenopron... 13
FENSOLVI... 147
fentanyl... 13
FERRIPROX (2 TIMES A DAY)... 120
FERRIPROX... 120
fesoterodine... 132
FETROJA... 26
FETZIMA... 38
FEXMID... 182

FIASP FLEXTOUCH U-100 INSULIN... 79
FIASP PENFILL U-100 INSULIN... 79
FIASP U-100 INSULIN... 79
FIBRICOR... 94
fidaxomicin... 26
FILKRI... 86
FILSPARI... 165
FILSUVEZ... 165
FINACEA... 113
finasteride... 132
fingolimod... 105
FINTEPLA... 32
finzala... 140
FIORICET WITH CODEINE... 165
fioricet... 165
FIRAZYR... 152
FIRDAPSE... 105
FIRMAGON KIT W DILUENT SYRINGE... 147
FIRMAGON... 147
FIRVANQ... 26
flac otic oil... 174
FLAGYL... 26
FLAREX... 171
flavoxate... 132
FLEBOGAMMA DIF... 152
flecainide... 94
FLECTOR... 13
FLEQSUVY... 71
FLOLIPID... 94
FLOMAX... 132
floxuridine... 52
fluconazole in nacl (iso-osm)... 43
fluconazole... 43
flucytosine... 43
fludarabine... 53
fludrocortisone... 134
FLUMADINE... 73
flumazenil... 165
flunisolide... 178
fluocinolone acetonide oil... 174
fluocinolone and shower cap... 113
fluocinolone... 113
fluocinonide-e... 114
fluocinonide-emollient... 114
fluocinonide... 113
fluorometholone... 171
FLUOROPLEX... 114
fluorouracil... 53, 114
fluoxetine... 38
fluphenazine decanoate... 68
fluphenazine hcl... 68
flurandrenolide... 114
flurazepam... 183
flurbiprofen sodium... 171
flurbiprofen... 13
fluticasone furoate-vilanterol... 178
fluticasone propion-salmeterol... 178
fluticasone propionate... 114, 178
fluvastatin... 94
fluvoxamine... 39
FML FORTE... 171
FML LIQUIFILM... 171
FOCALIN XR... 105
FOCALIN... 105
FOCINVEZ... 41
folic acid... 186
FOLLISTIM AQ... 185
FOLOTYN... 53
fomepizole... 165
fondaparinux... 86
FORFIVO XL... 39
formoterol fumarate... 178
FORTEO... 161
FORZINITY... 165
FOSAMAX PLUS D... 161
FOSAMAX... 161
fosamprenavir... 73
fosaprepitant... 41
foscarnet... 73
fosfomycin tromethamine... 26
fosinopril-hydrochlorothiazide... 94
fosinopril... 94
fosphenytoin... 32
FOTIVDA... 53
FRAGMIN... 86
FROVA... 46
frovatriptan... 46
FRUZAQLA... 53
FULPHILA... 86
fulvestrant... 53
FULVICIN P/G... 43
FURADANTIN... 26
FUROSCIX READYFLOW... 94
FUROSCIX... 94
furosemide... 94
FUZEON... 73
FYARRO... 53
fyavolv... 140
FYCOMPA... 32
FYLNETRA... 86
fyremadel... 185

G

gabapentin... 32, 105
GABARONE... 32
GALAFOLD... 130
galantamine... 37
galbriela... 140
gallifrey... 140
GAMASTAN... 152
GAMIFANT... 152
GAMMAGARD LIQUID ERC... 152
GAMMAGARD LIQUID... 152
GAMMAGARD S-D (IGA < 1 MCG/ML)... 152
GAMMAKED... 152
GAMMAPLEX (WITH SORBITOL)... 152
GAMMAPLEX... 152
GAMUNEX-C... 152
ganciclovir sodium... 73
ganirelix... 186
GARDASIL 9 (PF)... 152
GASTROCROM... 178
gatifloxacin... 171
GATTEX 30-VIAL... 125
GATTEX ONE-VIAL... 125

GAUZE BANDAGE... 165
GAUZE PAD... 166
gavilyte-c... 125
gavilyte-g... 125
gavilyte-n... 126
GAVRETO... 53
GAZYVA... 53
gefitinib... 53
gemfibrozil... 94
gemmily... 140
GEMTESA... 132
generlac... 126
gengraf... 152
GENOTROPIN MINIQUICK... 136
GENOTROPIN... 136
gentamicin in nacl (iso-osm)... 26
gentamicin sulfate (ped) (pf)... 26
gentamicin... 26, 171
GENVOYA... 73
GEODON... 68
GILENYA... 105
GILOTRIF... 53
GIMOTI... 41
GIVLAARI... 166
GLASSIA... 130
glatiramer... 105
glatopa... 105
GLEEVEC... 53
GLEOSTINE... 53
glimepiride... 79
glipizide-metformin... 79
glipizide... 79
GLOPERBA... 46
GLUCAGON (HCL) EMERGENCY KIT... 79
glucagon emergency kit (human)... 79
GLUCOTROL XL... 79
GLUMETZA... 79
glutamine (sickle cell)... 126
glyburide micronized... 79
glyburide-metformin... 80
glyburide... 79
GLYCATE... 126
glycerol phenylbutyrate... 130
glycopyrrolate (pf) in water... 126
glycopyrrolate (pf)... 126
glycopyrrolate... 126
glydo... 19
GLYXAMBI... 80
GOCOVRI... 65
GOLYTELY... 126
GOMEKLI... 53
GONAL-F RFF REDI-JECT... 186
GONAL-F RFF... 186
GONAL-F... 186
GONITRO... 94
GRAFAPEX... 53
GRALISE... 105
granisetron (pf)... 41
granisetron hcl... 41
granisol... 41
GRANIX... 86
GRASTEK... 178
griseofulvin microsize... 44
griseofulvin ultramicrosize... 44
guanfacine... 94, 105
GVOKE HYPOPEN 1-PACK... 80
GVOKE HYPOPEN 2-PACK... 80
GVOKE PFS 1-PACK SYRINGE... 80
GVOKE PFS 2-PACK SYRINGE... 80
GVOKE... 80
GWYN LO... 140
gynazole-1... 44

H

HAEGARDA... 152
hailey 24 fe... 140
hailey fe 1.5/30 (28)... 140
hailey fe 1/20 (28)... 140
hailey... 140
HALAVEN... 53
halcinonide... 114
HALCION... 183
HALDOL DECANOATE... 68
halobetasol propionate... 114
haloette... 140
HALOG... 114
haloperidol decanoate... 68
haloperidol lactate... 68
haloperidol... 68
HARLIKU... 130
HARVONI... 73
HAVRIX (PF)... 152
heather... 140
HECTOROL... 161
HEMABATE... 137
HEMADY... 134
HEMANGEOL... 94
HEMICLOR... 95
heparin (porcine)... 86
heparin, porcine (pf)... 86
HEPCLUDEX... 166
HEPLISAV-B (PF)... 152
HERCEPTIN HYLECTA... 53
HERCEPTIN... 53
HERCESSI... 53
HERNEXEOS... 53
HERZUMA... 53
HETLIOZ LQ... 183
HETLIOZ... 183
HIBERIX (PF)... 152
HIZENTRA... 152, 153
HORIZANT... 105
HUMALOG JUNIOR KWIKPEN U-100... 80
HUMALOG KWIKPEN INSULIN... 80
HUMALOG MIX 50-50 KWIKPEN... 80
HUMALOG MIX 75-25 KWIKPEN... 80
HUMALOG MIX 75-25(U-100)INSULN... 80
HUMALOG TEMPO PEN(U-100)INSULN... 80
HUMALOG U-100 INSULIN... 80
HUMATIN... 26
HUMATROPE... 136
HUMIRA PEN... 153
HUMIRA(CF) PEN CROHNS-UC-HS... 153

HUMIRA(CF) PEN PSOR-UV-ADOL HS... 153
HUMIRA(CF) PEN... 153
HUMIRA(CF)... 153
HUMIRA... 153
HUMULIN 70/30 U-100 INSULIN... 80
HUMULIN 70/30 U-100 KWIKPEN... 80
HUMULIN N NPH INSULIN KWIKPEN... 80
HUMULIN N NPH U-100 INSULIN... 80
HUMULIN R REGULAR U-100 INSULN... 80
HUMULIN R U-500 (CONC) KWIKPEN... 80
HYCODAN (WITH HOMATROPINE)... 185
HYCODAN... 185
hydralazine... 95
HYDREA... 53
hydrochlorothiazide... 95
hydrocodone bitartrate... 13
hydrocodone-acetaminophen... 13
hydrocodone-chlorpheniramine... 185
hydrocodone-homatropine... 185
hydrocodone-ibuprofen... 13
hydrocortisone acetate... 134
hydrocortisone butyrate... 114
hydrocortisone sod succinate... 134
hydrocortisone valerate... 114, 115
hydrocortisone-acetic acid... 174
hydrocortisone... 114, 159
hydromet... 185
hydromorphone (pf)... 13
HYDROMORPHONE... 13
hydroxocobalamin... 186
hydroxychloroquine... 64
hydroxyurea... 53
hydroxyzine hcl... 77
hydroxyzine pamoate... 178
HYFTOR... 115
HYPERRAB (PF)... 153
HYPERTET (PF)... 153
HYRNUO... 53
HYSINGLA ER... 14
HYZAAR... 95

I

ibandronate... 161
IBRANCE... 53
IBSRELA... 126
IBTROZI... 53
ibu... 14
ibuprofen-famotidine... 14
ibuprofen... 14
ibutilide fumarate... 95
icatibant... 153
iclevia... 140
ICLUSIG... 53
icosapent ethyl... 95
ICOTYDE... 115
IDAMYCIN PFS... 54
idarubicin... 54
IDHIFA... 54
IDVYNSO... 73
IFEX... 54
ifosfamide... 54
IGALMI... 166
ILEVRO... 172
ILUMYA... 153
IMAAVY... 153
imatinib... 54
IMBRUVICA... 54
IMDELLTRA... 54
IMFINZI... 54
imipenem-cilastatin... 26
imipramine hcl... 39
imipramine pamoate... 39
imiquimod... 115
IMITREX STATDOSE PEN... 46
IMITREX STATDOSE REFILL... 46
IMITREX... 46
IMJUDO... 54
IMKELDI... 54
IMLYGIC... 54
IMMPHENTIV... 95
IMOGAM RABIES-HT (PF)... 153
IMOVAX RABIES VACCINE (PF)... 153
IMPAVIDO... 64
IMURAN... 153
IMVEXXY MAINTENANCE PACK... 140
IMVEXXY STARTER PACK... 140
INBRIJA... 65
incassia... 140
INCONTROL ALCOHOL PADS... 166
INCRELEX... 136
INCRUSE ELLIPTA... 178
indapamide... 95
INDERAL LA... 95
INDOCIN... 14
indomethacin sodium... 14
indomethacin... 14
INFANRIX (DTAP) (PF)... 153
INFLECTRA... 153
INFLIXIMAB... 153
INFUMORPH P/F... 14
INFUVITE ADULT... 186
INFUVITE PEDIATRIC... 186
INGREZZA INITIATION PK(TARDIV)... 105
INGREZZA SPRINKLE... 105
INGREZZA... 105
INLEXZO... 54
INLURIYO... 54
INLYTA... 54
INNOPRAN XL... 95
INPEFA... 95
INQOVI... 54
INREBIC... 54
INSPRA... 95
INSULIN ASP PRT-INSULIN ASPART... 80
INSULIN DEGLUDEC... 80
INSULIN GLARGINE U-300 CONC... 80
INSULIN GLARGINE-YFGN... 80
INSULIN LISPRO PROTAMIN-LISPRO... 81

INSULIN LISPRO... 80, 81
INSULIN SYRINGE MICROFINE... 166
INSULIN SYRINGE-NEEDLE U-100... 166
INSULIN U-500 SYRINGE-NEEDLE... 166
INTELENCE... 73
INTRALIPID... 120
INTRAROSA... 141
introvale... 141
INTUNIV ER... 105
INVEGA HAFYERA... 68
INVEGA SUSTENNA... 68
INVEGA TRINZA... 68
INVEGA... 68
INVELTYS... 172
INVOKAMET XR... 81
INVOKAMET... 81
INVOKANA... 81
INZIRQO... 95
IONOSOL-MB IN D5W... 120
IOPIDINE... 172
IPOL... 153
ipratropium bromide... 178
ipratropium-albuterol... 178
IQIRVO... 126
irbesartan-hydrochlorothiazide... 95
irbesartan... 95
IRESSA... 54
irinotecan... 54
ISEMBYLD... 166
ISENTRESS HD... 73
ISENTRESS... 73
isibloom... 141
ISOLYTE S PH 7.4... 120
ISOLYTE-P IN 5 % DEXTROSE... 120
ISOLYTE-S... 120
isoniazid... 48
ISORDIL TITRADOSE... 95
ISORDIL... 95
isosorbide dinitrate... 95
isosorbide mononitrate... 95
isosorbide-hydralazine... 95
isotretinoin... 115
isradipine... 95
ISTALOL... 172
ISTODAX... 54
ISTURISA... 136
ISUPREL... 95
ITOVEBI... 54
itraconazole... 44
IV PREP WIPES... 166
ivabradine... 95
ivermectin... 64, 115
IVRA... 54
IWILFIN... 54
IXEMPRA... 54
IXIARO (PF)... 153
IYUZEH (PF)... 172

J

JADENU SPRINKLE... 120
JADENU... 120
jaimiess... 141
JAKAFI XR... 55
JAKAFI... 54
JALYN... 132
jantoven... 87
JANUMET XR... 81
JANUMET... 81
JANUVIA... 81
JARDIANCE... 81
JASCAYD... 178
jasmiel (28)... 141
JATENZO... 141
JAVADIN... 95
javygtor... 130
JAYPIRCA... 55
jaythari... 134
JEMPERLI... 55
jencycla... 141
JENTADUETO XR... 81
JENTADUETO... 81
JEVTANA... 55
JIDEYTRO... 55
jinteli... 141
JOBEVNE... 55
JOENJA... 130
jolessa... 141
JORNAY PM... 105
JOURNAVX... 166
joyeaux... 141
JUBBONTI... 161
JUBLIA... 44
juleber... 141
JULUCA... 74
junel 1.5/30 (21)... 141
junel 1/20 (21)... 141
junel fe 1.5/30 (28)... 141
junel fe 1/20 (28)... 141
junel fe 24... 141
JUVMO TITRATION PACK... 65
JUVMO... 65
JUXTAPID... 95
JYLAMVO... 153
JYNARQUE... 120
JYNNEOS (PF)... 153

K

KABIVEN... 120
KADCYLA... 55
kaitlib fe... 141
KALETRA... 74
kalliga... 141
KALYDECO... 178
KANJINTI... 55
KANUMA... 130
KAPSPARGO SPRINKLE... 96
KARBINAL ER... 178
kariva (28)... 141
KATERZIA... 96
KAZANO... 81
KEDRAB (PF)... 153
kelnor 1/35 (28)... 141
kelnor 1/50 (28)... 141
KENALOG-80... 134
KENALOG... 134
KENGREAL... 87
KEPIVANCE... 109
KEPPRA XR... 32
KEPPRA... 32

KERENDIA... 96
KESIMPTA PEN... 105
ketoconazole... 44
ketodan... 44
ketoprofen... 14
ketorolac... 14, 172
KEVEYIS... 130
KEVZARA... 153
KEYTRUDA QLEX... 55
KEYTRUDA... 55
KHAPZORY... 55
KHINDIVI... 134
KIMMTRAK... 55
KIMYRSA... 26
KINERET... 153
KINRIX (PF)... 153
kionex... 120
kiprofen... 14
KIRSTY PEN... 81
KIRSTY... 81
KISQALI... 55
KITABIS PAK... 26
KLARON... 26
klayesta... 44
KLISYRI (250 MG)... 115
KLISYRI (350 MG)... 115
KLONOPIN... 78
KLOR-CON 10... 120
KLOR-CON 8... 120
klor-con m10... 120
KLOR-CON M15... 120
klor-con m20... 120
klor-con... 120
KLOXXADO... 20
KOMZIFTI... 55
KONVOMEP... 126
KORLYM... 166
KOSELUGO... 55
KOSHER PRENATAL PLUS IRON... 120
kourzeq... 109
KRAZATI... 55
KRINTAFEL... 64
KRISTALOSE... 126
kurvelo (28)... 141
KUVAN... 130
KYGEVVI... 130
kymbee... 134
KYPROLIS... 55
KYZATREX... 141

L

l norgest/e.estradiol-e.estrad... 141
labetalol... 96
lacosamide... 32
lactated ringers... 120, 166
lactulose... 126
LAMICTAL ODT STARTER (BLUE)... 32
LAMICTAL ODT STARTER (GREEN)... 32
LAMICTAL ODT STARTER (ORANGE)... 32
LAMICTAL ODT... 32
LAMICTAL STARTER (BLUE) KIT... 32
LAMICTAL STARTER (GREEN) KIT... 33
LAMICTAL STARTER (ORANGE) KIT... 33
LAMICTAL XR STARTER (BLUE)... 33
LAMICTAL XR STARTER (GREEN)... 33
LAMICTAL XR STARTER (ORANGE)... 33
LAMICTAL XR... 33
LAMICTAL... 32
lamivudine-zidovudine... 74
lamivudine... 74
lamotrigine... 33
LAMPIT... 64
LAMPRENE... 48
LAMZEDE... 130
LANOXIN PEDIATRIC... 96
LANOXIN... 96
lanreotide... 147, 148
lansoprazole... 126
LANTUS SOLOSTAR U-100 INSULIN... 81
LANTUS U-100 INSULIN... 81
lapatinib... 55
larin 1.5/30 (21)... 141
larin 1/20 (21)... 141
larin 24 fe... 141
larin fe 1.5/30 (28)... 141
larin fe 1/20 (28)... 141
LASIX ONYU... 96
LASIX... 96
latanoprost... 172
LATUDA... 68
LAYOLIS FE... 141
LAZCLUZE... 55
ledipasvir-sofosbuvir... 74
leena 28... 141
leflunomide... 153
LEMTRADA... 105
lenalidomide... 55
LENVIMA... 55
LEQEMBI IQLIK... 37
LEQSELVI... 153
LEQVIO... 96
LEROCHOL... 96
LESCOL XL... 96
lessina... 141
LETAIRIS... 178
letrozole... 56
leucovorin calcium... 56
LEUKERAN... 56
LEUKINE... 87
leuprolide acetate (3 month)... 148
leuprolide... 148
levalbuterol hcl... 178
levalbuterol tartrate... 178
levetiracetam in nacl (iso-os)... 33
levetiracetam... 33
LEVO-T... 146
levobunolol... 172
levocarnitine (with sugar)... 121
levocarnitine... 120, 121
levocetirizine... 178
levofloxacin in d5w... 26
levofloxacin... 26, 172
levoleucovorin calcium... 56
levonest (28)... 142

levonorg-eth estrad triphasic... 142
levonorgest-eth.estradiol-iron... 142
levonorgestrel-ethinyl estrad... 142
LEVOPHED (BITARTRATE)... 96
levora-28... 142
levorphanol tartrate... 14
levothyroxine... 146, 147
LEVOXYL... 147
LEVULAN... 56
LEXAPRO... 39
lexette... 115
LIALDA... 160
LIBERVANT... 33
LIBTAYO... 56
LICART... 14
lidocaine (pf)... 19, 96
lidocaine hcl... 19
lidocaine in 5 % dextrose (pf)... 96
lidocaine-epinephrine bit... 19
lidocaine-epinephrine... 19
lidocaine-prilocaine... 19
lidocaine... 19
lidocan iii... 19
lidocan iv... 19
lidocan v... 19
LIDODERM... 19
LIFYORLI... 56
lignospan forte... 19
lignospan standard... 19
linagliptin-metformin... 81
linagliptin... 81
LINCOCIN... 26
lincomycin... 26
linezolid in dextrose 5%... 27
linezolid-0.9% sodium chloride... 27
linezolid... 26
LINZESS... 126
liomny... 147
liothyronine... 147
LIPFENDRA... 96
LIPITOR... 96
LIPOFEN... 96
LIQREV... 178
liraglutide... 81
lisdexamfetamine... 105, 106
lisinopril-hydrochlorothiazide... 96
lisinopril... 96
LISRAYA... 153
LITFULO... 153
lithium carbonate... 78
lithium citrate... 78
LITHOBID... 78
LITHOSTAT... 166
LIVALO... 96
LIVDELZI... 126
LIVMARLI... 126
LIVTENCITY... 74
LO LOESTRIN FE... 142
lo-zumandimine (28)... 142
LOARGYS... 130
LOCOID LIPOCREAM... 115
LOCOID... 115
LODINE... 14
LODOCO... 96
LODOSYN... 65
LOESTRIN 1.5/30 (21)... 142
LOESTRIN 1/20 (21)... 142
LOESTRIN FE 1.5/30 (28-DAY)... 142
LOESTRIN FE 1/20 (28-DAY)... 142
lofena... 14
lofexidine... 20
lojaimiess... 142
LOKELMA... 121
LOMOTIL... 126
lomustine... 56
LONSURF... 56
loperamide... 126
LOPID... 96
lopinavir-ritonavir... 74
LOPRESSOR... 96
LOPROX (AS OLAMINE)... 44
LOQTORZI... 56
lorazepam intensol... 78
lorazepam... 78
LORBRENA... 56
LOREEV XR... 78
loryna (28)... 142
losartan-hydrochlorothiazide... 97
losartan... 97
LOTEMAX SM... 172
LOTEMAX... 172
LOTENSIN HCT... 97
LOTENSIN... 97
loteprednol etabonate... 172
LOTREL... 97
LOTRONEX... 126
lovastatin... 97
LOVAZA... 97
LOVENOX... 87
low-ogestrel (28)... 142
loxapine succinate... 68
lubiprostone... 126
LUCEMYRA... 21
luizza... 142
luliconazole... 44
LUMAKRAS... 56
LUMIGAN... 172
LUMIZYME... 130
LUMRYZ STARTER PACK... 183
LUMRYZ... 183
LUMVOA... 166
LUNESTA... 183
LUNSUMIO VELO... 56
LUNSUMIO... 56
LUPKYNIS... 153
LUPRON DEPOT (3 MONTH)... 148
LUPRON DEPOT (4 MONTH)... 148
LUPRON DEPOT (6 MONTH)... 148
LUPRON DEPOT-PED (3 MONTH)... 148
LUPRON DEPOT-PED... 148
LUPRON DEPOT... 148
lurasidone... 68
lurbiro... 14
lutera (28)... 142
LUTRATE DEPOT (3 MONTH)... 148
LUZU... 44
LYBALVI... 68
lyleq... 142

lyllana... 142
LYNAVOY... 126
LYNKUET... 106
LYNOZYFIC... 56
LYNPARZA... 56
LYRICA CR... 106
LYRICA... 106
LYSODREN... 56
LYTGOBI... 56
LYUMJEV KWIKPEN U-100 INSULIN... 81
LYUMJEV KWIKPEN U-200 INSULIN... 81
LYUMJEV TEMPO PEN(U-100)INSULN... 81
LYUMJEV U-100 INSULIN... 81
LYVISPAH... 71
lyza... 142

M

M-M-R II (PF)... 154
m-natal plus... 121
macitentan... 179
MACROBID... 27
mafenide acetate... 115
magnesium sulfate in d5w... 121
magnesium sulfate in water... 121
magnesium sulfate... 121
MALARONE PEDIATRIC... 64
MALARONE... 64
malathion... 115
mannitol 20 %... 97
mannitol 25 %... 97
maraviroc... 74
MARCAINE (PF)... 19
MARCAINE SPINAL (PF)... 19
MARCAINE-EPINEPHRINE (PF)... 20
MARCAINE-EPINEPHRINE... 19
MARCAINE... 19
MARGENZA... 56
MARINOL... 41
marlissa (28)... 142
MARPLAN... 39
MATULANE... 56
matzim la... 97
MAVENCLAD (10 TABLET PACK)... 106
MAVENCLAD (4 TABLET PACK)... 106
MAVENCLAD (5 TABLET PACK)... 106
MAVENCLAD (6 TABLET PACK)... 106
MAVENCLAD (7 TABLET PACK)... 106
MAVENCLAD (8 TABLET PACK)... 106
MAVENCLAD (9 TABLET PACK)... 106
MAVYRET... 74
MAXALT-MLT... 47
MAXALT... 46
MAXIDEX... 172
MAXITROL... 172
MAYZENT STARTER(FOR 1MG MAINT)... 106
MAYZENT STARTER(FOR 2MG MAINT)... 106
MAYZENT... 106
meclizine... 41, 42
meclofenamate... 14
MEDROL (PAK)... 134
MEDROL... 134
medroxyprogesterone... 142
mefenamic acid... 14
mefloquine... 64
megestrol... 142
MEKINIST... 56
MEKTOVI... 57
meleya... 142
meloxicam submicronized... 15
meloxicam... 14, 15
melphalan hcl... 57
memantine-donepezil... 37
memantine... 37
MENEST... 142
MENOPUR... 186
MENOSTAR... 142
MENQUADFI (PF)... 154
MENVEO A-C-Y-W-135-DIP (PF)... 154
meperidine (pf)... 15
meperidine... 15
meprobamate... 78
MEPRON... 64
MEPSEVII... 130
mercaptopurine... 57
MERILOG SOLOSTAR... 81
MERILOG... 81
meropenem-0.9% sodium chloride... 27
meropenem... 27
merzee... 142
mesalamine... 160
mesna... 57
MESNEX... 57
MESTINON TIMESPAN... 48
MESTINON... 48
METADATE CD... 106
metaxalone... 182
metformin... 81, 82
methadone intensol... 15
methadone... 15
METHADOSE... 15
methamphetamine... 106
methazolamide... 172
methenamine hippurate... 27
methimazole... 149
METHITEST... 142
methocarbamol... 182
methotrexate sodium (pf)... 154
methotrexate sodium... 154
methoxsalen... 115
methscopolamine... 126
methsuximide... 33
methyldopa... 97
methylergonovine... 166
METHYLIN... 106
methylphenidate hcl... 106, 107
methylphenidate... 106
methylprednisolone acetate... 134
methylprednisolone sodium succ... 134
methylprednisolone... 134
methyltestosterone... 143
metoclopramide hcl... 42

metolazone... 97
metoprolol succinate... 97
metoprolol ta-hydrochlorothiaz... 97
metoprolol tartrate... 97
METRO I.V.... 27
metronidazole in nacl (iso-os)... 27
metronidazole... 27
metyrosine... 97
mexiletine... 97
MIACALCIN... 161
mibelas 24 fe... 143
MICAFUNGIN IN 0.9 % SODIUM CHL... 44
micafungin... 44
MICARDIS HCT... 97
MICARDIS... 97
miconazole nitrate-zinc ox-pet... 44
miconazole-3... 44
micort-hc... 135
microgestin 1.5/30 (21)... 143
microgestin 1/20 (21)... 143
microgestin fe 1.5/30 (28)... 143
microgestin fe 1/20 (28)... 143
midodrine... 97
MIEBO (PF)... 172
mifepristone... 166
migergot... 47
miglitol... 82
miglustat... 130
MIGRANAL... 47
mili... 143
millipred dp... 135
millipred... 135
milnacipran... 107
milophene... 186
milrinone in 5 % dextrose... 97
milrinone... 97
MIMRYLO... 166
mimvey... 143
MINIVELLE... 143
MINOCIN... 27
minocycline... 27
minoxidil... 97
MINT REFILL KIT... 166
MINT STARTER KIT... 166
minzoya... 143
MIOSTAT... 172
MIPLYFFA... 130
MIRAPEX ER... 65
MIRCERA... 87
MIRENA... 166
mirtazapine... 39
MIRVASO... 115
misoprostol... 126
MITIGARE... 46
mitigo (pf)... 15
mitomycin... 57
mitoxantrone... 57
modafinil... 183
MODD1 PATIENT WELCOME KIT... 166
MODD1 SUPPLY KIT... 166
MODEYSO... 57
moexipril... 97
molindone... 68, 69
mometasone... 115, 179
mondoxyne nl... 27
MONJUVI... 154
mono-linyah... 143
montelukast... 179
morgidox... 27
morphine (pf)... 16
morphine concentrate... 16
morphine... 15, 16
MOTEGRITY... 126
MOTOFEN... 126
MOTPOLY XR... 33
MOUNJARO... 82
MOVANTIK... 127
MOVIPREP... 127
moxifloxacin-sod.ace,sul-water... 27
moxifloxacin-sod.chloride(iso)... 27
moxifloxacin... 27, 172
MOZOBIL... 87
MRESVIA (PF)... 154
MS CONTIN... 16
MULPLETA... 87
MULTAQ... 97
mupirocin calcium... 115
mupirocin... 115
MUTAMYCIN... 57
MVASI... 57
mvi, adult no.4 with vit k... 187
mvi, pedi no.1 with vit k... 187
MYALEPT... 127
MYCAMINE... 44
MYCAPSSA... 148
mycophenolate mofetil (hcl)... 154
mycophenolate mofetil... 154
mycophenolate sodium... 154
MYDAYIS... 107
MYFEMBREE... 148
MYFORTIC... 154
MYHIBBIN... 154
MYLOTARG... 57
MYQORZO... 97
MYRBETRIQ... 132
MYSOLINE... 33
MYTESI... 127

N

nabumetone... 16
nadolol... 98
nafcillin in dextrose iso-osm... 27
nafcillin... 27
naftifine... 44
NAFTIN... 44
NAGLAZYME... 130
nalbuphine... 16
NALFON... 16
nalmefene... 21
nalocet... 16
naloxone... 21
naltrexone... 21
NAMZARIC... 37
NANO 2ND GEN PEN NEEDLE... 166
NANO PEN NEEDLE... 166
NAPRELAN CR... 16

NAPROSYN... 16
naproxen sodium... 16
naproxen-esomeprazole... 16
naproxen... 16
naratriptan... 47
NARCAN... 21
NARDIL... 39
NAROPIN (PF)... 20
NASCOBAL... 187
NATACYN... 172
NATAZIA... 143
nateglinide... 82
NATROBA... 115
NAVITRUX... 42
NAYZILAM... 33
nebivolol... 98
NEBUPENT... 64
necon 0.5/35 (28)... 143
nefazodone... 39
NEFFY... 179
nelarabine... 57
NEMLUVIO... 154
neo-polycin hc... 172
neo-polycin... 172
NEO-SYNALAR... 115
neo-vital rx... 121
neomycin-bacitracin-poly-hc... 172
neomycin-bacitracin-polymyxin... 172
neomycin-polymyxin b gu... 166
neomycin-polymyxin b-dexameth... 172
neomycin-polymyxin-gramicidin... 172
neomycin-polymyxin-hc... 172, 174
neomycin... 27
NEONATAL COMPLETE... 121
NEONATAL PLUS VITAMIN... 121
NEONATAL-DHA... 121
NEORAL... 154
NEREUS... 42
NERLYNX... 57
NESACAINE-MPF... 20
NESACAINE... 20
NESINA... 82
neuac... 115
NEULASTA ONPRO... 87
NEULASTA... 87
NEUPOGEN... 87
NEUPRO... 65
NEURONTIN... 34
NEVANAC... 172
nevirapine... 74
NEXAVAR... 57
NEXICLON XR... 98
NEXIUM PACKET... 127
NEXIUM... 127
NEXLETOL... 98
NEXLIZET... 98
NEXPLANON... 143
NEXTERONE... 98
NEXTSTELLIS... 143
NEXVIAZYME... 130
NGENLA... 136
niacin... 98
niacor... 98
nicardipine (pf)... 98
nicardipine... 98
NICOTROL NS... 21
nifedipine... 98
nikki (28)... 143
NIKTIMVO... 154
NILANDRON... 57
nilotinib d-tartrate... 57
nilotinib hcl... 57
nilutamide... 57
nimodipine... 98
NINLARO... 57
nintedanib... 179
NIPENT... 57
nisoldipine... 98
nitazoxanide... 64
nitisinone... 130
NITRO-BID... 98
NITRO-DUR... 98
nitrofurantoin macrocrystal... 27
nitrofurantoin monohyd/m-cryst... 27
nitrofurantoin... 27
nitroglycerin in 5 % dextrose... 98
nitroglycerin... 98, 166
NITROLINGUAL... 98
NITROSTAT... 98
NITYR... 130
NIVESTYM... 87
nizatidine... 127
NOCDURNA (MEN)... 136
NOCDURNA (WOMEN)... 136
NORA-BE... 143
NORDITROPIN FLEXPRO... 136
norelgestromin-ethin.estradiol... 143
norepinephrine bitartrate... 99
noreth-ethinyl estradiol-iron... 143
norethindrone (contraceptive)... 143
norethindrone ac-eth estradiol... 143
norethindrone acetate... 143
norethindrone-e.estradiol-iron... 143
NORGESIC FORTE... 183
norgesic... 182
norgestimate-ethinyl estradiol... 143
NORITATE... 27
NORLIQVA... 99
NORMOSOL-M IN 5 % DEXTROSE... 121
NORMOSOL-R IN 5 % DEXTROSE... 121
NORMOSOL-R PH 7.4... 121
NORMOSOL-R... 121
NORPACE CR... 99
NORPACE... 99
NORPRAMIN... 39
NORTHERA... 99
nortrel 0.5/35 (28)... 143
nortrel 1/35 (21)... 143
nortrel 1/35 (28)... 143

nortrel 7/7/7 (28)... 143
nortriptyline... 39
NORVASC... 99
NORVIR... 74
NOURIANZ... 65
NOVAREL... 136
NOVOLIN 70-30 FLEXPEN U-100... 82
NOVOLIN 70/30 U-100 INSULIN... 82
NOVOLIN N FLEXPEN... 82
NOVOLIN N NPH U-100 INSULIN... 82
NOVOLIN R FLEXPEN... 82
NOVOLIN R REGULAR U100 INSULIN... 82
NOVOLOG FLEXPEN U-100 INSULIN... 82
NOVOLOG MIX 70-30 U-100 INSULN... 82
NOVOLOG MIX 70-30FLEXPEN U-100... 82
NOVOLOG PENFILL U-100 INSULIN... 82
NOVOLOG U-100 INSULIN ASPART... 82
NOVOPEN ECHO... 166
NOXAFIL... 44
NUBEQA... 57
NUCALA... 179
NUCYNTA ER... 16
NUCYNTA... 16
NUEDEXTA... 107
NULIBRY... 130
NUPLAZID... 69
NURTEC ODT... 47
NUTRILIPID... 121
NUTROPIN AQ NUSPIN... 136
NUVARING... 144
NUVESSA... 27
NUVIGIL... 183
NUZOLVENCE... 28
NUZYRA... 28
nyamyc... 44
nylia 1/35 (28)... 144
nylia 7/7/7 (28)... 144
NYMALIZE... 99
NYPOZI... 87
nystatin-triamcinolone... 45
nystatin... 44, 45
nystop... 45
NYVEPRIA... 87

O

OB COMPLETE ONE... 121
OB COMPLETE PETITE... 121
OB COMPLETE PREMIER... 121
ocella... 144
OCREVUS ZUNOVO... 107
OCREVUS... 107
OCTAGAM... 154
octreotide acetate... 148
octreotide,microspheres... 148
OCUFLOX... 173
ODACTRA... 179
ODEFSEY... 74
ODOMZO... 57
OFEV... 179
ofloxacin... 28, 173, 174
OGIVRI... 57
OGSIVEO... 57
OHTUVAYRE... 179
OJEMDA... 57
OJJAARA... 57
olanzapine-fluoxetine... 39
olanzapine... 69
olmesartan-amlodipin-hcthiazid... 99
olmesartan-hydrochlorothiazide... 99
olmesartan... 99
olopatadine... 179
OLPRUVA... 130
OLUMIANT... 154
OMECLAMOX-PAK... 127
omega-3 acid ethyl esters... 99
OMEGAVEN... 121
omeprazole-sodium bicarbonate... 127
omeprazole... 127
OMLYCLO... 154
OMNARIS... 179
OMNIPOD 5 (LIBRE 2/3 PLUS)... 166
OMNIPOD 5 G6-G7 INTRO KT(GEN5)... 167
OMNIPOD 5 G6-G7 PODS (GEN 5)... 167
OMNIPOD 5 INTRO (LIBRE2/3PLUS)... 167
OMNIPOD CLASSIC PODS (GEN 3)... 167
OMNIPOD DASH INTRO KIT (GEN 4)... 167
OMNIPOD DASH PODS (GEN 4)... 167
OMNIPOD GO PODS 10 UNITS/DAY... 167
OMNIPOD GO PODS 15 UNITS/DAY... 167
OMNIPOD GO PODS 20 UNITS/DAY... 167
OMNIPOD GO PODS 25 UNITS/DAY... 167
OMNIPOD GO PODS 30 UNITS/DAY... 167
OMNIPOD GO PODS 40 UNITS/DAY... 167
OMNIPOD GO PODS... 167
OMNITROPE... 136
OMVOH PEN... 154
OMVOH... 154
ONAPGO... 65
ONCASPAR... 58
ondansetron hcl (pf)... 42
ondansetron hcl... 42
ondansetron... 42
one natal rx... 121
ONEXTON... 115
ONFI... 34
ONGENTYS... 65
ONIVYDE... 58
ONPATTRO... 130

ONTRALFY... 71
ONTRUZANT... 58
ONUREG... 58
ONYDA XR... 107
ONZETRA XSAIL... 47
OPDIVO QVANTIG... 58
OPDIVO... 58
OPDUALAG... 58
OPFOLDA... 130
OPIPZA... 69
opium tincture... 127
OPSUMIT... 179
OPSYNVI... 179
OPVEE... 21
OPZELURA... 115
ORACEA... 28
oralone... 109
ORAPRED ODT... 135
ORBACTIV... 28
ORENCIA CLICKJECT... 155
ORENCIA... 154
ORENITRAM MONTH 1 TITRATION KT... 179
ORENITRAM MONTH 2 TITRATION KT... 179
ORENITRAM MONTH 3 TITRATION KT... 179
ORENITRAM... 179
ORFADIN... 130
ORGOVYX... 58
ORIAHNN... 148
ORILISSA... 148
ORKAMBI... 179
ORLADEYO... 155
ORLYNVAH... 28
ormalvi... 130
orphenadrine citrate... 183
orphenadrine-asa-caffeine... 183
orphengesic forte... 183
orquidea... 144
ORSERDU... 58
orudis... 16
oseltamivir... 74
OSENI... 82
OSMITROL 10 %... 99
OSMITROL 20 %... 99
OSMOLEX ER... 66
OSPHENA... 144
OSPOMYV... 161
OSVYRTI... 161
OTEZLA STARTER... 115
OTEZLA XR INITIATION... 116
OTEZLA XR... 115
OTEZLA... 115
OTREXUP (PF)... 155
OTULFI... 155
OVIDE... 116
OVIDREL... 186
oxacillin in dextrose(iso-osm)... 28
oxacillin... 28
oxaliplatin... 58
oxaprozin... 16
oxazepam... 78
oxcarbazepine... 34
OXERVATE... 173
oxiconazole... 45
OXISTAT... 45
OXLUMO... 167
OXTELLAR XR... 34
oxybutynin chloride... 132, 133
oxycodone-acetaminophen... 17
oxycodone... 16, 17
OXYCONTIN... 17
oxymetazoline... 116
oxymorphone... 17
oxytocin... 167
OXYTROL... 133
OZEMPIC... 82
OZOBAX DS... 71
OZOBAX... 71

P

PACERONE... 99
paclitaxel protein-bound... 58
paclitaxel... 58
PADCEV... 58
PALFORZIA (LEVEL 1)... 167
PALFORZIA (LEVEL 10)... 167
PALFORZIA (LEVEL 11 UP-DOSE)... 167
PALFORZIA (LEVEL 2)... 167
PALFORZIA (LEVEL 3)... 167
PALFORZIA (LEVEL 4)... 167
PALFORZIA (LEVEL 5)... 167
PALFORZIA (LEVEL 6)... 167
PALFORZIA (LEVEL 7)... 167
PALFORZIA (LEVEL 8)... 167
PALFORZIA (LEVEL 9)... 167
PALFORZIA INITIAL (4-17 YRS)... 167
PALFORZIA LEVEL 11 MAINTENANCE... 167
paliperidone... 69
PALSONIFY... 148
PALYNZIQ... 130
PAMELOR... 39
pamidronate... 161
PANCREAZE... 131
PANDEL... 116
PANRETIN... 58
pantoprazole in 0.9% sod chlor... 127
pantoprazole... 127
PANZYGA... 155
paricalcitol... 161
PARNATE... 39
paroxetine hcl... 39
paroxetine mesylate(menop.sym)... 39
PAXIL CR... 39
PAXIL... 39
PAXLOVID... 74
pazopanib... 58
PEDIAPRED... 135
PEDIARIX (PF)... 155
PEDMARK... 58
PEDVAX HIB (PF)... 155
peg 3350-electrolytes... 127
peg-electrolyte soln... 127
peg3350-sod sul-nacl-kcl-asb-c... 127

PEGASYS... 155
pellix... 116
PEMAZYRE... 58
PEN NEEDLE, DIABETIC... 167
PENBRAYA (PF)... 155
penciclovir... 74
penicillamine... 121
penicillin g pot in dextrose... 28
penicillin g potassium... 28
penicillin g sodium... 28
penicillin v potassium... 28
PENMENVY MEN A-B-C-W-Y (PF)... 155
PENNSAID... 17
PENTACEL (PF)... 155
PENTAM... 64
pentamidine... 64
PENTASA... 160
pentazocine-naloxone... 17
pentobarbital sodium... 34
pentoxifylline... 99
pepcid... 127
perampanel... 34
PERCOCET... 17
PERFOROMIST... 179
PERIKABIVEN... 121
perindopril erbumine... 99
periogard... 109
PERJETA... 58
permethrin... 116
perphenazine-amitriptyline... 39
perphenazine... 69
PERSERIS... 69
PERTZYE... 131
pfizerpen-g... 28
PHEBURANE... 131
phenazopyridine... 167
phenelzine... 39
PHENERGAN... 42
phenobarbital sodium... 34
phenobarbital... 34
phenoxybenzamine... 99
phenylephrine hcl... 99
PHENYTEK... 34
phenytoin sodium extended... 34
phenytoin sodium... 34
phenytoin... 34
PHESGO... 58
PHEXX... 167
PHEXXI... 168
philith... 144
PHOSPHOLINE IODIDE... 173
PHYRAGO... 58
PHYSIOLYTE... 168
PHYSIOSOL IRRIGATION... 168
phytonadione (vitamin k1)... 187
PIASKY... 155
PIFELTRO... 74
pilocarpine hcl... 109, 173
pimecrolimus... 116
pimozide... 69
pimtrea (28)... 144
pindolol... 99
pioglitazone-glimepiride... 82
pioglitazone-metformin... 82
pioglitazone... 82
piperacillin-tazobactam... 28
PIQRAY... 58
pirfenidone... 179
piroxicam... 17
pitavastatin calcium... 99
PITOCIN... 168
PIVOT INSULIN PUMP STARTER KIT... 168
PIVOT SUPPLY KIT... 168
PIVYA... 28
PLAQUENIL... 64
PLASMA-LYTE 148 PH 7.4... 121
PLASMA-LYTE A... 121
PLAVIX... 87
PLEGRIDY... 107
PLENAMINE... 121
PLENVU... 127
plerixafor... 87
PLIAGLIS... 20
pnv-dha... 121
pnv-omega... 121
podofilox... 116
POKONZA... 121, 122
POLIVY... 58
polocaine-mpf... 20
polocaine... 20
polycin... 173
polymyxin b sulf-trimethoprim... 173
polymyxin b sulfate... 28
pomalidomide... 59
POMALYST... 59
POMBILITI... 131
PONVORY 14-DAY STARTER PACK... 107
PONVORY... 107
portia 28... 144
posaconazole... 45
potassium acetate... 122
potassium chlorid-d5-0.45%nacl... 122
potassium chloride in 0.9%nacl... 122
potassium chloride in 5 % dex... 122
potassium chloride in lr-d5... 122
potassium chloride in water... 122
potassium chloride-0.45 % nacl... 122
potassium chloride-d5-0.2%nacl... 122
potassium chloride-d5-0.9%nacl... 122
potassium chloride... 122
potassium citrate... 122
POTELIGEO... 59
pr natal 400 ec... 122
pr natal 400... 122
pr natal 430 ec... 122
pr natal 430... 122
PRADAXA... 87
pralatrexate... 59
PRALUENT PEN... 99
pramipexole... 66

prasugrel hcl... 87
pravastatin... 99
praziquantel... 64
prazosin... 99
PRECOSE... 82
PRED FORTE... 173
PRED MILD... 173
prednicarbate... 116
prednisolone acetate... 173
prednisolone sodium phosphate... 135, 173
prednisolone... 135
prednisone intensol... 135
prednisone... 135
pregabalin... 107
PREGNYL... 137
PREMARIN... 144
PREMASOL 10 %... 122
PREMPHASE... 144
PREMPRO... 144
PRENATA... 122
PRENATABS FA... 122
prenatal plus (calcium carb)... 122
prenatal plus dha... 122
prenatal plus vitamin-mineral... 122
prenatal vitamin plus low iron... 122
prenatal-u... 122
PRENATE ELITE... 122
PRETOMANID... 48
PREVACID SOLUTAB... 127
PREVACID... 127
prevalite... 99
PREVDUO... 168
PREVYMIS... 74, 75
PREZCOBIX PED... 75
PREZCOBIX... 75
PREZISTA... 75
PRIALT... 168
PRIFTIN... 48
PRILOSEC... 127
primaquine... 64
PRIMAXIN IV... 28
primidone... 34
primlev... 17
PRIMSOL... 28
PRIORIX (PF)... 155
PRISTIQ... 39
PRIVIGEN... 155
PRO COMFORT ALCOHOL PADS... 168
PRO-COMFORT ALCOHOL PADS... 168
PROAIR RESPICLICK... 180
probenecid-colchicine... 46
probenecid... 46
procainamide... 99
PROCARDIA XL... 99
procentra... 107
prochlorperazine edisylate... 42
prochlorperazine maleate... 42
prochlorperazine... 42
PROCRIT... 87
procto-med hc... 116
PROCTOFOAM HC... 160
proctosol hc... 116
proctozone-hc... 116
PROCYSBI... 131
progesterone micronized... 144
progesterone... 144
PROGLYCEM... 82
PROGRAF... 155
PROLASTIN-C... 131
prolate... 17
PROLENSA... 173
PROLIA... 161
PROMACTA... 87, 88
promethazine-codeine... 185
promethazine-dm... 185
promethazine-phenylephrine... 168
promethazine... 42
promethegan... 42
PROMETRIUM... 144
propafenone... 99, 100
proparacaine... 173
propranolol... 100
propylthiouracil... 149
PROQUAD (PF)... 155
PROSCAR... 133
PROSOL 20 %... 123
protamine... 168
PROTONIX... 127
protriptyline... 39
PROVERA... 144
PROVIGIL... 184
PROZAC... 39
prucalopride... 127
PRUDOXIN... 116
pruradik... 116
PULMICORT FLEXHALER... 180
PULMICORT... 180
PULMOZYME... 180
PURE COMFORT ALCOHOL PADS... 168
PURIXAN... 59
PYLERA... 128
pyquvi... 135
pyrazinamide... 48
PYRIDIUM... 168
pyridostigmine bromide... 48
pyridoxine (vitamin b6)... 187
pyrimethamine... 64
PYRUKYND... 131

Q

QALSODY... 107
QBRELIS... 100
QBREXZA... 116
QDOLO... 17
QELBREE... 107
QINLOCK... 59
QIVIGY... 155
QNASL... 180
QTERN... 83
QUADRACEL (PF)... 155
QUDEXY XR... 34
QUESTRAN LIGHT... 100
QUESTRAN... 100
quetiapine... 69
QUILLICHEW ER... 107
QUILLIVANT XR... 107
quinapril-hydrochlorothiazide... 100
quinapril... 100

quinidine gluconate... 100
quinidine sulfate... 100
quinine sulfate... 64
QULIPTA... 47
QUTENZA... 168
QUVIVIQ... 184
QUZYTTIR... 180
QVAR REDIHALER... 180

R

RABAVERT (PF)... 155
rabeprazole... 128
RADICAVA ORS STARTER KIT SUSP... 108
RADICAVA ORS... 108
RADICAVA... 107
RAGWITEK... 180
RALDESY... 40
raloxifene... 144
ramelteon... 184
ramipril... 100
ranitidine hcl... 128
ranolazine... 100
RAPAFLO... 133
rasagiline... 66
RASONQUE... 59
RASUVO (PF)... 155, 156
RAVICTI... 131
RAYALDEE... 161
RAYOS... 135
REBIF (WITH ALBUMIN)... 108
REBIF REBIDOSE... 108
REBIF TITRATION PACK... 108
REBLOZYL... 88
REBYOTA... 128
RECARBRIO... 28
RECLAST... 161
reclipsen (28)... 144
RECOMBIVAX HB (PF)... 156
RECORLEV... 148
RECTIV... 168
REDEMPLO... 100
REGLAN... 42
REGONOL... 48
REGRANEX... 116
RELAFEN DS... 17
RELENZA DISKHALER... 75
RELEUKO... 88
RELEXXII... 108
RELGAABI... 34
RELISTOR... 128
RELPAX... 47
RELTONE... 128
REMERON SOLTAB... 40
REMERON... 40
REMICADE... 156
REMODULIN... 180
RENACIDIN... 168
RENFLEXIS... 156
repaglinide... 83
REPATHA PUSHTRONEX... 100
REPATHA SURECLICK... 100
REPATHA SYRINGE... 100
RESPA-AR... 185
RESTASIS MULTIDOSE... 173
RESTASIS... 173
RESTORIL... 184
RETACRIT... 88
RETEVMO... 59
RETIN-A MICRO PUMP... 116
RETIN-A MICRO... 116
RETIN-A... 116
RETROVIR... 75
REVATIO... 180
REVCOVI... 131
REVLIMID... 59
revonto... 71
REVTORPYK... 59
REVUFORJ... 59
REXTOVY... 21
REXULTI... 69
REYATAZ... 75
REYVOW... 47
REZDIFFRA... 168
REZENOPY... 21
REZLIDHIA... 59
REZUROCK... 156
REZVOGLAR KWIKPEN... 83
REZZAYO... 45
RHAPSIDO... 88
RHOFADE... 116
RHOPHYLAC... 156
RHOPRESSA... 173
RIABNI... 59
ribavirin... 75, 168
RIDAURA... 156
rifabutin... 48
RIFADIN... 48
rifampin... 48
rifapentine... 48
rilpivirine hcl... 75
riluzole... 108
rimantadine... 75
RIMSO-50... 168
ringer's... 123, 168
RINVOQ LQ... 156
RINVOQ... 156
riociguat... 180
RIOMET... 83
risedronate... 161
RISPERDAL CONSTA... 69
RISPERDAL... 69
risperidone microspheres... 70
risperidone... 69, 70
RITALIN LA... 108
RITALIN... 108
ritonavir... 75
RITUXAN HYCELA... 59
RITUXAN... 59
rivaroxaban... 88
rivastigmine tartrate... 37
rivastigmine... 37
rivelsa... 144
RIVFLOZA... 168
RIZAFILM... 47
rizatriptan... 47
ROBAXIN... 183
ROBINUL FORTE... 128
ROBINUL... 128
ROCALTROL... 161

ROCKLATAN... 173
roflumilast... 180
ROLVEDON... 88
romidepsin... 59
ROMVIMZA... 59
ropinirole... 66
ropivacaine (pf)... 20
rosadan... 28
rosuvastatin... 100
rosyrah... 144
ROTARIX... 156
ROTATEQ VACCINE... 156
ROWASA... 160
roweepra... 34
ROXICODONE... 17
ROXYBOND... 17
ROZEREM... 184
ROZLYTREK... 59
RUBRACA... 59
RUCONEST... 156
rufinamide... 34, 35
RUKOBIA... 75
RUXIENCE... 59
RYALTRIS... 180
RYBELSUS... 83
RYBREVANT FASPRO... 59
RYBREVANT... 59
RYCLORA... 180
RYDAPT... 59
RYLAZE... 59
RYSTIGGO... 156
RYTARY... 66
RYTELO... 60
RYVENT... 180
RYZNEUTA... 88

S

SABRIL... 35
sacubitril-valsartan... 100
SAFYRAL... 144
sajazir... 156
SALAGEN (PILOCARPINE)... 109
SAMSCA... 123
SANCUSO... 42
SANDIMMUNE... 156
SANDOSTATIN LAR DEPOT... 148
SANDOSTATIN... 148
SANTYL... 116
SAPHNELO PEN... 156
SAPHNELO... 156
SAPHRIS... 70
sapropterin... 131
SARCLISA ESCENA... 60
SARCLISA... 60
SAVAYSA... 88
SAVELLA... 108
saxagliptin-metformin... 83
saxagliptin... 83
SCEMBLIX... 60
scopolamine base... 42
SDAMLO... 100
se-natal 19 chewable... 123
SECUADO... 70
SEGLENTIS... 17
SEGLUROMET... 83
SELECT-OB (FOLIC ACID)... 123
SELECT-OB + DHA... 123
SELECT-OB... 123
selegiline hcl... 66
selenium sulfide... 116
SELZENTRY... 75
SEMGLEE(INSULIN GLARG-YFGN)PEN... 83
SEMGLEE(INSULIN GLARGINE-YFGN)... 83
SENSIPAR... 161, 162
sensorcaine-epinephrine... 20
SENSORCAINE-MPF... 20
sensorcaine-mpf/epinephrine... 20
SENSORCAINE... 20
SEPHIENCE... 131
SEREVENT DISKUS... 180
SEROQUEL XR... 70
SEROQUEL... 70
SEROSTIM... 137
sertraline... 40
setlakin... 144
sevelamer carbonate... 123
sevelamer hcl... 123
SEYSARA... 28
SEZABY... 35
SFROWASA... 160
sharobel... 144
SHINGRIX (PF)... 156
SIGNIFOR LAR... 148
SIGNIFOR... 148
SIKLOS... 168
sildenafil (pulm.hypertension)... 180
SILENOR... 184
SILIQ... 156
silodosin... 133
SILVADENE... 116
silver sulfadiazine... 116
SIMBRINZA... 173
simliya (28)... 144
simpesse... 144
SIMPONI ARIA... 156
SIMPONI... 156
SIMULECT... 156
simvastatin... 100
SINEMET... 66
SINGULAIR... 180
sirolimus... 156
SIRTURO... 48
sitagliptin phos-metformin... 83
sitagliptin phosphate... 83
sitagliptin-metformin... 83
sitagliptin... 83
SIVEXTRO... 28
SKYCLARYS... 108
SKYRIZI... 156, 157
SKYTROFA... 137
SLYND... 144
SMOFLIPID... 123
SOAANZ... 100
sodium benzoate-sod phenylacet... 168
sodium bicarbonate... 123
sodium chloride 0.45 %... 123
sodium chloride 0.9 %... 123

sodium chloride 3 % hypertonic... 123
sodium chloride 5 % hypertonic... 123
sodium chloride... 123, 168
sodium oxybate... 184
sodium phenylbutyrate... 131
sodium phosphate... 123
sodium polystyrene sulfonate... 123
sodium,potassium,mag sulfates... 128
SOFDRA... 116
sofosbuvir-velpatasvir... 75
SOGROYA... 137
SOHONOS... 168
solifenacin... 133
SOLIQUA 100/33... 83
SOLIRIS... 157
SOLOSEC... 28
SOLTAMOX... 60
SOLU-CORTEF ACT-O-VIAL (PF)... 135
SOLU-CORTEF... 135
SOLU-MEDROL (PF)... 135
SOLU-MEDROL... 135
SOMA... 183
SOMATULINE DEPOT... 148
SOMAVERT... 149
SOOLANTRA... 116
sorafenib... 60
sorbitol-mannitol... 168
SORILUX... 116
sotalol af... 100
sotalol... 100
SOTYKTU... 157
SOTYLIZE... 100
SOVALDI... 75
SOVUNA... 64
SPEVIGO... 157
spinosad... 116
SPIRIVA RESPIMAT... 180
SPIRIVA WITH HANDIHALER... 180
spironolacton-hydrochlorothiaz... 100
spironolactone... 100
SPORANOX... 45
sprintec (28)... 144
SPRITAM... 35
SPRIX... 17
SPRYCEL... 60
SPS (WITH SORBITOL)... 123
sronyx... 144
SSD... 116
STEGLATRO... 83
STEGLUJAN... 83
STELARA... 157
STIMUFEND... 88
STIOLTO RESPIMAT... 180
STIVARGA... 60
STOBOCLO... 162
STRATTERA... 108
STRENSIQ... 131
streptomycin... 28
STRIBILD... 75
STRIVERDI RESPIMAT... 180
STROMECTOL... 64
SUBOXONE... 21
subvenite starter (blue) kit... 35
subvenite starter (green) kit... 35
subvenite starter (orange) kit... 35
SUBVENITE... 35
SUCRAID... 131
sucralfate... 128
SUFLAVE... 128
SULAR... 100
sulfacetamide sodium (acne)... 28
sulfacetamide sodium... 28, 173
sulfacetamide-prednisolone... 173
sulfadiazine... 29
sulfamethoxazole-trimethoprim... 29
SULFAMYLON... 117
sulfasalazine... 160
sulindac... 18
sumatriptan succinate... 47
sumatriptan-naproxen... 47
sumatriptan... 47
sunitinib malate... 60
SUNLENCA... 75
SUNOSI... 184
SUPREP BOWEL PREP KIT... 128
SURE COMFORT ALCOHOL PREP PADS... 168
SURE-PREP ALCOHOL PREP PADS... 168
SUTAB... 128
SUTENT... 60
syeda... 144
SYLVANT... 157
SYMBICORT... 180
SYMBRAVO... 47
SYMDEKO... 180
SYMFI LO... 76
SYMFI... 75
SYMLINPEN 120... 83
SYMLINPEN 60... 83
SYMPAZAN... 35
SYMPROIC... 128
SYMTUZA... 76
SYNAGIS... 168
SYNALAR... 117
SYNAREL... 149
SYNJARDY XR... 83
SYNJARDY... 83
SYNTHROID... 147
SYPRINE... 123

T

TABLOID... 60
TABRECTA... 60
TACLONEX... 117
tacrolimus... 117, 157
tadalafil (pulm. hypertension)... 181
tadalafil... 133
TADLIQ... 181
TAFINLAR... 60
tafluprost (pf)... 173
TAGRISSO... 60
TAKHZYRO... 157
TALICIA... 128

TALTZ AUTOINJECTOR (2 PACK)... 157
TALTZ AUTOINJECTOR (3 PACK)... 157
TALTZ AUTOINJECTOR... 157
TALTZ SYRINGE... 157
TALVEY... 60
TALZENNA... 60
TAMIFLU... 76
tamoxifen... 60
tamsulosin... 133
tanlor... 183
tapentadol... 18
taperdex... 135
TARCEVA... 60
TARGADOX... 29
TARGRETIN... 60
tarina 24 fe... 144
tarina fe 1-20 eq (28)... 144
tarina fe 1/20 (28)... 145
TARPEYO... 160
TASCENSO ODT... 108
TASIGNA... 60
tasimelteon... 184
TASMAR... 66
tavaborole... 45
TAVALISSE... 88
TAVNEOS... 157
TAYTULLA... 145
tazarotene... 117
tazicef... 29
TAZORAC... 117
TAZVERIK... 60
TDVAX... 157
TECENTRIQ HYBREZA... 60
TECENTRIQ... 60
TECFIDERA... 108
TECVAYLI... 60
TEFLARO... 29
TEGLUTIK... 108
TEGRETOL XR... 35
TEGRETOL... 35
TEKTURNA... 100
telmisartan-amlodipine... 101
telmisartan-hydrochlorothiazid... 101
telmisartan... 101
temazepam... 184
TEMODAR... 60
temsirolimus... 61
tencon... 168
TENIVAC (PF)... 157
tenofovir disoproxil fumarate... 76
TENORETIC 100... 101
TENORETIC 50... 101
TENORMIN... 101
TEPADINA... 61
TEPEZZA... 168
TEPMETKO... 61
TEPYLUTE... 61
terazosin... 101
terbinafine hcl... 45
terbutaline... 181
terconazole... 45
teriflunomide... 108
TERIPARATIDE... 162
TESTIM... 145
testosterone cypionate... 145
testosterone enanthate... 145
testosterone... 145
tetrabenazine... 108
tetracycline... 29
TEVIMBRA... 61
TEXACORT... 117
TEZRULY... 101
TEZSPIRE... 157
THALITONE... 101
THALOMID... 61
THAM... 123
THEO-24... 181
theophylline... 181
thiamine hcl (vitamin b1)... 187
THIOLA EC... 133
THIOLA... 133
thioridazine... 70
thiotepa... 61
thiothixene... 70
THYMOGLOBULIN... 157
THYQUIDITY... 147
tiadylt er... 101
tiagabine... 35
TIAZAC... 101
TIBSOVO... 61
ticagrelor... 88
TICOVAC... 157
TIGAN... 42
tigecycline... 29
TIGLUTIK... 108
TIKOSYN... 101
tilia fe... 145
timolol maleate (pf)... 173
timolol maleate... 101, 173
timolol... 173
TIMOPTIC OCUDOSE (PF)... 173
tinidazole... 29
tiopronin... 133
tirofiban-0.9% sodium chloride... 88
TIROSINT-SOL... 147
TIROSINT... 147
TIVDAK... 61
TIVICAY PD... 76
TIVICAY... 76
tizanidine... 71
TLANDO... 145
TOBI PODHALER... 181
TOBI... 29
TOBRADEX ST... 173
TOBRADEX... 173
tobramycin in 0.225 % nacl... 29
tobramycin sulfate... 29
tobramycin-dexamethasone... 173
tobramycin-lotepred... 173
tobramycin... 29, 173
TOBREX... 173
tofacitinib... 157, 158
tolcapone... 66
tolectin 600... 18
tolectin ds... 18
tolmetin... 18

TOLSURA... 45
tolterodine... 133
tolvaptan (polycys kidney dis)... 123
tolvaptan... 123
TONMYA... 183
TOPAMAX... 35
TOPICORT... 117
topiramate... 35
topotecan... 61
TOPROL XL... 101
toremifene... 61
TORISEL... 61
torpenz... 61
torsemide... 101
TOSYMRA... 47
TOUJEO MAX U-300 SOLOSTAR... 83
TOUJEO SOLOSTAR U-300 INSULIN... 83
tovet emollient... 117
TOVIAZ... 133
TPN ELECTROLYTES... 123
TRACLEER... 181
TRADJENTA... 83
tramadol-acetaminophen... 18
tramadol... 18
trandolapril-verapamil... 101
trandolapril... 101
tranexamic acid... 88
TRANSDERM-SCOP... 42
tranylcypromine... 40
TRAVASOL 10 %... 123
TRAVATAN Z... 174
travoprost... 174
TRAZIMERA... 61
trazodone... 40
TREANDA... 61
TRELEGY ELLIPTA... 181
TRELSTAR... 149
TREMFYA ONE-PRESS... 158
TREMFYA PEN INDUCTION PK(2PEN)... 158
TREMFYA PEN... 158
TREMFYA... 158
treprostinil sodium... 181
TRESIBA FLEXTOUCH U-100... 83
TRESIBA FLEXTOUCH U-200... 84
TRESIBA U-100 INSULIN... 84
tretinoin (antineoplastic)... 61
tretinoin microspheres... 117
tretinoin... 117
TREXALL... 158
TREXIMET... 47
TREZIX... 18
tri-estarylla... 145
tri-legest fe... 145
tri-linyah... 145
tri-lo-estarylla... 145
tri-lo-marzia... 145
tri-lo-mili... 145
tri-lo-sprintec... 145
tri-mili... 145
tri-sprintec (28)... 145
tri-vylibra lo... 145
tri-vylibra... 145
triamcinolone acetonide... 109, 135
triamterene-hydrochlorothiazid... 101
triamterene... 101
trianex... 135
triazolam... 184
TRIBENZOR... 101
TRICARE... 123
triderm... 135
trientine... 124
trifluoperazine... 70
trifluridine... 174
trihexyphenidyl... 66
TRIJARDY XR... 84
TRIKAFTA... 181
TRILEPTAL... 35
TRILIPIX... 101
trilitas... 117
trimethobenzamide... 42
trimethoprim... 29
trimipramine... 40
trinatal rx 1... 124
TRINTELLIX... 40
TRIPTODUR... 149
TRISENOX... 61
TRISTART DHA... 124
TRIUMEQ PD... 76
TRIUMEQ... 76
trivora (28)... 145
TRODELVY... 61
TROGARZO... 76
TROKENDI XR... 36
tromethamine... 124
TROPHAMINE 10 %... 124
trospium... 133
TRUDHESA... 47
TRUE COMFORT ALCOHOL PADS... 168
TRUE COMFORT PRO ALCOHOL PADS... 169
TRULANCE... 128
TRULICITY... 84
TRUMENBA... 158
TRUQAP... 61
TRUTAKNA... 158
TRUVADA... 76
TRUXIMA... 61
TRYNGOLZA... 101
TRYPTYR... 174
TRYVIO... 101
TUDORZA PRESSAIR... 181
TUDRIQEV... 61
TUKYSA... 61
tulana... 145
TURALIO... 61
turqoz (28)... 145
TUXARIN ER... 185
TWINRIX (PF)... 158
TWIRLA... 145
TWYNEO... 117
TYBLUME... 145
TYBOST... 76
tydemy... 145
TYENNE AUTOINJECTOR... 158
TYENNE... 158

TYGACIL... 29
TYKERB... 61
TYMLOS... 162
TYPHIM VI... 158
TYRUKO... 108
TYRVAYA... 174
TYSABRI... 108
TYVASO DPI... 181
TYVASO INSTITUTIONAL START KIT... 181
TYVASO REFILL KIT... 181
TYVASO STARTER KIT... 181
TYVASO... 181
TYZAVAN... 29

U

UBRELVY... 47
UCERIS... 160
UDENYCA AUTOINJECTOR... 88
UDENYCA ONBODY... 88
UDENYCA... 88
ULORIC... 46
ULTILET ALCOHOL SWAB... 169
ULTOMIRIS... 158
ULTRA-FINE INS SYR (HALF UNIT)... 169
ULTRA-FINE INSULIN SYRINGE... 169
ULTRA-FINE PEN NEEDLE... 169
ULTRA-FINE SAFETY INSULIN SYRN... 169
ULTRAVATE... 117
umeclidinium-vilanterol... 181
umeclidinium... 181
UNASYN... 29
UNDECATREX... 145
UNITHROID... 147
UNITUXIN... 61
UNLOXCYT... 61
UPLIZNA... 158
UPTRAVI... 181, 182
UROCIT-K 10... 124
UROCIT-K 15... 124
UROXATRAL... 133
URSO FORTE... 128
ursodiol... 128
URSOLIGN... 128
UZEDY... 70

V

V-GO 20... 169
V-GO 30... 169
V-GO 40... 169
VABOMERE... 29
VABRINTY (1 MONTH)... 149
VABRINTY (3 MONTH)... 149
VABRINTY (4 MONTH)... 149
VABRINTY (6 MONTH)... 149
VAGIFEM... 145
valacyclovir... 76
VALCHLOR... 61
VALCYTE... 76
valganciclovir... 76
VALIUM... 78
valproate sodium... 36
valproic acid (as sodium salt)... 36
valproic acid... 36
valrubicin... 61
valsartan-hydrochlorothiazide... 102
valsartan... 101, 102
VALSTAR... 61
VALTOCO... 36
VALTREX... 76
valtya... 146
VANCOCIN... 29
vancomycin in 0.9 % sodium chl... 29
vancomycin in dextrose 5 %... 29, 30
vancomycin-diluent combo no.1... 30
vancomycin... 29
VANDAZOLE... 30
VANFLYTA... 62
VANOS... 117
VANRAFIA... 169
VAPRISOL IN 5 % DEXTROSE... 124
VAQTA (PF)... 158
varenicline tartrate... 21
VARIVAX (PF)... 158
VARIZIG... 158
VARUBI... 42
VASCEPA... 102
VASERETIC... 102
VASOTEC... 102
VAXCHORA VACCINE... 158
vecamyl... 102
VECTIBIX... 62
VEGZELMA... 62
VELCADE... 62
VELETRI... 182
velivet triphasic regimen (28)... 146
VELSIPITY... 158
VELTASSA... 124
VELTIN... 117
VEMLIDY... 76
VENCLEXTA STARTING PACK... 62
VENCLEXTA... 62
VENLAFAXINE BESYLATE... 40
venlafaxine... 40
VENTAVIS... 182
VENTOLIN HFA... 182
venxxiva... 133
VEOPOZ... 158
VEOZAH... 108
VEPPANU... 62
verapamil... 102
VEREGEN... 117
VERELAN PM... 102
VERIPRED 20... 136
VERKAZIA... 174
VERQUVO... 102
VERSACLOZ... 70
VERZENIO... 62
VESICARE LS... 133
VESICARE... 133
vestura (28)... 146
VEVYE... 174
VFEND IV... 45
VFEND... 45
VIBATIV... 30

VIBERZI... 128
VICTOZA 2-PAK... 84
VICTOZA 3-PAK... 84
VIDAZA... 62
vienva... 146
vigabatrin... 36
vigadrone... 36
VIGAFYDE... 36
VIGAMOX... 174
vigpoder... 36
VIIBRYD... 40
VIJOICE... 131
vilazodone... 40
VIMKUNYA (PF)... 158
VIMOVO... 18
VIMPAT... 36
vinblastine... 62
vincasar pfs... 62
vincristine... 62
vinorelbine... 62
VIOKACE... 131
viorele (28)... 146
VIRACEPT... 76
VIRAZOLE... 169
VIREAD... 76
VITAFOL FE PLUS... 124
VITAFOL GUMMIES... 124
VITAFOL ULTRA... 124
VITAFOL-OB+DHA... 124
VITAFOL-OB... 124
VITAFOL-ONE... 124
VITAMEDMD ONE RX... 124
vitamin d2... 187
vitamin k... 187
vitamin k1... 187
VITRAKVI... 62
vivacaine... 20
VIVELLE-DOT... 146
VIVIMUSTA... 62
VIVITROL... 21
VIVJOA... 45
VIVLODEX... 18
VIVOTIF... 158
VIZIMPRO... 62
VOCABRIA... 76
VOGELXO... 146
volnea (28)... 146
VONJO... 62
VOQUEZNA DUAL PAK... 128
VOQUEZNA TRIPLE PAK... 128
VOQUEZNA... 128
VORANIGO... 62
voriconazole-hpbcd... 45
voriconazole... 45
VOSEVI... 76
VOTRIENT... 62
VOWST... 128
VOXZOGO... 131
VOYDEYA... 158
VOYXACT... 158
VPRIV... 131
VRAYLAR... 70
VTAMA... 117
VUITY... 174
VUMERITY... 108
VUSION... 45
VYALEV... 66
VYEPTI... 47
vyfemla (28)... 146
VYJUVEK... 169
VYKAT XR... 169
VYKOURA... 62
vylibra... 146
VYLOY... 62
VYNDAMAX... 131
VYSCOXA... 18
VYTORIN 10-10... 102
VYTORIN 10-20... 102
VYTORIN 10-40... 102
VYTORIN 10-80... 102
VYVANSE... 108
VYVGART HYTRULO... 48
VYVGART... 48
VYXEOS... 62
VYZULTA... 174

W

WAINUA... 131, 132
WAKIX... 184
warfarin... 88
water for irrigation, sterile... 169
WAYRILZ... 88
WEBCOL... 169
WEGOVY... 169
WELCHOL... 102
WELIREG... 132
WELLBUTRIN SR... 40
WELLBUTRIN XL... 40
WELTRUZA... 70
wera (28)... 146
wescap-pn dha... 124
wesnatal dha complete... 124
wesnate dha... 124
westab plus... 124
westgel dha... 124
WINLEVI... 117
WINREVAIR... 182
wixela inhub... 182
wymzya fe... 146

X

XACDURO... 30
XACIATO... 30
XADAGO... 66
XALATAN... 174
XALKORI... 62
XANAX XR... 78
XANAX... 78
xarah fe... 146
XARELTO DVT-PE TREAT 30D START... 88
XARELTO... 88
XATMEP... 158
XCOPRI MAINTENANCE PACK... 36
XCOPRI TITRATION PACK... 36
XCOPRI... 36
XDEMVY... 169
XELJANZ XR... 159
XELJANZ... 158
XELPROS... 174
xelria fe... 146

XELSTRYM... 108
XEMBIFY... 159
XENAZINE... 108
XENPOZYME... 132
XERAVA... 30
XERESE... 76
XERMELO... 128
XGEVA... 162
XHANCE... 182
XIFAXAN... 129
XIFYRM... 18
XIGDUO XR... 84
XIIDRA... 174
XIMINO... 30
XOCOVA... 76
XOFLUZA... 76
XOLAIR... 159
XOLEGEL... 45
XOLREMDI... 88
XOPENEX HFA... 182
XOSPATA... 62
XPOVIO... 62, 63
XROMI... 169
XTAMPZA ER... 18
XTANDI... 63
XTORO... 174
xulane... 146
XULTOPHY 100/3.6... 84
XYOSTED... 146
XYREM... 184
xyvona... 18
XYWAV... 184

Y

yargesa... 132
YASMIN (28)... 146
YAZ (28)... 146
YCANTH... 169
YERVOY... 63
YESINTEK... 159
YF-VAX (PF)... 159
YIMMUGO... 159
YONDELIS... 63
YONSA... 63
YORVIPATH... 162
yulithira... 63
YUPELRI... 182
YUTREPIA... 182
yuvafem... 146
YUVIWEL... 132

Z

zafemy... 146
zafirlukast... 182
zaleplon... 184
ZALTRAP... 63
ZANAFLEX... 71
ZANOSAR... 63
zarah... 146
ZARONTIN... 36
ZARXIO... 88
zatean-pn dha... 124
zatean-pn plus... 124
ZAVESCA... 132
ZAVZPRET... 47
ZCORT... 136
ZEGALOGUE AUTOINJECTOR... 84
ZEGALOGUE SYRINGE... 84
ZEGERID... 129
ZEGFROVY... 63
ZEJULA... 63
ZELAPAR... 66
ZELBORAF... 63
ZELSUVMI... 117
zelvysia... 132
ZEMAIRA... 132
ZEMBRACE SYMTOUCH... 47
ZEMDRI... 30
ZEMPLAR... 162
zenatane... 117
ZENBEXUS... 63
ZENPEP... 132
zenzedi... 109
ZEPATIER... 76
ZEPBOUND KWIKPEN... 169
ZEPOSIA STARTER KIT (28-DAY)... 109
ZEPOSIA STARTER PACK (7-DAY)... 109
ZEPOSIA... 109
ZEPZELCA... 63
ZERBAXA... 30
ZERVIATE... 174
ZESTORETIC... 102
ZESTRIL... 102
ZETIA... 102
ZEVALIN (Y-90)... 169
ZEVTERA... 30
ZIAGEN... 76
ZIANA... 117
zidovudine... 76
ZIEXTENZO... 88
ZIIHERA... 63
ZILBRYSQ... 159
zileuton... 182
ZILRETTA... 136
ZILXI... 117
ZIMHI... 21
zingiber... 170
ZIOPTAN (PF)... 174
ziprasidone hcl... 70
ziprasidone mesylate... 70
ZIPSOR... 18
ZIRABEV... 63
ZIRGAN... 77
ZITHROMAX TRI-PAK... 30
ZITHROMAX Z-PAK... 30
ZITHROMAX... 30
ZITUVIMET XR... 84
ZITUVIMET... 84
ZITUVIO... 84
ZOCOR... 102
ZOKINVY... 132
ZOLADEX... 149
zoledronic ac-mannitol-0.9nacl... 162
zoledronic acid-mannitol-water... 162
zoledronic acid... 162
ZOLINZA... 63

zolmitriptan... 47
ZOLOFT... 40
zolpidem... 184
ZOLYMBUS... 174
ZOMACTON... 137
zomig... 47, 48
ZONALON... 118
ZONEGRAN... 36
ZONISADE... 36
zonisamide... 36
ZORTRESS... 159
ZORVOLEX... 18
ZORYVE... 118
ZOSYN IN DEXTROSE (ISO-OSM)... 30
zovia 1-35 (28)... 146
ZOVIRAX... 77
ZTALMY... 36
ZTLIDO... 20
ZUBSOLV... 21
ZULRESSO... 40
zumandimine (28)... 146
ZUNVEYL... 37
ZURNAI... 21
ZURZUVAE... 40
ZYBIC... 18
ZYCLARA... 118
ZYDELIG... 63
ZYKADIA... 63
ZYLET... 174
ZYLOPRIM... 46
ZYMFENTRA... 159
ZYNLONTA... 63
ZYNRELEF... 170
ZYNYZ... 63
ZYPITAMAG... 102
ZYPREXA RELPREVV... 71
ZYPREXA ZYDIS... 71
ZYPREXA... 70, 71
ZYTIGA... 63
ZYVOX... 30

Notice of Availability - Auxiliary Aids and Services Notice

English: Free language, auxiliary aid, and alternate format services are available. Call **877-320-1235 (TTY: 711)**.

አማርኛ [Amharic]፦ነፃ ቋንቋ፣ አጋዥ ማዳመጫ፣ እና አማራጭ ቅርፀት ያላቸው አገልግሎቶችም ይገኛሉ። በ **877-320-1235 (TTY: 711)** ላይ ይደውሉ።

العربية [Arabic]: تتوفر خدمات اللغة والمساعدة الإضافية والتنسيق البديل مجاناً. اتصل على الرقم **877-320-1235 (الهاتف النصي: 711)**.

Հայերեն [Armenian]: Հասանելի են անվճար լեզվական, աջակցման և այլընտրանքային ձևաչափի ծառայություններ: Զանգահարե՛ք **877-320-1235 (TTY՝ 711)** հեռախոսահամարով:

Bǎsɔ́ɔ̀ [Bassa]: Wudu-xwíníín-mú-zà-zà kǔà, hwòdǒ-fónɔ́-nyɔ̀,, kè nyɔ-bɔ̌-po-kà bě bé wa nyuɛsé wídí péè-péèdò kɔ.̌ Đá **877-320-1235 (TTY: 711)**.

বাংলা [Bengali]: বিনামূল্যে ভাষা, আনুষঙ্গিক সহায়তা, এবং বিকল্প বিন্যাসে পরিষেবা উপলব্ধ। ফোন করুন **877-320-1235 (TTY: 711)** নম্বরে।

简体中文 [Simplified Chinese]：我们可提供免费的语言、辅助设备以及其他格式版本服务。请致电 **877-320-1235**（听障专线：**711**）。

繁體中文 [Traditional Chinese]：我們可提供免費的語言、輔助設備以及其他格式版本服務。請致電 **877-320-1235**（聽障專線：**711**）。

Kreyòl Ayisyen [Haitian Creole]: Gen sèvis lengwistik gratis, èd oksilyè, ak lòt fòma sèvis ki disponib. Rele **877-320-1235 (TTY: 711).**

Hrvatski [Croatian]: Dostupne su besplatne jezične usluge, usluge dodatne pomoći i alternativnog formata. Nazovite **877-320-1235 (TTY: 711)**.

فارسی [Farsi] : خدمات زبان رایگان، کمک های اضافی و فرمت های جایگزین در دسترس است. با **877-320-1235 (TTY: 711)** تماس بگیرید.

Français [French]: Des services gratuits d'assistance linguistique, d'aide auxiliaire et de format alternatif sont disponibles. Appelez le **877-320-1235 (ATS : 711)**.

Deutsch [German]: Es stehen kostenlose unterstützende Hilfs- und Sprachdienste sowie alternative Dokumentformate zur Verfügung. Telefon: **877-320-1235 (TTY: 711)**.

Ελληνικά [Greek]: Διατίθενται δωρεάν γλωσσικές υπηρεσίες, βοηθήματα και υπηρεσίες σε εναλλακτικές προσβάσιμες μορφές. Καλέστε στο **877-320-1235 (TTY: 711)**.

ગુજરાતી [Gujarati] : મફત ભાષા, સહાયક સહાય અને વૈકલ્પિક ફોર્મેટ સેવાઓ ઉપલબ્ધ છે. **877-320-1235 (TTY: 711)** પર કૉલ કરો.

עברית [Hebrew]: שירותים אלה זמינים בחינם: שירותי תרגום, אביזרי עזר וטקסטים בפורמטים חלופיים. נא התקשר למספר **877-320-1235 (TTY: 711)**

हिंदी [Hindi]: निःशुल्क भाषा, सहायक मदद और वैकल्पिक प्रारूप सेवाएं उपलब्ध हैं। **877-320-1235 (TTY:711)** पर कॉल करें।

Hmoob [Hmong]: Muaj kev pab txhais lus, pab kom hnov suab, thiab lwm tus qauv pab cuam. Hu **877-320-1235 (TTY: 711)**.

Bekee [Igbo]: Asụsụ n'efu, enyemaka nkwarụ, na ọrụ usoro ndị ọzọ dị. Kpọọ **877-320-1235 (TTY: 711)**.

GHHNOA2026HUM_0526

Italiano [Italian]: Sono disponibili servizi gratuiti di supporto linguistico, assistenza ausiliaria e formati alternativi. Chiamare il numero **877-320-1235 (TTY: 711)**.

日本語 [Japanese]:言語支援サービス、補助支援サービス、代替形式サービスを無料でご利用いただけます。**877-320-1235 (TTY: 711)** までお電話ください。

ភាសាខ្មែរ [Khmer]៖ សេវាកម្មផ្នែកភាសា ជំនួយ និង សេវាកម្មជាទម្រង់ផ្សេងជំនួសអាចរកបាន។ ទូរសព្ទទៅលេខ 877-320-1235 (TTY: 711) ។

한국어 [Korean]: 무료 언어, 보조 지원 및 대체 형식 서비스를 이용하실 수 있습니다. **877-320-1235 (TTY: 711)** 번으로 문의하십시오.

ພາສາລາວ [Lao]: ມີບໍລິການພາສາ, ອຸປະກອນຊ່ວຍເຫຼືອ ແລະ ຮູບແບບທາງເລືອກອື່ນບໍ່ເສຍຄ່າໃຫ້. ໂທ **877-320-1235 (TTY: 711)**.

Diné [Navajo]: Saad bee áná'álwo', bee haz'áanii, dóó naaltsoos t'áá ajiłii'ígíí bee ak'e'elyaaígíí t'áá jiik'eh hóló. **877-320-1235 (TTY: 711)** bich'į' hodíilnih.

नेपाली [Nepali]: नि:शुल्क भाषा सेवा, सहायक सामग्री र वैकल्पिक ढाँचाका सेवाहरू उपलब्ध छन् । **877-320-1235 (TTY: 711)** मा कल गर्नुहोस् ।

Polski [Polish]: Dostępne są bezpłatne usługi językowe, pomocnicze i alternatywne formaty. Zadzwoń pod numer **877-320-1235 (TTY: 711)**.

Português [Brazilian Portuguese]: Estão disponíveis serviços gratuitos de ajuda linguística auxiliar e outros formatos alternativos. Ligue **877-320-1235 (TTY: 711)**.

ਪੰਜਾਬੀ [Punjabi]: ਮੁਫ਼ਤ ਭਾਸ਼ਾ, ਸਹਾਇਕ ਸਹਾਇਤਾ, ਅਤੇ ਵਿਕਲਪਿਕ ਫਾਰਮੈਟ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ। **877-320-1235 (TTY: 711)** 'ਤੇ ਕਾਲ ਕਰੋ।

Русский [Russian]: Предоставляются бесплатные услуги языковой поддержки, вспомогательные средства и материалы в альтернативных форматах. Звоните по номеру **877-320-1235 (TTY: 711)**.

Español [Spanish]: Los servicios gratuitos de asistencia lingüística, ayuda auxiliar y servicios en otro formato están disponibles. Llame al **877-320-1235 (TTY: 711)**.

Tagalog [Tagalog]: Magagamit ang mga libreng serbisyong pangwika, serbisyo o device na pantulong, at kapalit na format. Tumawag sa **877-320-1235 (TTY: 711)**.

தமிழ் [Tamil]: மொழி,, உதவிப் பொருட்கள் மற்றும் மாற்று வடிவமைப்புச் சேவைகள் இலவசமாகக் கிடைக்கின்றன. **877-320-1235 (TTY: 711)** எண்ணை அழைக்கவும்.

తెలుగు [Telugu]: ఉచిత భాష, సహాయక మద్దతు, మరియు ప్రత్యామ్నాయ ఫార్మాట్ సేవలు అందుబాటులో గలవు. **877-320-1235 (TTY: 711)** కి కాల్ చేయండి.

اردو [Urdu]: مفت زبان، معاون امداد، اور متبادل فارمیٹ کی خدمات دستیاب ہیں۔ کال **877-320-1235 (TTY: 711)**۔

Tiếng Việt [Vietnamese]: Có sẵn miễn phí các dịch vụ ngôn ngữ, hỗ trợ phụ trợ và định dạng thay thế. Hãy gọi **877-320-1235 (TTY: 711)**.

Òyìnbó [Yoruba]: Àwọn iṣẹ́ àtilẹ́hìn ìrànlọ́wọ́ èdè, àti ọ̀nà kíkà míràn wà lárọwọ́tó lọ́fẹ̀ẹ́.
Pe **877-320-1235 (TTY: 711)**.

This notice is available at **https://www.humana.com/legal/multi-language-support**.

This formulary was updated on 11/02/2026. For more recent information or other questions, please contact the NC State Health Plan Humana Customer Care Team with any questions at 1-888-700-2263 or, for TTY users, 711, or visit **your.humana.com/ncshp**.