

2026

Prescription Drug Guide

PEEHIP Humana Group Medicare Advantage Plan Formulary

List of covered drugs or "Drug List"

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

82

Formulary 26800

This formulary was updated on 05/05/2026. For more recent information or other questions, please contact the PEEHIP Humana Group Medicare Advantage Plan Customer Care Team with any questions at 1-800-747-0008, or for TTY users, 711, Monday through Friday, from 7 a.m. – 8 p.m. Central Time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting your.humana.com/peehip.

Humana[®]

Y0040_PDG26_FINAL_143C_C

Updated 05/05/2026



PEEHIP

GRP082PDG2680026C_v1

Welcome to The PEEHIP Humana Group Medicare Advantage Plan!

When this Drug List (Formulary) refers to “we,” “us,” or “our,” it means Humana. When it refers to “plan” or “our plan”, it means the PEEHIP Humana Group Medicare Advantage Plan. This document includes a Drug List (formulary) for our plan which is current as of May 2026. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the PEEHIP Humana Group Medicare Advantage formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is the entire list of covered drugs or medicines selected by the PEEHIP Humana Group Medicare Advantage Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The PEEHIP Humana Group Medicare Advantage Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The PEEHIP Humana Group Medicare Advantage Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a PEEHIP Humana Group Medicare Advantage Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a PEEHIP Humana Group Medicare Advantage Plan and need help or information, please call your PEEHIP Humana Group Medicare Customer Care team at 1-800-747-0008 (TTY/TDD 711) for additional information. Our live representatives are available Monday through Friday from 7 a.m. – 8 p.m., Central time. Our automated phone system is available after hours, weekends, and holidays.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: your.humana.com/peehip.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug on our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and a notice of the change.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled “How do I request an exception to the Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happen or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of May 2026. To get updated information about the drugs covered by PEEHIP Humana Group Medicare Advantage Plan please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 194. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

What are generic drugs?

PEEHIP Humana Group Medicare Advantage Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered" if you have a Medicare Advantage plan. If you have a Prescription Drug Plan (PDP), please see the Evidence of Coverage, Chapter 3, Section 3.1, "The 'Drug List' tells which Part D drugs are covered". *The type of plan can be found at the top of your Evidence of Coverage.*

Prescription drugs are grouped into one of four tiers.

The PEEHIP Humana Group Medicare Advantage Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

The PEEHIP Humana Group Medicare Advantage Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call your PEEHIP Humana Group Medicare Customer Care team at 1-800-747-0008 (TTY/TDD 711) to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** The PEEHIP Humana Group Medicare Advantage Plan requires you to get prior authorization for certain drugs. This means that you will need to get approval from the PEEHIP Humana Group Medicare Advantage Plan before you fill your prescriptions. If you do not get approval, the PEEHIP Humana Group Medicare Advantage Plan may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, the PEEHIP Humana Group Medicare Advantage Plan limits the amount of the drug that is covered. The PEEHIP Humana Group Medicare Advantage Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the PEEHIP Humana Group Medicare Advantage Plan requires that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the PEEHIP Humana Group Medicare Advantage Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the PEEHIP Humana Group Medicare Advantage Plan will then cover Drug B.
- **Part B versus Part D (BvsD):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the PEEHIP Humana Group Medicare Advantage Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the PEEHIP Humana Group Medicare Advantage Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also get more information about the restrictions applied to specific covered drugs by visiting **your.humana.com/peehip**. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask the PEEHIP Humana Group Medicare Advantage Plan to make an exception to these restrictions, limits or for a list of other, similar drugs that may treat your health condition. See the section "**How do I request an exception to the formulary?**" on page 7 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact your PEEHIP Humana Group Medicare Customer Care team at 1-800-747-0008 (TTY/TDD 711) and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that PEEHIP Humana Group Medicare Advantage Plan does not cover your drug, you have two options:

- You can ask your PEEHIP Humana Group Medicare Customer Care team for a list of similar drugs that are covered by PEEHIP Humana Group Medicare Advantage Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by the PEEHIP Humana Group Medicare Advantage Plan.
- You can ask the PEEHIP Humana Group Medicare Advantage Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Formulary?

You can ask the PEEHIP Humana Group Medicare Advantage Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask us to make.

- **Formulary exception:** You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization restriction exception:** You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, PEEHIP Humana Group Medicare Advantage Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- **Tier exception:** You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, PEEHIP Humana Group Medicare Advantage Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of

medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug unless you have a prescription written for fewer days. (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) while you pursue a formulary exception.

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the PEEHIP Humana Group Medicare Advantage Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The PEEHIP Humana Group Medicare Advantage Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

The PEEHIP Humana Group Medicare Advantage Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on PEEHIP Humana Group Medicare Advantage Plan's website, your.humana.com/peehip, in the same area where the Prescription Drug Guides are displayed.

For More Information

For more detailed information about your PEEHIP Humana Group Medicare Advantage Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about PEEHIP Humana Group Medicare Advantage Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

PEEHIP Humana Group Medicare Advantage Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the PEEHIP Humana Group Medicare Advantage Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 194.

Your plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 189.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

\$0 - Most preventative medicines covered 100% with no member cost.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

AV - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The PEEHIP Humana Group Medicare Advantage Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET DL	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET DL	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET DL	1	QL(180 per 30 days)
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL	3	ST,QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL	3	
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE DL	1	QL(240 per 30 days)
butorphanol 1 mg/ml SOLUTION DL	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION DL	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION	3	
CAMBIA 50 MG POWDER IN PACKET DL	4	ST,QL(9 per 30 days)
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE	3	PA
celecoxib 100 mg, 200 mg CAPSULE	1	
celecoxib 400 mg, 50 mg CAPSULE	1	
codeine sulfate 15 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET DL	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET	3	
DEMEROL 50 MG/ML SOLUTION DL	3	QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEMEROL (PF) 100 MG/ML SYRINGE DL	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE DL	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE DL	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE DL	3	QL(480 per 30 days)
<i>diclofenac epolamine 1.3 % PATCH, 12 HR.</i>	1	PA,QL(60 per 30 days)
<i>diclofenac potassium 25 mg CAPSULE</i>	3	ST,QL(120 per 30 days)
<i>diclofenac potassium 25 mg TABLET DL</i>	4	
<i>diclofenac potassium 50 mg POWDER IN PACKET</i>	3	ST,QL(9 per 30 days)
<i>diclofenac potassium 50 mg TABLET</i>	1	
<i>diclofenac sodium 1.5 % DROPS</i>	1	PA,QL(300 per 30 days)
<i>diclofenac sodium 100 mg TABLET, ER 24 HR.</i>	1	
<i>diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL</i>	4	PA,QL(224 per 28 days)
<i>diclofenac sodium 25 mg, 50 mg TABLET, DR/EC</i>	1	
<i>diclofenac sodium 75 mg TABLET, DR/EC</i>	1	
<i>diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC</i>	1	
<i>diflunisal 500 mg TABLET</i>	1	
DILAUDID 1 MG/ML LIQUID DL	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET DL	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET DL	3	PA,QL(240 per 30 days)
<i>dolobid 250 mg TABLET DL</i>	4	ST
DOLOBID 375 MG TABLET DL	4	ST
DUEXIS 800-26.6 MG TABLET DL	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION DL	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION DL	3	BvsD,QL(3600 per 30 days)
<i>ec-naproxen 500 mg TABLET, DR/EC</i>	3	
ENDOCET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	1	QL(360 per 30 days)
<i>etodolac 200 mg, 300 mg CAPSULE</i>	1	
<i>etodolac 400 mg, 500 mg TABLET</i>	1	
<i>etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR.</i>	1	
FELDENE 10 MG, 20 MG CAPSULE	3	
<i>fenoprofen 400 mg CAPSULE</i>	1	ST
<i>fenoprofen 600 mg TABLET</i>	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fenopron 300 mg CAPSULE DL	4	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL	1	QL(20 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR.	3	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-300 mg/15 ml SOLUTION DL	4	QL(6000 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION DL	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL	1	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE DL	1	BvsD
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE DL	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID DL	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. DL	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. DL	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET DL	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. DL	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE DL	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET DL	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. DL	1	ST,QL(240 per 30 days)
hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE DL	1	BvsD
hydromorphone (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION DL	1	BvsD,QL(144 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>hydromorphone (pf) 4 mg/ml SOLUTION</i> DL	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL	3	ST,QL(30 per 30 days)
<i>ibu 400 mg, 600 mg, 800 mg TABLET</i>	1	
<i>ibuprofen 100 mg/5 ml SUSPENSION</i>	1	
<i>ibuprofen 300 mg TABLET</i> DL	4	ST
<i>ibuprofen 400 mg TABLET</i>	1	
<i>ibuprofen 600 mg, 800 mg TABLET</i>	1	
<i>ibuprofen-famotidine 800-26.6 mg TABLET</i>	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION DL	4	
INDOCIN 50 MG SUPPOSITORY	4	
<i>indomethacin 25 mg, 50 mg CAPSULE</i>	1	
<i>indomethacin 25 mg/5 ml SUSPENSION</i> DL	4	
<i>indomethacin 50 mg SUPPOSITORY</i>	4	
<i>indomethacin 75 mg CAPSULE, ER</i>	1	
<i>indomethacin sodium 1 mg RECON SOLUTION</i>	1	
INFUMORPH P/F 10 MG/ML SOLUTION DL	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION DL	3	BvsD,QL(150 per 30 days)
<i>ketoprofen 200 mg CAPSULE ER PELLETS 24 HR.</i>	1	
<i>ketoprofen 25 mg CAPSULE</i>	4	
<i>ketoprofen 50 mg CAPSULE</i>	1	ST
<i>ketoprofen 75 mg CAPSULE</i> DL	4	ST
<i>ketorolac 10 mg TABLET</i>	1	QL(20 per 30 days)
<i>ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION</i>	1	
<i>ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE</i>	1	
<i>ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL</i> DL	4	PA,QL(5 per 30 days)
<i>kiprofen 25 mg CAPSULE</i>	1	ST
<i>levorphanol tartrate 2 mg TABLET</i> DL	4	ST,QL(240 per 30 days)
<i>levorphanol tartrate 3 mg TABLET</i> DL	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR.	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET	3	PA
<i>lofena 25 mg TABLET</i> DL	4	
<i>lurbipr 100 mg TABLET</i>	1	
<i>lurbiro 100 mg TABLET</i> DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meclofenamate 100 mg, 50 mg CAPSULE	1	
mefenamic acid 250 mg CAPSULE	1	
meloxicam 15 mg TABLET	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET	1	QL(60 per 30 days)
meloxicam 7.5 mg/5 ml SUSPENSION DL	4	QL(300 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE	3	QL(30 per 30 days)
meperidine 50 mg TABLET DL	4	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(60 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 15 mg, 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>morphine 200 mg TABLET ER</i> DL	1	QL(90 per 30 days)
<i>morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR.</i> DL	1	ST,QL(30 per 30 days)
<i>morphine 4 mg/ml SOLUTION</i> DL	1	BvsD,QL(900 per 30 days)
<i>morphine 4 mg/ml SYRINGE</i> DL	1	BvsD,QL(900 per 30 days)
<i>morphine 5 mg/ml SOLUTION</i> DL	1	BvsD,QL(720 per 30 days)
<i>morphine 8 mg/ml SOLUTION</i> DL	1	BvsD,QL(450 per 30 days)
<i>morphine 8 mg/ml SYRINGE</i> DL	1	BvsD,QL(450 per 30 days)
<i>morphine (pf) 0.5 mg/ml SOLUTION</i> DL	1	BvsD,QL(7200 per 30 days)
<i>morphine (pf) 1 mg/ml SOLUTION</i> DL	1	BvsD,QL(3600 per 30 days)
<i>morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN</i> DL	1	BvsD,QL(3600 per 30 days)
<i>morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION</i> DL	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER DL	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER DL	3	PA,QL(90 per 30 days)
<i>nabumetone 500 mg, 750 mg TABLET</i>	1	
<i>nalbuphine 10 mg/ml SOLUTION</i> DL	1	QL(240 per 30 days)
<i>nalbuphine 20 mg/ml SOLUTION</i> DL	1	QL(120 per 30 days)
NALFON 600 MG TABLET	1	ST
<i>nalocet 2.5-300 mg TABLET</i> DL	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE	2	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE	2	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE	2	ST,QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION DL	4	PA
<i>naproxen 125 mg/5 ml SUSPENSION</i>	1	
<i>naproxen 250 mg, 375 mg TABLET</i>	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC</i>	1	
<i>naproxen 500 mg TABLET</i>	1	
<i>naproxen sodium 275 mg, 550 mg TABLET</i>	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE</i>	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE</i>	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE</i>	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC</i> DL	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUCYNTA ER 50 MG TABLET, ER 12 HR. DL	3	ST,QL(60 per 30 days)
orudis 75 mg CAPSULE DL	4	ST
oxaprozin 600 mg TABLET	1	
oxycodone 10 mg, 5 mg TABLET DL	1	QL(360 per 30 days)
oxycodone 10 mg, 5 mg TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
oxycodone 15 mg, 20 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
oxycodone 15 mg, 30 mg TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
oxycodone 20 mg, 40 mg TABLET, ER 12 HR. DL	3	ST,QL(90 per 30 days)
oxycodone 20 mg/ml CONCENTRATE DL	1	QL(270 per 30 days)
oxycodone 5 mg CAPSULE DL	1	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION DL	1	QL(5400 per 30 days)
oxycodone 80 mg TABLET, ER 12 HR. DL	3	ST,QL(120 per 30 days)
oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION DL	4	PA,QL(900 per 30 days)
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-300 mg TABLET DL	4	PA,QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL	3	ST,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. DL	3	ST,QL(120 per 30 days)
oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. DL	1	ST,QL(60 per 30 days)
oxymorphone 10 mg, 5 mg TABLET DL	1	QL(360 per 30 days)
oxymorphone 40 mg TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET DL	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
pentazocine-naloxone 50-0.5 mg TABLET DL	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET DL	1	PA,QL(360 per 30 days)
piroxicam 10 mg, 20 mg CAPSULE	1	
primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION DL	4	PA,QL(900 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QDOLO 5 MG/ML SOLUTION DL	4	QL(2400 per 30 days)
RELAFEN DS 1,000 MG TABLET DL	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET DL	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET DL	4	PA,QL(360 per 30 days)
ROXYBOND 10 MG, 5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
SEGLENTIS 44-56 MG TABLET DL	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
<i>sulindac 150 mg, 200 mg TABLET</i>	1	
<i>tapentadol 100 mg, 150 mg, 200 mg, 250 mg TABLET, ER 12 HR. DL</i>	4	ST,QL(60 per 30 days)
<i>tapentadol 100 mg, 50 mg, 75 mg TABLET DL</i>	4	ST,QL(180 per 30 days)
<i>tapentadol 50 mg TABLET, ER 12 HR. DL</i>	3	ST,QL(60 per 30 days)
<i>tolectin 600 600 mg TABLET</i>	4	
<i>tolectin ds 400 mg CAPSULE DL</i>	4	
<i>tolmetin 400 mg CAPSULE</i>	4	
<i>tolmetin 600 mg TABLET</i>	1	
<i>tramadol 100 mg TABLET DL</i>	1	QL(120 per 30 days)
<i>tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC DL</i>	1	ST,QL(30 per 30 days)
<i>tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL</i>	1	ST,QL(30 per 30 days)
<i>tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL</i>	1	ST,QL(30 per 30 days)
<i>tramadol 25 mg TABLET DL</i>	1	QL(180 per 30 days)
<i>tramadol 5 mg/ml SOLUTION DL</i>	3	QL(2400 per 30 days)
<i>tramadol 50 mg TABLET DL</i>	1	QL(240 per 30 days)
<i>tramadol 75 mg TABLET DL</i>	1	QL(150 per 30 days)
<i>tramadol-acetaminophen 37.5-325 mg TABLET DL</i>	1	QL(240 per 30 days)
<i>TREZIX 320.5-30-16 MG CAPSULE DL</i>	1	QL(300 per 30 days)
<i>VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL</i>	4	PA,QL(60 per 30 days)
<i>VIVLODEX 10 MG, 5 MG CAPSULE</i>	3	QL(30 per 30 days)
<i>VYSCOXIA 10 MG/ML SUSPENSION DL</i>	4	ST,QL(1200 per 30 days)
<i>XIFYRM 30 MG/ML SOLUTION</i>	3	
<i>XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL</i>	3	ST,QL(60 per 30 days)
<i>xyvona 2 mg TABLET DL</i>	4	ST,QL(240 per 30 days)
<i>xyvona 3 mg TABLET DL</i>	4	ST,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIPSOR 25 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE	3	ST,QL(90 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION	1	
bupivacaine liposome (pf) 1.3 % (13.3 mg/ml) SUSPENSION	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION	1	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION	1	
CLOROTEKAL (PF) 10 MG/ML (1 %) SOLUTION	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED	1	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION	3	
glydo 2 % JELLY IN APPLICATOR	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED	1	QL(90 per 30 days)
lidocaine 5 % OINTMENT	1	
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION	1	
lidocaine hcl 2 % JELLY	1	
lidocaine hcl 2 % JELLY IN APPLICATOR	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE	1	
lidocaine-prilocaine 2.5-2.5 % CREAM	1	
lidocan iii 5 % ADHESIVE PATCH, MEDICATED	1	PA,QL(90 per 30 days)
lidocan iv 5 % ADHESIVE PATCH, MEDICATED	1	PA,QL(90 per 30 days)
lidocan v 5 % ADHESIVE PATCH, MEDICATED	1	PA,QL(90 per 30 days)
LIDODERM 5 % ADHESIVE PATCH, MEDICATED	3	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION	3	
<i>marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE</i>	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION	3	
PLIAGLIS 7-7 % CREAM	3	
<i>polocaine 1 % (10 mg/ml), 2 % SOLUTION</i>	1	
<i>polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION</i>	1	
<i>ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION</i>	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION	1	
<i>sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION</i>	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION	1	
<i>sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION</i>	1	
<i>sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION</i>	1	
<i>sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION</i>	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION	1	
<i>vivacaine 0.5 %-1:200,000 CARTRIDGE</i>	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
<i>acamprosate 333 mg TABLET, DR/EC</i>	1	
<i>buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET</i>	1	QL(120 per 30 days)
<i>buprenorphine-naloxone 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg FILM</i>	1	
<i>buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET</i>	1	
<i>bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. \$0</i>	1	QL(90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET \$0	3	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CHANTIX CONTINUING MONTH BOX 1 MG TABLET \$0	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK \$0	3	PA,QL(53 per 28 days)
<i>disulfiram 250 mg, 500 mg TABLET</i>	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL	2	
<i>lofexidine 0.18 mg TABLET DL</i>	4	PA,QL(224 per 365 days)
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
<i>nalmefene 1 mg/ml SOLUTION</i>	1	
<i>naloxone 0.4 mg/ml SOLUTION</i>	1	
<i>naloxone 0.4 mg/ml, 1 mg/ml SYRINGE</i>	1	
<i>naltrexone 50 mg TABLET</i>	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL	3	PA
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL \$0	3	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL	2	
REXTOVY 4 MG/ACTUATION SPRAY, NON-AEROSOL	2	
SUBOXONE 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG FILM	3	PA
<i>varenicline tartrate 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK \$0</i>	1	QL(53 per 28 days)
<i>varenicline tartrate 0.5 mg, 1 mg TABLET \$0</i>	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE	3	PA
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG SUBLINGUAL TABLET	1	
ZURNAI 1.5 MG/0.5 ML AUTO-INJECTOR	2	
ANTIBACTERIALS		
<i>acetic acid 2 % SOLUTION</i>	1	
<i>amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION</i>	1	
<i>amoxicillin 125 mg, 250 mg CHEWABLE TABLET</i>	1	
<i>amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i>	1	
<i>amoxicillin 250 mg CAPSULE</i>	1	
<i>amoxicillin 500 mg CAPSULE</i>	1	
<i>amoxicillin 500 mg TABLET</i>	1	
<i>amoxicillin 875 mg TABLET</i>	1	
<i>amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR.</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET	1	
amoxicillin-pot clavulanate 875-125 mg TABLET	1	
ampicillin 500 mg CAPSULE	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
AUGMENTIN 500-125 MG TABLET	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK	3	PA
avidoxy 100 mg TABLET	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION DL	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION	3	PA
azithromycin 1 gram PACKET	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
azithromycin 250 mg TABLET	1	
azithromycin 500 mg RECON SOLUTION	1	
azithromycin 500 mg, 600 mg TABLET	1	
aztreonam 1 gram, 2 gram RECON SOLUTION	1	
bacitracin 50,000 unit RECON SOLUTION	1	
BACTRIM 400-80 MG TABLET	3	
BACTRIM DS 800-160 MG TABLET	3	
BAXDELA 300 MG RECON SOLUTION DL	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET DL	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE	3	
BLUJEP 750 MG TABLET DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefaclor 250 mg, 500 mg CAPSULE	1	
cefaclor 500 mg TABLET, ER 12 HR.	1	
cefadroxil 1 gram TABLET	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefadroxil 500 mg CAPSULE	1	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml, 3 gram/50 ml PIGGYBACK	1	
CEFAZOLIN IN DEXTROSE (ISO-OS) 3 GRAM/150 ML PIGGYBACK	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefdinir 300 mg CAPSULE	1	
cefepime 1 gram, 2 gram RECON SOLUTION	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefixime 400 mg CAPSULE	1	
cefixime 400 mg TABLET	1	
cefotetan 1 gram, 2 gram RECON SOLUTION	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK	1	
cefpodoxime 100 mg, 200 mg TABLET	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION	1	
cefprozil 250 mg, 500 mg TABLET	1	
ceftaroline fosamil 400 mg, 600 mg RECON SOLUTION ^{DL}	4	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK	1	
cefuroxime axetil 250 mg, 500 mg TABLET	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION</i>	1	
<i>cephalexin 250 mg, 500 mg TABLET</i>	1	
<i>cephalexin 250 mg, 750 mg CAPSULE</i>	1	
<i>cephalexin 500 mg CAPSULE</i>	1	
<i>chloramphenicol sod succinate 1 gram RECON SOLUTION</i>	1	
CIPRO 250 MG, 500 MG TABLET	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON	3	
<i>ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON</i>	1	
<i>ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET</i>	1	
<i>ciprofloxacin hcl 500 mg TABLET</i>	1	
<i>ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK</i>	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION	3	
<i>clarithromycin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION</i>	1	
<i>clarithromycin 250 mg, 500 mg TABLET</i>	1	
<i>clarithromycin 500 mg TABLET, ER 24 HR.</i>	1	
CLEOCIN 100 MG SUPPOSITORY	3	
CLEOCIN 150 MG/ML SOLUTION	1	
CLEOCIN 2 % CREAM	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION	1	
<i>clindamycin hcl 150 mg, 300 mg, 75 mg CAPSULE</i>	1	
<i>clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK</i>	1	
<i>clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK</i>	1	
<i>clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION</i>	1	
<i>clindamycin pediatric 75 mg/5 ml RECON SOLUTION</i>	1	
<i>clindamycin phosphate 150 mg/ml SOLUTION</i>	1	
<i>clindamycin phosphate 2 % CREAM</i>	1	
CLINDESSE 2 % CREAM, ER	3	
<i>colistin (colistimethate na) 150 mg RECON SOLUTION</i>	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL	4	
CONTEPO 6 GRAM RECON SOLUTION DL	4	
CUBICIN RF 500 MG RECON SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dalbavancin 500 mg SOLUTION DL</i>	4	QL(4 per 28 days)
DALVANCE 500 MG SOLUTION DL	4	QL(4 per 28 days)
<i>daptomycin 350 mg RECON SOLUTION</i>	1	
<i>daptomycin 500 mg RECON SOLUTION DL</i>	4	
<i>daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK</i>	3	
<i>demeclocycline 150 mg TABLET</i>	1	QL(240 per 30 days)
<i>demeclocycline 300 mg TABLET</i>	1	QL(120 per 30 days)
<i>dicloxacillin 250 mg, 500 mg CAPSULE</i>	1	
DIFICID 200 MG TABLET DL	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	
DORYX 200 MG TABLET, DR/EC	3	ST,QL(30 per 30 days)
DORYX 80 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
<i>doxy-100 100 mg RECON SOLUTION</i>	1	
<i>doxycycline hyclate 100 mg CAPSULE</i>	1	
<i>doxycycline hyclate 100 mg RECON SOLUTION</i>	1	
<i>doxycycline hyclate 100 mg TABLET</i>	1	
<i>doxycycline hyclate 100 mg TABLET, DR/EC</i>	1	ST,QL(90 per 30 days)
<i>doxycycline hyclate 150 mg TABLET</i>	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC</i>	1	ST,QL(60 per 30 days)
<i>doxycycline hyclate 20 mg TABLET</i>	1	
<i>doxycycline hyclate 200 mg TABLET, DR/EC</i>	1	ST,QL(30 per 30 days)
<i>doxycycline hyclate 50 mg CAPSULE</i>	1	
<i>doxycycline hyclate 50 mg TABLET</i>	1	ST,QL(180 per 30 days)
<i>doxycycline hyclate 75 mg TABLET</i>	1	ST,QL(60 per 30 days)
<i>doxycycline hyclate 80 mg TABLET, DR/EC</i>	3	ST,QL(60 per 30 days)
<i>doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET</i>	1	
<i>doxycycline monohydrate 100 mg, 50 mg CAPSULE</i>	1	
<i>doxycycline monohydrate 150 mg CAPSULE</i>	1	QL(30 per 30 days)
<i>doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION</i>	1	
<i>doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC</i>	1	ST,QL(30 per 30 days)
<i>doxycycline monohydrate 75 mg CAPSULE</i>	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION	3	
EMBLAVEO 2 GRAM RECON SOLUTION DL	4	
EMROSI 40 MG CAPSULE, IR/ER, BIPHASIC DL	4	PA,QL(30 per 30 days)
<i>ertapenem 1 gram RECON SOLUTION</i>	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
ERYTHROCIN 500 MG RECON SOLUTION	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET	1	
<i>erythromycin 250 mg CAPSULE, DR/EC</i>	1	
<i>erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC</i>	1	
<i>erythromycin 250 mg, 500 mg TABLET</i>	1	
<i>erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i>	1	
<i>erythromycin ethylsuccinate 400 mg TABLET</i>	1	
<i>erythromycin lactobionate 500 mg RECON SOLUTION DL</i>	4	
FETROJA 1 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
<i>fidaxomicin 200 mg TABLET DL</i>	4	
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION	3	
FLAGYL 375 MG CAPSULE	3	QL(320 per 30 days)
<i>fosfomycin tromethamine 3 gram PACKET</i>	1	
FURADANTIN 25 MG/5 ML SUSPENSION	3	
<i>gentamicin 0.1 % CREAM</i>	1	
<i>gentamicin 0.1 % OINTMENT</i>	1	
<i>gentamicin 40 mg/ml SOLUTION</i>	1	
<i>gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml PIGGYBACK</i>	1	
<i>gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION</i>	1	
HUMATIN 250 MG CAPSULE DL	4	
<i>imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION</i>	1	
KIMYRSA 1,200 MG RECON SOLUTION DL	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
KLARON 10 % SUSPENSION	3	QL(118 per 30 days)
<i>levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levofloxacin 250 mg, 750 mg TABLET	1	
levofloxacin 500 mg TABLET	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK	1	
LINCOCIN 300 MG/ML SOLUTION	3	
lincomycin 300 mg/ml SOLUTION	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION ^{DL}	4	QL(1800 per 30 days)
linezolid 600 mg TABLET	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION	1	
MACROBID 100 MG CAPSULE	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE	3	
meropenem 1 gram, 500 mg RECON SOLUTION	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK	1	
methenamine hippurate 1 gram TABLET	1	
METRO I.V. 500 MG/100 ML PIGGYBACK	3	
METROCREAM 0.75 % CREAM	3	PA
METROGEL 1 % GEL	3	ST
METROLOTION 0.75 % LOTION	3	PA
metronidazole 0.75 % CREAM	1	
metronidazole 0.75 % LOTION	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) GEL	1	
metronidazole 1 % GEL WITH PUMP	1	
metronidazole 125 mg, 250 mg, 500 mg TABLET	1	
metronidazole 375 mg CAPSULE	1	QL(320 per 30 days)
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK	1	
MINOCIN 100 MG RECON SOLUTION ^{DL}	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE	1	
minocycline 100 mg, 50 mg, 75 mg TABLET	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR.	1	ST,QL(30 per 30 days)
mondoxyne nl 100 mg CAPSULE	1	
mondoxyne nl 75 mg CAPSULE	1	ST,QL(60 per 30 days)
morgidox 50 mg CAPSULE	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
moxifloxacin 400 mg TABLET	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL	4	
neomycin 500 mg TABLET	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE	1	
NORITATE 1 % CREAM DL	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL	3	
NUZYRA 100 MG RECON SOLUTION DL	4	
NUZYRA 150 MG TABLET DL	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION DL	4	QL(3 per 28 days)
ORLYNVAH 500-500 MG TABLET DL	4	
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION	1	
oxacillin in dextrose(iso-osm) 2 gram/50 ml PIGGYBACK	3	
penicillin g pot in dextrose 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION	1	
penicillin g sodium 5 million unit RECON SOLUTION	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION	1	
penicillin v potassium 250 mg, 500 mg TABLET	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION	1	
PIPERACILLIN-TAZOBACTAM 2.25 GRAM/50 ML, 3.375 GRAM/50 ML PIGGYBACK	3	
PIPERACILLIN-TAZOBACTAM 4.5 GRAM/100 ML PIGGYBACK DL	4	
polymyxin b sulfate 500,000 unit RECON SOLUTION	1	
PRIMAXIN IV 500 MG RECON SOLUTION	3	
PRIMSOL 50 MG/5 ML SOLUTION	3	
RECARBRIO 1.25 GRAM RECON SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rosadan 0.75 % CREAM	1	ST
rosadan 0.75 % GEL	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET DL	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION DL	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET DL	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET	3	PA
streptomycin 1 gram RECON SOLUTION DL	4	
sulfacetamide sodium 10 % OINTMENT	1	
sulfacetamide sodium (acne) 10 % SUSPENSION	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET	1	
TARGADOX 50 MG TABLET	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION DL	4	
tetracycline 250 mg, 500 mg CAPSULE	1	
tetracycline 250 mg, 500 mg TABLET DL	4	
tigecycline 50 mg RECON SOLUTION	1	
tinidazole 250 mg, 500 mg TABLET	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION DL	4	BvsD
tobramycin sulfate 1.2 gram RECON SOLUTION DL	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION	1	
trimethoprim 100 mg TABLET	1	
TYGACIL 50 MG RECON SOLUTION DL	4	
TYZAVAN 1 GRAM/200 ML, 1.25 GRAM/250 ML, 1.5 GRAM/300 ML, 1.75 GRAM/350 ML, 2 GRAM/400 ML, 500 MG/100 ML, 750 MG/150 ML PIGGYBACK	3	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION	3	
VABOMERE 2 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANCOGIN 125 MG CAPSULE	3	PA,QL(120 per 30 days)
VANCOGIN 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION	1	
vancomycin 1.75 gram, 2 gram RECON SOLUTION	3	
vancomycin 125 mg CAPSULE	1	QL(120 per 30 days)
vancomycin 250 mg CAPSULE	1	QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK	3	
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK	3	
VANZOLE 0.75 % (37.5MG/5 GRAM) GEL	3	
VIBATIV 750 MG RECON SOLUTION DL	4	
VIBRAMYCIN 100 MG CAPSULE	3	
XACDURO 1 GRAM-1 GRAM (0.5 GRAM X 2) RECON SOLUTION	4	
XACIATO 2 % GEL	3	
XERAVA 100 MG, 50 MG RECON SOLUTION	3	
XIMINO 135 MG, 45 MG, 90 MG CAPSULE, ER 24 HR.	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION DL	4	
ZERBAXA 1.5 GRAM RECON SOLUTION DL	4	
ZEVTERA 667 MG RECON SOLUTION DL	4	
ZITHROMAX 1 GRAM PACKET	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION	3	
ZITHROMAX 250 MG, 500 MG TABLET	3	
ZITHROMAX 500 MG RECON SOLUTION	3	
ZITHROMAX TRI-PAK 500 MG TABLET	3	
ZITHROMAX Z-PAK 250 MG TABLET	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK	3	
ZYVOX 600 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTICONVULSANTS		
APTIOM 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET DL	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET DL	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION DL	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET DL	4	PA,QL(240 per 30 days)
<i>brivaracetam 10 mg, 100 mg, 25 mg, 50 mg, 75 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
<i>brivaracetam 10 mg/ml SOLUTION</i>	1	PA,QL(600 per 30 days)
<i>brivaracetam 50 mg/5 ml SOLUTION</i>	1	PA
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET DL	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION DL	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION DL	4	PA
<i>carbamazepine 100 mg, 200 mg CHEWABLE TABLET</i>	1	
<i>carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR.</i>	1	
<i>carbamazepine 100 mg, 200 mg, 400 mg TABLET, ER 12 HR.</i>	1	
<i>carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION</i>	1	
<i>carbamazepine 200 mg TABLET</i>	1	
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR.	3	
CELONTIN 300 MG CAPSULE	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION	3	
<i>clobazam 10 mg, 20 mg TABLET DL</i>	1	PA
<i>clobazam 2.5 mg/ml SUSPENSION DL</i>	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR.	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE	3	
DIACOMIT 250 MG, 500 MG CAPSULE DL	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
<i>diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT DL</i>	1	
DILANTIN 30 MG CAPSULE	1	
DILANTIN EXTENDED 100 MG CAPSULE	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DILANTIN-125 125 MG/5 ML SUSPENSION	3	
<i>divalproex</i> 125 mg CAPSULE, DR SPRINKLE	1	
<i>divalproex</i> 125 mg, 250 mg, 500 mg TABLET, DR/EC	1	
<i>divalproex</i> 250 mg, 500 mg TABLET, ER 24 HR.	1	
ELEPSIA XR 1,000 MG, 1,500 MG TABLET, ER 24 HR. DL	4	QL(60 per 30 days)
EPIDIOLEX 100 MG/ML SOLUTION DL	4	PA
<i>epitol</i> 200 mg TABLET	1	
EPRONTIA 25 MG/ML SOLUTION	3	PA,QL(480 per 30 days)
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR.	3	PA
<i>eslicarbazepine</i> 200 mg, 400 mg TABLET DL	4	PA,QL(30 per 30 days)
<i>eslicarbazepine</i> 600 mg, 800 mg TABLET DL	4	PA,QL(60 per 30 days)
<i>ethosuximide</i> 250 mg CAPSULE	1	
<i>ethosuximide</i> 250 mg/5 ml SOLUTION	1	
<i>felbamate</i> 400 mg, 600 mg TABLET	1	PA
<i>felbamate</i> 600 mg/5 ml SUSPENSION	1	PA
FELBATOL 400 MG, 600 MG TABLET DL	4	PA
FINTEPLA 2.2 MG/ML SOLUTION DL,LA	4	PA,QL(360 per 30 days)
<i>fosphenytoin</i> 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION	1	
FYCOMPA 0.5 MG/ML SUSPENSION DL	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET DL	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET	3	PA,QL(30 per 30 days)
<i>gabapentin</i> 100 mg, 300 mg, 400 mg CAPSULE	1	QL(270 per 30 days)
<i>gabapentin</i> 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION	1	QL(2250 per 30 days)
<i>gabapentin</i> 600 mg, 800 mg TABLET	1	QL(180 per 30 days)
GABARONE 100 MG, 400 MG TABLET DL	4	QL(270 per 30 days)
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET DL	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION DL	4	PA
KEPPRA 250 MG TABLET	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. DL	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. DL	4	PA,QL(120 per 30 days)
<i>lacosamide</i> 10 mg/ml SOLUTION	1	QL(1395 per 30 days)
<i>lacosamide</i> 100 mg, 150 mg, 200 mg, 50 mg TABLET	1	QL(60 per 30 days)
<i>lacosamide</i> 200 mg/20 ml SOLUTION DL	4	
LAMICTAL 100 MG TABLET DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL 150 MG, 200 MG, 25 MG TABLET	3	
LAMICTAL 25 MG TABLET, CHEWABLE DISPERSIBLE DL	4	
LAMICTAL 5 MG TABLET, CHEWABLE DISPERSIBLE	3	
LAMICTAL ODT 100 MG, 200 MG, 50 MG TABLET, DISINTEGRATING DL	4	
LAMICTAL ODT 25 MG TABLET, DISINTEGRATING	3	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK	3	
LAMICTAL XR 100 MG, 200 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. DL	4	
LAMICTAL XR 25 MG TABLET, ER 24 HR.	3	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg TABLET	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR.	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION	1	
levetiracetam 250 mg TABLET FOR SUSPENSION	3	ST,QL(360 per 30 days)
levetiracetam 500 mg TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levetiracetam 500 mg TABLET FOR SUSPENSION	3	ST,QL(180 per 30 days)
levetiracetam 500 mg TABLET, ER 24 HR.	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR.	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK	1	
LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM DL	4	QL(10 per 30 days)
methsuximide 300 mg CAPSULE	1	
MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
MYSOLINE 250 MG, 50 MG TABLET DL	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	3	QL(10 per 30 days)
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION	3	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET DL	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET DL	4	PA
ONFI 2.5 MG/ML SUSPENSION DL	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET	1	
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET, ER 24 HR.	1	ST
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION	1	
OXTELLAR XR 150 MG, 300 MG TABLET, ER 24 HR.	3	ST
OXTELLAR XR 600 MG TABLET, ER 24 HR. DL	4	ST
pentobarbital sodium 50 mg/ml SOLUTION	1	
perampanel 0.5 mg/ml SUSPENSION DL	4	PA,QL(680 per 28 days)
perampanel 10 mg, 12 mg, 4 mg, 6 mg, 8 mg TABLET DL	4	PA,QL(30 per 30 days)
perampanel 2 mg TABLET	1	PA,QL(30 per 30 days)
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL	4	
PHENYTEK 200 MG, 300 MG CAPSULE	1	
phenytoin 125 mg/5 ml SUSPENSION	1	
phenytoin 50 mg CHEWABLE TABLET	1	
phenytoin sodium 50 mg/ml SOLUTION	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>phenytoin sodium 50 mg/ml SYRINGE</i>	1	
<i>phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE</i>	1	
<i>primidone 125 mg, 250 mg, 50 mg TABLET</i>	1	
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(90 per 30 days)
RELGAABI 200 MG CAPSULE DL	4	QL(270 per 30 days)
<i>relgaabi 300 mg, 400 mg CAPSULE DL</i>	4	QL(270 per 30 days)
<i>roweepra 500 mg TABLET</i>	1	
<i>rufinamide 200 mg TABLET</i>	1	PA,QL(480 per 30 days)
<i>rufinamide 40 mg/ml SUSPENSION</i>	4	PA,QL(2760 per 30 days)
<i>rufinamide 400 mg TABLET</i>	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET DL	4	PA,QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION DL	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION	3	ST,QL(120 per 30 days)
SUBVENITE 10 MG/ML SUSPENSION DL	3	
<i>subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET</i>	1	
<i>subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK</i>	1	
<i>subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK</i>	1	
<i>subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK</i>	1	
SYMPAZAN 10 MG, 20 MG FILM DL	4	PA,QL(60 per 30 days)
SYMPAZAN 5 MG FILM DL	3	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION	3	
TEGRETOL 200 MG TABLET	3	
TEGRETOL XR 100 MG, 200 MG, 400 MG TABLET, ER 12 HR.	3	
<i>tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET</i>	1	
TOPAMAX 100 MG, 200 MG TABLET DL	4	
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE DL	4	
TOPAMAX 25 MG, 50 MG TABLET	3	
<i>topiramate 100 mg, 200 mg, 25 mg, 50 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(30 per 30 days)
topiramate 100 mg, 50 mg CAPSULE, ER 24 HR.	1	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg, 50 mg CAPSULE, SPRINKLE	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR.	1	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(90 per 30 days)
topiramate 25 mg CAPSULE, ER 24 HR.	1	PA,QL(90 per 30 days)
topiramate 25 mg/ml SOLUTION	1	PA,QL(480 per 30 days)
TRILEPTAL 150 MG TABLET	3	PA
TRILEPTAL 300 MG, 600 MG TABLET DL	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION DL	4	PA
TROKENDI XR 100 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR.	3	PA,QL(90 per 30 days)
TROKENDI XR 50 MG CAPSULE, ER 24 HR.	3	PA,QL(30 per 30 days)
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION	1	
valproic acid 250 mg CAPSULE	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg TABLET DL	4	PA,QL(180 per 30 days)
VIGAFYDE 100 MG/ML SOLUTION DL	4	PA,QL(600 per 25 days)
vigpoder 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION DL	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION DL	4	PA
VIMPAT 50 MG TABLET	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 25 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL	4	PA,QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK	3	PA,QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE	3	
ZARONTIN 250 MG/5 ML SOLUTION	1	
ZONEGRAN 100 MG, 25 MG CAPSULE DL	4	PA
ZONISADE 100 MG/5 ML SUSPENSION	3	PA,QL(900 per 30 days)
<i>zonisamide 100 mg, 25 mg, 50 mg CAPSULE</i>	1	
ZTALMY 50 MG/ML SUSPENSION DL	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY	3	ST,QL(4 per 28 days)
ARICEPT 10 MG, 5 MG TABLET	3	PA
ARICEPT 23 MG TABLET	3	PA,QL(30 per 30 days)
<i>donepezil 10 mg, 5 mg TABLET</i>	1	
<i>donepezil 10 mg, 5 mg TABLET, DISINTEGRATING</i>	1	
<i>donepezil 23 mg TABLET</i>	1	QL(30 per 30 days)
<i>ergoloid 1 mg TABLET</i>	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR.	3	PA,QL(30 per 30 days)
<i>galantamine 12 mg, 4 mg, 8 mg TABLET</i>	1	QL(60 per 30 days)
<i>galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR.</i>	1	QL(30 per 30 days)
<i>galantamine 4 mg/ml SOLUTION</i>	1	QL(200 per 30 days)
LEQEMBI IQLIK 360 MG/1.8 ML AUTO-INJECTOR DL	4	PA
<i>memantine 10 mg, 5 mg TABLET</i>	1	PA
<i>memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR.</i>	1	PA,QL(30 per 30 days)
<i>memantine 2 mg/ml SOLUTION</i>	1	PA
<i>memantine 5-10 mg TABLET, DOSE PACK</i>	1	PA,QL(98 per 30 days)
<i>memantine-donepezil 14-10 mg, 21-10 mg, 28-10 mg CAPSULE ER SPRINKLE 24 HR.</i>	1	PA,QL(30 per 30 days)
NAMENDA XR 7 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR.	3	PA,QL(28 per 28 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR.	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE	1	QL(60 per 30 days)
ZUNVEYL 10 MG, 15 MG, 5 MG TABLET, DR/EC	3	PA,QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET	1	
amitriptyline 25 mg TABLET	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL	4	
ALENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC	3	ST,QL(60 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR.	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR.	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR.	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR.	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR.	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR.	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 20 MG, 40 MG TABLET	3	PA
citalopram 10 mg, 20 mg, 40 mg TABLET	1	
citalopram 10 mg/5 ml SOLUTION	1	
citalopram 30 mg CAPSULE	3	QL(30 per 30 days)
CITALOPRAM 30 MG CAPSULE	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE	1	
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR.	3	QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR.	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR.	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg, 20 mg, 5 mg TABLET	1	
escitalopram oxalate 15 mg CAPSULE	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>escitalopram oxalate 5 mg/5 ml SOLUTION</i>	1	QL(600 per 30 days)
EXXUA 18.2 MG (32 TABS) TABLET, ER 24 HR., DOSE PACK DL	4	PA
EXXUA 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR.	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR.	3	PA,QL(28 per 28 days)
<i>fluoxetine 10 mg CAPSULE</i>	1	QL(60 per 30 days)
<i>fluoxetine 10 mg TABLET</i>	1	QL(240 per 30 days)
<i>fluoxetine 20 mg CAPSULE</i>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg TABLET</i>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION</i>	1	
<i>fluoxetine 40 mg CAPSULE</i>	1	QL(90 per 30 days)
<i>fluoxetine 60 mg TABLET</i>	1	QL(30 per 30 days)
<i>fluoxetine 90 mg CAPSULE, DR/EC</i>	1	QL(4 per 28 days)
<i>fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>fluvoxamine 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR.	3	ST,QL(30 per 30 days)
<i>imipramine hcl 10 mg, 25 mg, 50 mg TABLET</i>	1	
<i>imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE</i>	1	
LEXAPRO 10 MG, 20 MG, 5 MG TABLET	3	PA
MARPLAN 10 MG TABLET	3	
<i>mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING</i>	1	QL(30 per 30 days)
<i>mirtazapine 15 mg, 30 mg, 7.5 mg TABLET</i>	1	
<i>mirtazapine 45 mg TABLET</i>	1	
NARDIL 15 MG TABLET	3	
<i>nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET</i>	1	
NORPRAMIN 10 MG, 25 MG TABLET	3	
<i>nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE</i>	1	
<i>nortriptyline 10 mg/5 ml SOLUTION</i>	1	
<i>olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE</i>	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL	4	
PARNATE 10 MG TABLET DL	4	
<i>paroxetine hcl 10 mg, 20 mg, 30 mg, 40 mg TABLET</i>	1	
<i>paroxetine hcl 10 mg/5 ml SUSPENSION</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>paroxetine hcl 25 mg TABLET, ER 24 HR.</i>	1	QL(90 per 30 days)
<i>paroxetine mesylate(menop.sym) 7.5 mg CAPSULE</i>	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG, 30 MG, 40 MG TABLET	3	
PAXIL 10 MG/5 ML SUSPENSION	3	PA
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR.	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR.	3	QL(90 per 30 days)
<i>perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET</i>	1	
<i>phenelzine 15 mg TABLET</i>	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
<i>protriptyline 10 mg, 5 mg TABLET</i>	1	
PROZAC 10 MG CAPSULE DL	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
PROZAC 40 MG CAPSULE DL	4	PA,QL(90 per 30 days)
RALDESY 10 MG/ML SOLUTION DL	4	
REMERON 15 MG, 30 MG TABLET	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING	3	QL(30 per 30 days)
<i>sertraline 100 mg TABLET</i>	1	QL(60 per 30 days)
<i>sertraline 150 mg, 200 mg CAPSULE</i>	3	QL(30 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE	3	QL(30 per 30 days)
<i>sertraline 20 mg/ml CONCENTRATE</i>	1	
<i>sertraline 25 mg, 50 mg TABLET</i>	1	QL(90 per 30 days)
<i>tranylcypromine 10 mg TABLET</i>	1	
<i>trazodone 100 mg, 150 mg, 50 mg TABLET</i>	1	
<i>trazodone 300 mg TABLET</i>	1	
<i>trimipramine 100 mg, 25 mg, 50 mg CAPSULE</i>	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET	3	ST,QL(30 per 30 days)
<i>venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET</i>	1	
<i>venlafaxine 150 mg CAPSULE, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR.</i>	1	QL(30 per 30 days)
<i>venlafaxine 37.5 mg CAPSULE, ER 24 HR.</i>	1	QL(90 per 30 days)
<i>venlafaxine 75 mg CAPSULE, ER 24 HR.</i>	1	QL(90 per 30 days)
<i>venlafaxine 75 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR.	3	QL(60 per 30 days)
VIIIBRYD 10 MG, 20 MG, 40 MG TABLET	3	PA,QL(30 per 30 days)
<i>vilazodone 10 mg, 20 mg, 40 mg TABLET</i>	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR.	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR.	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR.	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE	3	PA
ZOLOFT 25 MG, 50 MG TABLET	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION DL	4	PA,QL(100 per 365 days)
ZURZUVAE 20 MG, 25 MG CAPSULE DL	4	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE DL	4	PA,QL(14 per 365 days)
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION DL	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE	3	PA
ANTIVERT 25 MG CHEWABLE TABLET	3	
ANTIVERT 50 MG TABLET	3	
ANZEMET 50 MG TABLET	3	BvsD,QL(4 per 28 days)
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION	3	
<i>aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK</i>	1	BvsD
<i>aprepitant 125 mg CAPSULE</i>	4	BvsD,QL(2 per 28 days)
<i>aprepitant 40 mg CAPSULE</i>	1	BvsD,QL(2 per 28 days)
<i>aprepitant 80 mg CAPSULE</i>	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC	3	QL(60 per 30 days)
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION	3	PA,QL(36 per 28 days)
COMPAZINE 10 MG, 5 MG TABLET	3	BvsD
COMPAZINE 25 MG SUPPOSITORY	1	
<i>compro 25 mg SUPPOSITORY</i>	1	
DICLEGIS 10-10 MG TABLET, DR/EC	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION</i>	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC</i>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE</i>	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION	3	PA
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION	3	PA
<i>fosaprepitant 150 mg RECON SOLUTION</i>	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
<i>granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION</i>	1	
<i>granisetron hcl 1 mg TABLET</i>	1	BvsD,QL(28 per 28 days)
<i>granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION</i>	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
<i>meclizine 12.5 mg TABLET</i>	1	
<i>meclizine 25 mg CHEWABLE TABLET</i>	3	
<i>meclizine 25 mg TABLET</i>	1	
<i>meclizine 50 mg TABLET</i>	3	
<i>metoclopramide hcl 10 mg, 5 mg TABLET</i>	1	
<i>metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION</i>	1	
<i>metoclopramide hcl 5 mg/ml SYRINGE</i>	1	
NEREUS 85 MG CAPSULE DL	4	PA
<i>ondansetron 16 mg TABLET, DISINTEGRATING DL</i>	4	BvsD
<i>ondansetron 4 mg, 8 mg TABLET, DISINTEGRATING</i>	1	BvsD
<i>ondansetron hcl 2 mg/ml SOLUTION</i>	1	
<i>ondansetron hcl 4 mg TABLET</i>	1	BvsD
<i>ondansetron hcl 4 mg/5 ml SOLUTION</i>	1	BvsD,QL(450 per 30 days)
<i>ondansetron hcl 8 mg TABLET</i>	1	BvsD
<i>ondansetron hcl (pf) 4 mg/2 ml SOLUTION</i>	1	
<i>ondansetron hcl (pf) 4 mg/2 ml SYRINGE</i>	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION	1	
<i>prochlorperazine 25 mg SUPPOSITORY</i>	1	
<i>prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION</i>	1	
<i>prochlorperazine maleate 10 mg, 5 mg TABLET</i>	1	BvsD
<i>promethazine 12.5 mg, 25 mg SUPPOSITORY</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>promethazine 12.5 mg, 25 mg, 50 mg TABLET</i>	1	
<i>promethazine 25 mg/ml, 50 mg/ml SOLUTION</i>	1	
<i>promethazine 6.25 mg/5 ml SYRUP</i>	1	
<i>promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY</i>	1	
REGLAN 10 MG, 5 MG TABLET	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL	4	PA,QL(4 per 30 days)
<i>scopolamine base 1 mg over 3 days PATCH, 3 DAY</i>	1	QL(10 per 30 days)
TIGAN 100 MG/ML SOLUTION	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY	3	QL(10 per 30 days)
<i>trimethobenzamide 300 mg CAPSULE</i>	1	BvsD
VARUBI 90 MG TABLET	3	PA
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL	4	BvsD
<i>amphotericin b 50 mg RECON SOLUTION</i>	1	BvsD
<i>amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION DL</i>	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION DL	4	PA
<i>caspofungin 50 mg, 70 mg RECON SOLUTION</i>	1	
<i>ciclodan 8 % SOLUTION</i>	1	QL(13.2 per 30 days)
<i>ciclopirox 0.77 % CREAM</i>	1	QL(90 per 30 days)
<i>ciclopirox 0.77 % GEL</i>	1	QL(100 per 30 days)
<i>ciclopirox 0.77 % SUSPENSION</i>	1	QL(60 per 30 days)
<i>ciclopirox 1 % SHAMPOO</i>	1	QL(120 per 30 days)
<i>ciclopirox 8 % SOLUTION</i>	1	QL(13.2 per 30 days)
<i>clotrimazole 1 % CREAM</i>	1	
<i>clotrimazole 1 % SOLUTION</i>	1	
<i>clotrimazole 10 mg TROCHE</i>	1	
<i>clotrimazole-betamethasone 1-0.05 % CREAM</i>	1	QL(180 per 30 days)
<i>clotrimazole-betamethasone 1-0.05 % LOTION</i>	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE DL	4	PA
CRESEMBA 372 MG RECON SOLUTION DL	4	PA
DIFLUCAN 100 MG TABLET	3	PA
DIFLUCAN 200 MG TABLET	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIFLUCAN 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA
econazole nitrate 1 % CREAM	1	PA,QL(85 per 30 days)
econazole nitrate 1 % FOAM DL	4	
ERAXIS(WATER DILUENT) 100 MG RECON SOLUTION	3	
ERAXIS(WATER DILUENT) 50 MG RECON SOLUTION DL	4	
ERTACZO 2 % CREAM DL	4	QL(60 per 30 days)
EXELDERM 1 % CREAM	4	ST
EXELDERM 1 % SOLUTION	4	ST,QL(60 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION	1	
fluconazole 100 mg, 200 mg, 50 mg TABLET	1	
fluconazole 150 mg TABLET	1	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK	1	
flucytosine 250 mg, 500 mg CAPSULE DL	4	
FULVICIN P/G 165 MG TABLET DL	4	
griseofulvin microsize 125 mg/5 ml SUSPENSION	1	
griseofulvin microsize 500 mg TABLET	1	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET	1	
griseofulvin ultramicrosize 165 mg TABLET DL	4	
gynazole-1 2 % CREAM	1	
itraconazole 10 mg/ml SOLUTION	1	
itraconazole 100 mg CAPSULE	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR DL	4	PA,QL(4 per 28 days)
ketoconazole 2 % CREAM	1	QL(60 per 30 days)
ketoconazole 2 % FOAM	1	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO	1	QL(120 per 30 days)
ketoconazole 200 mg TABLET	1	PA
ketodan 2 % FOAM	1	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER	1	
LOPROX (AS OLAMINE) 0.77 % CREAM	3	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION	3	PA,QL(60 per 30 days)
luliconazole 1 % CREAM	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM	3	ST,QL(60 per 28 days)
micalfungin 100 mg, 50 mg RECON SOLUTION	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 150 MG/150 ML, 50 MG/50 ML PIGGYBACK DL	4	
<i>micafungin in 0.9 % sodium chl 150 mg/150 ml PIGGYBACK DL</i>	4	
<i>miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT</i>	1	
<i>miconazole-3 200 mg SUPPOSITORY</i>	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION DL	4	
<i>naftifine 1 % CREAM</i>	1	ST,QL(90 per 30 days)
<i>naftifine 2 % CREAM</i>	1	ST,QL(120 per 30 days)
<i>naftifine 2 % GEL</i>	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC DL	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION DL	4	PA
<i>nyamyc 100,000 unit/gram POWDER</i>	1	
<i>nystatin 100,000 unit/gram CREAM</i>	1	
<i>nystatin 100,000 unit/gram OINTMENT</i>	1	
<i>nystatin 100,000 unit/gram POWDER</i>	1	
<i>nystatin 100,000 unit/ml SUSPENSION</i>	1	
<i>nystatin 500,000 unit TABLET</i>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM</i>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT</i>	1	
<i>nystop 100,000 unit/gram POWDER</i>	1	
<i>oxiconazole 1 % CREAM</i>	1	PA,QL(60 per 30 days)
OXISTAT 1 % LOTION	3	PA
<i>posaconazole 100 mg TABLET, DR/EC DL</i>	4	PA
<i>posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION DL</i>	4	PA,QL(840 per 28 days)
<i>posaconazole 300 mg/16.7 ml SOLUTION DL</i>	4	PA
REZZAYO 200 MG RECON SOLUTION DL	4	PA
SPORANOX 10 MG/ML SOLUTION DL	4	
SPORANOX 100 MG CAPSULE	3	PA,QL(120 per 30 days)
<i>tavaborole 5 % SOLUTION W/APPLICATOR</i>	1	PA,QL(10 per 30 days)
<i>terbinafine hcl 250 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
terconazole 0.4 %, 0.8 % CREAM	1	
terconazole 80 mg SUPPOSITORY	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET	3	QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL	4	QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION	3	
VIVJOA 150 MG CAPSULE	3	
voriconazole 200 mg RECON SOLUTION	1	
voriconazole 200 mg, 50 mg TABLET	1	QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION DL	4	QL(400 per 30 days)
voriconazole-hpbccl 200 mg RECON SOLUTION	1	
VUSION 0.25-15-81.35 % OINTMENT	3	
XOLEGEL 2 % GEL	3	
ANTIGOUT AGENTS		
allopurinol 100 mg, 300 mg TABLET	1	
allopurinol 200 mg TABLET	3	
allopurinol sodium 500 mg RECON SOLUTION	1	
ALOPRIM 500 MG RECON SOLUTION	3	
colchicine 0.6 mg CAPSULE	1	PA
colchicine 0.6 mg TABLET	1	QL(120 per 30 days)
COLCRYS 0.6 MG TABLET	3	PA,QL(120 per 30 days)
febuxostat 40 mg, 80 mg TABLET	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE	3	PA
probenecid 500 mg TABLET	1	
probenecid-colchicine 500-0.5 mg TABLET	1	
ULORIC 40 MG, 80 MG TABLET	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR	3	PA,QL(1 per 28 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR	3	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR	3	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE	3	PA,QL(1.5 per 28 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET	1	ST,QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BREKIYA 1 MG/ML AUTO-INJECTOR DL	4	PA,QL(24 per 28 days)
CAFERGOT 1-100 MG TABLET DL	4	QL(40 per 30 days)
<i>dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL</i> DL	4	PA,QL(8 per 30 days)
<i>dihydroergotamine 1 mg/ml SOLUTION</i> DL	4	PA
<i>eletriptan 20 mg, 40 mg TABLET</i>	1	QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE	3	PA,QL(3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET DL	4	QL(20 per 28 days)
<i>ergotamine-caffeine 1-100 mg TABLET</i>	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET DL	4	ST,QL(12 per 30 days)
<i>frovatriptan 2.5 mg TABLET</i>	1	ST,QL(12 per 30 days)
IMITREX 100 MG, 25 MG, 50 MG TABLET	3	PA,QL(9 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING	3	PA,QL(12 per 30 days)
<i>migergot 2-100 mg SUPPOSITORY</i> DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
<i>naratriptan 1 mg, 2.5 mg TABLET</i>	1	QL(9 per 30 days)
NURTEC ODT 75 MG TABLET, DISINTEGRATING DL	4	PA,QL(18 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV.	3	ST,QL(16 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET	3	PA,QL(30 per 30 days)
RELPAK 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET	3	PA,QL(4 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET</i>	1	QL(12 per 30 days)
<i>rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING</i>	1	QL(12 per 30 days)
<i>sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL</i>	1	QL(12 per 30 days)
<i>sumatriptan succinate 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(9 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE</i>	3	QL(6 per 30 days)
<i>sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR</i>	1	QL(6 per 30 days)
<i>sumatriptan succinate 6 mg/0.5 ml SOLUTION</i>	1	QL(6 per 30 days)
<i>sumatriptan-naproxen 85-500 mg TABLET</i>	1	ST,QL(18 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYMBRAVO 10-20 MG TABLET DL	4	ST,QL(9 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
UBRELVY 100 MG, 50 MG TABLET	2	PA,QL(16 per 30 days)
VYEPTI 100 MG/ML SOLUTION	4	PA,QL(3 per 90 days)
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
<i>zolmitriptan 2.5 mg TABLET</i>	1	ST,QL(9 per 30 days)
<i>zolmitriptan 2.5 mg TABLET, DISINTEGRATING</i>	1	ST,QL(9 per 30 days)
<i>zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL</i>	1	ST,QL(12 per 30 days)
<i>zolmitriptan 5 mg TABLET</i>	1	ST,QL(6 per 30 days)
<i>zolmitriptan 5 mg TABLET, DISINTEGRATING</i>	1	ST,QL(6 per 30 days)
<i>zomig 2.5 mg TABLET</i>	3	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL	3	ST,QL(12 per 30 days)
<i>zomig 5 mg TABLET</i>	3	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET DL	4	PA
MESTINON 60 MG/5 ML SYRUP DL	4	
MESTINON TIMESPAN 180 MG TABLET ER DL	4	PA
<i>pyridostigmine bromide 180 mg TABLET ER</i>	1	
<i>pyridostigmine bromide 30 mg, 60 mg TABLET</i>	1	
<i>pyridostigmine bromide 60 mg/5 ml SYRUP</i>	1	
REGONOL 5 MG/ML SOLUTION	3	
VYVGART 20 MG/ML SOLUTION DL	4	PA
VYVGART HYTRULO 1,000 MG-10,000 UNIT/5 ML SYRINGE DL	4	PA,QL(20 per 28 days)
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
ANTIMYCOBACTERIALS		
<i>cycloserine 250 mg CAPSULE DL</i>	4	
<i>dapsone 100 mg, 25 mg TABLET</i>	1	
<i>ethambutol 100 mg, 400 mg TABLET</i>	1	
<i>isoniazid 100 mg, 300 mg TABLET</i>	1	
<i>isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION</i>	1	
MYAMBUTOL 400 MG TABLET	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MYCOBUTIN 150 MG CAPSULE	3	
PRETOMANID 200 MG TABLET	3	QL(30 per 30 days)
PRIFTIN 150 MG TABLET	3	
<i>pyrazinamide 500 mg TABLET</i>	1	
<i>rifabutin 150 mg CAPSULE</i>	1	
RIFADIN 600 MG RECON SOLUTION	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i>	1	
<i>rifampin 600 mg RECON SOLUTION</i>	1	
SIRTURO 100 MG, 20 MG TABLET DL	4	PA
TRECTOR 250 MG TABLET	3	
ANTINEOPLASTICS		
<i>abiraterone 250 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
<i>abirtega 250 mg TABLET</i>	1	PA,QL(120 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
ADCETRIS 50 MG RECON SOLUTION DL	4	PA
ADRIAMYCIN 50 MG RECON SOLUTION	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i>	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET DL	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE DL	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION DL	4	PA
ALIQOPA 60 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
ALUNBRIG 180 MG, 90 MG TABLET DL	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET DL	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION DL	4	PA
<i>anastrozole 1 mg TABLET \$0</i>	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION DL	4	PA
ARIMIDEX 1 MG TABLET DL	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET DL	4	PA,QL(60 per 30 days)
ARRANON 5 MG/ML SOLUTION DL	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION DL</i>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ASPARLAS 750 UNIT/ML SOLUTION DL	4	PA
AUGTYRO 160 MG CAPSULE DL	4	PA,QL(60 per 30 days)
AUGTYRO 40 MG CAPSULE DL	4	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION DL	4	PA
AVGEMSI 1 GRAM/26.3 ML (38 MG/ML), 2 GRAM/52.6 ML (38 MG/ML) SOLUTION DL	4	
AVMAPKI-FAKZYNJA 0.8-200 MG COMBO PACK DL	4	PA,QL(66 per 28 days)
AXTLE 100 MG, 500 MG RECON SOLUTION DL	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> DL	4	PA
BALVERSA 3 MG TABLET DL	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET DL	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET DL	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION DL	4	PA
BELEODAQ 500 MG RECON SOLUTION DL	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> DL	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> DL	4	PA
BENDEKA 25 MG/ML SOLUTION DL	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
<i>bexarotene 1 % GEL</i> DL	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> DL	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i>	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION	3	
BIZENGRI 375 MG/18.75 ML (20 MG/ML) SOLUTION DL	4	PA,QL(75 per 28 days)
BLENREP 70 MG RECON SOLUTION DL	4	PA
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i>	1	BvsD
<i>bortezomib 1 mg, 2.5 mg RECON SOLUTION</i>	3	PA
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION	3	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i>	1	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> DL	4	PA
BORUZU 2.5 MG/ML SOLUTION DL	4	PA
BOSULIF 100 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET DL	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BOSULIF 50 MG CAPSULE DL	4	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BRUKINSA 160 MG TABLET DL	4	PA,QL(120 per 30 days)
BRUKINSA 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i>	1	
BUSULFEX 60 MG/10 ML SOLUTION	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i>	1	
<i>carmustine 100 mg RECON SOLUTION</i>	1	
CASODEX 50 MG TABLET DL	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i>	1	
<i>cladribine 10 mg/10 ml SOLUTION DL</i>	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION DL</i>	4	
CLOLAR 1 MG/ML SOLUTION DL	4	
COLUMVI 1 MG/ML SOLUTION DL	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE DL	4	PA,QL(56 per 28 days)
COTELLIC 20 MG TABLET DL	4	PA,QL(63 per 28 days)
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i>	1	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION	1	BvsD
<i>cyclophosphamide 200 mg/ml SOLUTION</i>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i>	1	BvsD
<i>cyclophosphamide 500 mg/ml SOLUTION DL</i>	4	BvsD
CYRAMZA 10 MG/ML SOLUTION DL	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i>	1	BvsD
<i>cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION</i>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dacarbazine 100 mg, 200 mg RECON SOLUTION</i>	1	
<i>dactinomycin 0.5 mg RECON SOLUTION</i> DL	4	
DANYELZA 4 MG/ML SOLUTION DL	4	PA,QL(120 per 28 days)
DANZITEN 71 MG, 95 MG TABLET DL	4	PA,QL(120 per 30 days)
DARZALEX 20 MG/ML SOLUTION DL	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA
<i>dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
<i>dasatinib 140 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
<i>dasatinib 20 mg TABLET</i> DL	4	PA,QL(90 per 30 days)
DATROWAY 100 MG RECON SOLUTION DL	4	PA
<i>daunorubicin 5 mg/ml SOLUTION</i>	1	
DAURISMO 100 MG TABLET DL	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>decitabine 50 mg RECON SOLUTION</i> DL	4	PA
<i>dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION</i>	1	
<i>docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION</i>	1	
DOXIL 2 MG/ML SUSPENSION DL	4	PA
<i>doxorubicin 10 mg, 50 mg RECON SOLUTION</i>	1	BvsD
<i>doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION</i>	1	BvsD
<i>doxorubicin, peg-liposomal 2 mg/ml SUSPENSION</i> DL	4	PA
ELAHERE 5 MG/ML SOLUTION DL	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION DL	4	
ELREXFIO 40 MG/ML SOLUTION DL	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION DL	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE DL	4	
EMPLICITI 300 MG, 400 MG RECON SOLUTION DL	4	PA
EMRELIS 100 MG, 20 MG RECON SOLUTION DL	4	PA
ENHERTU 100 MG RECON SOLUTION DL	4	PA
ENSACOVE 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
ENSACOVE 25 MG CAPSULE DL	4	PA,QL(270 per 30 days)
<i>epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL	4	PA
<i>eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION DL</i>	4	
ERIVEDGE 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET DL	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>erlotinib 100 mg, 150 mg TABLET DL</i>	4	PA,QL(30 per 30 days)
<i>erlotinib 25 mg TABLET DL</i>	4	PA,QL(90 per 30 days)
ETOPOPHOS 100 MG RECON SOLUTION	3	
<i>etoposide 20 mg/ml SOLUTION</i>	1	
EULEXIN 125 MG CAPSULE DL	4	PA
<i>everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL</i>	4	PA,QL(30 per 30 days)
<i>everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION DL</i>	4	PA
EVOMELA 50 MG RECON SOLUTION DL	4	
<i>exemestane 25 mg TABLET</i>	1	QL(60 per 30 days)
FARESTON 60 MG TABLET DL	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE DL	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET	3	PA,QL(30 per 30 days)
<i>floxuridine 0.5 gram RECON SOLUTION</i>	1	BvsD
<i>fludarabine 50 mg RECON SOLUTION</i>	1	
<i>fludarabine 50 mg/2 ml SOLUTION DL</i>	4	
<i>fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION</i>	1	BvsD
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL	4	PA,QL(21 per 28 days)
FRINDOVYX 500 MG/ML SOLUTION DL	4	BvsD
FRUZAQLA 1 MG CAPSULE DL	4	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE DL	4	PA,QL(21 per 28 days)
<i>fulvestrant 250 mg/5 ml SYRINGE</i>	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION DL	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
GAVRETO 100 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION DL	4	PA,QL(120 per 28 days)
<i>gefitinib 250 mg TABLET DL</i>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION</i>	1	
<i>gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION</i>	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET DL	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET DL	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG CAPSULE	3	PA
GLEOSTINE 100 MG CAPSULE DL	4	PA
GLEOSTINE 40 MG CAPSULE	4	PA
GOMEKLI 1 MG TABLET FOR SUSPENSION DL	4	PA
GOMEKLI 1 MG, 2 MG CAPSULE DL	4	PA
GRAFAPEX 1 GRAM, 5 GRAM RECON SOLUTION DL	4	
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL	4	
HERCEPTIN 150 MG RECON SOLUTION DL	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(5 per 21 days)
HERCESSI 150 MG, 420 MG RECON SOLUTION DL	4	PA
HERNEXEOS 60 MG TABLET DL	4	PA,QL(180 per 30 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION DL	4	PA
HYDREA 500 MG CAPSULE	3	
<i>hydroxyurea 500 mg CAPSULE</i>	1	
HYRNUO 10 MG TABLET DL	4	PA,QL(120 per 30 days)
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET DL	4	PA,QL(21 per 28 days)
IBTROZI 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET DL	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION DL	4	
<i>idarubicin 1 mg/ml SOLUTION</i> DL	4	
IDHIFA 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION</i>	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION</i>	1	
<i>imatinib 100 mg TABLET</i>	1	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET</i> DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMBRUVICA 140 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IMBRUVICA 140 MG, 280 MG TABLET DL	4	PA
IMBRUVICA 420 MG TABLET DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION DL	4	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION DL	4	PA
IMFINZI 50 MG/ML SOLUTION DL	4	PA
IMJUDO 20 MG/ML SOLUTION DL	4	PA
IMKELDI 80 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL	4	
INLEXZO 225 MG IMPLANT DL	4	PA
INLURIYO 200 MG TABLET DL	4	PA,QL(84 per 28 days)
INLYTA 1 MG TABLET DL	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET DL	4	PA,QL(120 per 30 days)
INQOVI 35-100 MG TABLET DL	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET DL	4	PA
<i>irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION</i>	1	
ISTODAX 10 MG/2 ML RECON SOLUTION DL	4	PA
ITOVEBI 3 MG TABLET DL	4	PA,QL(56 per 28 days)
ITOVEBI 9 MG TABLET DL	4	PA,QL(28 per 28 days)
IVRA 90 MG/ML SOLUTION DL	4	
IWILFIN 192 MG TABLET DL	4	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION DL	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET DL	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 60 MG/1.5 ML (DILUTE 10MG/ML) SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JOBEVNE 25 MG/ML SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL	4	PA
KEYTRUDA QLEX 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML SOLUTION DL	4	PA
KHAPZORY 175 MG RECON SOLUTION DL	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL	4	PA,QL(91 per 28 days)
KOMZIFTI 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
KOSELUGO 10 MG CAPSULE DL	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL	4	PA,QL(120 per 30 days)
KOSELUGO 5 MG CAPSULE, SPRINKLE DL	4	PA,QL(600 per 30 days)
KOSELUGO 7.5 MG CAPSULE, SPRINKLE DL	4	PA,QL(360 per 30 days)
KRAZATI 200 MG TABLET DL	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION DL	4	PA,QL(12 per 28 days)
<i>lapatinib</i> 250 mg TABLET DL	4	PA,QL(180 per 30 days)
LAZCLUZE 240 MG TABLET DL	4	PA,QL(30 per 30 days)
LAZCLUZE 80 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL	4	PA,QL(60 per 30 days)
<i>letrozole</i> 2.5 mg TABLET	1	QL(30 per 30 days)
<i>leucovorin calcium</i> 10 mg, 15 mg, 25 mg, 5 mg TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>leucovorin calcium 10 mg/ml SOLUTION</i>	1	
<i>leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION</i>	1	
LEUKERAN 2 MG TABLET DL	4	
<i>levoleucovorin calcium 10 mg/ml SOLUTION</i>	1	PA
<i>levoleucovorin calcium 50 mg RECON SOLUTION</i>	1	PA
LEVULAN 20 % SOLUTION	3	
LIBTAYO 50 MG/ML SOLUTION DL	4	PA,QL(7 per 21 days)
LIFYORLI 125 MG/DAY(100 MG X1-25MG X1), 150 MG/DAY(100 MG X1-25MG X2) CAPSULE DL	4	PA
<i>lomustine 10 mg CAPSULE</i>	1	PA
<i>lomustine 100 mg, 40 mg CAPSULE DL</i>	4	PA
LONSURF 15-6.14 MG TABLET DL	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET DL	4	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION DL	4	PA
LORBRENA 100 MG TABLET DL	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET DL	4	PA,QL(240 per 30 days)
LUMAKRAS 240 MG TABLET DL	4	PA,QL(120 per 30 days)
LUMAKRAS 320 MG TABLET DL	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION DL	4	PA
LUNSUMIO VELO 45 MG/ML, 5 MG/0.5 ML SOLUTION DL	4	PA
LYNOZYFIC 2 MG/ML, 20 MG/ML SOLUTION DL	4	PA
LYNPARZA 100 MG, 150 MG TABLET DL	4	PA,QL(120 per 30 days)
LYSODREN 500 MG TABLET DL	4	
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET DL	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION DL	4	PA
MATULANE 50 MG CAPSULE DL	4	
MEKINIST 0.05 MG/ML RECON SOLUTION DL	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET DL	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET DL	4	PA,QL(180 per 30 days)
<i>melfhalan hcl 50 mg RECON SOLUTION</i>	1	
<i>mercaptopurine 20 mg/ml SUSPENSION DL</i>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>mercaptopurine 50 mg TABLET</i>	1	
<i>mesna 100 mg/ml SOLUTION</i>	1	
<i>mesna 400 mg TABLET DL</i>	4	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET DL	4	
<i>mitomycin 20 mg, 5 mg RECON SOLUTION</i>	1	
<i>mitomycin 40 mg RECON SOLUTION DL</i>	4	
<i>mitoxantrone 2 mg/ml CONCENTRATE</i>	1	
MODEYSO 125 MG CAPSULE DL	4	PA,QL(20 per 28 days)
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
<i>nelarabine 5 mg/ml SOLUTION DL</i>	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>nilotinib d-tartrate 150 mg, 200 mg, 50 mg CAPSULE DL</i>	4	PA,QL(120 per 30 days)
<i>nilotinib hcl 150 mg, 200 mg, 50 mg CAPSULE DL</i>	4	PA,QL(120 per 30 days)
<i>nilutamide 150 mg TABLET DL</i>	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL	4	PA
OGSIVEO 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET DL	4	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET DL	4	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET DL	4	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET DL	4	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION DL	4	PA
ONIVYDE 4.3 MG/ML DISPERSION DL	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ONUREG 200 MG, 300 MG TABLET DL	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION DL	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION DL	4	PA,QL(16 per 28 days)
OPDIVO QVANTIG 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(10 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION DL	4	PA,QL(40 per 28 days)
ORGOVYX 120 MG TABLET DL	4	PA,QL(32 per 30 days)
ORSERDU 345 MG TABLET DL	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET DL	4	PA,QL(90 per 30 days)
<i>oxaliplatin 100 mg, 50 mg RECON SOLUTION</i>	1	
<i>oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION</i>	1	
<i>paclitaxel 6 mg/ml CONCENTRATE</i>	1	
<i>paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION DL</i>	4	PA
PADCEV 20 MG RECON SOLUTION DL	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION DL	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL DL	4	PA
<i>paraplatin 10 mg/ml SOLUTION</i>	1	
<i>pazopanib 200 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
<i>pazopanib 400 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION DL	4	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>pemetrexed 100 mg, 500 mg RECON SOLUTION DL</i>	4	PA
<i>pemetrexed 25 mg/ml SOLUTION DL</i>	4	PA,QL(120 per 21 days)
<i>pemetrexed disodium 1,000 mg, 750 mg RECON SOLUTION DL</i>	4	PA
<i>pemetrexed disodium 100 mg, 500 mg RECON SOLUTION</i>	1	PA
<i>pemetrexed disodium 25 mg/ml SOLUTION DL</i>	4	PA
PEMRYDI RTU 10 MG/ML SOLUTION DL	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL	4	PA,QL(10 per 21 days)
PHYRAGO 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
PHYRAGO 140 MG TABLET DL	4	PA,QL(30 per 30 days)
PHYRAGO 20 MG TABLET DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION DL	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION DL	4	PA,QL(8 per 21 days)
<i>pomalidomide</i> 1 mg, 2 mg, 3 mg, 4 mg CAPSULE DL	4	PA,QL(21 per 28 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION DL	4	PA
<i>pralatrexate</i> 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION DL	4	PA
PURIXAN 20 MG/ML SUSPENSION DL	4	
QINLOCK 50 MG TABLET DL	4	PA,QL(90 per 30 days)
RETEVMO 120 MG, 160 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
RETEVMO 40 MG CAPSULE DL	4	PA,QL(180 per 30 days)
RETEVMO 40 MG TABLET DL	4	PA,QL(90 per 30 days)
RETEVMO 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
REVLIMID 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
REVUFORJ 110 MG, 160 MG, 25 MG TABLET DL	4	PA
REZLIDHIA 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION DL	4	PA
RITUXAN 10 MG/ML CONCENTRATE DL	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL	4	PA,QL(13.4 per 28 days)
<i>romidepsin</i> 10 mg/2 ml RECON SOLUTION DL	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION DL	4	PA
ROMVIMZA 14 MG, 20 MG, 30 MG CAPSULE DL	4	PA
ROZLYTREK 100 MG CAPSULE DL	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET DL	4	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET DL	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION DL	4	PA
RYBREVANT 50 MG/ML SOLUTION DL	4	PA,QL(784 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYBREVA FASPRO 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML, 2,400 MG-30,000 UNIT/15 ML, 3,520 MG-44,000 UNIT/22 ML SOLUTION DL	4	PA
RYDAPT 25 MG CAPSULE DL	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION DL	4	PA
RYTELO 188 MG, 47 MG RECON SOLUTION DL	4	PA
SARCLISA 20 MG/ML SOLUTION DL	4	PA
SCEMBLIX 100 MG TABLET DL	4	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET DL	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL	4	
<i>sorafenib 200 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE DL</i>	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
TABLOID 40 MG TABLET	3	
TABRECTA 150 MG, 200 MG TABLET DL	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAGRISSE 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET \$0</i>	1	
TARCEVA 100 MG, 150 MG TABLET DL	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL	4	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL	4	PA,QL(28 per 28 days)
TECENTRIQ HYBREZA 1,875 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA,QL(15 per 21 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)
<i>temsirolimus 25 mg/ml (dilute 10mg/ml) RECON SOLUTION</i> DL	4	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION DL	4	
TEPADINA 200 MG SOLUTION DL	4	
TEPMETKO 225 MG TABLET DL	4	PA,QL(60 per 30 days)
TEPYLUTE 10 MG/ML SOLUTION DL	4	
TEVIMBRA 10 MG/ML SOLUTION DL	4	PA,QL(20 per 21 days)
THALOMID 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
THALOMID 50 MG CAPSULE DL	4	PA,QL(240 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> DL	4	
<i>thiotepa 15 mg RECON SOLUTION</i>	1	
TIBSOVO 250 MG TABLET DL	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION DL	4	PA,QL(5 per 21 days)
<i>topotecan 4 mg RECON SOLUTION</i>	4	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i>	1	
<i>toremifene 60 mg TABLET</i> DL	4	QL(30 per 30 days)
TORISEL 25 MG/ML (DILUTE 10MG/ML) RECON SOLUTION DL	4	PA,QL(8 per 28 days)
<i>torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
TRAZIMERA 150 MG, 420 MG RECON SOLUTION DL	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION DL	4	PA
<i>tretinoin (antineoplastic) 10 mg CAPSULE</i> DL	4	
TRISENOX 2 MG/ML SOLUTION DL	4	PA
TRODELVY 180 MG RECON SOLUTION DL	4	PA
TRUQAP 160 MG, 200 MG TABLET DL	4	PA,QL(64 per 28 days)
TRUXIMA 10 MG/ML SOLUTION DL	4	PA
TUKYSA 150 MG TABLET DL	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET DL	4	PA,QL(300 per 30 days)
TURALIO 125 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET DL	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VALCHLOR 0.016 % GEL DL	4	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION DL	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION DL	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET DL	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL	4	PA
VEGZELMA 25 MG/ML SOLUTION DL	4	PA
VELCADE 3.5 MG RECON SOLUTION DL	4	PA
VENCLEXTA 10 MG TABLET	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET DL	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET	4	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION DL	4	PA
vinblastine 1 mg/ml SOLUTION	1	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION	1	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION	1	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION	1	
VITRAKVI 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE DL	4	PA,QL(180 per 30 days)
VIVIMUSTA 25 MG/ML SOLUTION DL	4	PA
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VORANIGO 10 MG TABLET DL	4	PA,QL(60 per 30 days)
VORANIGO 40 MG TABLET DL	4	PA,QL(30 per 30 days)
VOTRIENT 200 MG TABLET DL	4	PA,QL(120 per 30 days)
VYKOURA 10 MG/ML SOLUTION DL	4	
VYLOY 100 MG, 300 MG RECON SOLUTION DL	4	PA
VYXEOS 44-100 MG RECON SOLUTION DL	4	PA
XALKORI 150 MG PELLETT DL	4	PA,QL(180 per 30 days)
XALKORI 20 MG PELLETT DL	4	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XALKORI 50 MG PELLETT DL	4	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (10 MG X 4) TABLET DL	4	PA,QL(16 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (80 MG X 1) TABLET DL	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET DL	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET DL	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL	4	PA
YONDELIS 1 MG RECON SOLUTION DL	4	PA
YONSA 125 MG TABLET DL	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL	4	PA
ZANOSAR 1 GRAM RECON SOLUTION	3	
ZEJULA 100 MG, 200 MG, 300 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET DL	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION DL	4	PA
ZIIHERA 300 MG RECON SOLUTION DL	4	PA
ZIRABEV 25 MG/ML SOLUTION DL	4	PA
ZOLINZA 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET DL	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION DL	4	PA
ZYNYZ 500 MG/20 ML SOLUTION DL	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET DL	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTIPARASITICS		
<i>albendazole 200 mg TABLET</i>	1	
<i>atovaquone 750 mg/5 ml SUSPENSION</i>	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET</i>	1	
<i>benznidazole 100 mg, 12.5 mg TABLET</i>	3	
BILTRICIDE 600 MG TABLET DL	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COARTEM 20-120 MG TABLET	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET DL	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET	3	
emverm 100 mg CHEWABLE TABLET DL	4	
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET	1	
hydroxychloroquine 200 mg TABLET	1	
IMPAVIDO 50 MG CAPSULE DL	4	QL(84 per 28 days)
ivermectin 3 mg, 6 mg TABLET	1	
KRINTAFEL 150 MG TABLET	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET	3	
MALARONE 250-100 MG TABLET	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET	3	PA
mefloquine 250 mg TABLET	1	
MEPRON 750 MG/5 ML SUSPENSION DL	4	
NEBUPENT 300 MG RECON SOLUTION	3	BvsD
nitazoxanide 500 mg TABLET DL	4	
PENTAM 300 MG RECON SOLUTION	3	
pentamidine 300 mg RECON SOLUTION	1	
pentamidine 300 mg RECON SOLUTION	1	BvsD
PLAQUENIL 200 MG TABLET	3	PA
praziquantel 600 mg TABLET	1	
primaquine 26.3 mg (15 mg base) TABLET	1	
pyrimethamine 25 mg TABLET DL	4	QL(90 per 30 days)
quinine sulfate 324 mg CAPSULE	1	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET	3	
STROMEKTOL 3 MG TABLET	3	PA
ANTIPARKINSON AGENTS		
amantadine hcl 100 mg CAPSULE	1	
amantadine hcl 100 mg TABLET	1	
amantadine hcl 50 mg/5 ml SOLUTION	1	
APOKYN 10 MG/ML CARTRIDGE DL	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE DL	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
benztropine 1 mg/ml SOLUTION	1	
bromocriptine 2.5 mg TABLET	1	
bromocriptine 5 mg CAPSULE	1	QL(600 per 30 days)
carbidopa 25 mg TABLET	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET	1	
carbidopa-levodopa 23.75-95 mg, 48.75-195 mg CAPSULE, ER	3	ST,QL(360 per 30 days)
carbidopa-levodopa 25-100 mg TABLET	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER	1	
carbidopa-levodopa 36.25-145 mg CAPSULE, ER	3	ST,QL(270 per 30 days)
carbidopa-levodopa 61.25-245 mg CAPSULE, ER	3	ST,QL(300 per 30 days)
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg TABLET	1	
CREXONT 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG CAPSULE, IR/ER, BIPHASIC	3	ST,QL(180 per 30 days)
DHIVY 25-100 MG TABLET	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE DL	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET DL	4	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR.	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR.	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET DL	4	PA,QL(30 per 30 days)
ONAPGO 4.9 MG/ ML CARTRIDGE DL	4	PA,QL(600 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR.	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET	1	QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET	1	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR.	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG, 48.75-195 MG CAPSULE, ER	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER	3	ST,QL(270 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE	1	
selegiline hcl 5 mg TABLET	1	
SINEMET 10-100 MG, 25-100 MG TABLET	3	PA
TASMAR 100 MG TABLET DL	4	PA
tolcapone 100 mg TABLET DL	4	PA
trihexyphenidyl 0.4 mg/ml ELIXIR	1	
trihexyphenidyl 2 mg, 5 mg TABLET	1	
VYALEV 12-240 MG/ML SOLUTION DL	4	PA
XADAGO 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
aripiprazole 1 mg/ml SOLUTION	1	QL(750 per 30 days)
aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING	1	QL(60 per 30 days)
aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE DL	4	QL(1.6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE DL	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE DL	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE DL	4	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE DL	3	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET	1	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET	1	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE	1	
chlorpromazine 25 mg/ml SOLUTION	1	
clozapine 100 mg TABLET	1	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING	1	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING	1	PA
clozapine 150 mg TABLET, DISINTEGRATING	1	PA,QL(180 per 30 days)
clozapine 200 mg TABLET	1	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING	1	PA,QL(135 per 30 days)
clozapine 25 mg TABLET	1	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING	1	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET	1	
CLOZARIL 100 MG TABLET DL	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET DL	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET	3	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET DL	4	
droperidol 2.5 mg/ml SOLUTION	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL	3	PA,QL(60 per 30 days)
FANAPT TITRATION PACK A 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK B 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) TABLET, DOSE PACK	3	PA,QL(56 per 28 days)
FANAPT TITRATION PACK C 1 MG(4)-2 MG(2) -6 MG (2) TABLET, DOSE PACK	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR	1	
fluphenazine hcl 2.5 mg/ml SOLUTION	1	
fluphenazine hcl 5 mg/ml CONCENTRATE	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION	3	PA
<i>haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET</i>	1	
<i>haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION</i>	1	
<i>haloperidol lactate 2 mg/ml CONCENTRATE</i>	1	
<i>haloperidol lactate 5 mg/ml SOLUTION</i>	1	
<i>haloperidol lactate 5 mg/ml SYRINGE</i>	1	
INVEGA 3 MG, 9 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR.	3	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE DL	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE</i>	1	
<i>lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET</i>	1	QL(30 per 30 days)
<i>lurasidone 80 mg TABLET</i>	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>molindone 10 mg TABLET</i>	1	QL(240 per 30 days)
<i>molindone 25 mg TABLET</i>	1	QL(270 per 30 days)
<i>molindone 5 mg TABLET</i>	1	QL(360 per 30 days)
NUPLAZID 10 MG TABLET DL	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>olanzapine 10 mg RECON SOLUTION</i>	1	
<i>olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET</i>	1	
<i>olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING</i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING	1	QL(60 per 30 days)
OPIPZA 10 MG FILM DL	4	PA,QL(90 per 30 days)
OPIPZA 2 MG FILM DL	4	PA,QL(30 per 30 days)
OPIPZA 5 MG FILM DL	4	PA,QL(180 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR.	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET	1	
quetiapine 100 mg TABLET	1	QL(90 per 30 days)
quetiapine 150 mg TABLET	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR.	1	QL(90 per 30 days)
quetiapine 200 mg TABLET	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR.	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR.	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG, 3 MG, 4 MG TABLET	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION	3	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET	1	QL(120 per 30 days)
risperidone 0.5 mg TABLET, DISINTEGRATING	1	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION	1	
risperidone microspheres 12.5 mg/2 ml, 25 mg/2 ml SUSPENSION, ER, RECON	1	QL(2 per 28 days)
risperidone microspheres 37.5 mg/2 ml, 50 mg/2 ml SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEROQUEL 100 MG TABLET	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR.	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR.	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR.	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK	3	PA,QL(15 per 30 days)
<i>thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET</i>	1	
<i>thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE</i>	1	
<i>trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET</i>	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION DL	4	PA,QL(540 per 30 days)
VRAYLAR 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE DL	3	PA,QL(30 per 30 days)
<i>ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE</i>	1	
<i>ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION</i>	1	
ZYPREXA 10 MG RECON SOLUTION	3	
ZYPREXA 2.5 MG, 5 MG TABLET	3	
ZYPREXA 20 MG TABLET DL	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION DL	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION DL	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG, 5 MG TABLET, DISINTEGRATING	3	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING DL	4	QL(60 per 30 days)
ANTISPASTICITY AGENTS		
<i>baclofen 10 mg TABLET</i>	1	
<i>baclofen 10 mg/5 ml (2 mg/ml) SOLUTION DL</i>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>baclofen 15 mg, 20 mg TABLET</i>	1	
<i>baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION</i>	1	QL(480 per 30 days)
<i>baclofen 5 mg TABLET</i>	1	QL(90 per 30 days)
<i>baclofen 5 mg/5 ml SOLUTION</i>	1	
DANTRIUM 20 MG RECON SOLUTION	3	
DANTRIUM 25 MG CAPSULE	3	
<i>dantrolene 100 mg, 25 mg, 50 mg CAPSULE</i>	1	
<i>dantrolene 20 mg RECON SOLUTION</i>	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET	3	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET	3	ST,QL(270 per 30 days)
ONTRALFY 2 MG/5 ML SOLUTION DL	4	ST
OZOBAX 5 MG/5 ML SOLUTION DL	4	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION DL	4	
<i>revonto 20 mg RECON SOLUTION</i>	1	
<i>tizanidine 2 mg TABLET</i>	1	
<i>tizanidine 2 mg, 4 mg, 6 mg CAPSULE</i>	1	ST
<i>tizanidine 4 mg TABLET</i>	1	
<i>tizanidine 8 mg CAPSULE DL</i>	4	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE	3	ST
ZANAFLEX 4 MG TABLET	3	ST
ZANAFLEX 8 MG CAPSULE DL	4	ST
ANTIVIRALS		
<i>abacavir 20 mg/ml SOLUTION</i>	1	QL(960 per 30 days)
<i>abacavir 300 mg TABLET</i>	1	QL(60 per 30 days)
<i>abacavir-lamivudine 600-300 mg TABLET</i>	1	QL(30 per 30 days)
<i>acyclovir 200 mg CAPSULE</i>	1	
<i>acyclovir 200 mg/5 ml (5 ml) SUSPENSION DL</i>	4	
<i>acyclovir 200 mg/5 ml SUSPENSION</i>	1	
<i>acyclovir 400 mg, 800 mg TABLET</i>	1	
<i>acyclovir 5 % CREAM</i>	3	PA,QL(5 per 30 days)
<i>acyclovir 5 % OINTMENT</i>	1	PA,QL(30 per 30 days)
<i>acyclovir sodium 50 mg/ml SOLUTION</i>	1	BvsD
<i>adefovir 10 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
APTIVUS 250 MG CAPSULE DL	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET DL	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION DL	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER DL	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION DL	4	
CIMDUO 300-300 MG TABLET DL	4	QL(30 per 30 days)
COMPLERA 200-25-300 MG TABLET DL	4	QL(30 per 30 days)
darunavir 600 mg TABLET	1	QL(60 per 30 days)
darunavir 800 mg TABLET DL	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET DL	4	QL(30 per 30 days)
DENAVIR 1 % CREAM	3	PA
DESCOVY 120-15 MG, 200-25 MG TABLET DL	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET DL	4	QL(30 per 30 days)
EDURANT 25 MG TABLET DL	4	QL(30 per 30 days)
EDURANT PED 2.5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
efavirenz 200 mg CAPSULE	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE	1	QL(480 per 30 days)
efavirenz 600 mg TABLET	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofov 600-200-300 mg TABLET	1	QL(30 per 30 days)
efavirenz-lamivu-tenofov disop 400-300-300 mg, 600-300-300 mg TABLET DL	4	QL(30 per 30 days)
emtricitita-rilpivirine-tenof df 200-25-300 mg TABLET DL	4	QL(30 per 30 days)
emtricitabine 200 mg CAPSULE	1	QL(30 per 30 days)
emtricitabine-tenofov (tdf) 100-150 mg, 133-200 mg, 167-250 mg TABLET	1	QL(30 per 30 days)
emtricitabine-tenofov (tdf) 200-300 mg TABLET \$0	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE	3	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPCLUSA 200-50 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET DL	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET	3	QL(30 per 30 days)
<i>etravirine 100 mg TABLET DL</i>	4	QL(120 per 30 days)
<i>etravirine 200 mg TABLET DL</i>	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET DL	4	QL(30 per 30 days)
<i>famciclovir 125 mg, 250 mg, 500 mg TABLET</i>	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET	3	
<i>fosamprenavir 700 mg TABLET DL</i>	4	QL(120 per 30 days)
<i>foscarnet 24 mg/ml SOLUTION</i>	1	BvsD
FUZEON 90 MG RECON SOLUTION DL	4	QL(60 per 30 days)
<i>ganciclovir sodium 50 mg/ml SOLUTION</i>	1	BvsD
<i>ganciclovir sodium 500 mg RECON SOLUTION</i>	1	BvsD
GENVOYA 150-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG, 90-400 MG TABLET DL	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET DL	4	
INTELENCE 100 MG TABLET DL	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET DL	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET DL	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET	2	QL(180 per 30 days)
ISENTRESS 400 MG TABLET DL	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET DL	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET DL	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION DL	4	
<i>lamivudine 10 mg/ml SOLUTION</i>	1	QL(900 per 30 days)
<i>lamivudine 100 mg TABLET</i>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lamivudine 150 mg TABLET	1	QL(60 per 30 days)
lamivudine 300 mg TABLET	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET	1	QL(60 per 30 days)
ledipasvir-sofosbuvir 90-400 mg TABLET DL	4	PA,QL(28 per 28 days)
LIVTENCITY 200 MG TABLET DL	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET	1	QL(150 per 30 days)
maraviroc 150 mg TABLET DL	4	QL(240 per 30 days)
maraviroc 300 mg TABLET DL	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET DL	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET DL	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR.	1	QL(120 per 30 days)
nevirapine 200 mg TABLET	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET	3	QL(360 per 30 days)
NORVIR 100 MG TABLET	3	QL(360 per 30 days)
ODEFSEY 200-25-25 MG TABLET DL	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE	1	QL(224 per 365 days)
oseltamivir 45 mg CAPSULE	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION	1	QL(1440 per 365 days)
oseltamivir 75 mg CAPSULE	1	QL(112 per 365 days)
PAXLOVID 150 MG (10)- 100 MG (10) TABLET, DOSE PACK	2	QL(40 per 10 days)
PAXLOVID 150 MG (6)- 100 MG (5) TABLET, DOSE PACK	2	QL(22 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK	2	QL(60 per 10 days)
penciclovir 1 % CREAM	1	PA
PIFELTRO 100 MG TABLET DL	4	QL(60 per 30 days)
PREVYMIS 120 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PREVYMIS 240 MG TABLET DL	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION DL	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET DL	4	PA
PREVYMIS 480 MG/24 ML SOLUTION DL	4	PA,QL(672 per 28 days)
PREZCOBIX 675-150 MG, 800-150 MG-MG TABLET DL	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION DL	4	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREZISTA 150 MG TABLET DL	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET DL	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET DL	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION	3	
RETROVIR 10 MG/ML SYRUP	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE	3	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE DL	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE DL	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET	3	
<i>ribavirin 200 mg CAPSULE</i>	1	
<i>ribavirin 200 mg TABLET</i>	1	
<i>rilpivirine hcl 25 mg TABLET DL</i>	4	QL(30 per 30 days)
<i>rimantadine 100 mg TABLET</i>	1	
<i>ritonavir 100 mg TABLET</i>	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. DL	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET DL	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION DL	4	QL(1800 per 30 days)
SELZENTRY 300 MG TABLET DL	4	QL(120 per 30 days)
SOVALDI 150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i>	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i>	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET DL	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET DL	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SYMFI 600-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION	3	PA,QL(1440 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>tenofovir disoproxil fumarate 300 mg TABLET</i>	1	QL(30 per 30 days)
TIVICAY 50 MG TABLET DL	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET DL	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION	3	QL(180 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL	4	QL(30 per 30 days)
TYBOST 150 MG TABLET	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET</i>	1	
VALCYTE 450 MG TABLET DL	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION DL	4	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg TABLET</i>	1	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml RECON SOLUTION DL</i>	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET	3	PA
VEMLIDY 25 MG TABLET DL	4	QL(30 per 30 days)
VIRACEPT 250 MG TABLET DL	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET DL	4	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET DL	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET DL	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM DL	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET	3	
ZEPATIER 50-100 MG TABLET DL	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION	3	QL(960 per 30 days)
<i>zidovudine 10 mg/ml SYRUP</i>	1	QL(1680 per 28 days)
<i>zidovudine 100 mg CAPSULE</i>	1	QL(180 per 30 days)
<i>zidovudine 300 mg TABLET</i>	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL	3	QL(5 per 30 days)
ZOVIRAX 5 % CREAM	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT	3	PA,QL(30 per 30 days)
ANXIOLYTICS		
<i>alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL</i>	1	QL(120 per 30 days)
<i>alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL	1	QL(60 per 30 days)
alprazolam 2 mg TABLET DL	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE DL	1	
ATIVAN 0.5 MG, 1 MG TABLET DL	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET DL	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL	3	PA
BUCAPSOL 10 MG, 15 MG, 7.5 MG CAPSULE DL	4	
buspirone 10 mg, 5 mg TABLET	1	
buspirone 15 mg, 30 mg, 7.5 mg TABLET	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
clonazepam 0.5 mg, 1 mg TABLET DL	1	
clonazepam 2 mg TABLET DL	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL	1	
diazepam 10 mg TABLET DL	1	QL(120 per 30 days)
diazepam 2 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION DL	1	
diazepam 5 mg/ml SYRINGE DL	1	
diazepam intensol 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE	1	
doxepin 10 mg/ml CONCENTRATE	1	
hydroxyzine hcl 10 mg, 50 mg TABLET	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION	1	
hydroxyzine hcl 25 mg TABLET	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL	3	PA
lorazepam 0.5 mg, 1 mg TABLET DL	1	QL(90 per 30 days)
lorazepam 2 mg TABLET DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE DL	1	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lorazepam intensol 2 mg/ml CONCENTRATE</i> DL	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. DL	3	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL	3	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. DL	3	PA,QL(90 per 30 days)
<i>meprobamate 200 mg, 400 mg TABLET</i>	1	
<i>oxazepam 10 mg, 15 mg, 30 mg CAPSULE</i> DL	1	
VALIUM 10 MG TABLET DL	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET DL	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET DL	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL	3	PA,QL(60 per 30 days)
BIPOLAR AGENTS		
<i>lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE</i>	1	
<i>lithium carbonate 300 mg TABLET</i>	1	
<i>lithium carbonate 300 mg, 450 mg TABLET ER</i>	1	
<i>lithium citrate 8 meq/5 ml SOLUTION</i>	1	
LITHOBID 300 MG TABLET ER	3	
BLOOD GLUCOSE REGULATORS		
<i>acarbose 100 mg, 25 mg, 50 mg TABLET</i>	1	
ACTOPLUS MET 15-850 MG TABLET	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET	3	PA,QL(30 per 30 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI,DL	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI,DL	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI	3	PA,QL(90 per 30 days)
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR CI	3	PA
BRYNOVIN 25 MG/ML SOLUTION	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYCLOSET 0.8 MG TABLET	3	ST,QL(180 per 30 days)
dapagliflozin 10 mg, 5 mg TABLET	2	QL(30 per 30 days)
dapagliflozin-metformin 10-1,000 mg, 10-500 mg, 5-500 mg TABLET, IR/ER 24 HR., BIPHASIC	1	QL(30 per 30 days)
dapagliflozin-metformin 5-1,000 mg TABLET, IR/ER 24 HR., BIPHASIC	1	QL(60 per 30 days)
dapagliflozin-saxagliptin 10-5 mg TABLET	1	PA,QL(30 per 30 days)
diazoxide 50 mg/ml SUSPENSION DL	4	
DUETACT 30-2 MG, 30-4 MG TABLET	3	QL(30 per 30 days)
exenatide 10 mcg/dose(250 mcg/ml) 2.4 ml, 5 mcg/dose (250 mcg/ml) 1.2 ml PEN INJECTOR	1	PA,QL(2.4 per 30 days)
FARXIGA 10 MG, 5 MG TABLET	2	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI	2	
glimepiride 1 mg, 3 mg TABLET	1	
glimepiride 2 mg, 4 mg TABLET	1	
glipizide 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR.	1	
glipizide 10 mg, 5 mg TABLET	1	
glipizide 2.5 mg TABLET	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION	3	ST
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION	3	ST
GLUCOTROL XL 10 MG, 5 MG TABLET, ER 24 HR.	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET	1	
GLYXAMBI 10-5 MG, 25-5 MG TABLET	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION	3	ST
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR	3	ST
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GVOKE PFS 1-PACK SYRINGE 1 MG/0.2 ML SYRINGE	3	ST
GVOKE PFS 2-PACK SYRINGE 1 MG/0.2 ML SYRINGE	3	ST
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI	3	ST
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI	3	ST
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI	3	ST
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI	3	ST
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI	3	ST
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI	3	ST
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI	3	ST
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI	3	ST
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	ST
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI	3	ST
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI	3	ST
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI,DL	4	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI	3	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION CI	2	
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET	3	PA,QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC	3	PA,QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET	3	PA,QL(30 per 30 days)
JANUMET 50-1,000 MG, 50-500 MG TABLET	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG TABLET	2	QL(60 per 30 days)
JENTADUETO 2.5-850 MG TABLET	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET	3	PA,QL(60 per 30 days)
KIRSTY 100 UNIT/ML SOLUTION CI	3	ST
KIRSTY PEN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	ST
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI	2	
<i>linagliptin-metformin 2.5-1,000 mg, 2.5-500 mg, 2.5-850 mg TABLET</i>	1	QL(60 per 30 days)
<i>liraglutide 0.6 mg/0.1 ml (18 mg/3 ml) PEN INJECTOR</i>	3	PA,QL(9 per 30 days)
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI	3	ST
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR CI	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI	3	ST
MERILOG 100 UNIT/ML SOLUTION CI	3	ST
MERILOG SOLOSTAR 100 UNIT/ML (3 ML) INSULIN PEN CI	3	ST
<i>metformin 1,000 mg TABLET, ER 24 HR.</i>	1	ST,QL(60 per 30 days)
<i>metformin 1,000 mg TABLET, GAST. RETENTION 24 HR.</i>	1	ST,QL(60 per 30 days)
<i>metformin 1,000 mg, 500 mg TABLET</i>	1	
<i>metformin 500 mg TABLET, ER 24 HR.</i>	1	ST,QL(150 per 30 days)
<i>metformin 500 mg TABLET, ER 24 HR.</i>	1	QL(120 per 30 days)
<i>metformin 500 mg TABLET, GAST. RETENTION 24 HR.</i>	1	ST,QL(120 per 30 days)
<i>metformin 500 mg/5 ml SOLUTION</i>	1	QL(750 per 30 days)
<i>metformin 625 mg TABLET DL</i>	4	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>metformin 750 mg TABLET</i> DL	4	ST
<i>metformin 750 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>metformin 850 mg TABLET</i>	1	
<i>migliitol 100 mg, 25 mg, 50 mg TABLET</i>	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR	2	PA,QL(2 per 28 days)
<i>nateglinide 120 mg, 60 mg TABLET</i>	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION CI	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI	2	
OSENI 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR	2	PA,QL(3 per 28 days)
OZEMPIC 1.5 MG, 4 MG, 9 MG TABLET	2	PA,QL(30 per 30 days)
<i>pioglitazone 15 mg, 45 mg TABLET</i>	1	QL(30 per 30 days)
<i>pioglitazone 30 mg TABLET</i>	1	QL(30 per 30 days)
<i>pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET</i>	1	QL(30 per 30 days)
<i>pioglitazone-metformin 15-500 mg, 15-850 mg TABLET</i>	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET	3	
PROGLYCEM 50 MG/ML SUSPENSION DL	4	PA
QTERN 10-5 MG, 5-5 MG TABLET	3	PA,QL(30 per 30 days)
<i>repaglinide 0.5 mg, 1 mg, 2 mg TABLET</i>	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
RIOMET 500 MG/5 ML SOLUTION	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET	2	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
saxagliptin 2.5 mg, 5 mg TABLET	1	PA,QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET	3	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI	3	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET	3	PA,QL(30 per 30 days)
sitagliptin phos-metformin 50-1,000 mg, 50-500 mg TABLET	1	QL(60 per 30 days)
sitagliptin-metformin 100-1,000 mg TABLET, ER 24 HR., MULTIPHASE	1	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET	3	PA,QL(60 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET, ER 24 HR., MULTIPHASE	1	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR DL	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR DL	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI	2	
TRADJENTA 5 MG TABLET	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR	2	PA,QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR	3	PA,QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR	3	PA,QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XIGDUO XR 10-1,000 MG, 10-500 MG, 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC	2	QL(60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN CI	3	PA,QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE	2	
ZITUVIMET 50-1,000 MG, 50-500 MG TABLET	3	PA,QL(60 per 30 days)
ZITUVIMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE	3	PA,QL(30 per 30 days)
ZITUVIMET XR 50-1,000 MG, 50-500 MG TABLET, ER 24 HR., MULTIPHASE	3	PA,QL(60 per 30 days)
ZITUVIO 100 MG, 25 MG, 50 MG TABLET	3	PA,QL(30 per 30 days)
BLOOD PRODUCTS AND MODIFIERS		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT DL	4	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION	3	
AGRYLIN 0.5 MG CAPSULE	3	PA
ALVAIZ 18 MG, 9 MG TABLET DL	4	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>aminocaproic acid 1,000 mg TABLET DL</i>	4	
<i>aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION</i>	1	
<i>aminocaproic acid 500 mg TABLET</i>	1	
<i>anagrelide 0.5 mg, 1 mg CAPSULE</i>	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE DL	4	PA,QL(24 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIXTRA 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE DL	4	PA,QL(18 per 30 days)
<i>aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR.</i>	1	QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET	3	PA,QL(60 per 30 days)
CABLIVI 11 MG KIT DL	4	PA,QL(30 per 30 days)
<i>cilostazol 100 mg, 50 mg TABLET</i>	1	
<i>clopidogrel 300 mg TABLET</i>	1	
<i>clopidogrel 75 mg TABLET</i>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL	4	PA
<i>dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE</i>	1	QL(60 per 30 days)
<i>dipyridamole 25 mg, 50 mg, 75 mg TABLET</i>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET SPRINKLE 10 MG CAPSULE, SPRINKLE DL	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
ELIQUIS 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) TABLET FOR SUSPENSION	2	ST,QL(592 per 30 days)
ELIQUIS 2.5 MG TABLET	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK	2	QL(74 per 30 days)
ELIQUIS SPRINKLE 0.15 MG CAPSULE, SPRINKLE	2	ST,QL(74 per 30 days)
<i>enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE</i>	1	
<i>enoxaparin 300 mg/3 ml SOLUTION</i>	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION	3	PA,QL(28 per 30 days)
<i>eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION</i>	1	
<i>fondaparinux 10 mg/0.8 ml SYRINGE DL</i>	4	QL(24 per 30 days)
<i>fondaparinux 2.5 mg/0.5 ml SYRINGE</i>	3	QL(15 per 30 days)
<i>fondaparinux 5 mg/0.4 ml SYRINGE DL</i>	4	QL(12 per 30 days)
<i>fondaparinux 7.5 mg/0.6 ml SYRINGE DL</i>	4	QL(18 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
GRANIX 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE	1	
heparin (porcine) 5,000 unit/ml SYRINGE	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE	1	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET	1	
KENGREAL 50 MG RECON SOLUTION DL	4	
LEUKINE 250 MCG RECON SOLUTION DL	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE	3	PA
LOVENOX 150 MG/ML SYRINGE DL	4	PA
LOVENOX 300 MG/3 ML SOLUTION DL	4	PA
MIRCERA 100 MCG/0.3 ML SYRINGE	4	PA,QL(1.2 per 28 days)
MIRCERA 120 MCG/0.3 ML SYRINGE DL	4	PA,QL(0.9 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML SYRINGE	4	PA,QL(0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML SYRINGE	4	PA,QL(0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET DL	4	PA
NEULASTA 4 MG/0.4 ML SOLUTION DL	4	PA,QL(0.8 per 28 days)
NEULASTA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
NEUPOGEN 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
NIVESTYM 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
NIVESTYM 300 MCG/ML, 480 MCG/1.6 ML SOLUTION DL	4	PA
NYPOZI 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
NYVEPRIA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET	3	PA,QL(30 per 30 days)
<i>plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION DL</i>	4	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(60 per 30 days)
<i>prasugrel hcl 10 mg, 5 mg TABLET</i>	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET DL	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 25 MG TABLET DL	4	PA,QL(30 per 30 days)
PROMACTA 25 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
PROMACTA 50 MG TABLET DL	4	PA,QL(90 per 30 days)
PROMACTA 75 MG TABLET DL	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION DL	4	PA
RELEUKO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION	3	PA,QL(14 per 30 days)
RETACRIT 40,000 UNIT/ML SOLUTION DL	4	PA,QL(14 per 30 days)
RHAPSIDO 25 MG TABLET DL	4	PA,QL(60 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION	3	
<i>rivaroxaban 1 mg/ml SUSPENSION FOR RECONSTITUTION</i>	1	ST,QL(600 per 30 days)
<i>rivaroxaban 2.5 mg TABLET</i>	1	QL(60 per 30 days)
ROLVEDON 13.2 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
RYZNEUTA 20 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STIMUFEND 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
TAVALISSE 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>ticagrelor 60 mg, 90 mg TABLET</i>	1	QL(60 per 30 days)
<i>tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION</i>	1	
<i>tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION</i>	1	PA
<i>tranexamic acid 650 mg TABLET</i>	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL	4	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
<i>warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET</i>	1	
<i>warfarin 5 mg TABLET</i>	1	
WAYRILZ 400 MG TABLET DL	4	PA,QL(60 per 30 days)
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK	2	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZARXIO 300 MCG/0.5 ML, 480 MCG/0.8 ML SYRINGE DL	4	PA
ZIEXTENZO 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET	3	
<i>acebutolol 200 mg, 400 mg CAPSULE</i>	1	
<i>acetazolamide 125 mg, 250 mg TABLET</i>	1	
<i>acetazolamide 500 mg CAPSULE, ER</i>	1	
<i>acetazolamide sodium 500 mg RECON SOLUTION</i>	1	
<i>adenosine 3 mg/ml SOLUTION</i>	1	
<i>adenosine 3 mg/ml SYRINGE</i>	1	
ADRENALIN IN 0.9 % SOD CHLOR 10 MG/250 ML (40 MCG/ML), 2 MG/250 ML (8 MCG/ML), 4 MG/250 ML (16 MCG/ML), 5 MG/250 ML (20 MCG/ML), 8 MG/250 ML (32 MCG/ML) SOLUTION	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>aliskiren 150 mg, 300 mg TABLET</i>	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
<i>amiloride 5 mg TABLET</i>	1	
<i>amiloride-hydrochlorothiazide 5-50 mg TABLET</i>	1	
<i>amiodarone 100 mg, 400 mg TABLET</i>	1	
<i>amiodarone 150 mg/3 ml SYRINGE</i>	1	
<i>amiodarone 200 mg TABLET</i>	1	
<i>amiodarone 50 mg/ml SOLUTION</i>	1	
<i>amlodipine 10 mg, 2.5 mg, 5 mg TABLET</i>	1	
<i>amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET</i>	1	QL(30 per 30 days)
<i>amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE</i>	1	QL(60 per 30 days)
<i>amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE</i>	1	QL(30 per 30 days)
<i>amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET</i>	1	QL(30 per 30 days)
<i>amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET</i>	1	QL(30 per 30 days)
<i>amlodipine-valsartan-hcthiiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET</i>	1	QL(30 per 30 days)
ARBLI 10 MG/ML SUSPENSION DL	4	ST,QL(300 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET	3	PA,QL(30 per 30 days)
<i>atenolol 100 mg TABLET</i>	1	
<i>atenolol 25 mg, 50 mg TABLET</i>	1	
<i>atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET</i>	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION	3	ST,QL(600 per 30 days)
<i>atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET</i> \$0	1	
AVALIDE 150-12.5 MG TABLET	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET	3	PA,QL(30 per 30 days)
<i>azilsartan medoxomil 40 mg, 80 mg TABLET</i>	3	ST,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET	3	PA,QL(30 per 30 days)
<i>benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i> TABLET	1	
BENICAR 20 MG, 40 MG TABLET	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL	4	PA
BETAPACE AF 120 MG, 160 MG TABLET DL	4	PA
BETAPACE AF 80 MG TABLET	3	PA
<i>betaxolol 10 mg, 20 mg</i> TABLET	1	
BIDIL 20-37.5 MG TABLET	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION	3	
<i>bisoprolol fumarate 10 mg, 2.5 mg, 5 mg</i> TABLET	1	
<i>bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> TABLET	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION	3	
BREVIBLOC IN NACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION	3	
<i>bumetanide 0.25 mg/ml</i> SOLUTION	1	
<i>bumetanide 0.5 mg, 2 mg</i> TABLET	1	
<i>bumetanide 1 mg</i> TABLET	1	
BYSTOLIC 10 MG TABLET	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET	3	PA,QL(30 per 30 days)
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>candesartan 16 mg, 4 mg, 8 mg</i> TABLET	1	QL(60 per 30 days)
<i>candesartan 32 mg</i> TABLET	1	QL(30 per 30 days)
<i>candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> TABLET	1	QL(30 per 30 days)
<i>captopril 100 mg, 12.5 mg, 25 mg, 50 mg</i> TABLET	1	
<i>captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i> TABLET	1	
CARDAMYST 70 MG/2 SPRAY SPRAY, NON-AEROSOL DL	4	PA
CARDIZEM 120 MG, 30 MG, 60 MG TABLET	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG, 300 MG CAPSULE, ER 24 HR. DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARDIZEM CD 360 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR.	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR.	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR.	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION	3	QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg, 300 mg CAPSULE, ER 24 HR.	1	
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR.	1	QL(30 per 30 days)
chlorothiazide sodium 500 mg RECON SOLUTION	1	
chlorthalidone 25 mg TABLET	1	
chlorthalidone 50 mg TABLET	1	
cholestyramine (with sugar) 4 gram POWDER	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET	1	
cholestyramine light 4 gram POWDER	1	
cholestyramine light 4 gram POWDER IN PACKET	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY	1	QL(4 per 28 days)
clonidine hcl 0.05 mg, 0.2 mg, 0.3 mg TABLET	1	
clonidine hcl 0.1 mg TABLET	1	
clonidine hcl 0.17 mg TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
colesevelam 3.75 gram POWDER IN PACKET	1	QL(30 per 30 days)
colesevelam 625 mg TABLET	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET	3	
COLESTID 5 GRAM GRANULES	3	QL(1000 per 30 days)
colestipol 1 gram TABLET	1	
colestipol 5 gram GRANULES	1	QL(1000 per 30 days)
colestipol 5 gram PACKET	1	
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR.	3	PA,QL(30 per 30 days)
CORLANOR 5 MG, 7.5 MG TABLET	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION	3	PA,QL(560 per 28 days)
CORVERT 0.1 MG/ML SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COZAAR 100 MG, 25 MG, 50 MG TABLET	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET	3	PA
DEMSER 250 MG CAPSULE DL	4	
DIBENZYLIN 10 MG CAPSULE DL	4	
<i>digoxin</i> 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET	1	QL(30 per 30 days)
<i>digoxin</i> 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION	1	
<i>dilt-xr</i> 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR.	1	
<i>diltiazem hcl</i> 100 mg RECON SOLUTION	1	
<i>diltiazem hcl</i> 120 mg CAPSULE, ER 24 HR.	1	
<i>diltiazem hcl</i> 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR.	1	
<i>diltiazem hcl</i> 120 mg, 30 mg, 60 mg, 90 mg TABLET	1	
<i>diltiazem hcl</i> 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 120 mg, 60 mg, 90 mg CAPSULE, ER 12 HR.	1	
<i>diltiazem hcl</i> 180 mg, 240 mg TABLET, ER 24 HR.	1	QL(60 per 30 days)
<i>diltiazem hcl</i> 360 mg CAPSULE, ER 24 HR.	1	QL(30 per 30 days)
<i>diltiazem hcl</i> 5 mg/ml SOLUTION	1	
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET	3	PA,QL(30 per 30 days)
<i>disopyramide phosphate</i> 100 mg, 150 mg CAPSULE	1	
DIURIL 250 MG/5 ML SUSPENSION	3	
<i>dobutamine</i> 250 mg/20 ml (12.5 mg/ml) SOLUTION	1	BvsD
<i>dobutamine in d5w</i> 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION	1	BvsD
<i>dofetilide</i> 125 mcg, 250 mcg, 500 mcg CAPSULE	1	
<i>dopamine</i> 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml) SOLUTION	1	BvsD
<i>dopamine in 5 % dextrose</i> 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION	1	BvsD
<i>doxazosin</i> 1 mg, 2 mg, 4 mg, 8 mg TABLET	1	
<i>droxidopa</i> 100 mg, 200 mg CAPSULE	1	PA,QL(90 per 30 days)
<i>droxidopa</i> 300 mg CAPSULE	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE	3	
EDARBI 40 MG, 80 MG TABLET	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET	3	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET DL	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET	1	
enalaprilat 1.25 mg/ml SOLUTION	1	
ENBUMYST 0.5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	PA
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET	3	PA,QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLETT	2	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION DL	4	
epineph bitart in 0.9% sod chl 16 mg/250 ml (64 mcg/ml) SOLUTION	3	
eplerenone 25 mg, 50 mg TABLET	1	
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION	1	
ethacrynate sodium 50 mg RECON SOLUTION	1	
ethacrynic acid 25 mg TABLET	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION DL	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET	1	QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR.	1	
fenofibrate 120 mg TABLET	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE	1	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fenofibrate nanocrystallized 48 mg TABLET</i>	1	QL(60 per 30 days)
<i>fenofibric acid 105 mg, 35 mg TABLET</i>	2	QL(30 per 30 days)
<i>fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC</i>	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET	3	QL(30 per 30 days)
<i>flecainide 100 mg, 150 mg, 50 mg TABLET</i>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION	3	ST,QL(150 per 30 days)
<i>fluvastatin 20 mg, 40 mg CAPSULE</i>	1	ST,QL(60 per 30 days)
<i>fluvastatin 80 mg TABLET, ER 24 HR.</i>	1	ST,QL(30 per 30 days)
<i>fosinopril 10 mg, 20 mg, 40 mg TABLET</i>	1	
<i>fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET</i>	1	
FUROSCIX 80 MG/10 ML KIT	4	PA
<i>furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION</i>	1	
<i>furosemide 20 mg, 40 mg TABLET</i>	1	
<i>furosemide 80 mg TABLET</i>	1	
<i>gemfibrozil 600 mg TABLET</i>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET	3	
<i>guanfacine 1 mg, 2 mg TABLET</i>	1	
HEMANGEOL 4.28 MG/ML SOLUTION	3	
HEMICLOR 12.5 MG TABLET	3	
<i>hydralazine 10 mg, 100 mg TABLET</i>	1	
<i>hydralazine 20 mg/ml SOLUTION</i>	1	
<i>hydralazine 25 mg, 50 mg TABLET</i>	1	
<i>hydrochlorothiazide 12.5 mg CAPSULE</i>	1	
<i>hydrochlorothiazide 12.5 mg, 25 mg TABLET</i>	1	
<i>hydrochlorothiazide 50 mg TABLET</i>	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET	3	PA,QL(60 per 30 days)
<i>ibutilide fumarate 0.1 mg/ml SOLUTION</i>	1	
IMMPHENTIV 0.1 MG/ML SOLUTION	3	
<i>indapamide 1.25 mg, 2.5 mg TABLET</i>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. DL	4	
INPEFA 200 MG, 400 MG TABLET	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSPIRA 25 MG, 50 MG TABLET	3	
INZIRQO 10 MG/ML SUSPENSION FOR RECONSTITUTION	3	
<i>irbesartan 150 mg, 300 mg, 75 mg TABLET</i>	1	QL(30 per 30 days)
<i>irbesartan-hydrochlorothiazide 150-12.5 mg TABLET</i>	1	QL(60 per 30 days)
<i>irbesartan-hydrochlorothiazide 300-12.5 mg TABLET</i>	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET DL	4	
ISORDIL TITRADOSE 5 MG TABLET DL	4	PA
<i>isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET</i>	1	
<i>isosorbide mononitrate 10 mg, 20 mg TABLET</i>	1	
<i>isosorbide mononitrate 120 mg TABLET, ER 24 HR.</i>	1	
<i>isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR.</i>	1	
<i>isosorbide-hydralazine 20-37.5 mg TABLET</i>	1	QL(180 per 30 days)
<i>isradipine 2.5 mg, 5 mg CAPSULE</i>	1	
ISUPREL 0.2 MG/ML SOLUTION	3	
<i>ivabradine 5 mg, 7.5 mg TABLET</i>	1	QL(60 per 30 days)
JAVADIN 0.02 MG/ML (20 MCG/ML) SOLUTION DL	4	
JUXTAPID 10 MG, 2 MG, 30 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE DL	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR.	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR.	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET	2	PA,QL(30 per 30 days)
KERENDIA 40 MG TABLET	2	PA,QL(30 per 30 days)
<i>labetalol 100 mg, 200 mg, 300 mg, 400 mg TABLET</i>	1	
<i>labetalol 5 mg/ml SOLUTION</i>	1	
LABELALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION	1	
LABELALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION	3	
LASIX 20 MG, 40 MG, 80 MG TABLET	3	
LASIX ONYU 80 MG/2.67 ML KIT DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LEROCHOL 300 MG/1.2 ML SYRINGE	3	PA,QL(1.2 per 28 days)
LESCOL XL 80 MG TABLET, ER 24 HR.	3	ST,QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i>	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION</i>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET	3	PA
LIPOFEN 150 MG CAPSULE	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET</i>	1	
<i>lisinopril 30 mg TABLET</i>	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg TABLET</i>	1	
<i>lisinopril-hydrochlorothiazide 20-12.5 mg, 20-25 mg TABLET</i>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET	3	PA,QL(60 per 30 days)
LOPRESSOR 10 MG/ML SOLUTION	3	
LOPRESSOR 100 MG, 12.5 MG, 50 MG TABLET	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET</i>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE	3	PA,QL(30 per 30 days)
<i>lovastatin 10 mg, 20 mg, 40 mg TABLET</i> ^{\$0}	1	
LOVAZA 1 GRAM CAPSULE	3	PA,QL(120 per 30 days)
<i>mannitol 20 % 20 % PARENTERAL SOLUTION</i>	1	
<i>mannitol 25 % 25 % SOLUTION</i>	1	
<i>matzim la 180 mg, 240 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR.</i>	1	QL(30 per 30 days)
<i>methyldopa 250 mg, 500 mg TABLET</i>	1	
<i>metolazone 10 mg, 2.5 mg, 5 mg TABLET</i>	1	
<i>metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR.</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>metoprolol succinate 200 mg TABLET, ER 24 HR.</i>	1	
<i>metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET</i>	1	
<i>metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET</i>	1	
<i>metoprolol tartrate 37.5 mg, 75 mg TABLET</i>	1	
<i>metoprolol tartrate 5 mg/5 ml SOLUTION</i>	1	
<i>metyrosine 250 mg CAPSULE ^{DL}</i>	4	
<i>mexiletine 150 mg, 200 mg, 250 mg CAPSULE</i>	1	
MICARDIS 20 MG, 40 MG TABLET	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET	3	PA,QL(60 per 30 days)
<i>midodrine 10 mg, 2.5 mg, 5 mg TABLET</i>	1	
<i>milrinone 1 mg/ml SOLUTION</i>	1	BvsD
<i>milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK</i>	1	BvsD
<i>minoxidil 10 mg, 2.5 mg TABLET</i>	1	
<i>moexipril 15 mg, 7.5 mg TABLET</i>	1	
MULTAQ 400 MG TABLET	2	QL(60 per 30 days)
MYQORZO 10 MG, 15 MG, 20 MG, 5 MG TABLET ^{DL}	4	PA,QL(30 per 30 days)
<i>nadolol 20 mg, 40 mg, 80 mg TABLET</i>	1	
<i>nebivolol 10 mg TABLET</i>	1	QL(120 per 30 days)
<i>nebivolol 2.5 mg, 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>nebivolol 20 mg TABLET</i>	1	QL(60 per 30 days)
NEXICLON XR 0.17 MG TABLET, ER 24 HR. ^{DL}	4	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION	3	
<i>niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR.</i>	1	
<i>niacin 500 mg TABLET</i>	1	
<i>niacor 500 mg TABLET</i>	1	
<i>nicardipine 20 mg, 30 mg CAPSULE</i>	1	
<i>nicardipine 25 mg/10 ml SOLUTION</i>	1	
<i>nifedipine 10 mg, 20 mg CAPSULE</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET ER</i>	1	
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR.</i>	1	
<i>nimodipine 30 mg CAPSULE</i>	1	
<i>nimodipine 60 mg/20 ml SOLUTION DL</i>	4	QL(2838 per 28 days)
<i>nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR.</i>	1	QL(30 per 30 days)
<i>nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR, 0.6 MG/HR PATCH, 24 HR.	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.8 MG/HR PATCH, 24 HR. DL	4	
<i>nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR.</i>	1	
<i>nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET</i>	1	
<i>nitroglycerin 0.4 mg SUBLINGUAL TABLET</i>	1	
<i>nitroglycerin 2 % OINTMENT</i>	1	
<i>nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL</i>	1	
<i>nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION</i>	1	
<i>nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION</i>	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET	2	
<i>norepinephrine bitartrate 1 mg/ml SOLUTION</i>	1	
NORLIQVA 1 MG/ML SOLUTION	3	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER	3	
NORTHERA 100 MG, 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE DL	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
<i>olmesartan 20 mg, 40 mg TABLET</i>	1	QL(30 per 30 days)
<i>olmesartan 5 mg TABLET</i>	1	QL(60 per 30 days)
<i>olmesartan-amlodipin-hcthiazyd 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET</i>	1	QL(30 per 30 days)
<i>olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET</i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>omega-3 acid ethyl esters 1 gram CAPSULE</i>	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION	3	
PACERONE 100 MG, 400 MG TABLET	1	
<i>pacerone 200 mg TABLET</i>	1	
<i>pentoxifylline 400 mg TABLET ER</i>	1	
<i>perindopril erbumine 2 mg, 4 mg, 8 mg TABLET</i>	1	
<i>phenoxybenzamine 10 mg CAPSULE DL</i>	4	
<i>phenylephrine hcl 0.1 mg/ml, 10 mg/ml SOLUTION</i>	1	
<i>pindolol 10 mg, 5 mg TABLET</i>	1	
<i>pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET</i>	1	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR	3	PA,QL(2 per 28 days)
<i>pravastatin 10 mg, 80 mg TABLET</i>	1	
<i>pravastatin 20 mg, 40 mg TABLET</i>	1	
<i>prazosin 1 mg, 2 mg, 5 mg CAPSULE</i>	1	
<i>prevalite 4 gram POWDER</i>	1	
<i>prevalite 4 gram POWDER IN PACKET</i>	1	
<i>procainamide 100 mg/ml, 500 mg/ml SOLUTION</i>	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR.	3	PA
<i>propafenone 150 mg, 225 mg, 300 mg TABLET</i>	1	
<i>propafenone 225 mg, 325 mg, 425 mg CAPSULE, ER 12 HR.</i>	1	
<i>propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION</i>	1	
<i>propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET</i>	1	
<i>propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR.</i>	1	
QBRELIS 1 MG/ML SOLUTION DL	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER	1	
QUESTRAN 4 GRAM POWDER IN PACKET	1	
QUESTRAN LIGHT 4 GRAM POWDER	1	
<i>quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET</i>	1	
<i>quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET</i>	1	
<i>quinidine gluconate 324 mg TABLET ER</i>	1	
<i>quinidine sulfate 200 mg, 300 mg TABLET</i>	1	
<i>ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR.</i>	1	QL(120 per 30 days)
REDEMPLO 25 MG/0.5 ML SYRINGE DL	4	PA
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE	2	PA,QL(3 per 28 days)
<i>rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET</i>	1	
<i>sacubitril-valsartan 24-26 mg, 49-51 mg, 97-103 mg TABLET</i>	1	QL(60 per 30 days)
SDAMLO 10 MG, 2.5 MG, 5 MG POWDER IN POD DL	4	ST,QL(30 per 30 days)
<i>simvastatin 10 mg, 20 mg, 40 mg TABLET \$0</i>	1	
<i>simvastatin 5 mg, 80 mg TABLET \$0</i>	1	
SOAAZ 20 MG, 40 MG, 60 MG TABLET	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION	3	
<i>sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET</i>	1	
<i>sotalol of 120 mg, 160 mg, 80 mg TABLET</i>	1	
SOTYLIZE 5 MG/ML SOLUTION	3	
<i>spironolacton-hydrochlorothiaz 25-25 mg TABLET</i>	1	
<i>spironolactone 100 mg TABLET</i>	1	
<i>spironolactone 25 mg, 50 mg TABLET</i>	1	
<i>spironolactone 25 mg/5 ml SUSPENSION</i>	3	QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
<i>taztia xt 120 mg, 180 mg, 240 mg, 300 mg, 360 mg CAPSULE, ER 24 HR.</i>	1	
TEKTURNA 150 MG, 300 MG TABLET	3	PA,QL(30 per 30 days)
<i>telmisartan 20 mg, 40 mg TABLET</i>	1	QL(30 per 30 days)
<i>telmisartan 80 mg TABLET</i>	1	QL(60 per 30 days)
<i>telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET</i>	1	QL(30 per 30 days)
<i>telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET</i>	1	QL(30 per 30 days)
<i>telmisartan-hydrochlorothiazid 80-12.5 mg TABLET</i>	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET	3	
TENORETIC 50 50-25 MG TABLET	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET	3	PA
<i>terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE</i>	1	
TEZRULY 1 MG/ML SOLUTION DL	4	PA,QL(600 per 30 days)
THALITONE 15 MG TABLET	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tiadylt er 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR.	1	
TIAZAC 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR.	3	
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR.	3	
torse mide 10 mg, 100 mg, 5 mg TABLET	1	
torse mide 20 mg TABLET	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC	1	
triamterene 100 mg, 50 mg CAPSULE	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC	3	PA,QL(30 per 30 days)
TRYNGOLZA 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
TRYVIO 12.5 MG TABLET	3	PA,QL(30 per 30 days)
valsartan 160 mg, 320 mg TABLET	1	QL(60 per 30 days)
valsartan 4 mg/ml SOLUTION DL	4	ST,QL(2400 per 30 days)
VALSARTAN 4 MG/ML SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan 40 mg, 80 mg TABLET	1	QL(60 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL	4	PA
vecamyl 2.5 mg TABLET DL	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg CAPSULE ER PELLETS 24 HR.	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
verapamil 120 mg, 180 mg, 240 mg TABLET ER	1	
verapamil 120 mg, 40 mg, 80 mg TABLET	1	
verapamil 2.5 mg/ml SOLUTION	1	
verapamil 2.5 mg/ml SYRINGE	1	
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR.	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET	3	QL(180 per 30 days)
WIDAPLIK 10-1.25-0.625 MG, 20-2.5-1.25 MG, 40-5-2.5 MG TABLET	3	QL(30 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET	3	PA
ZETIA 10 MG TABLET	3	PA,QL(30 per 30 days)
ZOCOR 10 MG, 20 MG, 40 MG TABLET	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET	2	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR.	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR.	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH	3	QL(30 per 30 days)
amphetamine 12.5 mg, 15.7 mg, 18.8 mg, 3.1 mg, 6.3 mg, 9.4 mg TABLET, DISINTEGRATING ER BIPH	3	QL(30 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. DL	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC	3	QL(30 per 30 days)
ARYNTA 10 MG/ML SOLUTION DL	4	PA,QL(210 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE	1	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUBAGIO 14 MG, 7 MG TABLET DL	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET DL	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET DL	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT DL	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
<i>cladribine(multiple sclerosis) 10 mg TABLET DL</i>	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR.</i>	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR.	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE DL	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE DL	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH	3	QL(60 per 30 days)
CYMBALTA 20 MG CAPSULE, DR/EC	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC	3	PA,QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR.</i>	1	PA,QL(60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR.	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET DL	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL	4	PA,QL(120 per 30 days)
<i>dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC</i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET	1	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR.	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR.	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR.	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC	1	PA,QL(14 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE	3	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC	1	QL(60 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC	3	QL(240 per 30 days)
edaravone 30 mg/100 ml, 60 mg/100 ml SOLUTION DL	4	PA
EVEKEO 10 MG, 5 MG TABLET	1	QL(90 per 30 days)
EXSERVAN 50 MG FILM DL	4	PA,QL(60 per 30 days)
fingolimod 0.5 mg CAPSULE	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET DL	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>gabapentin</i> 300 mg TABLET, ER 24 HR.	1	ST,QL(30 per 30 days)
<i>gabapentin</i> 450 mg, 600 mg TABLET, ER 24 HR.	1	ST,QL(90 per 30 days)
<i>gabapentin</i> 750 mg, 900 mg TABLET, ER 24 HR.	1	ST,QL(60 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>glatiramer</i> 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
<i>glatiramer</i> 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
<i>glatopa</i> 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
<i>glatopa</i> 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR.	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR.	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR.	3	ST,QL(60 per 30 days)
<i>guanfacine</i> 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE DL	4	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR.	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE	3	QL(30 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION DL	4	PA,QL(6 per 365 days)
<i>lisdexamfetamine</i> 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET	1	PA,QL(30 per 30 days)
<i>lisdexamfetamine</i> 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE	1	PA,QL(30 per 30 days)
LYNKUET 60 MG CAPSULE	3	PA,QL(60 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR.	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL	4	PA
MAYZENT 0.25 MG TABLET DL	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL	4	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC	3	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC	3	QL(60 per 30 days)
<i>methamphetamine</i> 5 mg TABLET DL	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION	3	PA,QL(1800 per 30 days)
<i>methylphenidate</i> 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR.	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg CHEWABLE TABLET	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg TABLET ER	1	QL(180 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC	3	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 10 mg, 20 mg, 5 mg TABLET	1	QL(90 per 30 days)
<i>methylphenidate hcl</i> 10 mg/5 ml SOLUTION	1	QL(900 per 30 days)
<i>methylphenidate hcl</i> 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR.	1	QL(30 per 30 days)
<i>methylphenidate hcl</i> 2.5 mg, 5 mg CHEWABLE TABLET	1	QL(150 per 30 days)
<i>methylphenidate hcl</i> 20 mg TABLET ER	1	QL(90 per 30 days)
<i>methylphenidate hcl</i> 20 mg, 30 mg CAPSULE, ER, BIPHASIC	1	QL(60 per 30 days)
<i>methylphenidate hcl</i> 36 mg TABLET, ER 24 HR.	1	QL(60 per 30 days)
<i>methylphenidate hcl</i> 45 mg, 63 mg TABLET, ER 24 HR.	3	QL(30 per 30 days)
<i>methylphenidate hcl</i> 5 mg/5 ml SOLUTION	1	QL(1800 per 30 days)
<i>milnacipran</i> 100 mg, 12.5 mg, 25 mg, 50 mg TABLET	1	PA,QL(60 per 30 days)
<i>milnacipran</i> 12.5 mg (5)-25 mg(8)-50 mg(42) TABLET, DOSE PACK	1	PA,QL(55 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR.	3	QL(30 per 30 days)
NUEDEXTA 20-10 MG CAPSULE DL	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
OCREVUS ZUNOVO 920 MG-23,000 UNIT/23 ML SOLUTION	4	PA,QL(46 per 365 days)
ONYDA XR 0.1 MG/ML SUSPENSION, ER 24 HR. DL	4	QL(120 per 30 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE DL	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET DL	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL	4	PA,QL(14 per 30 days)
<i>pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE</i>	1	QL(90 per 30 days)
<i>pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR.</i>	1	PA,QL(30 per 30 days)
<i>pregabalin 20 mg/ml SOLUTION</i>	1	QL(900 per 30 days)
<i>pregabalin 200 mg, 25 mg CAPSULE</i>	1	QL(90 per 30 days)
<i>pregabalin 225 mg, 300 mg CAPSULE</i>	1	QL(60 per 30 days)
<i>pregabalin 330 mg TABLET, ER 24 HR.</i>	1	PA,QL(60 per 30 days)
<i>procentra 5 mg/5 ml SOLUTION DL</i>	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL	4	PA
QELBREE 100 MG, 200 MG CAPSULE, ER 24 HR.	3	PA,QL(90 per 30 days)
QELBREE 150 MG CAPSULE, ER 24 HR.	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION DL	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL	4	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG, 72 MG TABLET, ER 24 HR.	3	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR.	3	QL(60 per 30 days)
RILUTEK 50 MG TABLET DL	4	
<i>riluzole 50 mg TABLET</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RITALIN 10 MG, 20 MG, 5 MG TABLET	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET	3	PA,QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK	3	PA,QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC DL	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC DL	4	PA,QL(14 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
<i>teriflunomide 14 mg, 7 mg TABLET</i>	1	PA,QL(30 per 30 days)
<i>tetrabenazine 12.5 mg TABLET</i>	1	PA,QL(240 per 30 days)
<i>tetrabenazine 25 mg TABLET</i>	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
TYRUKO 300 MG/15 ML SOLUTION DL	4	PA,QL(15 per 28 days)
TYSABRI 300 MG/15 ML SOLUTION DL	4	PA,QL(15 per 28 days)
VEOZAH 45 MG TABLET	3	PA,QL(30 per 30 days)
VUMERITY 231 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR.	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET DL	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>zenzedi 10 mg TABLET</i>	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET	1	QL(60 per 30 days)
<i>zenzedi 5 mg TABLET</i>	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
<i>cevimeline 30 mg CAPSULE</i>	1	
<i>chlorhexidine gluconate 0.12 % MOUTHWASH</i>	1	
EVOXAC 30 MG CAPSULE	3	PA
KEPIVANCE 5.16 MG RECON SOLUTION DL	4	
<i>kourzeq 0.1 % PASTE</i>	1	
<i>oralone 0.1 % PASTE</i>	1	
<i>periogard 0.12 % MOUTHWASH</i>	1	
<i>pilocarpine hcl 5 mg, 7.5 mg TABLET</i>	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET	3	
<i>triamcinolone acetonide 0.1 % PASTE</i>	1	
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG CAPSULE DL	4	ST
ABSORICA LD 16 MG, 24 MG, 32 MG, 8 MG CAPSULE DL	4	ST
ACANYA 1.2-2.5 % GEL WITH PUMP	3	QL(50 per 30 days)
<i>accutane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE</i>	1	
<i>acitretin 10 mg, 17.5 mg, 25 mg CAPSULE</i>	1	PA
ACZONE 5 % GEL	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP	3	QL(90 per 30 days)
<i>adapalene 0.1 % CREAM</i>	1	QL(45 per 30 days)
<i>adapalene 0.1 % SOLUTION DL</i>	4	QL(60 per 30 days)
<i>adapalene 0.1 % SWAB</i>	4	QL(30 per 30 days)
<i>adapalene 0.3 % GEL</i>	1	QL(45 per 30 days)
<i>adapalene 0.3 % GEL WITH PUMP</i>	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP</i>	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP</i>	1	QL(60 per 30 days)
ADBRY 150 MG/ML SYRINGE DL	4	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR DL	4	PA,QL(6 per 28 days)
AKLIEF 0.005 % CREAM	3	QL(90 per 30 days)
ALA-CORT 1 % CREAM	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALA-SCALP 2 % LOTION	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT	1	QL(240 per 30 days)
ALTABAX 1 % OINTMENT	3	
ALTRENO 0.05 % LOTION	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM	4	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT DL	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM	1	
ammonium lactate 12 % LOTION	1	
amnestem 10 mg, 20 mg, 30 mg, 40 mg CAPSULE	1	
AMZEEQ 4 % FOAM	3	PA,QL(30 per 30 days)
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR	1	QL(60 per 30 days)
ANZUPGO 2 % CREAM DL	4	PA,QL(60 per 28 days)
apexicon e 0.05 % CREAM	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION	3	PA
ATRALIN 0.05 % GEL	3	PA,QL(45 per 30 days)
azelaic acid 15 % GEL	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL	3	QL(46.6 per 30 days)
beser 0.05 % LOTION	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION	1	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT	1	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION	3	ST,QL(200 per 30 days)
CABTREGO 0.15-3.1-1.2 % GEL	3	QL(50 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
calcipotriene 0.005 % CREAM	1	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM	1	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT	1	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO	3	QL(840 per 30 days)
CARAC 0.5 % CREAM DL	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT	3	
claravis 10 mg, 20 mg, 30 mg, 40 mg CAPSULE	1	
CLEOCIN T 1 % LOTION	3	QL(60 per 30 days)
clindacin 1 % FOAM	1	QL(100 per 30 days)
clindacin etz 1 % SWAB	1	
clindacin p 1 % SWAB	1	
CLINDAGEL 1 % GEL, ONCE DAILY DL	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB	1	
clindamycin-benzoyl peroxide 1-5 % GEL	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL	1	QL(60 per 30 days)
clobetasol 0.025 % CREAM DL	4	QL(120 per 30 days)
clobetasol 0.05 % CREAM	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM	1	QL(100 per 28 days)
clobetasol 0.05 % GEL	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>clobetasol 0.05 % SOLUTION</i>	1	QL(100 per 30 days)
<i>clobetasol 0.05 % SPRAY, NON-AEROSOL</i>	1	QL(240 per 30 days)
<i>clobetasol-emollient 0.05 % CREAM</i>	1	QL(120 per 30 days)
<i>clobetasol-emollient 0.05 % FOAM</i>	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL	3	ST,QL(240 per 30 days)
<i>clocortolone pivalate 0.1 % CREAM</i>	1	QL(180 per 30 days)
<i>clodan 0.05 % SHAMPOO</i>	1	QL(240 per 30 days)
CONDYLOX 0.5 % GEL	3	
CORDRAN 0.025 % CREAM	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET	3	
<i>crotan 10 % LOTION DL</i>	4	PA,QL(454 per 30 days)
<i>dapsone 5 %, 7.5 % GEL</i>	1	QL(90 per 30 days)
<i>dapsone 7.5 % GEL WITH PUMP</i>	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL	3	QL(118.28 per 30 days)
<i>desonide 0.05 % CREAM</i>	1	QL(240 per 30 days)
<i>desonide 0.05 % GEL</i>	1	QL(240 per 30 days)
<i>desonide 0.05 % LOTION</i>	1	QL(240 per 30 days)
<i>desonide 0.05 % OINTMENT</i>	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % CREAM</i>	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % GEL</i>	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % OINTMENT</i>	1	QL(240 per 30 days)
<i>desoximetasone 0.25 % CREAM</i>	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % OINTMENT</i>	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % SPRAY, NON-AEROSOL</i>	1	QL(100 per 30 days)
<i>diclofenac sodium 3 % GEL</i>	1	PA
DIFFERIN 0.1 % CREAM	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION	3	QL(59 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIFFERIN 0.3 % GEL WITH PUMP	3	QL(45 per 30 days)
<i>diflorasone 0.05 % CREAM</i> DL	4	QL(120 per 30 days)
<i>diflorasone 0.05 % OINTMENT</i>	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT	3	QL(100 per 30 days)
<i>doxepin 5 % CREAM</i> DL	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION	3	PA,QL(200 per 28 days)
EBGLYSS PEN 250 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
EBGLYSS SYRINGE 250 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
EFUDEX 5 % CREAM	3	PA
ELIDEL 1 % CREAM	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM	3	
ENSTILAR 0.005-0.064 % FOAM	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM	1	
EPSOLAY 5 % CREAM	3	ST,QL(30 per 30 days)
<i>ery pads 2 % SWAB</i>	1	QL(60 per 30 days)
ERYGEL 2 % GEL	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % GEL</i>	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % SOLUTION</i>	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide 3-5 % GEL</i>	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM	3	PA
EURAX 10 % LOTION	3	PA,QL(454 per 30 days)
FABIOR 0.1 % FOAM	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM	3	ST,QL(50 per 30 days)
<i>fluocinolone 0.01 % OIL</i>	1	QL(118.28 per 30 days)
<i>fluocinolone 0.01 % SOLUTION</i>	1	QL(180 per 30 days)
<i>fluocinolone 0.01 %, 0.025 % CREAM</i>	1	QL(120 per 30 days)
<i>fluocinolone 0.025 % OINTMENT</i>	1	QL(120 per 30 days)
<i>fluocinolone and shower cap 0.01 % OIL</i>	1	QL(118.28 per 30 days)
<i>fluocinonide 0.05 % CREAM</i>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % GEL</i>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % OINTMENT</i>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinonide 0.05 % SOLUTION	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM DL	4	
fluorouracil 0.5 % CREAM DL	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION	1	QL(30 per 30 days)
fluorouracil 5 % CREAM	1	
fluorouracil 5 % SOLUTION	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM	1	QL(120 per 30 days)
halcinonide 0.1 % SOLUTION	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM	3	QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT	1	QL(100 per 30 days)
HALOG 0.1 % CREAM DL	4	QL(120 per 30 days)
HALOG 0.1 % SOLUTION	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET	1	
hydrocortisone 2 % LOTION DL	4	QL(236.8 per 30 days)
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION	1	QL(236 per 30 days)
hydrocortisone 2.5 % SOLUTION DL	4	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone valerate 0.2 % CREAM	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL DL	4	PA
ICOTYDE 200 MG TABLET DL	4	PA,QL(30 per 30 days)
imiquimod 3.75 % CREAM IN PACKET	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET	1	QL(12 per 30 days)
isotretinoin 10 mg, 20 mg, 30 mg, 40 mg CAPSULE	1	
isotretinoin 25 mg, 35 mg CAPSULE DL	4	
ivermectin 1 % CREAM	1	ST,QL(45 per 30 days)
KLISYRI (250 MG) 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
KLISYRI (350 MG) 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
lexette 0.05 % FOAM	3	QL(100 per 30 days)
LEXETTE 0.05 % FOAM	3	QL(100 per 30 days)
LOCOID 0.1 % LOTION	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM	3	QL(240 per 30 days)
mafenide acetate 50 gram PACKET	1	
malathion 0.5 % LOTION	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL	4	
MIRVASO 0.33 % GEL WITH PUMP	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT	1	
mupirocin calcium 2 % CREAM	1	ST
NATROBA 0.9 % SUSPENSION	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM	3	
neuac 1.2 %(1 % base) -5 % GEL	1	QL(45 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM DL	4	PA,QL(240 per 28 days)
OTEZLA 20 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL	4	PA,QL(55 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL	4	PA,QL(27 per 30 days)
OTEZLA XR 75 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
OTEZLA XR INITIATION 10-20-30-75 MG TABLET AND TABLET ER DOSE PACK DL	4	PA,QL(41 per 28 days)
OVIDE 0.5 % LOTION	3	PA
PANDEL 0.1 % CREAM DL	4	QL(160 per 30 days)
<i>permethrin 5 % CREAM</i>	1	
<i>pimecrolimus 1 % CREAM</i>	1	PA,QL(100 per 30 days)
<i>podofilox 0.5 % GEL</i>	1	
<i>podofilox 0.5 % SOLUTION</i>	1	QL(7 per 30 days)
<i>prednicarbate 0.1 % CREAM</i>	1	QL(240 per 30 days)
<i>prednicarbate 0.1 % OINTMENT</i>	1	QL(240 per 30 days)
<i>procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR</i>	1	QL(60 per 30 days)
<i>proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR</i>	1	QL(60 per 30 days)
<i>proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR</i>	1	QL(60 per 30 days)
PRUDOXIN 5 % CREAM DL	4	PA,QL(45 per 30 days)
<i>pruradik 10 % LOTION</i> DL	4	PA,QL(454 per 30 days)
QBREXZA 2.4 % TOWELETTE	3	PA,QL(30 per 30 days)
REGGRANEX 0.01 % GEL DL	4	PA
RETIN-A 0.01 %, 0.025 % GEL	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL DL	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT	3	PA,QL(180 per 30 days)
<i>selenium sulfide 2.5 % LOTION</i>	1	QL(120 per 30 days)
SILVADENE 1 % CREAM	2	
<i>silver sulfadiazine 1 % CREAM</i>	1	
SOFDRA 12.45 % (72 MG /ACTUATION) GEL WITH PUMP DL	4	PA,QL(40.2 per 30 days)
SOOLANTRA 1 % CREAM	3	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM DL	4	ST,QL(120 per 28 days)
<i>spinosad 0.9 % SUSPENSION</i>	3	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SSD 1 % CREAM	1	
SULFAMYLON 85 MG/G CREAM	3	
SYNALAR 0.01 % SOLUTION	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION DL	4	PA,QL(420 per 30 days)
<i>tacrolimus 0.03 %, 0.1 % OINTMENT</i>	1	QL(200 per 30 days)
<i>tazarotene 0.05 % CREAM</i>	1	PA,QL(120 per 30 days)
<i>tazarotene 0.05 %, 0.1 % GEL</i>	1	PA,QL(200 per 30 days)
<i>tazarotene 0.1 % CREAM</i>	1	QL(120 per 30 days)
<i>tazarotene 0.1 % FOAM DL</i>	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL	3	PA,QL(200 per 30 days)
TEXACORT 2.5 % SOLUTION	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL	3	QL(100 per 30 days)
<i>tovet emollient 0.05 % FOAM</i>	1	QL(100 per 30 days)
<i>tretinoin 0.01 %, 0.025 %, 0.05 % GEL</i>	1	PA,QL(45 per 30 days)
<i>tretinoin 0.025 %, 0.05 %, 0.1 % CREAM</i>	1	PA,QL(45 per 30 days)
<i>tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP</i>	1	PA,QL(50 per 30 days)
<i>tretinoin microspheres 0.04 %, 0.1 % GEL</i>	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION	3	QL(120 per 30 days)
VANOS 0.1 % CREAM	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT DL	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM DL	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT DL	4	QL(30 per 30 days)
VTAMA 1 % CREAM DL	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM	3	PA
ZELSUVMI 10.3 % GEL DL	4	PA
<i>zenatane 10 mg, 20 mg, 30 mg, 40 mg CAPSULE</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZIANA 1.2-0.025 % GEL	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM	3	PA,QL(45 per 30 days)
ZORYVE 0.05 %, 0.15 %, 0.3 % CREAM	3	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM	3	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION	3	BvsD
<i>bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP</i>	1	
<i>c-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i>	1	
<i>calcium chloride 100 mg/ml (10 %) SOLUTION</i>	1	
<i>calcium chloride 100 mg/ml (10 %) SYRINGE</i>	1	
<i>calcium gluconate 100 mg/ml (10%) SOLUTION</i>	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL	4	PA
<i>carglumic acid 200 mg TABLET, DISPERSIBLE DL</i>	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION	3	
CARNITOR 330 MG TABLET	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION	1	BvsD
CLINOLIPID 20 % EMULSION	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK	1	
CUPRIMINE 250 MG CAPSULE DL	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET DL	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION	1	
deferasirox 125 mg, 250 mg TABLET, DISPERSIBLE	1	PA
deferasirox 180 mg, 360 mg GRANULES IN PACKET DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET	1	PA
deferasirox 500 mg TABLET, DISPERSIBLE DL	4	PA
deferasirox 90 mg GRANULES IN PACKET	1	PA
deferiprone 1,000 mg TABLET DL	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET DL	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION	1	BvsD
DEPEN TITRATABS 250 MG TABLET DL	4	PA
DESFERAL 500 MG RECON SOLUTION	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION	1	
dextrose 25 % in water (d25w) SYRINGE	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION	1	
dextrose 50 % in water (d50w) SYRINGE	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION	1	
electrolyte-148 PARENTERAL SOLUTION	1	
electrolyte-48 in d5w PARENTERAL SOLUTION	1	
electrolyte-a PARENTERAL SOLUTION	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL	4	PA
FERRIPROX 1,000 MG TABLET DL	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET DL	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL	4	PA,QL(300 per 30 days)
GLYCOPHOS 1 MMOL/ML SOLUTION	1	
INTRALIPID 20 %, 30 % EMULSION	3	BvsD
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION	3	
ISOLYTE-S PARENTERAL SOLUTION	3	
JADENU 180 MG, 360 MG, 90 MG TABLET DL	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET DL	4	PA,QL(120 per 30 days)
KABIVEN 3.31-10.8-3.9 % EMULSION	3	BvsD
kionex 15 gram/60 ml SUSPENSION	1	
klor-con 20 meq PACKET	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER	1	
klor-con 10 10 meq TABLET ER	1	
klor-con 8 8 meq TABLET ER	1	
KLOR-CON 8 8 MEQ TABLET ER	1	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS	1	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET	3	
<i>lactated ringers</i> PARENTERAL SOLUTION	1	
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION	1	
levocarnitine 330 mg TABLET	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET	2	QL(30 per 30 days)
<i>m-natal plus</i> 27 mg iron- 1 mg TABLET	1	
magnesium sulfate 500 mg/ml (50 %) SOLUTION	1	
magnesium sulfate 500 mg/ml (50 %) SYRINGE	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 3 gram/100 ml (3 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET	3	
<i>neo-vital rx</i> 27 mg iron- 1 mg TABLET	1	
NEONATAL COMPLETE 29-1 MG TABLET	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION	3	
NORMOSOL-R PARENTERAL SOLUTION	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION	3	
NUTRILIPID 20 % EMULSION	3	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET	3	
OMEGAIVEN 10 % EMULSION ^{DL}	4	BvsD
<i>one natal rx</i> 27 mg iron- 1 mg TABLET	1	
<i>penicillamine</i> 250 mg CAPSULE ^{DL}	4	PA,QL(600 per 30 days)
<i>penicillamine</i> 250 mg TABLET ^{DL}	4	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION	3	BvsD
PLASMA-LYTE 148 PH 7.4 PARENTERAL SOLUTION	3	
PLASMA-LYTE A PARENTERAL SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PLENAMINE 15 % PARENTERAL SOLUTION	1	BvsD
<i>pnv-dha 27 mg iron-1 mg -300 mg CAPSULE</i>	1	
<i>pnv-omega 28-1-300 mg CAPSULE</i>	1	
POKONZA 10 MEQ, 15 MEQ PACKET DL	4	
POKONZA 10 MEQ/15 ML LIQUID DL	4	
<i>potassium acetate 2 meq/ml SOLUTION</i>	1	
<i>potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride 10 meq CAPSULE, ER</i>	1	
<i>potassium chloride 10 meq, 20 meq TABLET ER</i>	1	
<i>potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS</i>	1	
<i>potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS</i>	1	
<i>potassium chloride 15 meq, 8 meq TABLET ER</i>	1	
<i>potassium chloride 2 meq/ml SOLUTION</i>	1	
<i>potassium chloride 20 meq PACKET</i>	1	QL(240 per 30 days)
<i>potassium chloride 20 meq/15 ml, 40 meq/15 ml LIQUID</i>	1	
<i>potassium chloride 8 meq CAPSULE, ER</i>	1	
<i>potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride in 5 % dex 10 meq/l, 20 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride in lr-d5 20 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml PIGGYBACK</i>	1	
<i>potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride-d5-0.2%nacl 20 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION</i>	1	
<i>potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER</i>	1	
<i>pr natal 400 29-1-400 mg COMBO PACK</i>	1	
<i>pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP</i>	1	
<i>pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK</i>	1	
<i>pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP</i>	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET	1	
PRENATABS FA 29-1 MG TABLET	1	
<i>prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET \$0</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK \$0</i>	3	
<i>prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET</i>	1	
<i>prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET</i>	1	
<i>prenatal-u 106.5-1 mg CAPSULE</i>	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET	1	
PROSOL 20 % PARENTERAL SOLUTION	3	BvsD
<i>ringer's PARENTERAL SOLUTION</i>	1	
SAMSCA 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET</i>	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK	3	
SMOFLIPID 20 % EMULSION	3	BvsD
<i>sodium bicarbonate 50 meq/50 ml (8.4 %) SYRINGE</i>	1	
<i>sodium chloride 2.5 meq/ml SOLUTION</i>	1	
<i>sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION</i>	1	
<i>sodium chloride 0.9 % PARENTERAL SOLUTION</i>	1	
<i>sodium chloride 0.9 % PIGGYBACK</i>	1	
<i>sodium chloride 0.9 % SOLUTION</i>	1	
<i>sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION</i>	1	
<i>sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION</i>	1	
<i>sodium phosphate 3 mmol/ml SOLUTION</i>	1	
<i>sodium polystyrene sulfonate 15 gram POWDER</i>	1	
<i>sodium polystyrene sulfonate 15 gram/60 ml SUSPENSION</i>	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA	1	
SYPRINE 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION	3	
<i>tolvaptan 15 mg, 30 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
<i>tolvaptan (polycys kidney dis) 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm) TABLET, SEQUENTIAL DL</i>	4	PA,QL(56 per 28 days)
<i>tolvaptan (polycys kidney dis) 15 mg, 30 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRAVASOL 10 % 10 % PARENTERAL SOLUTION	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET	1	
<i>trientine 250 mg CAPSULE DL</i>	4	QL(240 per 30 days)
<i>trientine 500 mg CAPSULE DL</i>	4	QL(120 per 30 days)
<i>trinatal rx 1 60 mg iron-1 mg TABLET</i>	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE	3	
<i>tromethamine 36 mg/ml (0.3 m) SOLUTION</i>	1	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER	3	
UROCIT-K 15 15 MEQ TABLET ER	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION	3	
VELTASSA 1 GRAM POWDER IN PACKET	3	PA,QL(240 per 30 days)
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET	3	PA,QL(30 per 30 days)
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE	3	
VITAFOL-OB 65-1 MG TABLET	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE	3	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE	3	
<i>wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i>	1	
<i>wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK</i>	1	
<i>wesnate dha 28 mg iron-1 mg -200 mg CAPSULE</i>	1	
<i>westab plus 27 mg iron- 1 mg TABLET</i>	1	
<i>westgel dha 31 mg iron- 1 mg-200 mg CAPSULE</i>	1	
<i>zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i>	1	
<i>zatean-pn plus 28-1-300 mg CAPSULE</i>	1	
GASTROINTESTINAL AGENTS		
ACIPHEX 20 MG TABLET, DR/EC	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE DL	3	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE DL	3	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC	3	PA,QL(12 per 30 days)
<i>alosetron 0.5 mg, 1 mg TABLET</i>	1	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMITIZA 24 MCG, 8 MCG CAPSULE	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK	1	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE	1	
BENTYL 10 MG/ML SOLUTION	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE	1	ST,QL(120 per 30 days)
CARAFATE 1 GRAM TABLET	3	
CARAFATE 100 MG/ML SUSPENSION	3	
chenodal 250 mg TABLET DL	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET	1	
cimetidine hcl 300 mg/5 ml SOLUTION	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION \$0	3	ST
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION	3	ST
constulose 10 gram/15 ml SOLUTION \$0	1	
CTEXTI 250 MG TABLET DL	4	PA
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION	3	
CYTOTEC 100 MCG, 200 MCG TABLET DL	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC	3	PA,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC	3	QL(30 per 30 days)
dicyclomine 10 mg CAPSULE	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION	1	
dicyclomine 20 mg TABLET	1	
dicyclomine 40 mg TABLET DL	4	
diphenoxylate-atropine 2.5-0.025 mg TABLET	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID	1	
ENDARI 5 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION	1	
esomeprazole magnesium 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg DR GRANULES IN PACKET	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC	1	QL(60 per 30 days)
esomeprazole sodium 40 mg RECON SOLUTION	1	
famotidine 10 mg/ml SOLUTION	1	
famotidine 20 mg, 40 mg TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FAMOTIDINE 4 MG/ML SOLUTION	1	
<i>famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION</i>	1	
<i>famotidine (pf) 20 mg/2 ml SOLUTION</i>	1	
FAMOTIDINE (PF) 4 MG/ML SOLUTION	1	
<i>famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK</i>	1	
GATTEX 30-VIAL 5 MG KIT DL	4	PA
GATTEX ONE-VIAL 5 MG KIT DL	4	PA
<i>gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION \$0</i>	1	
<i>gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION \$0</i>	1	
<i>gavilyte-n 420 gram RECON SOLUTION \$0</i>	1	
<i>generlac 10 gram/15 ml SOLUTION</i>	1	
<i>glutamine (sickle cell) 5 gram POWDER IN PACKET DL</i>	4	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET	1	
<i>glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION</i>	1	
<i>glycopyrrolate 1 mg, 2 mg TABLET</i>	1	
<i>glycopyrrolate 1.5 mg TABLET</i>	4	
<i>glycopyrrolate (pf) 0.4 mg/2 ml (0.2 mg/ml) SYRINGE</i>	1	
<i>glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE</i>	3	
<i>glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE</i>	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION	3	ST
IBSRELA 50 MG TABLET DL	4	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET DL	4	PA,QL(30 per 30 days)
KONVOMEPE 2-84 MG/ML SUSPENSION FOR RECONSTITUTION	3	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET	1	
<i>lactulose 10 gram, 20 gram PACKET DL</i>	4	
<i>lactulose 10 gram/15 ml SOLUTION \$0</i>	1	
<i>lansoprazole 15 mg, 30 mg CAPSULE, DR/EC</i>	1	QL(60 per 30 days)
<i>lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR</i>	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE	2	QL(30 per 30 days)
LIVDELZI 10 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LIVMARLI 10 MG, 15 MG, 20 MG TABLET DL	4	PA,QL(60 per 30 days)
LIVMARLI 19 MG/ML SOLUTION DL	4	PA,QL(60 per 30 days)
LIVMARLI 30 MG TABLET DL	4	PA,QL(30 per 30 days)
LIVMARLI 9.5 MG/ML SOLUTION DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOMOTIL 2.5-0.025 MG TABLET	3	
loperamide 2 mg CAPSULE	1	
LOTRONEX 0.5 MG, 1 MG TABLET DL	4	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE	1	QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET	1	
misoprostol 100 mcg, 200 mcg TABLET	1	
MOTEGRITY 1 MG, 2 MG TABLET	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET	3	
MOVANTI 12.5 MG, 25 MG TABLET	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC DL	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC	3	PA,QL(60 per 30 days)
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET	3	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE	1	
OICALIVA 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK	3	ST
omeprazole 10 mg CAPSULE, DR/EC	1	
omeprazole 20 mg, 40 mg CAPSULE, DR/EC	1	
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET DL	4	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE	1	QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE	3	QL(180 per 30 days)
pantoprazole 20 mg, 40 mg TABLET, DR/EC	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET	1	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION	1	
pantoprazole in 0.9% sod chlor 40 mg/100 ml (0.4 mg/ml), 40 mg/50 ml (0.8 mg/ml), 80 mg/100 ml (0.8 mg/ml) PIGGYBACK	3	
PANTOPRAZOLE IN 0.9% SOD CHLOR 40 MG/50 ML (0.8 MG/ML) PIGGYBACK	3	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION \$0	1	
peg-electrolyte soln 420 gram RECON SOLUTION \$0	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET	1	ST
pepcid 20 mg, 40 mg TABLET	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREVACID 30 MG CAPSULE, DR/EC	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION	3	PA
<i>prucalopride 1 mg, 2 mg TABLET</i>	1	PA,QL(30 per 30 days)
PYLERA 140-125-125 MG CAPSULE	3	ST,QL(120 per 30 days)
<i>rabeprazole 20 mg TABLET, DR/EC</i>	1	QL(60 per 30 days)
<i>ranitidine hcl 150 mg, 300 mg TABLET</i>	1	
REBYOTA 150 ML ENEMA DL	4	PA
RELISTOR 12 MG/0.6 ML SOLUTION DL	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE DL	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET DL	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE DL	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE DL	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET	3	PA
ROBINUL FORTE 2 MG TABLET	3	PA
<i>sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION</i>	1	
<i>sucralfate 1 gram TABLET</i>	1	
<i>sucralfate 100 mg/ml SUSPENSION</i>	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION	3	
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET	2	
SYMPROIC 0.2 MG TABLET	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC	3	
TRULANCE 3 MG TABLET	3	PA,QL(30 per 30 days)
URSO FORTE 500 MG TABLET	3	PA
<i>ursodiol 200 mg CAPSULE DL</i>	4	PA,QL(150 per 30 days)
<i>ursodiol 250 mg, 500 mg TABLET</i>	1	
<i>ursodiol 300 mg CAPSULE</i>	1	
<i>ursodiol 400 mg CAPSULE DL</i>	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VOQUEZNA 10 MG TABLET	3	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET	3	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK	3	ST,QL(112 per 30 days)
VOWST 1 X 10EXP6 TO 3 X 10EXP7 CELL CAPSULE DL	4	PA
XERMELO 250 MG TABLET DL	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET DL	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL	4	PA,QL(30 per 30 days)
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION DL	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 90 days)
AQVESME 100 MG TABLET DL	4	PA,QL(60 per 30 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL	4	PA
ATTRUBY 356 MG TABLET DL	4	PA,QL(120 per 30 days)
AVLAYAH 150 MG RECON SOLUTION DL	4	PA
<i>betaine 1 gram/scoop POWDER</i> DL	4	
BUPHENYL 0.94 GRAM/GRAM POWDER DL	4	PA
BUPHENYL 500 MG TABLET DL	4	PA
CERDELGA 84 MG CAPSULE DL	4	PA
CEREZYME 400 UNIT RECON SOLUTION DL	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE DL	4	QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION DL	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER DL	4	PA
CYSTAGON 150 MG, 50 MG CAPSULE	3	
DAYBUE 200 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
DAYBUE STIX 5,000 MG, 6,000 MG POWDER IN PACKET DL	4	PA,QL(120 per 30 days)
DAYBUE STIX 8,000 MG POWDER IN PACKET DL	4	PA,QL(60 per 30 days)
<i>dichlorphenamide 50 mg TABLET</i> DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DOJOLVI 8.3 KCAL/ML LIQUID DL	4	PA
DUVYZAT 8.86 MG/ML SUSPENSION DL	4	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION DL	4	PA
ELELYSO 200 UNIT RECON SOLUTION DL	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL	4	PA
ELFABRIO 2 MG/ML SOLUTION DL	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION DL	4	PA,QL(240 per 30 days)
EVRYSDI 5 MG TABLET DL	4	PA,QL(30 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION DL	4	PA
GALAFOLD 123 MG CAPSULE DL	4	PA,QL(14 per 28 days)
GLASSIA 20 MG/ML (2 %) SOLUTION DL	4	PA
GLYCEROL PHENYLBUTYRATE 1.1 GRAM/ML LIQUID DL	4	PA,QL(525 per 30 days)
<i>glycerol phenylbutyrate 1.1 gram/ml LIQUID DL</i>	4	PA,QL(525 per 30 days)
HARLIKU 2 MG TABLET DL	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE DL</i>	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET DL</i>	4	PA
JOENJA 70 MG TABLET DL	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION DL	4	PA
KEVEYIS 50 MG TABLET DL	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE DL	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET DL	4	PA
KYGEVVI 4 GRAM POWDER IN PACKET DL	4	PA
LAMZEDE 10 MG RECON SOLUTION DL	4	PA
LOARGYS 5 MG/ML SOLUTION DL	4	PA
LUMIZYME 50 MG RECON SOLUTION DL	4	PA
MEPSEVII 2 MG/ML SOLUTION DL	4	PA
<i>miglustat 100 mg CAPSULE DL</i>	4	PA,QL(90 per 30 days)
MIPLYFFA 124 MG, 47 MG, 62 MG, 93 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION DL	4	PA
NEXVIAZYME 100 MG RECON SOLUTION DL	4	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE DL</i>	4	
NITYR 10 MG, 2 MG, 5 MG TABLET DL	4	
NULIBRY 9.5 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL	4	PA
ONPATTRO 2 MG/ML SOLUTION DL	4	PA
OPFOLDA 65 MG CAPSULE	3	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL	4	
ORFADIN 4 MG/ML SUSPENSION DL	4	
<i>ormalvi 50 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE DL	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 2,600-8,800- 15,200 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL	4	ST
PHEBURANE 483 MG/GRAM GRANULES DL	4	PA
POMBILITI 105 MG RECON SOLUTION DL	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET DL	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET DL	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+-)/20 ML SOLUTION DL	4	PA
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
RAVICTI 1.1 GRAM/ML LIQUID DL	4	PA,QL(525 per 30 days)
REVCOVI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL	4	PA
<i>sapropterin 100 mg TABLET, SOLUBLE</i> DL	4	PA
<i>sapropterin 100 mg, 500 mg POWDER IN PACKET</i> DL	4	PA
SEPHIENCE 1,000 MG, 250 MG POWDER IN PACKET DL	4	PA
<i>sodium phenylbutyrate 0.94 gram/gram POWDER</i> DL	4	
<i>sodium phenylbutyrate 500 mg TABLET</i> DL	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUCRAID 8,500 UNIT/ML SOLUTION DL	4	PA
VIJOICE 125 MG, 50 MG TABLET DL	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL	4	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET DL	4	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL	4	ST
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
VPRIV 400 UNIT RECON SOLUTION DL	4	PA
VYNDAMAX 61 MG CAPSULE DL	4	PA,QL(30 per 30 days)
VYNDAREL 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
WELIREG 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL	4	PA
<i>yargesa 100 mg CAPSULE DL</i>	4	PA,QL(90 per 30 days)
YUWIWEL 1.3 MG, 2.8 MG, 5.5 MG RECON SOLUTION DL	4	PA
ZAVESCA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>zelvysia 100 mg, 500 mg POWDER IN PACKET DL</i>	4	PA
ZEMAIRA 1,000 MG RECON SOLUTION DL	4	PA
ZEMAIRA 4,000 MG, 5,000 MG RECON SOLUTION DL	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC	3	
ZOKINVY 50 MG, 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
GENITOURINARY AGENTS		
<i>alfuzosin 10 mg TABLET, ER 24 HR.</i>	1	
AVODART 0.5 MG CAPSULE	3	PA,QL(30 per 30 days)
<i>bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET</i>	1	
CIALIS 5 MG TABLET	3	PA
<i>darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR.</i>	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR.	3	PA,QL(30 per 30 days)
<i>dutasteride 0.5 mg CAPSULE</i>	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR.</i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELMIRON 100 MG CAPSULE	3	QL(90 per 30 days)
<i>fesoterodine 4 mg, 8 mg TABLET, ER 24 HR.</i>	1	QL(30 per 30 days)
<i>finasteride 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>flavoxate 100 mg TABLET</i>	1	
FLOMAX 0.4 MG CAPSULE	3	
GEMTESA 75 MG TABLET	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR.	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR.	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON	2	QL(300 per 30 days)
<i>oxybutynin chloride 10 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 15 mg, 5 mg TABLET, ER 24 HR.</i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 2.5 mg TABLET</i>	1	QL(90 per 30 days)
<i>oxybutynin chloride 5 mg TABLET</i>	1	
<i>oxybutynin chloride 5 mg/5 ml SYRUP</i>	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE	3	PA,QL(30 per 30 days)
<i>silodosin 4 mg, 8 mg CAPSULE</i>	1	QL(30 per 30 days)
<i>solifenacin 10 mg, 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>tadalafil 2.5 mg, 5 mg TABLET</i>	1	PA
<i>tamsulosin 0.4 mg CAPSULE</i>	1	
THIOLA 100 MG TABLET DL	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL	4	
<i>tiopronin 100 mg TABLET DL</i>	4	
<i>tiopronin 100 mg, 300 mg TABLET, DR/EC DL</i>	4	
<i>tolterodine 1 mg, 2 mg TABLET</i>	1	QL(60 per 30 days)
<i>tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR.</i>	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR.	3	PA,QL(30 per 30 days)
<i>tropium 20 mg TABLET</i>	1	
<i>tropium 60 mg CAPSULE, ER 24 HR.</i>	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR.	3	
<i>venxiva 100 mg, 300 mg TABLET, DR/EC DL</i>	4	
VESICARE 10 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION	3	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR DL	4	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION DL	4	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL	4	PA
<i>betamethasone acet,sod phos 6 mg/ml SUSPENSION</i>	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION	3	
CORTROPHIN GEL 40 UNIT/0.5 ML SYRINGE DL	4	PA,QL(45 per 30 days)
CORTROPHIN GEL 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
CORTROPHIN GEL 80 UNIT/ML SYRINGE DL	4	PA,QL(30 per 30 days)
deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET DL	4	PA
deflazacort 22.75 mg/ml SUSPENSION DL	4	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET	1	
dexamethasone 0.5 mg/5 ml ELIXIR	1	
dexamethasone 0.5 mg/5 ml SOLUTION	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK	1	
dexamethasone intensol 1 mg/ml DROPS	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION DL	4	PA
fludrocortisone 0.1 mg TABLET	1	
HEMADY 20 MG TABLET	3	PA,QL(24 per 28 days)
hydrocortisone acetate 2.5 % CREAM W/PERINEAL APPLICATOR DL	4	
hydrocortisone sod succinate 100 mg RECON SOLUTION	1	
jaythari 18 mg, 30 mg, 36 mg, 6 mg TABLET DL	4	PA
jaythari 22.75 mg/ml SUSPENSION DL	4	PA
KENALOG 0.147 MG/GRAM AEROSOL	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KENALOG-80 80 MG/ML SUSPENSION	3	
KHINDIVI 1 MG/ML SOLUTION DL	4	PA
<i>kymbee 18 mg, 30 mg, 36 mg, 6 mg TABLET DL</i>	4	PA
MEDROL 16 MG, 2 MG, 4 MG, 8 MG TABLET	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK	3	
<i>methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET</i>	1	BvsD
<i>methylprednisolone 4 mg TABLET, DOSE PACK</i>	1	
<i>methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION</i>	1	
<i>methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION</i>	1	
<i>micort-hc 2.5 % CREAM W/PERINEAL APPLICATOR</i>	1	
<i>millipred 5 mg TABLET</i>	1	BvsD
<i>millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK</i>	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION	3	
<i>prednisolone 15 mg/5 ml SOLUTION</i>	1	
<i>prednisolone 5 mg TABLET</i>	1	BvsD
<i>prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING</i>	1	
<i>prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION</i>	1	
<i>prednisone 1 mg, 2 mg TABLET, DR/EC DL</i>	4	PA
<i>prednisone 1 mg, 2.5 mg, 50 mg TABLET</i>	1	BvsD
<i>prednisone 10 mg, 20 mg, 5 mg TABLET</i>	1	BvsD
<i>prednisone 10 mg, 5 mg TABLET, DOSE PACK</i>	1	
<i>prednisone 5 mg/5 ml SOLUTION</i>	1	BvsD
<i>prednisone intensol 5 mg/ml CONCENTRATE</i>	1	BvsD
<i>pyquvi 22.75 mg/ml SUSPENSION DL</i>	4	PA
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM	1	
triamcinolone acetonide 0.1 % CREAM	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL	1	QL(200 per 30 days)
triamcinolone acetonide 10 mg/ml, 40 mg/ml SUSPENSION	1	
trianex 0.05 % OINTMENT	1	
triderm 0.1 %, 0.5 % CREAM	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION	3	PA
DDAVP 0.1 MG TABLET	3	PA
DDAVP 0.2 MG TABLET DL	4	PA
DDAVP 4 MCG/ML SOLUTION	3	PA
DESMODA 0.05 MG/ML SOLUTION DL	4	PA
desmopressin 0.1 mg, 0.2 mg TABLET	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION DL	4	
EGRIFTA SV 2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
EGRIFTA WR 11.6 MG KIT DL	4	PA,QL(1 per 28 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL	4	PA
INCRELEX 10 MG/ML SOLUTION DL	4	PA
ISTURISA 1 MG TABLET DL	4	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISTURISA 5 MG TABLET DL	4	PA,QL(360 per 30 days)
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING	3	QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING	3	QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA
NOVAREL 5,000 UNIT RECON SOLUTION	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL	4	PA
OMNITROPE 5.8 MG RECON SOLUTION DL	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION	3	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
SKYTROFA 0.7 MG, 1.4 MG, 1.8 MG, 13.3 MG, 2.1 MG, 2.5 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL	4	PA,QL(4 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL	4	PA,QL(8 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION DL	4	PA
ZOMACTON 5 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
<i>carboprost tromethamine 250 mcg/ml SOLUTION</i>	1	
<i>carboprost tromethamine 250 mcg/ml SYRINGE</i>	1	
HEMABATE 250 MCG/ML SOLUTION	3	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
<i>abigale 1-0.5 mg TABLET</i>	1	
<i>abigale lo 0.5-0.1 mg TABLET</i>	1	
ACTIVELLA 1-0.5 MG TABLET	3	
<i>afirmelle 0.1-20 mg-mcg TABLET \$0</i>	1	
<i>altavera (28) 0.15-0.03 mg TABLET \$0</i>	1	
<i>alyacen 1/35 (28) 1-35 mg-mcg TABLET \$0</i>	1	
<i>alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET \$0</i>	1	
<i>amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH</i>	1	QL(91 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>amethyst (28) 90-20 mcg (28) TABLET \$0</i>	1	
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING	3	QL(1 per 365 days)
<i>apri 0.15-0.03 mg TABLET \$0</i>	1	
<i>aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET \$0</i>	1	
<i>ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH \$0</i>	1	QL(91 per 90 days)
<i>abra 0.1-20 mg-mcg TABLET \$0</i>	1	
<i>abra eq 0.1-20 mg-mcg TABLET \$0</i>	1	
<i>aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET \$0</i>	1	
<i>aurovela 1/20 (21) 1-20 mg-mcg TABLET \$0</i>	1	
<i>aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET \$0</i>	1	
<i>aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0</i>	1	
<i>aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0</i>	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION DL	4	PA
AVERI 0.15 MG-0.03 MG (21)/36.5 MG(7) TABLET	1	
<i>aviane 0.1-20 mg-mcg TABLET \$0</i>	1	
<i>ayuna 0.15-0.03 mg TABLET \$0</i>	1	
AZMIRO 200 MG/ML SYRINGE	3	PA
<i>azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0</i>	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET	3	
<i>balziva (28) 0.4-35 mg-mcg TABLET \$0</i>	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET	3	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE	3	QL(30 per 30 days)
<i>blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET \$0</i>	1	
<i>blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0</i>	1	
<i>blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0</i>	1	
<i>briellyn 0.4-35 mg-mcg TABLET \$0</i>	1	
<i>camila 0.35 mg TABLET \$0</i>	1	
<i>camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH</i>	1	QL(91 per 90 days)
<i>camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH</i>	1	QL(91 per 90 days)
<i>charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET</i>	1	
<i>chateal eq (28) 0.15-0.03 mg TABLET \$0</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY	3	QL(8 per 28 days)
<i>conjugated estrogens 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg TABLET</i>	1	
CRENESSITY 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
CRENESSITY 25 MG, 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
CRENESSITY 50 MG/ML SOLUTION DL	4	PA,QL(240 per 30 days)
CRINONE 4 %, 8 % GEL	3	
<i>cryselle (28) 0.3-30 mg-mcg TABLET \$0</i>	1	
<i>cyred 0.15-0.03 mg TABLET \$0</i>	1	
<i>cyred eq 0.15-0.03 mg TABLET \$0</i>	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET \$0	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET \$0	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET \$0	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL	3	
DEPO-ESTRADIOL 5 MG/ML OIL	1	
DEPO-PROVERA 150 MG/ML SUSPENSION \$0	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE \$0	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE	2	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL	1	PA
<i>desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0</i>	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET	3	
<i>dolishale 90-20 mcg (28) TABLET \$0</i>	1	
<i>dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY</i>	1	QL(8 per 28 days)
<i>drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET</i>	1	
<i>drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET \$0</i>	1	
DUAVEE 0.45-20 MG TABLET	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET \$0	1	
eluryng 0.12-0.015 mg/24 hr RING \$0	1	QL(1 per 28 days)
emzahh 0.35 mg TABLET	1	
ENDOMETRIN 100 MG INSERT	3	
enilloring 0.12-0.015 mg/24 hr RING	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET \$0	1	
enskyce 0.15-0.03 mg TABLET \$0	1	
errin 0.35 mg TABLET \$0	1	
estarylla 0.25-0.035 mg TABLET \$0	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET	1	
estradiol 0.01 % (0.1 mg/gram) CREAM	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING	3	QL(1 per 90 days)
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET \$0	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING \$0	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL	3	
EVISTA 60 MG TABLET	3	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET \$0	1	
feirza 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) TABLET	1	
FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING	3	QL(1 per 90 days)
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET \$0	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET	1	
galbriela 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET	1	
gallifrey 5 mg TABLET	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE \$0	1	
hailey 1.5-30 mg-mcg TABLET \$0	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET \$0	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0	1	
haloette 0.12-0.015 mg/24 hr RING	1	QL(1 per 28 days)
heather 0.35 mg TABLET \$0	1	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH \$0	1	QL(91 per 90 days)
IMVEXXY MAINTENANCE PACK 10 MCG, 4 MCG INSERT	3	PA,QL(8 per 28 days)
IMVEXXY STARTER PACK 10 MCG, 4 MCG INSERT, DOSE PACK	3	PA,QL(18 per 28 days)
incassia 0.35 mg TABLET \$0	1	
INTRAROSA 6.5 MG INSERT	3	PA
introvale 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH	1	QL(91 per 90 days)
isibloom 0.15-0.03 mg TABLET \$0	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH \$0	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET	1	
JATENZO 158 MG, 198 MG CAPSULE	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE	3	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET \$0	1	
jinteli 1-5 mg-mcg TABLET	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH \$0	3	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET	1	
juleber 0.15-0.03 mg TABLET \$0	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET \$0	1	
junel 1/20 (21) 1-20 mg-mcg TABLET \$0	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET \$0	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET	1	
kalliga 0.15-0.03 mg TABLET \$0	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
kelnor 1/35 (28) 1-35 mg-mcg TABLET \$0	1	
kelnor 1/50 (28) 1-50 mg-mcg TABLET \$0	1	
kurvelo (28) 0.15-0.03 mg TABLET \$0	1	
l norgest/e.estradiol-e.estradiol 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH \$0	1	QL(91 per 90 days)
l norgest/e.estradiol-e.estradiol 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET \$0	1	
larin 1/20 (21) 1-20 mg-mcg TABLET \$0	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET \$0	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET	1	
lessina 0.1-20 mg-mcg TABLET \$0	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET \$0	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET \$0	1	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET	3	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET \$0	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH \$0	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET \$0	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET \$0	3	
lo-zumandimine (28) 3-0.02 mg TABLET \$0	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET \$0	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET \$0	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET \$0	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET \$0	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH \$0	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET \$0	1	
low-ogestrel (28) 0.3-30 mg-mcg TABLET \$0	1	
luizza 1-20 mg-mcg, 1.5-30 mg-mcg TABLET	1	
lutera (28) 0.1-20 mg-mcg TABLET \$0	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lyleq 0.35 mg TABLET \$0	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY	1	QL(8 per 28 days)
lyza 0.35 mg TABLET \$0	1	
marlissa (28) 0.15-0.03 mg TABLET \$0	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET	1	
medroxyprogesterone 150 mg/ml SUSPENSION \$0	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE \$0	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION	1	
meleya 0.35 mg TABLET	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE \$0	1	
METHITEST 10 MG TABLET DL	4	
methyltestosterone 10 mg CAPSULE DL	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET \$0	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET \$0	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0	1	
mili 0.25-0.035 mg TABLET \$0	1	
mimvey 1-0.5 mg TABLET	1	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY	3	QL(8 per 28 days)
minzoya 0.1 mg-0.02 mg (21)/iron (7) TABLET	1	
mono-lyyah 0.25-0.035 mg TABLET \$0	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET \$0	3	
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET \$0	1	
NEXPLANON 68 MG IMPLANT	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET	3	
nikki (28) 3-0.02 mg TABLET \$0	1	
NORA-BE 0.35 MG TABLET \$0	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY	1	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET \$0	1	
noreth-ethinyl estradiol-iron 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET	1	
norethindrone (contraceptive) 0.35 mg TABLET \$0	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET	1	
norethindrone ac-eth estradiol 1-20 mg-mcg, 1.5-30 mg-mcg TABLET \$0	1	
norethindrone acetate 5 mg TABLET	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET \$0	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE \$0	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg TABLET \$0	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET \$0	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET \$0	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET \$0	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET \$0	1	
NUVARING 0.12-0.015 MG/24 HR RING \$0	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET \$0	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET \$0	1	
ocella 3-0.03 mg TABLET \$0	1	
orquidea 0.35 mg TABLET \$0	1	
OSPHENA 60 MG TABLET	2	PA
philith 0.4-35 mg-mcg TABLET \$0	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0	1	
portia 28 0.15-0.03 mg TABLET \$0	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET	3	
PREMARIN 0.625 MG/GRAM CREAM	2	
PREMARIN 25 MG RECON SOLUTION	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET	3	
progesterone 50 mg/ml OIL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>progesterone micronized 100 mg INSERT</i>	1	
<i>progesterone micronized 100 mg, 200 mg CAPSULE</i>	1	
PROMETRIUM 100 MG, 200 MG CAPSULE	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET	3	
<i>raloxifene 60 mg TABLET \$0</i>	1	QL(30 per 30 days)
<i>reclipsen (28) 0.15-0.03 mg TABLET \$0</i>	1	
<i>rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH</i>	1	QL(91 per 90 days)
<i>rosyrah 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH</i>	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET	3	
<i>setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH \$0</i>	1	QL(91 per 90 days)
<i>sharobel 0.35 mg TABLET \$0</i>	1	
<i>simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0</i>	1	
<i>simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH \$0</i>	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET	3	
<i>sprintec (28) 0.25-0.035 mg TABLET \$0</i>	1	
<i>sronyx 0.1-20 mg-mcg TABLET \$0</i>	1	
<i>syeda 3-0.03 mg TABLET \$0</i>	1	
<i>tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET \$0</i>	1	
<i>tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0</i>	1	
<i>tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET \$0</i>	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE \$0	3	
TESTIM 50 MG/5 GRAM (1 %) GEL	3	PA,QL(300 per 30 days)
<i>testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET</i>	1	PA,QL(300 per 30 days)
<i>testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET</i>	1	PA,QL(37.5 per 30 days)
<i>testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET</i>	1	PA,QL(150 per 30 days)
<i>testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP</i>	1	PA,QL(120 per 30 days)
<i>testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP</i>	1	PA,QL(300 per 30 days)
<i>testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP</i>	1	PA,QL(150 per 30 days)
<i>testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP</i>	3	PA,QL(180 per 30 days)
<i>testosterone 50 mg/5 gram (1 %) GEL</i>	3	PA,QL(300 per 30 days)
<i>testosterone cypionate 100 mg/ml, 200 mg/ml OIL</i>	1	PA
<i>testosterone enanthate 200 mg/ml OIL</i>	1	PA,QL(25 per 90 days)
<i>tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET</i>	1	
TLANDO 112.5 MG CAPSULE	3	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-estarylla 0.18/0.215/0.25 mg-0.035mg (28) TABLET \$0	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET \$0	1	
tri-linyah 0.18/0.215/0.25 mg-0.035mg (28) TABLET \$0	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-0.025 mg TABLET \$0	1	
tri-lo-marzia 0.18/0.215/0.25 mg-0.025 mg TABLET \$0	1	
tri-lo-mili 0.18/0.215/0.25 mg-0.025 mg TABLET \$0	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-0.025 mg TABLET \$0	1	
tri-mili 0.18/0.215/0.25 mg-0.035mg (28) TABLET \$0	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-0.035mg (28) TABLET \$0	1	
tri-vylibra 0.18/0.215/0.25 mg-0.035mg (28) TABLET \$0	1	
tri-vylibra lo 0.18/0.215/0.25 mg-0.025 mg TABLET \$0	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET \$0	1	
tulana 0.35 mg TABLET \$0	1	
turqoz (28) 0.3-30 mg-mcg TABLET	1	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET	1	
UNDECATREX 200 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VAGIFEM 10 MCG TABLET	3	PA
valtya 1-35 mg-mcg TABLET \$0	1	
valtya 1-50 mg-mcg TABLET	1	
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET \$0	1	
vestura (28) 3-0.02 mg TABLET	1	
vienva 0.1-20 mg-mcg TABLET \$0	1	
violele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET \$0	1	
vyfemla (28) 0.4-35 mg-mcg TABLET \$0	1	
vylibra 0.25-0.035 mg TABLET \$0	1	
wera (28) 0.5-35 mg-mcg TABLET \$0	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>xarah fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET</i>	1	
<i>xelria fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET</i>	1	
<i>xulane 150-35 mcg/24 hr PATCH, WEEKLY \$0</i>	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET \$0	3	
YAZ (28) 3-0.02 MG TABLET	3	
<i>yuvafem 10 mcg TABLET</i>	1	
<i>zafemy 150-35 mcg/24 hr PATCH, WEEKLY \$0</i>	1	QL(3 per 28 days)
<i>zarah 3-0.03 mg TABLET \$0</i>	1	
<i>zovia 1-35 (28) 1-35 mg-mcg TABLET \$0</i>	1	
<i>zumandimine (28) 3-0.03 mg TABLET \$0</i>	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET	3	
ERMEZA 30 MCG/ML SOLUTION	3	PA
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET	2	
<i>levothyroxine 100 mcg RECON SOLUTION</i>	1	
<i>levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE</i>	1	
<i>levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET</i>	1	
<i>levothyroxine 100 mcg/ml SOLUTION</i>	4	
<i>levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET</i>	1	
<i>levothyroxine 20 mcg/ml, 40 mcg/ml SOLUTION</i>	1	
<i>levothyroxine 200 mcg, 500 mcg RECON SOLUTION DL</i>	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET	1	
<i>liomny 25 mcg, 5 mcg, 50 mcg TABLET</i>	1	
<i>liothyronine 10 mcg/ml SOLUTION</i>	1	
<i>liothyronine 25 mcg, 5 mcg, 50 mcg TABLET</i>	1	
<i>np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET</i>	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
THYQUIDITY 20 MCG/ML SOLUTION	3	PA
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION	3	PA
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)		
BYNFEZIA 7,000 MCG/2.8ML (2,500 MCG/ML) PEN INJECTOR DL	4	PA
<i>cabergoline 0.5 mg TABLET</i>	1	
CAMCEVI (6 MONTH) 42 MG SYRINGE	3	PA,QL(1 per 180 days)
ELIGARD 7.5 MG (1 MONTH) SYRINGE	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION	3	PA
<i>lanreotide 120 mg/0.5 ml SYRINGE DL</i>	4	PA,QL(0.5 per 28 days)
<i>lanreotide 60 mg/0.2 ml SYRINGE DL</i>	4	PA,QL(0.2 per 28 days)
<i>lanreotide 90 mg/0.3 ml SYRINGE DL</i>	4	PA,QL(0.3 per 28 days)
<i>leuprolide 1 mg/0.2 ml KIT</i>	1	
<i>leuprolide acetate (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION</i>	3	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT DL	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) KIT DL	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUTRATE DEPOT (3 MONTH) 22.5 MG SUSPENSION FOR RECONSTITUTION	3	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC DL	4	PA,QL(112 per 28 days)
MYFEMBREE 40-1-0.5 MG TABLET DL	4	PA,QL(28 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE	1	PA
octreotide,microspheres 10 mg, 20 mg, 30 mg SUSPENSION, ER, RECON DL	4	PA
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
ORLISSA 150 MG TABLET DL	4	PA,QL(28 per 28 days)
ORLISSA 200 MG TABLET DL	4	PA,QL(56 per 28 days)
PALSONIFY 20 MG TABLET DL	4	PA,QL(90 per 30 days)
PALSONIFY 30 MG TABLET DL	4	PA,QL(120 per 30 days)
RECORLEV 150 MG TABLET DL	4	PA,QL(240 per 30 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
VABRINTY (1 MONTH) 7.5 MG SYRINGE DL	4	PA
VABRINTY (3 MONTH) 22.5 MG SYRINGE	4	PA
VABRINTY (4 MONTH) 30 MG SYRINGE	4	PA
VABRINTY (6 MONTH) 45 MG SYRINGE	4	PA
ZOLADEX 10.8 MG IMPLANT	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT	3	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
<i>methimazole 10 mg, 5 mg TABLET</i>	1	
<i>propylthiouracil 50 mg TABLET</i>	1	
IMMUNOLOGICAL AGENTS		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ABRYSVO (PF) 120 MCG/0.5 ML RECON SOLUTION AV,DL	1	
ACTEMRA 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION AV,DL	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE AV,DL	1	
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AACF(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-AATY(CF) AI CROHNS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
ADALIMUMAB-ADAZ 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-BWWD 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-BWWD 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION DL	4	PA
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
ANDEMBRY AUTOINJECTOR 200 MG/1.2 ML AUTO-INJECTOR DL	4	PA
ARAVA 10 MG, 20 MG TABLET DL	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION DL	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
ASCENIV 10 % SOLUTION DL	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR.	3	BvsD
ATGAM 50 MG/ML SOLUTION DL	4	PA
<i>auranofin 3 mg CAPSULE</i> DL	4	PA
AVSOLA 100 MG RECON SOLUTION DL	4	PA
AVTOZMA 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
AVTOZMA AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
AZASAN 100 MG, 75 MG TABLET	1	BvsD
<i>azathioprine 100 mg, 50 mg, 75 mg TABLET</i>	1	BvsD
<i>azathioprine sodium 100 mg RECON SOLUTION</i>	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION AV,DL	1	
BENLYSTA 120 MG RECON SOLUTION DL	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR DL	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENLYSTA 400 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT DL	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION DL	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE AV,DL	1	
BIMZELX 160 MG/ML, 320 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML, 320 MG/2 ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
BIVIGAM 10 % SOLUTION DL	4	PA
BKEMV 300 MG/30 ML SOLUTION DL	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION AV,DL	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE AV,DL	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	BvsD
CELLCEPT 250 MG CAPSULE DL	4	BvsD
CELLCEPT 500 MG TABLET DL	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
CIMZIA 200 MG/ML SYRINGE KIT DL	4	PA,QL(6 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION DL	4	PA
COSENTYX 75 MG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION DL	4	PA
<i>cyclosporine 100 mg, 25 mg CAPSULE</i>	1	BvsD
<i>cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE</i>	1	BvsD
<i>cyclosporine modified 100 mg/ml SOLUTION</i>	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION DL	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION DL	1	
DAWNZERA 80 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(0.8 per 28 days)
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION DL	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
EKTERLY 300 MG TABLET DL	4	PA,QL(12 per 30 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION AV,DL	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE AV,DL	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
ENJAYMO 50 MG/ML SOLUTION DL	4	PA
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL	4	PA,QL(1.36 per 28 days)
ENVARUS XR 0.75 MG, 1 MG, 4 MG TABLET, ER 24 HR.	3	PA
EPYSQLI 300 MG/30 ML SOLUTION DL	4	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET</i>	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET DL</i>	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET DL</i>	4	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE DL	4	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE DL	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL	4	PA
GAMASTAN 15-18 % RANGE SOLUTION	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GAMIFANT 5 MG/ML SOLUTION DL	4	PA
GAMMAGARD LIQUID 10 % SOLUTION DL	4	PA
GAMMAGARD LIQUID ERC 10 % SOLUTION DL	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GAMMAPLEX 10 % SOLUTION DL	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION AV,DL	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE AV,DL	1	
<i>gengraf</i> 100 mg, 25 mg CAPSULE	1	BvsD
<i>gengraf</i> 100 mg/ml SOLUTION	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE AV,DL	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE DL	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION DL	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE DL	3	BvsD
HYRIMOZ 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
<i>icatibant</i> 30 mg/3 ml SYRINGE DL	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMAAVY 185 MG/ML SOLUTION DL	4	PA
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION DL	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION AV,DL	1	BvsD
IMULDOSA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
IMULDOSA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
IMULDOSA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
IMURAN 50 MG TABLET	3	BvsD
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFLECTRA 100 MG RECON SOLUTION DL	4	PA
INFLIXIMAB 100 MG RECON SOLUTION DL	4	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION AV,DL	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE AV,DL	1	
JYLAMVO 2 MG/ML SOLUTION	3	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION AV,DL	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE DL	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE DL	1	
<i>leflunomide 10 mg, 20 mg TABLET</i>	1	QL(30 per 30 days)
LEQSELVI 8 MG TABLET DL	4	PA,QL(60 per 30 days)
LITFULO 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
LUPKYNIS 7.9 MG CAPSULE DL	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION AV,DL	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION AV,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT AV,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION AV,DL	1	
<i>methotrexate sodium 2.5 mg TABLET</i>	1	BvsD
<i>methotrexate sodium 25 mg/ml SOLUTION</i>	1	
<i>methotrexate sodium (pf) 1 gram RECON SOLUTION</i>	1	
<i>methotrexate sodium (pf) 25 mg/ml SOLUTION</i>	1	
MONJUVI 200 MG RECON SOLUTION DL	4	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE AV,DL	1	
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i>	1	BvsD
<i>mycophenolate mofetil 250 mg CAPSULE</i>	1	BvsD
<i>mycophenolate mofetil 500 mg TABLET</i>	1	BvsD
<i>mycophenolate mofetil (hcl) 500 mg RECON SOLUTION</i>	1	BvsD
<i>mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC</i>	1	BvsD
MYFORTIC 180 MG, 360 MG TABLET, DR/EC	3	BvsD
MYHIBBIN 200 MG/ML SUSPENSION DL	4	BvsD
NEMLUVIO 30 MG PEN INJECTOR DL	4	PA,QL(2 per 28 days)
NEORAL 100 MG, 25 MG CAPSULE	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEORAL 100 MG/ML SOLUTION	3	BvsD
NIKTIMVO 50 MG/ML SOLUTION DL	4	PA
OCTAGAM 10 %, 5 % SOLUTION DL	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
OMVOH 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) SYRINGE DL	4	PA,QL(3 per 28 days)
OMVOH 200 MG/2 ML SYRINGE	4	PA,QL(3 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION DL	4	PA
OMVOH PEN 100 MG/ML, 200 MG/2 ML (100 MG/ML X 2), 300MG/3ML(100MG /ML-200 MG/2ML) PEN INJECTOR DL	4	PA,QL(3 per 28 days)
OMVOH PEN 200 MG/2 ML PEN INJECTOR	4	PA,QL(3 per 28 days)
ORENCIA 125 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE DL	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
ORLADEYO 108 MG, 132 MG, 72 MG, 96 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR	3	PA,QL(1.6 per 28 days)
OTULFI 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
OTULFI 45 MG/0.5 ML SOLUTION	2	PA,QL(1.5 per 84 days)
OTULFI 45 MG/0.5 ML SYRINGE	2	PA,QL(1.5 per 84 days)
OTULFI 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
PANZYGA 10 % SOLUTION DL	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE DL	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION DL	1	
PEGASYS 180 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION DL	4	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT AV,DL	1	
PENMENVY MEN A-B-C-W-Y (PF) 0.5 ML KIT AV,DL	1	
PENTACEL (PF) 15LF-20MCG-5LF- 62 DU/0.5 ML KIT DL	1	
PIASKY 340 MG/2 ML (170 MG/ML) SOLUTION DL	4	PA
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRIVIGEN 10 % SOLUTION DL	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION DL	1	
PYZCHIVA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
PYZCHIVA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
PYZCHIVA AUTOINJECTOR 45 MG/0.5 ML AUTO-INJECTOR DL	4	PA,QL(1.5 per 84 days)
PYZCHIVA AUTOINJECTOR 90 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 84 days)
QIVIGY 10 % SOLUTION DL	4	PA
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE DL	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION AV,DL	1	BvsD
RAPAMUNE 0.5 MG TABLET	3	BvsD
RAPAMUNE 1 MG, 2 MG TABLET DL	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION DL	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION AV,DL	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
REMICADE 100 MG RECON SOLUTION DL	4	PA
RENFLEXIS 100 MG RECON SOLUTION DL	4	PA
REZUROCK 200 MG TABLET DL	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RIDAURA 3 MG CAPSULE DL	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. DL	4	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION DL	4	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION DL	1	
ROTATEQ VACCINE 2 ML SOLUTION DL	1	
RUCONEST 2,100 UNIT RECON SOLUTION DL	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION DL	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(2 per 28 days)
SELARSDI 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
SELARSDI 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
SELARSDI 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
SELARSDI 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
SHINGRIX (PF) 50 MCG/0.5 ML SYRINGE AV,DL	1	
SILIQ 210 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
SIMLANDI(CF) 20 MG/0.2 ML, 40 MG/0.4 ML, 80 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR DL	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR DL	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION DL	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION DL	4	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET</i>	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION</i>	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(2 per 84 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(2 per 84 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(16.8 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SKYRIZI 60 MG/ML SOLUTION DL	4	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION DL	4	PA
SOTYKTU 6 MG TABLET DL	4	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML, 300 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION DL	4	PA,QL(30 per 84 days)
STARJEMZA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STARJEMZA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STARJEMZA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STARJEMZA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
STELARA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
STEQEYMA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STEQEYMA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STEQEYMA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STEQEYMA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION DL	4	PA
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE</i>	1	BvsD
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR.</i>	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 20 MG/0.25 ML SYRINGE DL	4	PA,QL(0.25 per 28 days)
TALTZ SYRINGE 40 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE AV,DL	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL	4	PA,QL(1.91 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE AV,DL	1	
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(3 per 84 days)
TREMFYA 200 MG/2 ML SYRINGE DL	4	PA,QL(4 per 28 days)
TREMFYA 200 MG/20 ML (10 MG/ML) SOLUTION DL	4	PA,QL(120 per 365 days)
TREMFYA ONE-PRESS 100 MG/ML AUTO-INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 100 MG/ML PEN INJECTOR	4	PA,QL(3 per 84 days)
TREMFYA PEN 200 MG/2 ML PEN INJECTOR DL	4	PA,QL(4 per 28 days)
TREMFYA PEN INDUCTION PK(2PEN) 200 MG/2 ML PEN INJECTOR DL	4	PA,QL(4 per 28 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE AV,DL	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE AV,DL	1	
TYENNE 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION AV,DL	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE AV,DL	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION DL	4	PA,QL(120 per 365 days)
USTEKINUMAB 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
USTEKINUMAB 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
USTEKINUMAB-AEKN 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-AEKN 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
USTEKINUMAB-TTWE 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
USTEKINUMAB-TTWE 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-TTWE 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
USTEKINUMAB-TTWE 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION DL	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE DL	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION AV,DL	1	
VAQTA (PF) 50 UNIT/ML SYRINGE AV,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION AV	1	
VELSIPIITY 2 MG TABLET DL	4	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION DL	4	PA
VIMKUNYA 40 MCG/0.8 ML SYRINGE AV,DL	1	
VIVOTIF 2 BILLION UNIT CAPSULE, DR/EC AV	1	
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET DL	4	PA,QL(180 per 30 days)
VOYXACT 400 MG/2 ML (200 MG/ML) SYRINGE DL	4	PA,QL(2 per 28 days)
WEZLANA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
WEZLANA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
WEZLANA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
WEZLANA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
XATMEP 2.5 MG/ML SOLUTION	3	PA
XELJANZ 1 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
XOLAIR 150 MG RECON SOLUTION DL	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR DL,LA	4	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA	4	PA,QL(4 per 28 days)
YESINTEK 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
YESINTEK 45 MG/0.5 ML SOLUTION	2	PA,QL(1.5 per 84 days)
YESINTEK 45 MG/0.5 ML SYRINGE	2	PA,QL(1.5 per 84 days)
YESINTEK 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
YIMMUGO 10 % SOLUTION DL	4	PA
YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE DL	4	PA
ZORTRESS 0.25 MG TABLET	3	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET DL	4	BvsD,QL(120 per 30 days)
ZORTRESS 0.75 MG, 1 MG TABLET DL	4	BvsD,QL(60 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT DL	4	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
APRISO 0.375 GRAM CAPSULE, ER 24 HR.	3	ST,QL(120 per 30 days)
AZULFIDINE 500 MG TABLET	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC	3	
<i>balsalazide 750 mg CAPSULE</i>	1	
<i>budesonide 2 mg/actuation FOAM</i>	1	PA
<i>budesonide 3 mg CAPSULE, DR/EC</i>	1	
<i>budesonide 9 mg TABLET, DR/ER DL</i>	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY DL	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE DL	4	PA
CORTENEMA 100 MG/60 ML ENEMA	3	
CORTIFOAM 10 % (80 MG) FOAM	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS)	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE DL	4	ST,QL(120 per 30 days)
<i>hydrocortisone 100 mg/60 ml ENEMA</i>	1	
LIALDA 1.2 GRAM TABLET, DR/EC	3	ST,QL(120 per 30 days)
<i>mesalamine 0.375 gram CAPSULE, ER 24 HR.</i>	1	QL(120 per 30 days)
<i>mesalamine 1,000 mg SUPPOSITORY</i>	1	QL(30 per 30 days)
<i>mesalamine 1.2 gram TABLET, DR/EC</i>	1	ST,QL(120 per 30 days)
<i>mesalamine 4 gram/60 ml ENEMA</i>	1	QL(1800 per 30 days)
<i>mesalamine 400 mg CAPSULE (WITH DR TABLETS)</i>	1	ST,QL(180 per 30 days)
<i>mesalamine 500 mg CAPSULE, ER</i>	1	ST,QL(300 per 30 days)
<i>mesalamine 800 mg TABLET, DR/EC</i>	1	ST,QL(180 per 30 days)
PENTASA 250 MG CAPSULE, ER	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER DL	4	ST,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROCTOFOAM HC 1-1 % FOAM	1	
ROWASA 4 GRAM/60 ML ENEMA	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA	3	QL(1800 per 30 days)
<i>sulfasalazine 500 mg TABLET</i>	1	
<i>sulfasalazine 500 mg TABLET, DR/EC</i>	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM	3	PA
UCERIS 9 MG TABLET, DR/ER	4	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET	3	PA,QL(4 per 28 days)
<i>alendronate 10 mg, 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>alendronate 35 mg TABLET</i>	1	QL(4 per 28 days)
<i>alendronate 70 mg TABLET</i>	1	QL(4 per 28 days)
<i>alendronate 70 mg/75 ml SOLUTION</i>	1	QL(300 per 28 days)
ADELVIA 35 MG TABLET, DR/EC	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT	3	ST,QL(4 per 28 days)
<i>calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL</i>	1	QL(3.7 per 28 days)
<i>calcitonin (salmon) 200 unit/ml SOLUTION DL</i>	4	
<i>calcitriol 0.25 mcg, 0.5 mcg CAPSULE</i>	1	
<i>calcitriol 1 mcg/ml SOLUTION</i>	1	
<i>cinacalcet 30 mg, 60 mg TABLET</i>	1	QL(60 per 30 days)
<i>cinacalcet 90 mg TABLET</i>	1	QL(120 per 30 days)
<i>doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE</i>	1	
<i>doxercalciferol 4 mcg/2 ml SOLUTION</i>	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (560MCG/2.24ML) PEN INJECTOR DL	4	PA,QL(2.24 per 28 days)
FOSAMAX 70 MG TABLET	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION	3	
<i>ibandronate 150 mg TABLET</i>	1	QL(1 per 28 days)
<i>ibandronate 3 mg/3 ml SOLUTION</i>	1	PA,QL(3 per 90 days)
<i>ibandronate 3 mg/3 ml SYRINGE</i>	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION</i>	1	QL(30 per 21 days)
<i>pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION</i>	1	QL(10 per 21 days)
<i>paricalcitol 1 mcg, 2 mcg, 4 mcg CAPSULE</i>	1	
<i>paricalcitol 2 mcg/ml SOLUTION</i>	1	QL(24 per 30 days)
<i>paricalcitol 5 mcg/ml SOLUTION</i>	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK	3	PA,QL(100 per 365 days)
<i>risedronate 150 mg TABLET</i>	1	QL(1 per 30 days)
<i>risedronate 30 mg, 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>risedronate 35 mg TABLET</i>	1	QL(4 per 28 days)
<i>risedronate 35 mg TABLET, DR/EC</i>	1	QL(4 per 28 days)
ROCALTROL 1 MCG/ML SOLUTION	3	
SENSIPAR 30 MG TABLET	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET DL	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET DL	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
YORVIPATH 168 MCG/0.56 ML PEN INJECTOR DL	4	PA,QL(1.12 per 28 days)
YORVIPATH 294 MCG/0.98 ML PEN INJECTOR DL	4	PA,QL(1.96 per 28 days)
YORVIPATH 420 MCG/1.4 ML PEN INJECTOR DL	4	PA,QL(2.8 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE	3	
ZEMPLAR 2 MCG/ML SOLUTION DL	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION DL	4	QL(48 per 28 days)
<i>zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK</i>	1	QL(300 per 21 days)
<i>zoledronic acid 4 mg RECON SOLUTION</i>	1	
<i>zoledronic acid 4 mg/5 ml SOLUTION</i>	1	QL(15 per 21 days)
<i>zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK</i>	1	QL(300 per 21 days)
<i>zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK</i>	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION	1	
acetic acid 0.25 % SOLUTION	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acetylcysteine 200 mg/ml (20 %) SOLUTION	1	
ADAKVEO 10 MG/ML SOLUTION DL	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED	1	
ALCOHOL PREP PADS PADS, MEDICATED	1	
ALCOHOL SWABS PADS, MEDICATED	1	
ALCOHOL WIPES PADS, MEDICATED	1	
AMMONUL 10-10 % SOLUTION DL	4	
AQNEURSA 1 GRAM GRANULES IN PACKET DL	4	PA,QL(112 per 28 days)
AUTOJECT 2 INJECTION DEVICE INSULIN PEN	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN	1	
AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE PDS	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE	1	
BD ALCOHOL SWABS PADS, MEDICATED	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE PDS	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE PDS	1	
BD INSULIN SYRINGE 1 ML 28 GAUGE X 1/2" SYRINGE PDS	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE PDS	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE PDS	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE PDS	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE PDS	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE PDS	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE PDS	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE PDS	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE PDS	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE PDS	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL	4	
BORDERED GAUZE 2 X 2 " BANDAGE	1	
BRINSUPRI 10 MG, 25 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>bupap</i> 50-300 mg TABLET	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod</i> 50-300-40-30 mg CAPSULE DL	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod</i> 50-325-40-30 mg CAPSULE DL	1	QL(360 per 30 days)
<i>butalbital-acetaminophen</i> 50-300 mg CAPSULE	1	QL(180 per 30 days)
<i>butalbital-acetaminophen</i> 50-300 mg, 50-325 mg TABLET	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff</i> 50-300-40 mg, 50-325-40 mg CAPSULE	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff</i> 50-325-40 mg TABLET	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff</i> 50-325-40 mg/15 ml SOLUTION DL	4	QL(450 per 30 days)
<i>butalbital-aspirin-caffeine</i> 50-325-40 mg CAPSULE	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine</i> 50-325-40 mg TABLET	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE DL	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLETT DL	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE DL	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLETT DL	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION	3	
<i>caffeine citrate</i> 60 mg/3 ml (20 mg/ml) SOLUTION	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED	1	
CEQR SIMPLICITY 2 UNIT DEVICE	2	
CEQR SIMPLICITY INSERTER MISCELLANEOUS	2	
CERVIDIL 10 MG INSERT, ER	3	
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE	3	QL(60 per 30 days)
COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE DL	3	PA,QL(60 per 30 days)
COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK DL	3	PA,QL(56 per 28 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION	3	
CURITY ALCOHOL SWABS PADS, MEDICATED	1	
CURITY GAUZE 2 X 2 " BANDAGE	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEFITELIO 80 MG/ML SOLUTION DL	4	PA
DERMACEA 2 X 2 " BANDAGE	1	
DROPLET INSULIN SYR(HALF UNIT) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE PDS	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE PDS	1	
DROPLET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE PDS	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE PDS	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 31 GAUGE X 5/32" NEEDLE PDS	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE	3	
<i>dyclopro 0.5 % SOLUTION</i>	1	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED	1	
EASYLIFE ALCOHOL PADS PADS, MEDICATED	1	
<i>edetate calcium disodium 200 mg/ml SOLUTION DL</i>	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL	4	PA,QL(160 per 28 days)
ENFLONIA 105 MG/0.7 ML SYRINGE	3	
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET DL	4	PA
ESGIC 50-325-40 MG CAPSULE	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
FILSUVEZ 10 % GEL DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>fioricet 50-300-40 mg CAPSULE</i>	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
<i>flumazenil 0.1 mg/ml SOLUTION</i>	1	
<i>fomepizole 1 gram/ml SOLUTION</i>	1	
FORZINITY 80 MG/ML SOLUTION DL	4	PA,QL(15 per 30 days)
GAUZE BANDAGE 2 X 2 " BANDAGE	1	
GAUZE PAD 2 X 2 " BANDAGE	1	
GIVLAARI 189 MG/ML SOLUTION DL	4	PA
IGALMI 120 MCG, 180 MCG FILM	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE PDS	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 27 GAUGE X 5/8", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" SYRINGE PDS	1	
INSULIN U-500 SYRINGE-NEEDLE 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
IV PREP WIPES PADS, MEDICATED	1	
JOURNAVX 50 MG TABLET	3	PA,QL(30 per 180 days)
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>lactated ringers SOLUTION</i>	1	
LITHOSTAT 250 MG TABLET	3	
<i>methylergonovine 0.2 mg TABLET DL</i>	4	
<i>methylergonovine 0.2 mg/ml (1 ml) SOLUTION</i>	1	
<i>mifepristone 300 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
MIRENA 21 MCG/24HR (UP TO 8 YRS) 52 MG IUD	2	
MODD1 PATIENT WELCOME KIT KIT	3	PA
MODD1 SUPPLY KIT COMBO PACK	3	PA
NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS	1	
NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS	1	
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION</i>	1	
<i>nitroglycerin 0.4 % (w/w) OINTMENT</i>	1	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN	1	
OMNIPOD 5 (G6/LIBRE 2 PLUS) CARTRIDGE	2	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE	2	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) CARTRIDGE	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE	2	
OMNIPOD GO PODS CARTRIDGE	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE	2	
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
<i>oxytocin 10 unit/ml SOLUTION</i>	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET	3	PA
PALFORZIA INITIAL (4-17 YRS) 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET	3	PA
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE PDS	1	
<i>phenazopyridine 100 mg, 200 mg TABLET</i>	1	
PHEXX 1.8-1-0.4 % GEL	3	QL(60 per 30 days)
PHEXXI 1.8-1-0.4 % GEL	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION	1	
PITOCIN 10 UNIT/ML SOLUTION	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED	1	
PRO-COMFORT ALCOHOL PADS PADS, MEDICATED	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP</i>	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i>	1	
<i>protamine 10 mg/ml SOLUTION</i>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED	1	
PYRIDIDIUM 100 MG, 200 MG TABLET	3	
QUTENZA 8 % KIT DL	4	PA
RECTIV 0.4 % (W/W) OINTMENT	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION	3	
REZDIFFRA 100 MG, 60 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>ribavirin 6 gram RECON SOLUTION DL</i>	4	BvsD
RIMSO-50 50 % SOLUTION DL	4	
<i>ringer's SOLUTION</i>	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE DL	4	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION DL	4	PA
SIKLOS 1,000 MG, 100 MG TABLET	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION DL</i>	4	
<i>sodium chloride 0.9 % SOLUTION</i>	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA
<i>sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION</i>	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
<i>tencon 50-325 mg TABLET</i>	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED	1	
ULTILET ALCOHOL SWAB PADS, MEDICATED	1	
ULTRA-FINE INS SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16" SYRINGE PDS	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULTRA-FINE INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16, 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS	1	
ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4" NEEDLE PDS	1	
V-GO 20 DEVICE	3	PA
V-GO 30 DEVICE	3	PA
V-GO 40 DEVICE	3	PA
VANRAFIA 0.75 MG TABLET DL	4	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL	4	PA,QL(10 per 28 days)
VYKAT XR 150 MG, 25 MG, 75 MG TABLET, ER 24 HR. DL	4	PA
<i>water for irrigation, sterile</i> SOLUTION	1	
WEBCOL PADS, MEDICATED	1	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR DL	4	PA
WEGOVY 1.5 MG, 25 MG, 4 MG, 9 MG TABLET DL	4	PA,QL(30 per 30 days)
XDEMVI 0.25 % DROPS	3	PA,QL(10 per 42 days)
XROMI 100 MG/ML SOLUTION DL	4	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR DL	4	PA
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR DL	4	PA
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML SOLUTION DL	4	PA
ZEPBOUND KWIKPEN 10 MG/0.6 ML (40 MG/2.4 ML), 12.5 MG/0.6 ML (50 MG/2.4 ML), 15 MG/0.6 ML (60 MG/2.4 ML), 2.5 MG/0.6 ML (10 MG/2.4 ML), 5 MG/0.6 ML (20 MG/2.4 ML), 7.5 MG/0.6 ML (30 MG/2.4 ML) PEN INJECTOR DL	3	PA,QL(2.4 per 28 days)
ZEVALIN (Y-90) 3.2 MG/2 ML KIT DL	4	PA
<i>zingiber 1.2 mg-40 mg- 124.1 mg-100 mg</i> TABLET	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALCAINE 0.5 % DROPS	1	
ALOMIDE 0.1 % DROPS	3	
ALPHAGAN P 0.1 %, 0.15 % DROPS	3	ST
ALREX 0.2 % DROPS, SUSPENSION	3	ST
<i>apraclonidine 0.5 % DROPS</i>	1	
<i>atropine 1 % DROPS</i>	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE	1	
AZASITE 1 % DROPS	3	ST,QL(2.5 per 25 days)
<i>azelastine 0.05 % DROPS</i>	1	
AZOPT 1 % DROPS, SUSPENSION	3	ST,QL(10 per 28 days)
<i>bacitracin 500 unit/gram OINTMENT</i>	1	
<i>bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT</i>	1	
<i>balanced salt SOLUTION</i>	1	
<i>bepotastine besilate 1.5 % DROPS</i>	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS	3	ST,QL(5 per 25 days)
<i>besifloxacin 0.6 % DROPS, SUSPENSION</i>	3	ST
BESIVANCE 0.6 % DROPS, SUSPENSION	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION	3	
<i>betaxolol 0.5 % DROPS</i>	1	
BETIMOL 0.25 %, 0.5 % DROPS	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION	3	ST
<i>bimatoprost 0.01 %, 0.03 % DROPS</i>	1	QL(2.5 per 25 days)
<i>brimonidine 0.1 %, 0.15 % DROPS</i>	1	ST
<i>brimonidine 0.2 % DROPS</i>	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i>	1	ST,QL(10 per 28 days)
<i>bromfenac 0.07 % DROPS</i>	1	ST,QL(3 per 30 days)
<i>bromfenac 0.075 % DROPS</i>	1	ST,QL(5 per 30 days)
<i>bromfenac 0.09 % DROPS</i>	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS	3	ST,QL(5 per 30 days)
BSS SOLUTION	3	
BSS PLUS SOLUTION	3	
BYQLOVI 0.05 % DROPS, SUSPENSION	3	ST
<i>carteolol 1 % DROPS</i>	1	
CEQUA 0.09 % DROPPERETTE	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CILOXAN 0.3 % OINTMENT	3	
<i>ciprofloxacin hcl 0.3 % DROPS</i>	1	
COMBIGAN 0.2-0.5 % DROPS	2	
COSOPT 22.3-6.8 MG/ML DROPS	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE	3	ST,QL(60 per 30 days)
<i>cromolyn 4 % DROPS</i>	1	
<i>cyclosporine 0.05 % DROPPERETTE</i>	1	QL(60 per 30 days)
CYSTADROPS 0.37 % DROPS DL	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS DL	4	PA,QL(60 per 28 days)
<i>dexamethasone sodium phosphate 0.1 % DROPS</i>	1	
DEXTENZA 0.4 MG INSERT	3	QL(1 per 30 days)
<i>diclofenac sodium 0.1 % DROPS</i>	1	
<i>difluprednate 0.05 % DROPS</i>	1	ST
<i>dorzolamide 2 % DROPS</i>	1	
<i>dorzolamide-timolol 22.3-6.8 mg/ml DROPS</i>	1	
<i>dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE</i>	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS	3	ST
DURYSTA 10 MCG IMPLANT DL	4	PA
ENSPRYNG 120 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
<i>epinastine 0.05 % DROPS</i>	1	QL(5 per 25 days)
<i>erythromycin 5 mg/gram (0.5 %) OINTMENT</i>	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION	3	ST
<i>fluorometholone 0.1 % DROPS, SUSPENSION</i>	1	
<i>flurbiprofen sodium 0.03 % DROPS</i>	1	
FML FORTE 0.25 % DROPS, SUSPENSION	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION	3	ST
<i>gatifloxacin 0.5 % DROPS</i>	1	QL(2.5 per 25 days)
<i>gentamicin 0.3 % DROPS</i>	1	
ILEVRO 0.3 % DROPS, SUSPENSION	2	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION	3	ST
IOPIDINE 1 % DROPPERETTE	3	
ISTALOL 0.5 % DROPS, ONCE DAILY	3	
IYUZEH (PF) 0.005 % DROPPERETTE	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ketorolac 0.4 %, 0.5 % DROPS</i>	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT	3	
<i>latanoprost 0.005 % DROPS</i>	1	QL(5 per 25 days)
<i>levobunolol 0.5 % DROPS</i>	1	
<i>levofloxacin 0.5 %, 1.5 % DROPS</i>	1	
LOTEMAX 0.5 % DROPS, GEL	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION	3	ST
LOTEMAX 0.5 % OINTMENT	3	ST
LOTEMAX SM 0.38 % DROPS, GEL	3	
<i>loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION</i>	1	
<i>loteprednol etabonate 0.5 % DROPS, GEL</i>	1	
LUMIGAN 0.01 % DROPS	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION	1	
<i>methazolamide 25 mg, 50 mg TABLET</i>	1	
MIEBO (PF) 100 % DROPS	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION	3	
<i>moxifloxacin 0.5 % DROPS</i>	1	
<i>moxifloxacin 0.5 % DROPS, VISCOUS</i>	1	ST
NATACYN 5 % DROPS, SUSPENSION	3	
<i>neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT</i>	1	
<i>neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i>	1	
<i>neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i>	1	
<i>neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT</i>	1	
<i>neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT</i>	1	
<i>neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION</i>	1	
<i>neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS</i>	1	
<i>neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION</i>	1	
NEVANAC 0.1 % DROPS, SUSPENSION	3	ST
OCUFLOX 0.3 % DROPS	3	
<i>ofloxacin 0.3 % DROPS</i>	1	
OXERVATE 0.002 % DROPS DL	4	PA,QL(56 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PHOSPHOLINE IODIDE 0.125 % DROPS	3	
<i>pilocarpine hcl 1 %, 1.25 %, 2 %, 4 % DROPS</i>	1	
<i>polycin 500-10,000 unit/gram OINTMENT</i>	1	
<i>polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS</i>	1	
PRED FORTE 1 % DROPS, SUSPENSION	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION	3	ST
<i>prednisolone acetate 1 % DROPS, SUSPENSION</i>	1	
<i>prednisolone sodium phosphate 1 % DROPS</i>	1	
PROLENSA 0.07 % DROPS	3	ST,QL(3 per 30 days)
<i>proparacaine 0.5 % DROPS</i>	1	
RESTASIS 0.05 % DROPPERETTE	3	PA,QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS	3	PA,QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS	2	ST
SIMBRINZA 1-0.2 % DROPS, SUSPENSION	3	
<i>sulfacetamide sodium 10 % DROPS</i>	1	
<i>sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS</i>	1	
<i>tafluprost (pf) 0.0015 % DROPPERETTE</i>	3	ST,QL(30 per 30 days)
<i>timolol 0.5 % DROPS</i>	1	
<i>timolol maleate 0.25 % DROPS</i>	1	
<i>timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION</i>	1	
<i>timolol maleate 0.5 % DROPS</i>	1	
<i>timolol maleate 0.5 % DROPS, ONCE DAILY</i>	1	
<i>timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE</i>	1	
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE	3	ST
TOBRADEX 0.3-0.1 % OINTMENT	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION	3	
<i>tobramycin 0.3 % DROPS</i>	1	
<i>tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i>	1	
<i>tobramycin-lotepred 0.3-0.5 % DROPS, SUSPENSION</i>	1	
TOBREX 0.3 % OINTMENT	3	
TRAVATAN Z 0.004 % DROPS	3	ST,QL(2.5 per 25 days)
<i>travoprost 0.004 % DROPS</i>	1	QL(2.5 per 25 days)
<i>trifluridine 1 % DROPS</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRYPTYR 0.003 % DROPPERETTE	3	PA,QL(60 per 30 days)
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE DL	4	PA,QL(120 per 30 days)
VEVYE 0.1 % DROPS	3	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS	3	PA
VUITY 1.25 % DROPS	3	
VYZULTA 0.024 % DROPS	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE	3	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE	3	ST,QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION	3	
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION	3	
<i>ciprofloxacin hcl 0.2 % DROPPERETTE</i>	1	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i>	3	QL(7.5 per 30 days)
<i>ciprofloxacin-hydrocortisone 0.2-1 % DROPS, SUSPENSION</i>	1	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION	3	
DERMOTIC OIL 0.01 % DROPS	3	
<i>flac otic oil 0.01 % DROPS</i>	1	
<i>fluocinolone acetonide oil 0.01 % DROPS</i>	1	
<i>hydrocortisone-acetic acid 1-2 % DROPS</i>	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION</i>	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION</i>	1	
<i>ofloxacin 0.3 % DROPS</i>	1	
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET	3	PA,QL(60 per 30 days)
<i>acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION</i>	1	BvsD
ADCIRCA 20 MG TABLET DL	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER	2	QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/0.5 ml SOLUTION FOR NEBULIZATION	1	BvsD
albuterol sulfate 2 mg, 4 mg TABLET	1	
albuterol sulfate 2 mg/5 ml SYRUP	1	
albuterol sulfate 2.5 mg /3 ml (0.083 %) SOLUTION FOR NEBULIZATION	1	BvsD
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(18.3 per 28 days)
ALYFTREK 10-50-125 MG TABLET DL	4	PA,QL(56 per 28 days)
ALYFTREK 4-20-50 MG TABLET DL	4	PA,QL(84 per 28 days)
alyq 20 mg TABLET	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET DL	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV.	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER	3	PA,QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL	1	ST,QL(23 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>beclomethasone dipropionate 40 mcg/actuation AEROSOL</i>	1	ST,QL(8.7 per 30 days)
<i>beclomethasone dipropionate 80 mcg/actuation AEROSOL</i>	1	ST,QL(17.4 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER	3	PA,QL(10.7 per 30 days)
<i>bosentan 125 mg, 62.5 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
<i>bosentan 32 mg TABLET FOR SUSPENSION DL</i>	4	PA,QL(120 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE BLISTER WITH DEVICE	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
<i>budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION</i>	1	BvsD
<i>carbinoxamine maleate 4 mg TABLET</i>	1	
<i>carbinoxamine maleate 4 mg/5 ml LIQUID</i>	1	
<i>carbinoxamine maleate 4 mg/5 ml SUSPENSION, ER 12 HR.</i>	4	
<i>carbinoxamine maleate 6 mg TABLET DL</i>	4	QL(120 per 30 days)
<i>carbzah 4 mg/5 ml LIQUID DL</i>	4	
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(84 per 28 days)
<i>cetirizine 1 mg/ml SOLUTION</i>	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION DL	4	PA
CLARINEX 5 MG TABLET	3	PA,QL(30 per 30 days)
<i>clemastine 0.5 mg/5 ml SYRUP DL</i>	4	PA,QL(1800 per 30 days)
<i>clemastine 2.68 mg TABLET</i>	1	
<i>clemasz 2.68 mg TABLET</i>	1	
<i>clemsza 2.68 mg TABLET DL</i>	4	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST	3	QL(4 per 20 days)
<i>corphena 2 mg/5 ml SOLUTION DL</i>	4	
<i>cromolyn 100 mg/5 ml CONCENTRATE</i>	1	
<i>cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION</i>	1	BvsD
<i>cyproheptadine 2 mg/5 ml SYRUP</i>	1	
<i>cyproheptadine 4 mg TABLET</i>	1	
DALIRESP 250 MCG TABLET	3	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET	3	PA,QL(30 per 30 days)
<i>desloratadine 0.5 mg/ml SOLUTION DL</i>	4	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING</i>	1	QL(30 per 30 days)
<i>desloratadine 5 mg TABLET</i>	1	QL(30 per 30 days)
<i>dexchlorpheniramine maleate 2 mg/5 ml SOLUTION</i>	1	
DIPHEN 12.5 MG/5 ML ELIXIR	1	
<i>diphen 12.5 mg/5 ml ELIXIR</i>	1	
<i>diphenhydramine hcl 12.5 mg/5 ml ELIXIR</i>	1	
<i>diphenhydramine hcl 50 mg/ml SOLUTION</i>	1	
<i>diphenhydramine hcl 50 mg/ml SYRINGE</i>	1	
DOPRAM 20 MG/ML SOLUTION	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR	1	
<i>epinephrine 0.1 mg/ml SYRINGE</i>	3	
<i>epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR</i>	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR	3	PA,QL(4 per 30 days)
<i>epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL</i>	4	PA
ESBRIET 267 MG CAPSULE DL	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET DL	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET DL	4	PA,QL(90 per 30 days)
EXDENSUR 100 MG/ML SYRINGE DL	4	PA,QL(1 per 180 days)
FASENRA 10 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE DL	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL	4	PA,QL(1 per 28 days)
<i>flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL</i>	1	QL(50 per 30 days)
<i>fluticasone propion-salmeterol 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE</i>	1	QL(60 per 30 days)
<i>fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV.</i>	3	ST,QL(1 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE	3	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 25 mg, 50 mg CAPSULE	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION	1	BvsD
ipratropium bromide 17 mcg/actuation HFA AEROSOL INHALER	1	PA,QL(25.8 per 30 days)
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION	1	BvsD
JASCAYD 18 MG, 9 MG TABLET DL	4	PA,QL(60 per 30 days)
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR.	4	
LETAIRIS 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL	4	PA,QL(180 per 30 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL	1	QL(34 per 30 days)
montelukast 10 mg TABLET	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET	1	QL(30 per 30 days)
NEFFY 1 MG/SPRAY (0.1 ML), 2 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	PA,QL(4 per 30 days)
nintedanib 100 mg, 150 mg CAPSULE DL,LA	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUCALA 100 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL,LA	4	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
<i>olopatadine 0.6 % SPRAY, NON-AEROSOL</i>	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET DL	4	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET DL	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL	4	PA,QL(112 per 28 days)
PERFORMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
<i>pirfenidone 267 mg CAPSULE DL</i>	4	PA,QL(270 per 30 days)
<i>pirfenidone 267 mg TABLET DL</i>	4	PA,QL(270 per 30 days)
<i>pirfenidone 534 mg, 801 mg TABLET DL</i>	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(2 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(2 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION DL	4	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION	3	
QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED	3	ST,QL(10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET	3	PA,QL(30 per 30 days)
REMODULIN 0.4 MG/ML, 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(720 per 30 days)
REVATIO 20 MG TABLET DL	4	PA,QL(360 per 30 days)
<i>roflumilast 250 mcg TABLET</i>	1	QL(28 per 365 days)
<i>roflumilast 500 mcg TABLET</i>	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION	1	
RYVENT 6 MG TABLET	1	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE	3	PA,QL(60 per 30 days)
<i>sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION</i>	3	PA,QL(720 per 30 days)
<i>sildenafil (pulm.hypertension) 20 mg TABLET</i>	1	PA,QL(360 per 30 days)
SINGULAIR 10 MG TABLET	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER	2	QL(30.6 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
<i>tadalafil (pulm. hypertension) 20 mg TABLET</i>	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL	4	PA,QL(300 per 30 days)
<i>terbutaline 1 mg/ml SOLUTION</i>	1	
<i>terbutaline 2.5 mg, 5 mg TABLET</i>	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR.	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR.</i>	1	
<i>theophylline 400 mg, 600 mg TABLET, ER 24 HR.</i>	1	
<i>theophylline 80 mg/15 ml ELIXIR</i>	1	
<i>theophylline 80 mg/15 ml SOLUTION</i>	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET DL	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION DL	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION DL</i>	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV.	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL	4	PA,QL(252 per 28 days)
TYVASO DPI 32-64 MCG, 48-64 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(224 per 28 days)
TYVASO DPI 80 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(112 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
<i>umeclidinium 62.5 mcg/actuation BLISTER WITH DEVICE</i>	3	PA,QL(30 per 30 days)
<i>umeclidinium-vilanterol 62.5-25 mcg/actuation BLISTER WITH DEVICE</i>	3	PA,QL(60 per 30 days)
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER	2	QL(36 per 30 days)
VISTARIL 25 MG CAPSULE	3	
WINREVAIR 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) KIT DL	4	PA
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
YUTREPIA 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG CAPSULE, W/INHALATION DEVICE DL	4	PA
zafirlukast 10 mg, 20 mg TABLET	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE DL	4	QL(120 per 30 days)
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
ATMEKSI 750 MG/5 ML SUSPENSION DL	4	PA
carisoprodol 250 mg TABLET	1	ST,QL(120 per 30 days)
carisoprodol 350 mg TABLET	1	QL(120 per 30 days)
chlorzoxazone 250 mg TABLET DL	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR.	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET	1	ST,QL(90 per 30 days)
metaxalone 400 mg, 800 mg TABLET	1	ST,QL(120 per 30 days)
METAXALONE 640 MG TABLET DL	4	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET DL	4	PA
methocarbamol 100 mg/ml SOLUTION	1	
methocarbamol 500 mg, 750 mg TABLET	1	
norgesic 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER	1	
orphenadrine citrate 30 mg/ml SOLUTION	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>orphenadrine-asa-caffeine 25-385-30 mg TABLET DL</i>	4	PA,QL(240 per 30 days)
<i>orphengesic forte 50-770-60 mg TABLET DL</i>	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SOMA 250 MG, 350 MG TABLET DL	4	ST,QL(120 per 30 days)
<i>tanlor 1,000 mg TABLET DL</i>	4	PA
TONMYA 2.8 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE	3	PA,QL(30 per 30 days)
<i>armodafinil 150 mg, 200 mg, 250 mg TABLET</i>	1	PA,QL(30 per 30 days)
<i>armodafinil 50 mg TABLET</i>	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET	3	PA,QL(30 per 30 days)
<i>doxepin 3 mg, 6 mg TABLET</i>	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET	3	
EDLUAR 5 MG SUBLINGUAL TABLET	3	QL(30 per 30 days)
<i>estazolam 1 mg, 2 mg TABLET DL</i>	1	QL(30 per 30 days)
<i>eszopiclone 1 mg, 2 mg, 3 mg TABLET</i>	1	QL(30 per 30 days)
<i>flurazepam 15 mg CAPSULE DL</i>	1	QL(60 per 30 days)
<i>flurazepam 30 mg CAPSULE DL</i>	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL	4	PA,QL(30 per 30 days)
LUMRYZ STARTER PACK 4.5-6-7.5 GRAM GRANULES ER PACKET, DOSE PACK DL	4	PA,QL(28 per 28 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET	3	PA,QL(30 per 30 days)
<i>modafinil 100 mg, 200 mg TABLET</i>	1	QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET DL	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET DL	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET	3	ST,QL(30 per 30 days)
<i>ramelteon 8 mg TABLET</i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET	3	QL(30 per 30 days)
<i>sodium oxybate</i> 500 mg/ml SOLUTION DL	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET	3	PA,QL(30 per 30 days)
<i>tasimelteon</i> 20 mg CAPSULE DL	4	PA,QL(30 per 30 days)
<i>temazepam</i> 15 mg, 22.5 mg, 7.5 mg CAPSULE DL	1	QL(30 per 30 days)
<i>temazepam</i> 30 mg CAPSULE DL	1	QL(30 per 30 days)
<i>triazolam</i> 0.125 mg, 0.25 mg TABLET DL	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET DL	4	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION DL	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION DL	4	PA,QL(540 per 30 days)
<i>zaleplon</i> 10 mg, 5 mg CAPSULE	1	QL(30 per 30 days)
<i>zolpidem</i> 1.75 mg, 3.5 mg SUBLINGUAL TABLET	1	QL(30 per 30 days)
<i>zolpidem</i> 10 mg, 5 mg TABLET	1	QL(30 per 30 days)
<i>zolpidem</i> 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

PEEHIP Humana Group Medicare Advantage Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Cough/Cold		
<i>benzonatate 100 mg, 200 mg CAPSULE</i>	1	
<i>bromfed dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>HYCODAN 5-1.5 MG/5 ML (5 ML) SOLUTION</i>	1	
<i>HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET</i>	1	
<i>HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SOLUTION</i>	1	
<i>hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg TABLET</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg/5 ml SOLUTION</i>	1	
<i>hydromet 5-1.5 mg/5 ml SOLUTION</i>	1	
<i>promethazine-codeine 6.25-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-dm 6.25-15 mg/5 ml SOLUTION</i>	1	
<i>RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.</i>	3	
<i>TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.</i>	3	
Dental		
<i>CLINPRO 5000 1.1 % PASTE</i>	3	
<i>denta 5000 plus 1.1 % CREAM</i>	3	
<i>denta 5000 plus sensitive 1.1-5 % PASTE</i>	3	
<i>dentagel 1.1 % GEL</i>	3	
<i>fluoride (sodium) 0.2 % SOLUTION</i>	1	
<i>fluoride (sodium) 1.1 % CREAM</i>	1	
<i>fluoride (sodium) 1.1 % GEL</i>	1	

Your PEEHIP Humana Group Medicare Advantage Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Dental		
<i>fluoride (sodium) 1.1 % PASTE</i>	1	
<i>fraiche 5000 1.1 % GEL</i>	3	
PREVIDENT 0.2 % SOLUTION	3	
<i>prevident 1.1 % GEL</i>	3	
PREVIDENT 5000 BOOSTER PLUS 1.1 % PASTE	3	
PREVIDENT 5000 DRY MOUTH 1.1 % PASTE	3	
PREVIDENT 5000 ENAMEL PROTECT 1.1-5 % PASTE	3	
PREVIDENT 5000 ORTHO DEFENSE 1.1 % PASTE	3	
PREVIDENT 5000 PLUS 1.1 % CREAM	3	
PREVIDENT 5000 SENSITIVE 1.1-5 % PASTE	3	
PREVIDENT KIDS 1.1 % PASTE	3	
<i>sf 1.1 % GEL</i>	1	
<i>sf 5000 plus 1.1 % CREAM</i>	1	
<i>sodium fluoride 5000 dry mouth 1.1 % PASTE</i>	1	
<i>sodium fluoride 5000 plus 1.1 % CREAM</i>	1	
<i>sodium fluoride-pot nitrate 1.1-5 % PASTE</i>	1	
Fertility		
<i>cetorelix 0.25 mg KIT</i>	1	
CETROTIDE 0.25 MG KIT	3	
<i>clomid 50 mg TABLET</i>	1	
<i>clomiphene citrate 50 mg TABLET</i>	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
<i>fyremadel 250 mcg/0.5 ml SYRINGE</i>	1	
<i>ganirelix 250 mcg/0.5 ml SYRINGE</i>	3	

Your PEEHIP Humana Group Medicare Advantage Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Fertility		
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300 UNIT/0.48 ML, 450 UNIT/0.72 ML, 900 UNIT/1.44 ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
<i>milophene 50 mg TABLET</i>	1	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	
Senior Care		
ADTHYZA 130 MG, 16.25 MG, 32.5 MG, 65 MG, 97.5 MG TABLET	3	
ANASPAZ 0.125 MG TABLET, DISINTEGRATING	3	
<i>anucort-hc 25 mg SUPPOSITORY</i>	1	
<i>anusol-hc 25 mg SUPPOSITORY</i>	1	
<i>ed-spaz 0.125 mg TABLET, DISINTEGRATING</i>	1	
<i>hemmorex-hc 25 mg, 30 mg SUPPOSITORY</i>	1	
<i>hydrocortisone acetate 25 mg, 30 mg SUPPOSITORY</i>	1	
<i>hyoscyamine sulfate 0.125 mg SUBLINGUAL TABLET</i>	1	
<i>hyoscyamine sulfate 0.125 mg TABLET</i>	1	
<i>hyoscyamine sulfate 0.125 mg TABLET, DISINTEGRATING</i>	1	
<i>hyoscyamine sulfate 0.125 mg/5 ml ELIXIR</i>	1	
<i>hyoscyamine sulfate 0.125 mg/ml DROPS</i>	1	
<i>hyoscyamine sulfate 0.375 mg TABLET, ER 12 HR.</i>	1	
<i>hyoscyamine sulfate 0.5 mg/ml SOLUTION</i>	1	
<i>hyosyne 0.125 mg/5 ml ELIXIR</i>	1	
<i>hyosyne 0.125 mg/ml DROPS</i>	1	
LEVBIID 0.375 MG TABLET, ER 12 HR.	3	

Your PEEHIP Humana Group Medicare Advantage Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 - Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Senior Care		
LEVSIN 0.125 MG TABLET	3	
LEVSIN/SL 0.125 MG SUBLINGUAL TABLET	3	
<i>lidocaine hcl-hydrocortison ac 3-0.5 % CREAM</i>	1	
<i>lidocaine hcl-hydrocortison ac 3-0.5 % KIT</i>	1	
<i>rulev 0.125 mg TABLET, DISINTEGRATING</i>	1	
<i>oscimin 0.125 mg TABLET</i>	1	
<i>oscimin sl 0.125 mg SUBLINGUAL TABLET</i>	1	
PROCTOCORT 30 MG SUPPOSITORY	3	
SYMAX DUOTAB 0.125 MG-0.25 MG (0.375 MG) TABLET, ER MULTIPHASE	1	
<i>symax fastabs 0.125 mg TABLET, DISINTEGRATING</i>	1	
<i>symax-sl 0.125 mg SUBLINGUAL TABLET</i>	1	
<i>symax-sr 0.375 mg TABLET, ER 12 HR.</i>	1	
VENELEX OINTMENT	3	
VENELEX OINTMENT IN PACKET	3	
Vitamins/Minerals		
<i>ascorbic acid (vitamin c) 500 mg/ml SOLUTION</i>	1	
<i>b complex 100 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>b-complex injection 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL</i>	1	
<i>dodex 1,000 mcg/ml SOLUTION</i>	1	
<i>ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>folic acid 1 mg TABLET</i>	1	
<i>folic acid 5 mg/ml SOLUTION</i>	1	

Your PEEHIP Humana Group Medicare Advantage Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 – Preventative

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
Vitamins/Minerals		
<i>hydroxocobalamin 1,000 mcg/ml SOLUTION</i>	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE</i>	1	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION</i>	1	
<i>phytonadione (vitamin k1) 5 mg TABLET</i>	1	
<i>pyridoxine (vitamin b6) 100 mg/ml SOLUTION</i>	1	
<i>thiamine hcl (vitamin b1) 100 mg/ml SOLUTION</i>	1	
<i>vitamin d2 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>vitamin k 1 mg/0.5 ml SOLUTION</i>	1	
<i>vitamin k1 10 mg/ml SOLUTION</i>	1	

Your PEEHIP Humana Group Medicare Advantage Plan has additional coverage for some drugs that are not normally covered under Medicare Part D. Guidelines that apply to these drugs include: they are not subject to the Medicare appeals process and your member cost share does not apply to your annual maximum out-of-pocket (MOOP) spend.

AV - ACIP Covered Part D vaccines • BvsD - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy • \$0 – Preventative

Index

A

- abacavir-lamivudine... 72
abacavir... 72
ABELCET... 43
abigale lo... 138
abigale... 138
ABILIFY ASIMTUFIG... 67
ABILIFY MAINTENANCE... 67
ABILIFY MYCITE MAINTENANCE KIT... 67
ABILIFY MYCITE STARTER KIT... 67
ABILIFY... 67
abiraterone... 49
abirtega... 49
ABRAXANE... 49
ABRILADA(CF) PEN... 151
ABRILADA(CF)... 151
ABRYSVO (PF)... 151
ABSORICA LD... 110
ABSORICA... 110
acamprosate... 20
ACANYA... 110
acarbose... 79
ACCOLATE... 178
ACCUPRIL... 89
ACCURETIC... 89
accutane... 110
acebutolol... 89
ACETADOTE... 166
acetaminophen-caff-dihydrocod... 11
acetaminophen-codeine... 11
acetaminophen... 166
acetazolamide sodium... 89
acetazolamide... 89
acetic acid... 21, 166
acetylcysteine... 167, 178
ACIPHEX SPRINKLE... 125
ACIPHEX... 125
acitretin... 110
ACTEMRA ACTPEN... 151
ACTEMRA... 151
ACTHAR SELFJECT... 135
ACTHAR... 135
ACTHIB (PF)... 151
ACTIMMUNE... 151
ACTIVELLA... 138
ACTONEL... 165
ACTOPLUS MET... 79
ACTOS... 79
ACULAR LS... 173
ACULAR... 173
ACUVAIL (PF)... 173
acyclovir sodium... 72
acyclovir... 72
ACZONE... 110
ADACEL(TDAP ADOLESN/ADULT)(PF)... 151
ADAKVEO... 167
ADALIMUMAB-AACF(CF) PEN CROHNS... 151
ADALIMUMAB-AACF(CF) PEN PS-UV... 151
ADALIMUMAB-AACF... 151
ADALIMUMAB-AATY(CF) AI CROHNS... 151
ADALIMUMAB-AATY... 151
ADALIMUMAB-ADAZ... 151
ADALIMUMAB-ADBM(CF) PEN CROHNS... 151
ADALIMUMAB-ADBM(CF) PEN PS-UV... 152
ADALIMUMAB-ADBM... 151
ADALIMUMAB-BWWD... 152
ADALIMUMAB-FKJP... 152
ADALIMUMAB-RYVK... 152
adapalene-benzoyl peroxide... 110
adapalene... 110
ADBRY... 110
ADCETRIS... 49
ADCIRCA... 178
ADDERALL XR... 103
ADDERALL... 103
adefovir... 72
ADEMPAS... 178
adenosine... 89
ADLARITY... 37
ADMELOG SOLOSTAR U-100 INSULIN... 79
ADMELOG U-100 INSULIN LISPRO... 79
ADRENALIN IN 0.9 % SOD CHLOR... 89
ADRENALIN... 178
ADRIAMYCIN... 49
adrucil... 49
ADSTILADRIN... 167
ADTHYZA... 191
ADVAIR DISKUS... 178

ADVAIR HFA... 179
 ADZENYS XR-ODT... 103
 ADZYNMA... 85
 AEMCOLO... 125
 AFINITOR DISPERZ... 49
 AFINITOR... 49
 afirmelle... 138
 AFREZZA... 79
 AGAMREE... 135
 AGGRASTAT CONCENTRATE... 85
 AGGRASTAT IN SODIUM CHLORIDE... 85
 AGRYLIN... 85
 AIMOVIG AUTOINJECTOR... 46
 AIRDUO DIGIHALER... 179
 AIRDUO RESPICLICK... 179
 AIRSUPRA... 179
 AJOVY AUTOINJECTOR... 46
 AJOVY SYRINGE... 46
 AKEEGA... 49
 AKLIEF... 110
 AKYNZEO (FOSNETUPITANT)... 41
 AKYNZEO (NETUPITANT)... 41
 ALA-CORT... 110
 ALA-SCALP... 111
 albendazole... 64
 albuterol sulfate... 179
 ALCAINE... 174
 alclometasone... 111
 ALCOHOL PADS... 167
 ALCOHOL PREP PADS... 167
 ALCOHOL SWABS... 167
 ALCOHOL WIPES... 167
 ALDACTONE... 89
 ALDURAZYME... 130
 ALECENSA... 49
 alendronate... 165
 alfuzosin... 133
 ALIMTA... 49
 ALIQOPA... 49
 aliskiren... 90
 ALKINDI SPRINKLE... 135
 allopurinol sodium... 46
 allopurinol... 46
 almotriptan malate... 46
 ALOMIDE... 174
 ALOPRIM... 46
 alosetron... 125
 ALPHAGAN P... 174
 alprazolam intensol... 78
 alprazolam... 77, 78
 ALREX... 174
 ALTABAX... 111
 ALTACE... 90
 altavera (28)... 138
 ALTOPREV... 90
 ALTRENO... 111
 ALUNBRIG... 49
 ALVAIZ... 85
 ALVESCO... 179
 alyacen 1/35 (28)... 138
 alyacen 7/7/7 (28)... 138
 ALYFTREK... 179
 ALYGLO... 152
 ALYMSYS... 49
 alyq... 179
 amantadine hcl... 65
 AMBIEN CR... 187
 AMBIEN... 187
 AMBISOME... 43
 ambrisentan... 179
 amcinonide... 111
 amethia... 138
 amethyst (28)... 139
 amikacin... 21
 amiloride-hydrochlorothiazide... 90
 amiloride... 90
 aminocaproic acid... 85
 aminophylline... 179
 AMINOSYN II 10 %... 119
 AMINOSYN II 15 %... 119
 AMINOSYN-PF 10 %... 119
 AMINOSYN-PF 7 % (SULFITE-FREE)... 119
 amiodarone... 90
 AMITIZA... 126
 amitriptyline-chlordiazepoxide... 38
 amitriptyline... 38
 AMJEVITA(CF) AUTOINJECTOR... 152
 AMJEVITA(CF)... 152
 amlodipine-atorvastatin... 90
 amlodipine-benazepril... 90
 amlodipine-olmesartan... 90
 amlodipine-valsartan-hcthiazid... 90
 amlodipine-valsartan... 90
 amlodipine... 90
 ammonium lactate... 111
 AMMONUL... 167
 amnesteem... 111
 amoxapine... 38
 amoxicil-clarithromy-lansopraz... 126
 amoxicillin-pot clavulanate... 21, 22

amoxicillin... 21	apomorphine... 65	ARTHROTEC 50... 11
amphetamine sulfate... 103	APONVIE... 41	ARTHROTEC 75... 11
amphetamine... 103	apraclonidine... 174	ARYNTA... 103
amphotericin b liposome... 43	aprepitant... 41	ASCENIV... 152
amphotericin b... 43	apri... 139	ascomp with codeine... 11
ampicillin sodium... 22	APRISO... 164	ascorbic acid (vitamin c)... 192
ampicillin-sulbactam... 22	APTENSIO XR... 103	asenapine maleate... 68
ampicillin... 22	APTIOM... 31	ashlyna... 139
AMPYRA... 103	APTIVUS... 73	ASMANEX HFA... 179
AMRIX... 186	AQNEURSA... 167	ASMANEX TWISTHALER... 179
AMVUTTRA... 130	AQVESME... 130	ASPARLAS... 50
AMZEEQ... 111	ARALAST NP... 130	aspirin-dipyridamole... 86
ANAFRANIL... 38	aranelle (28)... 139	ASPRUZYO SPRINKLE... 90
anagrelide... 85	ARANESP (IN POLYSORBATE)... 85	ASTAGRAF XL... 152
ANASPAZ... 191	ARAVA... 152	ATACAND HCT... 90
anastrozole... 49	ARAZLO... 111	ATACAND... 90
ANCOBON... 43	ARBLI... 90	atazanavir... 73
ANDEMBRY AUTOINJECTOR... 152	ARCALYST... 152	ATELVIA... 165
ANDROGEL... 139	AREXVY (PF)... 152	atenolol-chlorthalidone... 90
ANGELIQ... 139	arformoterol... 179	atenolol... 90
ANKTIVA... 49	ARICEPT... 37	ATGAM... 152
ANNOVERA... 139	ARIKAYCE... 22	ATIVAN... 78
ANORO ELLIPTA... 179	ARIMIDEX... 49	ATMEKSI... 186
ANTIVERT... 41	aripiprazole... 67	atomoxetine... 103
anucort-hc... 191	ARISTADA INITIO... 68	ATORVALIQ... 90
anusol-hc... 111, 191	ARISTADA... 67, 68	atorvastatin... 90
ANZEMET... 41	ARIXTRA... 85, 86	atovaquone-proguanil... 64
ANZUPGO... 111	armodafinil... 187	atovaquone... 64
APADAZ... 11	ARMONAIR DIGIHALER... 179	ATRALIN... 111
apexicon e... 111	ARMOUR THYROID... 148	ATRIPLA... 73
APIDRA SOLOSTAR U-100 INSULIN... 79	ARNUITY ELLIPTA... 179	ATROPINE SULFATE (PF)... 174
APIDRA U-100 INSULIN... 79	AROMASIN... 49	atropine... 126, 174
APLENZIN... 38	ARRANON... 49	ATROVENT HFA... 179
APOKYN... 65	arsenic trioxide... 49	ATTRUBY... 130

AUBAGIO... 104	AVMAPKI-FAKZYNJA... 50	bacitracin... 22, 174
aubra eq... 139	AVODART... 133	baclofen... 71, 72
aubra... 139	AVONEX... 104	BACTRIM DS... 22
AUGMENTIN ES-600... 22	AVSOLA... 152	BACTRIM... 22
AUGMENTIN... 22	AVTOZMA AUTOINJECTOR... 152	BAFIERTAM... 104
AUGTYRO... 50	AVTOZMA... 152	bal-care dha... 119
auranofin... 152	AVYCAZ... 22	balanced salt... 174
aurovela 1.5/30 (21)... 139	AXTLE... 50	BALCOLTRA... 139
aurovela 1/20 (21)... 139	ayuna... 139	balsalazide... 164
aurovela 24 fe... 139	AYVAKIT... 50	BALVERSA... 50
aurovela fe 1-20 (28)... 139	azacitidine... 50	balziva (28)... 139
aurovela fe 1.5/30 (28)... 139	AZACTAM... 22	BAND-AID GAUZE PADS... 167
AUSTEDO XR TITRATION KT(WK1-4)... 104	AZASAN... 152	BANZEL... 31
AUSTEDO XR... 104	AZASITE... 174	BAQSIMI... 79
AUSTEDO... 104	azathioprine sodium... 152	BARACLUDE... 73
AUTOJECT 2 INJECTION DEVICE... 167	azathioprine... 152	BASAGLAR KWIKPEN U-100 INSULIN... 79
AUTOPEN 1 TO 21 UNITS... 167	azelaic acid... 111	BASAGLAR TEMPO PEN(U-100)INSLN... 79
AUTOPEN 2 TO 42 UNITS... 167	azelastine-fluticasone... 179	BAVENCIO... 50
AUTOSHIELD DUO PEN NEEDLE... 167	azelastine... 174, 179	BAXDELA... 22
AUVELITY... 38	AZELEX... 111	BCG VACCINE, LIVE (PF)... 152
AUVI-Q... 179	AZILECT... 65	BD ALCOHOL SWABS... 167
AVALIDE... 90	azilsartan medoxomil... 90	BD AUTOSHIELD DUO PEN NEEDLE... 167
AVAPRO... 90	azithromycin... 22	BD ECLIPSE LUER-LOK... 167
AVASTIN... 50	AZMIRO... 139	BD INSULIN SYRINGE (HALF UNIT)... 167
AVEED... 139	AZOPT... 174	BD INSULIN SYRINGE MICRO-FINE... 167
AVELOX IN NACL (ISO-OSMOTIC)... 22	AZOR... 90	BD INSULIN SYRINGE U-500... 167
AVERI... 139	AZSTARYS... 104	BD INSULIN SYRINGE ULTRA-FINE... 167
AVGEMSI... 50	aztreonam... 22	BD INSULIN SYRINGE... 167
aviane... 139	AZULFIDINE EN-TABS... 164	BD LO-DOSE MICRO-FINE IV... 167
avidoxy... 22	AZULFIDINE... 164	
AVLAYAH... 130	azurette (28)... 139	
	B	
	b complex 100... 192	
	b-complex injection... 192	
	bacitracin-polymyxin b... 174	

BD NANO 2ND GEN PEN NEEDLE... 167	benztropine... 65, 66	BIKTARVY... 73
BD SAFETYGLIDE INSULIN SYRINGE... 167	bepotastine besilate... 174	BILTRICIDE... 64
BD SAFETYGLIDE SYRINGE... 167	BEPREVE... 174	bimatoprost... 174
BD ULTRA-FINE MICRO PEN NEEDLE... 167	BERINERT... 153	BIMZELX AUTOINJECTOR... 153
BD ULTRA-FINE MINI PEN NEEDLE... 167	beser... 111	BIMZELX... 153
BD ULTRA-FINE NANO PEN NEEDLE... 167	besifloxacin... 174	BINOSTO... 165
BD ULTRA-FINE ORIG PEN NEEDLE... 167	BESIVANCE... 174	BIORPHEN... 91
BD ULTRA-FINE SHORT PEN NEEDLE... 168	BESPONSA... 50	bismuth subcit k-metronidz-tcn... 126
BD VEO INSULIN SYR (HALF UNIT)... 168	BESREMI... 153	bisoprolol fumarate... 91
BD VEO INSULIN SYRINGE UF... 168	BETADINE OPHTHALMIC PREP... 174	bisoprolol-hydrochlorothiazide... 91
beclomethasone dipropionate... 180	betaine... 130	BIVIGAM... 153
BELBUCA... 11	betamethasone acet,sod phos... 135	BIZENGRI... 50
BELEODAQ... 50	betamethasone dipropionate... 111	BKEMV... 153
BELSOMRA... 187	betamethasone valerate... 111	BLNREP... 50
benazepril-hydrochlorothiazide... 91	betamethasone, augmented... 111	bleomycin... 50
benazepril... 90	BETAPACE AF... 91	blisovi 24 fe... 139
bendamustine... 50	BETAPACE... 91	blisovi fe 1.5/30 (28)... 139
BENDEKA... 50	BETASERON... 104	blisovi fe 1/20 (28)... 139
BENICAR HCT... 91	betaxolol... 91, 174	BLUJEP... 22
BENICAR... 91	bethanechol chloride... 133	BONJESTA... 41
BENLYSTA... 152, 153	BETHKIS... 22	BOOSTRIX TDAP... 153
BENTYL... 126	BETIMOL... 174	BORDERED GAUZE... 168
BENZAMYCIN... 111	BETOPTIC S... 174	bortezomib... 50
benzhydrocodone-acetaminophen... 11	BEVESPI AEROSPHERE... 180	BORUZU... 50
benznidazole... 64	bexarotene... 50	bosentan... 180
benzonatate... 189	BEXSERO... 153	BOSULIF... 50, 51
	BEYAZ... 139	BRAFTOVI... 51
	BEYFORTUS... 168	BREKIYA... 47
	bicalutamide... 50	BREO ELLIPTA... 180
	BICILLIN C-R... 22	BREVIBLOC IN NA CL (ISO-OSM)... 91
	BICILLIN L-A... 22	BREVIBLOC... 91
	BICNU... 50	BREZTRI AEROSPHERE... 180
	BIDIL... 91	briellyn... 139
	BIJUVA... 139	BRILINTA... 86

brimonidine... 111, 174	bupropion hcl... 38	CALQUENCE (ACALABRUTINIB MAL)... 51
BRINSUPRI... 168	bupirone... 78	CAMBIA... 11
brinzolamide... 174	busulfan... 51	CAMCEVI (6 MONTH)... 149
BRIUMVI... 104	BUSULFEX... 51	camila... 139
brivaracetam... 31	butalbital-acetaminop-caf-cod... 168	CAMPTOSAR... 51
BRIVIACT... 31	butalbital-acetaminophen-caff... 168	camrese lo... 139
bromfed dm... 189	butalbital-acetaminophen... 168	camrese... 139
bromfenac... 174	butalbital-aspirin-caffeine... 168	CAMZYOS... 91
bromocriptine... 66	butorphanol... 11	CANASA... 164
brompheniramine-pseudoeph-dm... 189	BUTRANS... 11	CANCIDAS... 43
BROMSITE... 174	BYLVAY... 168	candesartan-hydrochlorothiazid... 91
BRONCHITOL... 180	BYNFEZIA... 149	candesartan... 91
BROVANA... 180	BYQLOVI... 174	CAPEX... 112
BRUKINSA... 51	BYSTOLIC... 91	CAPLYTA... 68
BRYHALI... 111	C	CAPRELSA... 51
BRYNOVIN... 79	c-nate dha... 119	captopril-hydrochlorothiazide... 91
BSS PLUS... 174	CABENUVA... 73	captopril... 91
BSS... 174	cabergoline... 149	CARAC... 112
BUCAPSOL... 78	CABLIVI... 86	CARAFATE... 126
budesonide... 164, 180	CABOMETYX... 51	CARBAGLU... 119
bumetanide... 91	CABTREO... 111	carbamazepine... 31
bupap... 168	CADUET... 91	CARBATROL... 31
BUPHENYL... 130	CAFECIT... 168	carbidopa-levodopa-entacapone... 66
bupivacaine (pf)... 19	CAFERGOT... 47	carbidopa-levodopa... 66
bupivacaine hcl... 19	caffeine citrate... 168	carbidopa... 66
bupivacaine liposome (pf)... 19	calcipotriene-betamethasone... 112	carbinoxamine maleate... 180
bupivacaine-dextrose-water(pf)... 19	calcipotriene... 112	CARBOCAINE WITH NEO-COBEFRIN... 19
bupivacaine-epinephrine (pf)... 19	calcitonin (salmon)... 165	carboplatin... 51
bupivacaine-epinephrine... 19	calcitriol... 112, 165	carboprost tromethamine... 138
buprenorphine hcl... 11, 20	calcium chloride... 119	carbzah... 180
buprenorphine-naloxone... 20	calcium gluconate... 119	CARDAMYST... 91
buprenorphine... 11	CALDOLOR... 11	
bupropion hcl (smoking deter)... 20		

CARDIZEM CD... 91, 92	ceftazidime... 23	chlordiazepoxide hcl... 78
CARDIZEM LA... 92	ceftriaxone in dextrose,iso-os... 23	chlorhexidine gluconate... 110
CARDIZEM... 91	ceftriaxone... 23	chloroprocaine (pf)... 19
CARDURA XL... 92	cefuroxime axetil... 23	chloroquine phosphate... 64
CARDURA... 92	cefuroxime sodium... 23	chlorothiazide sodium... 92
CARETOUCH ALCOHOL PREP PAD... 168	CELEBREX... 11	chlorpromazine... 68
carglumic acid... 119	celecoxib... 11	chlorthalidone... 92
carisoprodol... 186	CELESTONE SOLUSPAN... 135	chlorzoxazone... 186
carmustine... 51	CELEXA... 38	CHOLBAM... 130
CARNITOR (SUGAR-FREE)... 119	CELLCEPT INTRAVENOUS... 153	cholestyramine (with sugar)... 92
CARNITOR... 119	CELLCEPT... 153	cholestyramine light... 92
CAROSPIR... 92	CELONTIN... 31	CHORIONIC GONADOTROPIN, HUMAN... 137
carteolol... 174	CENTANY... 112	CIALIS... 133
cartia xt... 92	cephalexin... 24	CIBINQO... 153
carvedilol phosphate... 92	CEQUA... 174	ciclodan... 43
carvedilol... 92	CEQUR SIMPLICITY INSERTER... 168	ciclopirox... 43
CASODEX... 51	CEQUR SIMPLICITY... 168	cidofovir... 73
casprofungin... 43	CERDELGA... 130	cilostazol... 86
CAYSTON... 180	CEREBYX... 31	CILOXAN... 175
cefaclor... 23	CEREZYME... 130	CIMDUO... 73
cefadroxil... 23	CERVIDIL... 168	cimetidine hcl... 126
cefazolin in dextrose (iso-os)... 23	cetirizine... 180	cimetidine... 126
cefazolin... 23	cetorelix... 190	CIMZIA POWDER FOR RECONST... 153
cefdinir... 23	CETROTIDE... 190	CIMZIA STARTER KIT... 153
cefepime in dextrose 5 %... 23	cevimeline... 110	CIMZIA... 153
cefepime in dextrose,iso-osm... 23	CHANTIX CONTINUING MONTH BOX... 21	cinacalcet... 165
cefepime... 23	CHANTIX STARTING MONTH BOX... 21	CINQAIR... 180
cefixime... 23	CHANTIX... 20	CINRYZE... 153
cefotetan... 23	charlotte 24 fe... 139	CINVANTI... 41
cefoxitin in dextrose, iso-osm... 23	chateal eq (28)... 139	CIPRO HC... 178
cefoxitin... 23	CHEMET... 119	CIPRO... 24
cefpodoxime... 23	chenodal... 126	ciprofloxacin hcl... 24, 175, 178
cefprozil... 23	chloramphenicol sod succinate... 24	ciprofloxacin in 5 % dextrose... 24
ceftaroline fosamil... 23		

ciprofloxacin-dexamethasone... 178	clindamycin phosphate... 24, 112	clobetasol-emollient... 113
ciprofloxacin-hydrocortisone... 178	clindamycin-benzoyl peroxide... 112	clobetasol... 112, 113
ciprofloxacin... 24	clindamycin-tretinoin... 112	CLOBEX... 113
cisplatin... 51	CLINDESSE... 24	clocortolone pivalate... 113
citalopram... 38	CLINIMIX 4.25%/D10W SULF FREE... 119	clodan... 113
CITRANATAL B-CALM (FE GLUC)... 119	CLINIMIX 4.25%/D5W SULFIT FREE... 119	clofarabine... 51
cladribine(multiple sclerosis)... 104	CLINIMIX 5%-D20W(SULFITE-FREE)... 119	CLOLAR... 51
cladribine... 51	CLINIMIX 5%/D15W SULFITE FREE... 119	clomid... 190
CLAFORAN... 24	CLINIMIX 6%-D5W (SULFITE-FREE)... 119	clomiphene citrate... 190
claravis... 112	CLINIMIX 8%-D10W(SULFITE-FREE)... 119	clomipramine... 38
CLARINEX-D 12 HOUR... 168	CLINIMIX 8%-D14W(SULFITE-FREE)... 119	clonazepam... 78
CLARINEX... 180	CLINIMIX E 2.75%/D5W SULF FREE... 119	clonidine hcl... 92, 104
clarithromycin... 24	CLINIMIX E 4.25%/D10W SUL FREE... 119	clonidine... 92
clemastine... 180	CLINIMIX E 5%/D15W SULFIT FREE... 120	clopidogrel... 86
clemasz... 180	CLINIMIX E 5%/D20W SULFIT FREE... 120	clorazepate dipotassium... 78
clemsza... 180	CLINIMIX E 8%-D10W SULFITEFREE... 120	CLOROTEKAL (PF)... 19
CLENPIQ... 126	CLINIMIX E 8%-D14W SULFITEFREE... 120	clotrimazole-betamethasone... 43
CLEOCIN HCL... 24	CLINISOL SF 15 %... 120	clotrimazole... 43
CLEOCIN PEDIATRIC... 24	CLINOLIPID... 120	clozapine... 68
CLEOCIN T... 112	CLINPRO 5000... 189	CLOZARIL... 68
CLEOCIN... 24	clobazam... 31	COARTEM... 65
CLEVIPREX... 92		COBENFY STARTER PACK... 168
CLIMARA PRO... 140		COBENFY... 168
CLIMARA... 140		codeine sulfate... 11
clindacin etz... 112		codeine-butalbital-asa-caff... 11
clindacin p... 112		COLAZAL... 164
clindacin... 112		colchicine... 46
CLINDAGEL... 112		COLCRYS... 46
clindamycin hcl... 24		colesevelam... 92
clindamycin in 0.9 % sod chlor... 24		COLESTID... 92
clindamycin in 5 % dextrose... 24		colestipol... 92
clindamycin palmitate hcl... 24		colistin (colistimethate na)... 24
clindamycin pediatric... 24		COLUMVI... 51
		COLY-MYCIN M PARENTERAL... 24

COMBIGAN... 175	COSOPT... 175	CYLTEZO(CF) PEN... 154
COMBIPATCH... 140	COTELLIC... 51	CYLTEZO(CF)... 153
COMBIVENT RESPIMAT... 180	COTEMPLA XR-ODT... 104	CYMBALTA... 104
COMBOGESIC IV... 168	COZAAR... 93	cyproheptadine... 180
COMETRIQ... 51	CRENESSITY... 140	CYRAMZA... 51
COMPAZINE... 41	CREON... 130	cyred eq... 140
COMPLERA... 73	CRESEMBA... 43	cyred... 140
complete natal dha... 120	CRESTOR... 93	CYSTADANE... 130
compro... 41	CREXONT... 66	CYSTADROPS... 175
CONCERTA... 104	CRINONE... 140	CYSTAGON... 130
CONDYLOX... 113	cromolyn... 175, 180	CYSTARAN... 175
conjugated estrogens... 140	crotan... 113	cytarabine (pf)... 51
constulose... 126	cryselle (28)... 140	cytarabine... 51
CONTEPO... 24	CRYSVITA... 130	CYTOGAM... 154
CONZIP... 11	CTEXLI... 126	CYTOMEL... 148
COPAXONE... 104	CUBICIN RF... 24	CYTOTEC... 126
COPIKTRA... 51	CUPRIMINE... 120	D
CORDRAN TAPE LARGE ROLL... 113	CURITY ALCOHOL SWABS... 168	d10 %-0.45 % sodium chloride... 120
CORDRAN... 113	CURITY GAUZE... 168	d2.5 %-0.45 % sodium chloride... 120
COREG CR... 92	CUTAQUIG... 153	d5 % and 0.9 % sodium chloride... 120
COREG... 92	CUVPOSA... 126	d5 %-0.45 % sodium chloride... 120
CORLANOR... 92	CUVRIOR... 120	dabigatran etexilate... 86
corphena... 180	cyanocobalamin (vitamin b-12)... 192	dacarbazine... 52
CORTEF... 113	cyclobenzaprine... 186	dactinomycin... 52
CORTENEMA... 164	cyclophosphamide... 51	dalbavancin... 25
CORTIFOAM... 164	cycloserine... 48	dalfampridine... 104
CORTISPORIN-TC... 178	CYCLOSET... 80	DALIRESP... 180
CORTROPHIN GEL... 135	cyclosporine modified... 153	DALVANCE... 25
CORVERT... 92	cyclosporine... 153, 175	danazol... 140
COSENTYX (2 SYRINGES)... 153	CYKLOKAPRON... 86	DANTRIUM... 72
COSENTYX PEN (2 PENS)... 153	CYLTEZO(CF) PEN CROHN'S-UC-HS... 154	dantrolene... 72
COSENTYX PEN... 153	CYLTEZO(CF) PEN PSORIASIS-UV... 154	DANYELZA... 52
COSENTYX UNOREADY PEN... 153		
COSENTYX... 153		
COSOPT (PF)... 175		

DANZITEN... 52	deflazacort... 135	desog-e.estradiol/e.estradiol... 140
dapagliflozin-metformin... 80	DELESTROGEN... 140	desonide... 113
dapagliflozin-saxagliptin... 80	DELSTRIGO... 73	desoximetasone... 113
dapagliflozin... 80	DELZICOL... 164	DESOXYN... 104
dapsone... 48, 113	demeclocycline... 25	desvenlafaxine succinate... 38
DAPTACEL (DTAP PEDIATRIC) (PF)... 154	DEMEROL (PF)... 12	desvenlafaxine... 38
daptomycin in 0.9 % sod chlor... 25	DEMEROL... 11	DETROL LA... 133
daptomycin... 25	DEMSEER... 93	DETROL... 133
DARAPRIM... 65	DENAVIR... 73	dexabliss... 135
darifenacin... 133	DENG VAXIA (PF)... 154	dexamethasone intensol... 135
DARTISLA... 126	denta 5000 plus sensitive... 189	dexamethasone sodium phos (pf)... 135
darunavir... 73	denta 5000 plus... 189	dexamethasone sodium phosphate... 135, 175
DARZALEX FASPRO... 52	dentagel... 189	dexamethasone... 135
DARZALEX... 52	DEPAKOTE ER... 31	dexchlorpheniramine maleate... 181
dasatinib... 52	DEPAKOTE SPRINKLES... 31	DEXEDRINE SPANSULE... 104
dasetta 1/35 (28)... 140	DEPAKOTE... 31	DEXILANT... 126
dasetta 7/7/7 (28)... 140	DEPEN TITRATABS... 120	dexlansoprazole... 126
DATROWAY... 52	DEPO-ESTRADIOL... 140	dexmethylphenidate... 104, 105
daunorubicin... 52	DEPO-MEDROL... 135	dexrazoxane hcl... 52
DAURISMO... 52	DEPO-PROVERA... 140	DEXTENZA... 175
DAWNZERA... 154	DEPO-SUBQ PROVERA 104... 140	dextroamphetamine sulfate... 105
DAYBUE STIX... 130	DEPO-TESTOSTERONE... 140	dextroamphetamine-amphetamine... 105
DAYBUE... 130	DERMA-SMOOTH/FS BODY OIL... 113	dextrose 10 % and 0.2 % nacl... 120
DAYPRO... 11	DERMA-SMOOTH/FS SCALP OIL... 113	dextrose 10 % in water (d10w)... 120
daysee... 140	DERMACEA... 169	dextrose 20 % in water (d20w)... 120
DAYTRANA... 104	dermacinrx lidocan... 19	dextrose 25 % in water (d25w)... 120
DAYVIGO... 187	DERMOTIC OIL... 178	dextrose 30 % in water (d30w)... 120
DDAVP... 137	DESCOVY... 73	
deblitane... 140	DESFERAL... 120	
decitabine... 52	desipramine... 38	
deferasirox... 120	desloratadine... 180, 181	
deferiprone... 120	DESMODA... 137	
deferoxamine... 120	desmopressin... 137	
DEFITELIO... 169		

dextrose 40 % in water (d40w)...	DILANTIN EXTENDED... 31	DOPTELET (10 TAB PACK)... 86
120	DILANTIN INFATABS... 31	DOPTELET (15 TAB PACK)... 86
dextrose 5 % in water (d5w)... 120	DILANTIN-125... 32	DOPTELET (30 TAB PACK)... 86
dextrose 5 %-lactated ringers... 120	DILANTIN... 31	DOPTELET SPRINKLE... 86
dextrose 5%-0.2 % sod chloride... 120	DILAUDID... 12	DORYX MPC... 25
dextrose 5%-0.3 % sod.chloride... 121	dilt-xr... 93	DORYX... 25
dextrose 50 % in water (d50w)... 121	diltiazem hcl... 93	dorzolamide-timolol (pf)... 175
dextrose 70 % in water (d70w)... 121	dimenhydrinate... 41	dorzolamide-timolol... 175
DHIVY... 66	dimethyl fumarate... 105	dorzolamide... 175
DIACOMIT... 31	DIOVAN HCT... 93	dotti... 140
diazepam intensol... 78	DIOVAN... 93	DOVATO... 73
diazepam... 31, 78	DIPENTUM... 164	doxazosin... 93
diazoxide... 80	DIPHEN... 181	doxepin... 78, 114, 187
DIBENZYLINE... 93	diphenhydramine hcl... 181	doxercalciferol... 165
dichlorphenamide... 130	diphenoxylate-atropine... 126	DOXIL... 52
DICLEGIS... 41	DIPROLENE (AUGMENTED)... 114	doxorubicin, peg-liposomal... 52
diclofenac epolamine... 12	dipyridamole... 86	doxorubicin... 52
diclofenac potassium... 12	disopyramide phosphate... 93	doxy-100... 25
diclofenac sodium... 12, 113, 175	disulfiram... 21	doxycycline hyclate... 25
diclofenac-misoprostol... 12	DIURIL... 93	doxycycline monohydrate... 25
dicloxacillin... 25	divalproex... 32	doxylamine-pyridoxine (vit b6)... 41
dicyclomine... 126	DIVIGEL... 140	DRIZALMA SPRINKLE... 105
didanosine... 73	dobutamine in d5w... 93	dronabinol... 42
DIFFERIN... 113, 114	dobutamine... 93	droperidol... 68
DIFICID... 25	docetaxel... 52	DROPLET INSULIN SYR(HALF UNIT)... 169
diflorasone... 114	dodex... 192	DROPLET INSULIN SYRINGE... 169
DIFLUCAN... 43, 44	dofetilide... 93	DROPLET MICRON PEN NEEDLE... 169
diflunisal... 12	DOJOLVI... 131	DROPLET PEN NEEDLE... 169
difluprednate... 175	dolishale... 140	DROPSAFE ALCOHOL PREP PADS... 169
digoxin... 93	dolobid... 12	DROPSAFE PEN NEEDLE... 169
dihydroergotamine... 47	donepezil... 37	drospirenone-e.estradiol-lm.fa... 140
	dopamine in 5 % dextrose... 93	
	dopamine... 93	
	DOPRAM... 181	

drosiprenone-ethinyl estradiol... 140	edaravone... 105	ELIMITE... 114
DROXIA... 169	EDARBI... 93	elinest... 141
droxidopa... 93	EDARBYCLOR... 94	ELIQUIS DVT-PE TREAT 30D START... 86
DUAKLIR PRESSAIR... 181	EDECRIN... 94	ELIQUIS SPRINKLE... 86
DUAVEE... 140	edetate calcium disodium... 169	ELIQUIS... 86
DUETACT... 80	EDLUAR... 187	ELITEK... 52
DUEXIS... 12	EDURANT PED... 73	ELIXOPHYLLIN... 181
DULERA... 181	EDURANT... 73	ELLENCE... 52
duloxetine... 105	efavirenz-emtricitabin-tenofov... 73	ELMIRON... 134
DUOBRII... 114	efavirenz-lamivu-tenofov disop... 73	ELREXFIO... 52
DUOPA... 66	efavirenz... 73	eluryng... 141
DUPIXENT PEN... 154	EFFEXOR XR... 38	ELYXYB... 169
DUPIXENT SYRINGE... 154	EFFIENT... 86	ELZONRIS... 52
DURAMORPH (PF)... 12	EFUDEX... 114	EMBLAVEO... 26
DUREZOL... 175	EGATEN... 65	EMCYT... 52
DURYSTA... 175	EGRIFTA SV... 137	EMEND (FOSAPREPITANT)... 42
dutasteride-tamsulosin... 133	EGRIFTA WR... 137	EMEND... 42
dutasteride... 133	EKTERLY... 154	EMFLAZA... 135
DUVYZAT... 131	ELAHERE... 52	EMGALITY PEN... 47
DYANAVEL XR... 105	ELAPRASE... 131	EMGALITY SYRINGE... 47
dyclopro... 169	electrolyte-148... 121	EMPAVELI... 169
DYMISTA... 181	electrolyte-48 in d5w... 121	EMPLICITI... 52
DYRENIUM... 93	electrolyte-a... 121	EMRELIS... 52
	ELELYSO... 131	EMROSI... 26
E	ELEPSIA XR... 32	EMSAM... 38
E.E.S. 400... 25	ELESTRIN... 141	emtricitabine-tenofov df... 73
E.E.S. GRANULES... 26	eletriptan... 47	emtricitabine-tenofov (tdf)... 73
EASY COMFORT ALCOHOL PAD... 169	ELEVIDYS... 131	emtricitabine... 73
EASY TOUCH ALCOHOL PREP PADS... 169	ELFABRIO... 131	EMTRIVA... 73
EASYLIFE ALCOHOL PADS... 169	ELIDEL... 114	emverm... 65
EBGLYSS PEN... 114	ELIGARD (3 MONTH)... 149	emzahn... 141
EBGLYSS SYRINGE... 114	ELIGARD (4 MONTH)... 149	enalapril maleate... 94
ec-naproxen... 12	ELIGARD (6 MONTH)... 149	enalapril-hydrochlorothiazide... 94
econazole nitrate... 44	ELIGARD... 149	enalaprilat... 94
ed-spaz... 191		

ENBREL MINI... 154	epineph bitart in 0.9% sod chl... 94	ERYGEL... 114
ENBREL SURECLICK... 154	epinephrine... 181	ERYPED 200... 26
ENBREL... 154	EPIPEN 2-PAK... 181	ERYPED 400... 26
ENBUMYST... 94	EPIPEN JR 2-PAK... 181	ERYTHROCIN (AS STEARATE)... 26
ENDARI... 126	EPIPEN JR... 181	ERYTHROCIN... 26
ENDOCET... 12	EPIPEN... 181	erythromycin ethylsuccinate... 26
ENDOMETRIN... 141	epirubicin... 52	erythromycin lactobionate... 26
ENFLONZIA... 169	epitol... 32	erythromycin with ethanol... 114
ENGERIX-B (PF)... 154	EPIVIR... 74	erythromycin-benzoyl peroxide... 114
ENGERIX-B PEDIATRIC (PF)... 154	EPKINLY... 53	erythromycin... 26, 175
ENHERTU... 52	eplerenone... 94	ESBRIET... 181
enilloring... 141	EPOGEN... 86	escitalopram oxalate... 38, 39
ENJAYMO... 154	epoprostenol... 181	ESGIC... 169
enoxaparin... 86	EPRONTIA... 32	eslicarbazepine... 32
enpresse... 141	EPSOLAY... 114	esmolol in nacl (iso-osm)... 94
ENSACOVE... 52	eptifibatide... 86	esmolol... 94
enskyce... 141	EPYSQLI... 154	esomeprazole magnesium... 126
ENSPRYNG... 175	EQUETRO... 32	esomeprazole sodium... 126
ENSTILAR... 114	ERAXIS(WATER DILUENT)... 44	estarylla... 141
entacapone... 66	ERBITUX... 53	estazolam... 187
entecavir... 73	ergocalciferol (vitamin d2)... 192	ESTRACE... 141
ENTRESTO SPRINKLE... 94	ergoloid... 37	estradiol valerate... 141
ENTRESTO... 94	ERGOMAR... 47	estradiol-norethindrone acet... 141
ENTYVIO PEN... 154	ergotamine-caffeine... 47	estradiol... 141
ENTYVIO... 154	eribulin... 53	ESTRING... 141
enulose... 126	ERIVEDGE... 53	eszopiclone... 187
ENVARUSUS XR... 154	ERLEADA... 53	ethacrynate sodium... 94
EOHILIA... 169	erlotinib... 53	ethacrynic acid... 94
EPANED... 94	ERMEZA... 148	ethambutol... 48
EPCLUSA... 73, 74	errin... 141	ethosuximide... 32
EPIDIOLEX... 32	ERTACZO... 44	ethynodiol diac-eth estradiol... 141
EPIDUO FORTE... 114	ertapenem... 26	etodolac... 12
EPIDUO... 114	ery pads... 114	etonogestrel-ethinyl estradiol... 141
EPIFOAM... 114	ERY-TAB... 26	ETOPOPHOS... 53
epinastine... 175		

etoposide... 53	FABRAZYME... 131	FERRIPROX (2 TIMES A DAY)... 121
etravirine... 74	falmina (28)... 141	FERRIPROX... 121
EUCRISA... 114	famciclovir... 74	fesoterodine... 134
EULEXIN... 53	famotidine (pf)-nacl (iso-os)... 127	FETROJA... 26
EURAX... 114	famotidine (pf)... 127	FETZIMA... 39
EVAMIST... 141	famotidine... 126, 127	FEXMID... 186
EVEKEO... 105	FANAPT TITRATION PACK A... 68	FIASP FLEXTOUCH U-100 INSULIN... 80
EVENITY... 165	FANAPT TITRATION PACK B... 68	FIASP PENFILL U-100 INSULIN... 80
everolimus (antineoplastic)... 53	FANAPT TITRATION PACK C... 68	FIASP U-100 INSULIN... 80
everolimus (immunosuppressive)... 154	FANAPT... 68	FIBRICOR... 95
EVISTA... 141	FARESTON... 53	fidaxomicin... 26
EVKEEZA... 94	FARXIGA... 80	FILSPARI... 169
EVOMELA... 53	FASENRA PEN... 181	FILSUVEZ... 169
EVOTAZ... 74	FASENRA... 181	FINACEA... 114
EVOXAC... 110	FASLODEX... 53	finasteride... 134
EVRYSDI... 131	febuxostat... 46	fingolimod... 105
EXDENSUR... 181	feirza... 141	FINTEPLA... 32
EXELDERM... 44	felbamate... 32	finzala... 141
EXELON PATCH... 37	FELBATOL... 32	FIORICET WITH CODEINE... 170
exemestane... 53	FELDENE... 12	fioricet... 170
exenatide... 80	felodipine... 94	FIRAZYR... 154
EXFORGE HCT... 94	FEMARA... 53	FIRDAPSE... 105
EXFORGE... 94	FEMLYV... 141	FIRMAGON KIT W DILUENT SYRINGE... 149
EXJADE... 121	FEMRING... 141	FIRMAGON... 149
EXPAREL (PF)... 19	fenofibrate micronized... 94	FIRVANQ... 26
EXSERVAN... 105	fenofibrate nanocrystallized... 94, 95	flac otic oil... 178
EXXUA... 39	fenofibrate... 94	FLAGYL... 26
EYSUVIS... 175	fenofibric acid (choline)... 95	FLAREX... 175
EZALLOR SPRINKLE... 94	fenofibric acid... 95	flavoxate... 134
ezetimibe-simvastatin... 94	FENOGLIDE... 95	FLEBOGAMMA DIF... 154
ezetimibe... 94	fenoprofen... 12	flecainide... 95
F	fenopron... 13	FLECTOR... 13
FABHALTA... 154	FENSOLVI... 149	FLEQSUVY... 72
FABIOR... 114	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	
	FENSOLVI... 149	
	fenofibrate... 94	
	fenofibric acid (choline)... 95	
	fenofibric acid... 95	
	FENOGLIDE... 95	
	fenoprofen... 12	
	fenopron... 13	

FLOLIPID... 95	FOCALIN XR... 105	furosemide... 95
FLOMAX... 134	FOCALIN... 105	FUSILEV... 53
floxuridine... 53	FOCINVEZ... 42	FUZEON... 74
fluconazole in nacl (iso-osm)... 44	folic acid... 192	FYARRO... 53
fluconazole... 44	FOLLISTIM AQ... 190	fyavolv... 142
flucytosine... 44	FOLOTYN... 53	FYCOMPA... 32
fludarabine... 53	fomepizole... 170	FYLNETRA... 87
fludrocortisone... 135	fondaparinux... 86	fyremadel... 190
FLUMADINE... 74	FORFIVO XL... 39	G
flumazenil... 170	formoterol fumarate... 182	gabapentin... 32, 106
flunisolide... 181	FORTEO... 165	GABARONE... 32
fluocinolone acetonide oil... 178	FORTESTA... 141	GALAFOLD... 131
fluocinolone and shower cap... 114	FORZINITY... 170	galantamine... 37
fluocinolone... 114	FOSAMAX PLUS D... 165	galbriela... 142
fluocinonide-e... 115	FOSAMAX... 165	gallifrey... 142
fluocinonide-emollient... 115	fosamprenavir... 74	GAMASTAN... 154
fluocinonide... 114, 115	fosaprepitant... 42	GAMIFANT... 155
fluoride (sodium)... 189, 190	foscarnet... 74	GAMMAGARD LIQUID ERC... 155
fluorometholone... 175	fosfomycin tromethamine... 26	GAMMAGARD LIQUID... 155
FLUOROPLEX... 115	fosinopril-hydrochlorothiazide... 95	GAMMAGARD S-D (IGA < 1 MCG/ML)... 155
fluorouracil... 53, 115	fosinopril... 95	GAMMAKED... 155
fluoxetine... 39	fosphenytoin... 32	GAMMAPLEX (WITH SORBITOL)... 155
fluphenazine decanoate... 68	FOTIVDA... 53	GAMMAPLEX... 155
fluphenazine hcl... 68	FRAGMIN... 87	GAMUNEX-C... 155
flurandrenolide... 115	fraiche 5000... 190	ganciclovir sodium... 74
flurazepam... 187	FRINDOVYX... 53	ganirelix... 190
flurbiprofen sodium... 175	FROVA... 47	GARDASIL 9 (PF)... 155
flurbiprofen... 13	frovatriptan... 47	GASTROCROM... 182
fluticasone propion-salmeterol... 181	FRUZAQLA... 53	gatifloxacin... 175
fluticasone propionate... 115, 182	FULPHILA... 87	GATTEX 30-VIAL... 127
fluvastatin... 95	fulvestrant... 53	GATTEX ONE-VIAL... 127
fluvoxamine... 39	FULVICIN P/G... 44	GAUZE BANDAGE... 170
FML FORTE... 175	FURADANTIN... 26	GAUZE PAD... 170
FML LIQUIFILM... 175	FUROSCIX... 95	

gavilyte-c... 127	glucagon emergency kit (human)... 80	GVOKE PFS 2-PACK SYRINGE... 81
gavilyte-g... 127	GLUCOTROL XL... 80	GVOKE... 80
gavilyte-n... 127	GLUMETZA... 80	gynazole-1... 44
GAVRETO... 53	glutamine (sickle cell)... 127	H
GAZYVA... 53	glyburide micronized... 80	HADLIMA PUSHTOUCH... 155
gefitinib... 53	glyburide-metformin... 80	HADLIMA(CF) PUSHTOUCH... 155
gemcitabine... 54	glyburide... 80	HADLIMA(CF)... 155
gemfibrozil... 95	GLYCAT... 127	HADLIMA... 155
gemmily... 142	GLYCEROL PHENYLBUTYRATE... 131	HAEGARDA... 155
GEMTESA... 134	GLYCOPHOS... 121	hailey 24 fe... 142
generlac... 127	glycopyrrolate (pf) in water... 127	hailey fe 1.5/30 (28)... 142
gengraf... 155	glycopyrrolate (pf)... 127	hailey fe 1/20 (28)... 142
GENOTROPIN MINIQUICK... 137	glycopyrrolate... 127	hailey... 142
GENOTROPIN... 137	glydo... 19	HALAVEN... 54
gentamicin in nacl (iso-osm)... 26	GLYXAMBI... 80	halcinonide... 115
gentamicin sulfate (ped) (pf)... 26	GOCOVRI... 66	HALCION... 187
gentamicin... 26, 175	GOLYTELY... 127	HALDOL DECANOATE... 69
GENVOYA... 74	GOMEKLI... 54	halobetasol propionate... 115
GEODON... 69	GONAL-F RFF REDI-JECT... 191	haloette... 142
GILENYA... 106	GONAL-F RFF... 191	HALOG... 115
GILOTRIF... 54	GONAL-F... 191	haloperidol decanoate... 69
GIMOTI... 42	GONITRO... 95	haloperidol lactate... 69
GIVLAARI... 170	GRAFAPEX... 54	haloperidol... 69
GLASSIA... 131	GRALISE... 106	HARLIKU... 131
glatiramer... 106	granisetron (pf)... 42	HARVONI... 74
glatopa... 106	granisetron hcl... 42	HAVRIX (PF)... 155
GLEEVEC... 54	GRANIX... 87	heather... 142
GLEOSTINE... 54	GRASTEK... 182	HECTOROL... 165
glimepiride... 80	griseofulvin microsize... 44	HEMABATE... 138
glipizide-metformin... 80	griseofulvin ultramicrosize... 44	HEMADY... 135
glipizide... 80	guanfacine... 95, 106	HEMANGEOL... 95
GLOPERBA... 46	GVOKE HYPOPEN 1-PACK... 80	HEMICLOR... 95
GLUCAGEN HYPOKIT... 80	GVOKE HYPOPEN 2-PACK... 80	hemmorex-hc... 191
GLUCAGON (HCL) EMERGENCY KIT... 80	GVOKE PFS 1-PACK SYRINGE... 81	heparin (porcine)... 87
		heparin, porcine (pf)... 87

HEPLISAV-B (PF)... 155
 HEPSERA... 74
 HERCEPTIN HYLECTA... 54
 HERCEPTIN... 54
 HERCESSI... 54
 HERNEXEOS... 54
 HERZUMA... 54
 HETLIOZ LQ... 187
 HETLIOZ... 187
 HIBERIX (PF)... 155
 HIZENTRA... 155
 HORIZANT... 106
 HULIO(CF) PEN... 155
 HULIO(CF)... 155
 HUMALOG JUNIOR KWIKPEN
 U-100... 81
 HUMALOG KWIKPEN INSULIN... 81
 HUMALOG MIX 50-50 KWIKPEN... 81
 HUMALOG MIX 75-25 KWIKPEN... 81
 HUMALOG MIX
 75-25(U-100)INSULN... 81
 HUMALOG TEMPO
 PEN(U-100)INSULN... 81
 HUMALOG U-100 INSULIN... 81
 HUMATIN... 26
 HUMATROPE... 137
 HUMIRA PEN... 155
 HUMIRA(CF) PEN CROHNS-UC-HS...
 156
 HUMIRA(CF) PEN PSOR-UV-ADOL
 HS... 156
 HUMIRA(CF) PEN... 156
 HUMIRA(CF)... 155, 156
 HUMIRA... 155

HUMULIN 70/30 U-100 INSULIN...
 81
 HUMULIN 70/30 U-100 KWIKPEN...
 81
 HUMULIN N NPH INSULIN
 KWIKPEN... 81
 HUMULIN N NPH U-100 INSULIN...
 81
 HUMULIN R REGULAR U-100
 INSULN... 81
 HUMULIN R U-500 (CONC)
 KWIKPEN... 81
 HYCODAN (WITH HOMATROPINE)...
 189
 HYCODAN... 189
 hydralazine... 95
 HYDREA... 54
 hydrochlorothiazide... 95
 hydrocodone bitartrate... 13
 hydrocodone-acetaminophen... 13
 hydrocodone-chlorpheniramine...
 189
 hydrocodone-homatropine... 189
 hydrocodone-ibuprofen... 13
 hydrocortisone acetate... 135, 191
 hydrocortisone butyrate... 115
 hydrocortisone sod succinate... 135
 hydrocortisone valerate... 116
 hydrocortisone-acetic acid... 178
 hydrocortisone... 115, 164
 hydromet... 189
 hydromorphone (pf)... 13, 14
 HYDROMORPHONE... 13
 hydroxocobalamin... 193
 hydroxychloroquine... 65

hydroxyurea... 54
 hydroxyzine hcl... 78
 hydroxyzine pamoate... 182
 HYFTOR... 116
 hyoscyamine sulfate... 191
 hyosyne... 191
 HYPERRAB (PF)... 156
 HYPERTET (PF)... 156
 HYRIMOZ PEN CROHN'S-UC
 STARTER... 156
 HYRIMOZ PEN PSORIASIS STARTER...
 156
 HYRIMOZ PEN... 156
 HYRIMOZ(CF) PEDI CROHN
 STARTER... 156
 HYRIMOZ(CF) PEN... 156
 HYRIMOZ(CF)... 156
 HYRIMOZ... 156
 HYRNUO... 54
 HYSINGLA ER... 14
 HYZAAR... 95

I

ibandronate... 165
 IBRANCE... 54
 IBSRELA... 127
 IBTROZI... 54
 ibu... 14
 ibuprofen-famotidine... 14
 ibuprofen... 14
 ibutilide fumarate... 95
 icatibant... 156
 iclevia... 142
 ICLUSIG... 54
 ICOTYDE... 116

IDACIO(CF) PEN CROHN-UC STARTR... 156	IMVEXXY MAINTENANCE PACK... 142	INSULIN GLARGINE U-300 CONC... 81
IDACIO(CF) PEN PSORIASIS START... 156	IMVEXXY STARTER PACK... 142	INSULIN GLARGINE-YFGN... 81
IDACIO(CF) PEN... 156	INBRIJA... 66	INSULIN LISPRO PROTAMIN-LISPRO... 81
IDACIO(CF)... 156	incassia... 142	INSULIN LISPRO... 81
IDAMYCIN PFS... 54	INCONTROL ALCOHOL PADS... 170	INSULIN SYRINGE MICROFINE... 170
idarubicin... 54	INCRELEX... 137	INSULIN SYRINGE-NEEDLE U-100... 170
IDHIFA... 54	INCRUSE ELLIPTA... 182	INSULIN U-500 SYRINGE-NEEDLE... 170
IFEX... 54	indapamide... 95	INTELENCE... 74
ifosfamide... 54	INDERAL LA... 95	INTRALIPID... 121
IGALMI... 170	INDOCIN... 14	INTRAROSA... 142
ILEVRO... 175	indomethacin sodium... 14	introvale... 142
ILUMYA... 156	indomethacin... 14	INTUNIV ER... 106
IMAAVY... 156	INFANRIX (DTAP) (PF)... 156	INVEGA HAFYERA... 69
imatinib... 54	INFLECTRA... 157	INVEGA SUSTENNA... 69
IMBRUVICA... 55	INFLIXIMAB... 157	INVEGA TRINZA... 69
IMDELLTRA... 55	INFUGEM... 55	INVEGA... 69
IMFINZI... 55	INFUMORPH P/F... 14	INVELTYS... 175
imipenem-cilastatin... 26	INFUVITE ADULT... 193	INVOKAMET XR... 82
imipramine hcl... 39	INFUVITE PEDIATRIC... 193	INVOKAMET... 82
imipramine pamoate... 39	INGREZZA INITIATION PK(TARDIV)... 106	INVOKANA... 82
imiquimod... 116	INGREZZA SPRINKLE... 106	INZIRQO... 96
IMITREX STATDOSE PEN... 47	INGREZZA... 106	IONOSOL-MB IN D5W... 121
IMITREX STATDOSE REFILL... 47	INLEXZO... 55	IOPIDINE... 175
IMITREX... 47	INLURIYO... 55	IPOL... 157
IMJUDO... 55	INLYTA... 55	ipratropium bromide... 182
IMKELDI... 55	INNOPRAN XL... 95	ipratropium-albuterol... 182
IMLYGIC... 55	INPEFA... 95	IQIRVO... 127
IMMPHENTIV... 95	INQOVI... 55	irbesartan-hydrochlorothiazide... 96
IMOGAM RABIES-HT (PF)... 156	INREBIC... 55	irbesartan... 96
IMOVAX RABIES VACCINE (PF)... 156	INSPIRA... 96	IRESSA... 55
IMPAVIDO... 65	INSULIN ASP PRT-INSULIN ASPART... 81	irinotecan... 55
IMULDOSA... 156	INSULIN ASPART U-100... 81	
IMURAN... 156	INSULIN DEGLUDEC... 81	

ISENTRESS HD... 74	JANUMET XR... 82	JYNNEOS (PF)... 157
ISENTRESS... 74	JANUMET... 82	K
isibloom... 142	JANUVIA... 82	KABIVEN... 121
ISOLYTE S PH 7.4... 121	JARDIANCE... 82	KADCYLA... 56
ISOLYTE-P IN 5 % DEXTROSE... 121	JASCAYD... 182	kaitlib fe... 142
ISOLYTE-S... 121	jasmiel (28)... 142	KALETRA... 74
isoniazid... 48	JATENZO... 142	kalliga... 142
ISORDIL TITRADOSE... 96	JAVADIN... 96	KALYDECO... 182
ISORDIL... 96	javygtor... 131	KANJINTI... 56
isosorbide dinitrate... 96	JAYPIRCA... 55	KANUMA... 131
isosorbide mononitrate... 96	jaythari... 135	KAPSPARGO SPRINKLE... 96
isosorbide-hydralazine... 96	JEMPERLI... 55	KARBINAL ER... 182
isotretinoin... 116	jencycla... 142	kariva (28)... 142
isradipine... 96	JENTADUETO XR... 82	KATERZIA... 96
ISTALOL... 175	JENTADUETO... 82	KAZANO... 82
ISTODAX... 55	J EVTANA... 55	KEDRAB (PF)... 157
ISTURISA... 137, 138	jinteli... 142	kelnor 1/35 (28)... 143
ISUPREL... 96	JOBEVNE... 56	kelnor 1/50 (28)... 143
ITOVEBI... 55	JOENJA... 131	KENALOG-80... 136
itraconazole... 44	jolessa... 142	KENALOG... 135
IV PREP WIPES... 170	JORNAY PM... 106	KENGREAL... 87
ivabradine... 96	JOURNAVX... 170	KEPIVANCE... 110
ivermectin... 65, 116	joyeaux... 142	KEPPRA XR... 32
IVRA... 55	JUBLIA... 44	KEPPRA... 32
IWILFIN... 55	juleber... 142	KERENDIA... 96
IXEMPRA... 55	JULUCA... 74	KESIMPTA PEN... 106
IXIARO (PF)... 157	junel 1.5/30 (21)... 142	ketoconazole... 44
IYUZEH (PF)... 175	junel 1/20 (21)... 142	ketodan... 44
J	junel fe 1.5/30 (28)... 142	ketoprofen... 14
JADENU SPRINKLE... 121	junel fe 1/20 (28)... 142	ketorolac... 14, 176
JADENU... 121	junel fe 24... 142	KEVEYIS... 131
jaimiess... 142	JUXTAPID... 96	KEVZARA... 157
JAKAFI... 55	JYLAMVO... 157	KEYTRUDA QLEX... 56
JALYN... 134	JYNARQUE... 121	KEYTRUDA... 56
jantoven... 87		KHAPZORY... 56

KHINDIVI... 136	KUVAN... 131	LAMPIT... 65
KIMMTRAK... 56	KYGEVI... 131	LAMZEDE... 131
KIMYRSA... 26	kymbee... 136	LANOXIN PEDIATRIC... 96
KINERET... 157	KYPROLIS... 56	LANOXIN... 96
KINRIX (PF)... 157	L	lanreotide... 149
kionex... 121	l norgest/e.estradiol-e.estrad... 143	lansoprazole... 127
kiprofen... 14	LABETALOL IN	LANTUS SOLOSTAR U-100
KIRSTY PEN... 82	DEXTROSE,ISO-OSM... 96	INSULIN... 82
KIRSTY... 82	LABETALOL IN NACL (ISO-OSMOT)...	LANTUS U-100 INSULIN... 82
KISQALI FEMARA CO-PACK... 56	96	lapatinib... 56
KISQALI... 56	labetalol... 96	larin 1.5/30 (21)... 143
KITABIS PAK... 26	lacosamide... 32	larin 1/20 (21)... 143
KLARON... 26	LACRISERT... 176	larin 24 fe... 143
klayesta... 44	lactated ringers... 122, 170	larin fe 1.5/30 (28)... 143
KLISYRI (250 MG)... 116	lactulose... 127	larin fe 1/20 (28)... 143
KLISYRI (350 MG)... 116	LAMICTAL ODT STARTER (BLUE)... 33	LASIX ONYU... 96
KLONOPIN... 78	LAMICTAL ODT STARTER (GREEN)...	LASIX... 96
KLOR-CON 10... 121	33	latanoprost... 176
klor-con 8... 121	LAMICTAL ODT STARTER (ORANGE)...	LATUDA... 69
klor-con m10... 121	33	LAYOLIS FE... 143
KLOR-CON M15... 121	LAMICTAL ODT... 33	LAZCLUZE... 56
klor-con m20... 121	LAMICTAL STARTER (BLUE) KIT... 33	ledipasvir-sofosbuvir... 75
klor-con... 121	LAMICTAL STARTER (GREEN) KIT... 33	leena 28... 143
KLOXXADO... 21	LAMICTAL STARTER (ORANGE) KIT... 33	leflunomide... 157
KOMZIFTI... 56	LAMICTAL XR STARTER (BLUE)... 33	LEMTRADA... 106
KONVOME... 127	LAMICTAL XR STARTER (GREEN)... 33	lenalidomide... 56
KORLYM... 170	LAMICTAL XR STARTER (ORANGE)... 33	LENVIMA... 56
KOSELUGO... 56	LAMICTAL XR... 33	LEQEMBI IQLIK... 37
KOSHER PRENATAL PLUS IRON... 122	LAMICTAL... 32, 33	LEQSELVI... 157
kourzeq... 110	lamivudine-zidovudine... 75	LEQVIO... 97
KRAZATI... 56	lamivudine... 74, 75	LERECHOL... 97
KRINTAFEL... 65	lamotrigine... 33	LESCOL XL... 97
KRISTALOSE... 127		lessina... 143
kurvelo (28)... 143		LETAIRIS... 182
		letrozole... 56

leucovorin calcium... 56, 57	LICART... 14	LITHOBID... 79
LEUKERAN... 57	lidocaine (pf)... 19, 97	LITHOSTAT... 170
LEUKINE... 87	lidocaine hcl-hydrocortison ac... 192	LIVALO... 97
leuprolide acetate (3 month)... 149	lidocaine hcl... 19	LIVDELZI... 127
leuprolide... 149	lidocaine in 5 % dextrose (pf)... 97	LIVMARLI... 127
levalbuterol hcl... 182	lidocaine-epinephrine bit... 19	LIVTENCITY... 75
levalbuterol tartrate... 182	lidocaine-epinephrine... 19	LO LOESTRIN FE... 143
LEVBID... 191	lidocaine-prilocaine... 19	lo-zumandimine (28)... 143
levetiracetam in nacl (iso-os)... 34	lidocaine... 19	LOARGYS... 131
levetiracetam... 33, 34	lidocan iii... 19	LOCOID LIPOCREAM... 116
LEVO-T... 148	lidocan iv... 19	LOCOID... 116
levobunolol... 176	lidocan v... 19	LODINE... 14
levocarnitine (with sugar)... 122	LIDODERM... 19	LODOCO... 97
levocarnitine... 122	LIFYORLI... 57	LODOSYN... 66
levocetirizine... 182	lignospan standard... 19	LOESTRIN 1.5/30 (21)... 143
levofloxacin in d5w... 27	linagliptin-metformin... 82	LOESTRIN 1/20 (21)... 143
levofloxacin... 26, 27, 176	LINCOCIN... 27	LOESTRIN FE 1.5/30 (28-DAY)... 143
levoleucovorin calcium... 57	lincomycin... 27	LOESTRIN FE 1/20 (28-DAY)... 143
levonest (28)... 143	linezolid in dextrose 5%... 27	lofena... 14
levonorg-eth estrad triphasic... 143	linezolid-0.9% sodium chloride... 27	lofexidine... 21
levonorgest-eth.estradiol-iron... 143	linezolid... 27	lojaimiess... 143
levonorgestrel-ethinyl estrad... 143	LINZESS... 127	LOKELMA... 122
LEVOPHED (BITARTRATE)... 97	liomny... 148	LOMOTIL... 128
levora-28... 143	liothyronine... 148	lomustine... 57
levorphanol tartrate... 14	LIPITOR... 97	LONSURF... 57
levothyroxine... 148	LIPOFEN... 97	loperamide... 128
LEVOXYL... 148	LIQREV... 182	LOPID... 97
LEVSIN... 192	liraglutide... 82	lopinavir-ritonavir... 75
LEVSIN/SL... 192	lisdexamfetamine... 106	LOPRESSOR... 97
LEVULAN... 57	lisinopril-hydrochlorothiazide... 97	LOPROX (AS OLAMINE)... 44
LEXAPRO... 39	lisinopril... 97	LOQTORZI... 57
lexette... 116	LITFULO... 157	lorazepam intensol... 79
LIALDA... 164	lithium carbonate... 79	lorazepam... 78
LIBERVANT... 34	lithium citrate... 79	LORBRENA... 57
LIBTAYO... 57		

LOREEV XR... 79	LUPRON DEPOT... 149	MALARONE PEDIATRIC... 65
loryna (28)... 143	lurasidone... 69	MALARONE... 65
losartan-hydrochlorothiazide... 97	lurbipr... 14	malathion... 116
losartan... 97	lurbiro... 14	mannitol 20 %... 97
LOTEMAX SM... 176	lutra (28)... 143	mannitol 25 %... 97
LOTEMAX... 176	LUTRATE DEPOT (3 MONTH)... 150	maraviroc... 75
LOTENSIN HCT... 97	LUZU... 44	MARCAINE (PF)... 20
LOTENSIN... 97	LYBALVI... 69	MARCAINE SPINAL (PF)... 20
loteprednol etabonate... 176	lyleq... 144	MARCAINE-EPINEPHRINE (PF)... 20
LOTREL... 97	lyllana... 144	MARCAINE-EPINEPHRINE... 20
LOTRONEX... 128	LYNKUET... 106	MARCAINE... 19
lovastatin... 97	LYNOZYFIC... 57	MARGENZA... 57
LOVAZA... 97	LYNPARZA... 57	MARINOL... 42
LOVENOX... 87	LYRICA CR... 106	marlissa (28)... 144
low-ogestrel (28)... 143	LYRICA... 106	MARPLAN... 39
loxapine succinate... 69	LYSODREN... 57	MATULANE... 57
lubiprostone... 128	LYTGOBI... 57	matzim la... 97
LUCEMYRA... 21	LYUMJEV KWIKPEN U-100	MAVENCLAD (10 TABLET PACK)... 106
luizza... 143	INSULIN... 82	MAVENCLAD (4 TABLET PACK)... 106
luliconazole... 44	LYUMJEV KWIKPEN U-200	MAVENCLAD (5 TABLET PACK)... 107
LUMAKRAS... 57	INSULIN... 82	MAVENCLAD (6 TABLET PACK)... 107
LUMIGAN... 176	LYUMJEV TEMPO	MAVENCLAD (7 TABLET PACK)... 107
LUMIZYME... 131	PEN(U-100)INSULN... 82	MAVENCLAD (8 TABLET PACK)... 107
LUMRYZ STARTER PACK... 187	LYUMJEV U-100 INSULIN... 82	MAVENCLAD (9 TABLET PACK)... 107
LUMRYZ... 187	LYVISPAH... 72	MAVYRET... 75
LUNESTA... 187	lyza... 144	MAXALT-MLT... 47
LUNSUMIO VELO... 57	M	MAXALT... 47
LUNSUMIO... 57	M-M-R II (PF)... 157	MAXIDEX... 176
LUPKYNIS... 157	m-natal plus... 122	MAXITROL... 176
LUPRON DEPOT (3 MONTH)... 149	MACROBID... 27	MAYZENT STARTER(FOR 1MG MAINT)... 107
LUPRON DEPOT (4 MONTH)... 149	MACRODANTIN... 27	MAYZENT STARTER(FOR 2MG MAINT)... 107
LUPRON DEPOT (6 MONTH)... 149	mafenide acetate... 116	MAYZENT... 107
LUPRON DEPOT-PED (3 MONTH)... 149	magnesium sulfate in d5w... 122	
LUPRON DEPOT-PED... 149	magnesium sulfate in water... 122	
	magnesium sulfate... 122	

meclizine... 42	mesna... 58	metoprolol ta-hydrochlorothiaz... 98
meclofenamate... 15	MESNEX... 58	metoprolol tartrate... 98
MEDROL (PAK)... 136	MESTINON TIMESPAN... 48	METRO I.V.... 27
MEDROL... 136	MESTINON... 48	METROCREAM... 27
medroxyprogesterone... 144	METADATE CD... 107	METROGEL... 27
mefenamic acid... 15	metaxalone... 186	METROLOTION... 27
mefloquine... 65	metformin... 82, 83	metronidazole in nacl (iso-os)... 27
megestrol... 144	methadone intensol... 15	metronidazole... 27
MEKINIST... 57	methadone... 15	metyrosine... 98
MEKTOVI... 57	METHADOSE... 15	mexiletine... 98
meleya... 144	methamphetamine... 107	MIACALCIN... 165
meloxicam submicronized... 15	methazolamide... 176	mibelas 24 fe... 144
meloxicam... 15	methenamine hippurate... 27	MICAFUNGIN IN 0.9 % SODIUM CHL... 45
melphalan hcl... 57	methimazole... 151	micafungin... 44
memantine-donepezil... 37	METHITEST... 144	MICARDIS HCT... 98
memantine... 37	methocarbamol... 186	MICARDIS... 98
MENEST... 144	methotrexate sodium (pf)... 157	miconazole nitrate-zinc ox-pet... 45
MENOPUR... 191	methotrexate sodium... 157	miconazole-3... 45
MENOSTAR... 144	methoxsalen... 116	micort-hc... 136
MENQUADFI (PF)... 157	methscopolamine... 128	microgestin 1.5/30 (21)... 144
MENVEO A-C-Y-W-135-DIP (PF)... 157	methsuximide... 34	microgestin 1/20 (21)... 144
meperidine (pf)... 15	methyldopa... 97	microgestin fe 1.5/30 (28)... 144
meperidine... 15	methylergonovine... 170	microgestin fe 1/20 (28)... 144
meprobamate... 79	METHYLIN... 107	midodrine... 98
MEPRON... 65	methylphenidate hcl... 107	MIEBO (PF)... 176
MEPSEVII... 131	methylphenidate... 107	mifepristone... 170
mercaptapurine... 57, 58	methylprednisolone acetate... 136	migergot... 47
MERILOG SOLOSTAR... 82	methylprednisolone sodium succ... 136	miglitol... 83
MERILOG... 82	methylprednisolone... 136	miglustat... 131
meropenem-0.9% sodium chloride... 27	methyltestosterone... 144	MIGRANAL... 47
meropenem... 27	metoclopramide hcl... 42	mili... 144
merzee... 144	metolazone... 97	millipred dp... 136
mesalamine... 164	metoprolol succinate... 97, 98	millipred... 136

milnacipran... 107	morphine (pf)... 16	MYQORZO... 98
milophene... 191	morphine concentrate... 16	MYRBETRIQ... 134
milrinone in 5 % dextrose... 98	morphine... 15, 16	MYSOLINE... 34
milrinone... 98	MOTEGRITY... 128	MYTESI... 128
mimvey... 144	MOTOFEN... 128	N
MINIVELLE... 144	MOTPOLY XR... 34	nabumetone... 16
MINOCIN... 27	MOUNJARO... 83	nadolol... 98
minocycline... 27	MOVANTIK... 128	nafcillin in dextrose iso-osm... 28
minoxidil... 98	MOVIPREP... 128	nafcillin... 28
minzoya... 144	moxifloxacin-sod.ace,sul-water... 28	naftifine... 45
MIOSTAT... 176	moxifloxacin-sod.chloride(iso)... 28	NAFTIN... 45
MIPLYFFA... 131	moxifloxacin... 28, 176	NAGLAZYME... 131
MIRAPEX ER... 66	MOZOBIL... 87	nalbuphine... 16
MIRCERA... 87	MRESVIA (PF)... 157	NALFON... 16
MIRENA... 170	MS CONTIN... 16	nalmeffene... 21
mirtazapine... 39	MULPLETA... 87	nalocet... 16
MIRVASO... 116	MULTAQ... 98	naloxone... 21
misoprostol... 128	mupirocin calcium... 116	naltrexone... 21
MITIGARE... 46	mupirocin... 116	NAMENDA XR... 37
mitigo (pf)... 15	MUTAMYCIN... 58	NAMZARIC... 37, 38
mitomycin... 58	MVASI... 58	NANO 2ND GEN PEN NEEDLE... 170
mitoxantrone... 58	MYALEPT... 128	NANO PEN NEEDLE... 170
modafinil... 187	MYAMBUTOL... 48	NAPRELAN CR... 16
MODD1 PATIENT WELCOME KIT... 170	MYCAMINE... 45	NAPROSYN... 16
MODD1 SUPPLY KIT... 170	MYCAPSSA... 150	naproxen sodium... 16
MODEYSO... 58	MYCOBUTIN... 49	naproxen-esomeprazole... 16
moexipril... 98	mycophenolate mofetil (hcl)... 157	naproxen... 16
molindone... 69	mycophenolate mofetil... 157	naratriptan... 47
mometasone... 116, 182	mycophenolate sodium... 157	NARCAN... 21
mondoxylene nl... 27	MYDAYIS... 108	NARDIL... 39
MONJUVI... 157	MYFEMBREE... 150	NAROPIN (PF)... 20
mono-linyah... 144	MYFORTIC... 157	NASCOBAL... 193
montelukast... 182	MYHIBBIN... 157	NATACHEW (FE BIS-GLYCINATE)... 122
morgidox... 27	MYLOTARG... 58	NATACYN... 176

NATAZIA... 144
 nateglinide... 83
 NATROBA... 116
 NAYZILAM... 34
 nebivolol... 98
 NEBUPENT... 65
 necon 0.5/35 (28)... 144
 nefazodone... 39
 NEFFY... 182
 nelarabine... 58
 NEMLUVIO... 157
 neo-polycin hc... 176
 neo-polycin... 176
 NEO-SYNALAR... 116
 neo-vital rx... 122
 neomycin-bacitracin-poly-hc... 176
 neomycin-bacitracin-polymyxin... 176
 neomycin-polymyxin b gu... 170
 neomycin-polymyxin b-dexameth... 176
 neomycin-polymyxin-gramicidin... 176
 neomycin-polymyxin-hc... 176, 178
 neomycin... 28
 NEONATAL COMPLETE... 122
 NEONATAL PLUS VITAMIN... 122
 NEONATAL-DHA... 122
 NEORAL... 157, 158
 NEREUS... 42
 NERLYNX... 58
 NESACAINE-MPF... 20
 NESACAINE... 20
 NESINA... 83
 neuac... 116
 NEULASTA ONPRO... 88
 NEULASTA... 87
 NEUPOGEN... 88
 NEUPRO... 66
 NEURONTIN... 34
 NEVANAC... 176
 nevirapine... 75
 NEXAVAR... 58
 NEXICLON XR... 98
 NEXIUM PACKET... 128
 NEXIUM... 128
 NEXLETOL... 98
 NEXLIZET... 98
 NEXPLANON... 144
 NEXTERONE... 98
 NEXTSTELLIS... 144
 NEXVIAZYME... 131
 NGENLA... 138
 niacin... 98
 niacor... 98
 nicardipine... 98
 NICOTROL NS... 21
 nifedipine... 98, 99
 nikki (28)... 144
 NIKTIMVO... 158
 NILANDRON... 58
 nilotinib d-tartrate... 58
 nilotinib hcl... 58
 nilutamide... 58
 nimodipine... 99
 NINLARO... 58
 nintedanib... 182
 NIPENT... 58
 nisoldipine... 99
 nitazoxanide... 65
 nitisinone... 131
 NITRO-BID... 99
 NITRO-DUR... 99
 nitrofurantoin macrocrystal... 28
 nitrofurantoin monohyd/m-cryst... 28
 nitrofurantoin... 28
 nitroglycerin in 5 % dextrose... 99
 nitroglycerin... 99, 170
 NITROLINGUAL... 99
 NITROSTAT... 99
 NITYR... 131
 NIVESTYM... 88
 nizatidine... 128
 NOCDURNA (MEN)... 138
 NOCDURNA (WOMEN)... 138
 NORA-BE... 144
 NORDITROPIN FLEXP... 138
 norelgestromin-ethin.estradiol... 145
 norepinephrine bitartrate... 99
 noreth-ethinyl estradiol-iron... 145
 norethindrone (contraceptive)... 145
 norethindrone ac-eth estradiol... 145
 norethindrone acetate... 145
 norethindrone-e.estradiol-iron... 145
 NORGESIC FORTE... 186
 norgesic... 186
 norgestimate-ethinyl estradiol... 145
 NORITATE... 28
 NORLIQVA... 99

NORMOSOL-M IN 5 % DEXTROSE... 122	NOVOLOG PENFILL U-100 INSULIN... 83	OCALIVA... 128 ocella... 145
NORMOSOL-R IN 5 % DEXTROSE... 122	NOVOLOG U-100 INSULIN ASPART... 83	OCREVUS ZUNOVO... 108 OCREVUS... 108
NORMOSOL-R PH 7.4... 122	NOVOPEN ECHO... 170	OCTAGAM... 158
NORMOSOL-R... 122	NOXAFIL... 45	octreotide acetate... 150
NORPACE CR... 99	np thyroid... 148	octreotide,microspheres... 150
NORPACE... 99	NUBEQA... 58	OCUFLOX... 176
NORPRAMIN... 39	NUCALA... 183	ODACTRA... 183
NORTHERA... 99	NUCYNTA ER... 16, 17	ODEFSEY... 75
nortrel 0.5/35 (28)... 145	NUCYNTA... 16	ODOMZO... 58
nortrel 1/35 (21)... 145	NUEDEXTA... 108	OFEV... 183
nortrel 1/35 (28)... 145	nulev... 192	ofloxacin... 28, 176, 178
nortrel 7/7/7 (28)... 145	NULIBRY... 131	OGIVRI... 58
nortriptyline... 39	NUPLAZID... 69	OGSIVEO... 58
NORVASC... 99	NURTEC ODT... 47	OHTUVAYRE... 183
NORVIR... 75	NUTRILIPID... 122	OJEMDA... 58
NOURIANZ... 66	NUTROPIN AQ NUSPIN... 138	OJJAARA... 58
NOVAREL... 138	NUVARING... 145	olanzapine-fluoxetine... 39
NOVOLIN 70-30 FLEXPEN U-100... 83	NUVESSA... 28	olanzapine... 69, 70
NOVOLIN 70/30 U-100 INSULIN... 83	NUVIGIL... 187	olmesartan-amlodipin-hcthiazyd... 99
NOVOLIN N FLEXPEN... 83	NUZYRA... 28	olmesartan-hydrochlorothiazide... 99
NOVOLIN N NPH U-100 INSULIN... 83	nyamyc... 45	olmesartan... 99
NOVOLIN R FLEXPEN... 83	nylia 1/35 (28)... 145	olopatadine... 183
NOVOLIN R REGULAR U100 INSULIN... 83	nylia 7/7/7 (28)... 145	OLPRUVA... 132
NOVOLOG FLEXPEN U-100 INSULIN... 83	NYMALIZE... 99	OLUMIANT... 158
NOVOLOG MIX 70-30 U-100 INSULN... 83	NYPOZI... 88	OMECLAMOX-PAK... 128
NOVOLOG MIX 70-30FLEXPEN U-100... 83	nystatin-triamcinolone... 45	omega-3 acid ethyl esters... 100
	nystatin... 45	OMEGAVEN... 122
	nystop... 45	omeprazole-sodium bicarbonate... 128
	NYVEPRIA... 88	omeprazole... 128
	O	OMNARIS... 183
	OB COMPLETE ONE... 122	
	OB COMPLETE PETITE... 122	
	OB COMPLETE PREMIER... 122	

OMNIPOD 5 (G6/LIBRE 2 PLUS)...	ONFI... 34	ORLISSA... 150
170	ONGENTYS... 66	ORKAMBI... 183
OMNIPOD 5 G6-G7 INTRO	ONIVYDE... 58	ORLADEYO... 158
KT(GEN5)... 170	ONPATTRO... 132	ORLYNVAH... 28
OMNIPOD 5 G6-G7 PODS (GEN 5)...	ONTRALFY... 72	ormalvi... 132
170	ONTRUZANT... 58	orphenadrine citrate... 186
OMNIPOD 5	ONUREG... 59	orphenadrine-asa-caffeine... 187
INTRO(G6/LIBRE2PLUS)... 171	ONYDA XR... 108	orphengesic forte... 187
OMNIPOD CLASSIC PODS (GEN 3)...	ONZETRA XSAIL... 47	orquidea... 145
171	OPDIVO QVANTIG... 59	ORSERDU... 59
OMNIPOD DASH INTRO KIT (GEN	OPDIVO... 59	orudis... 17
4)... 171	OPDUALAG... 59	oscimin sl... 192
OMNIPOD DASH PODS (GEN 4)... 171	OPFOLDA... 132	oscimin... 192
OMNIPOD GO PODS 10 UNITS/DAY...	OPIPZA... 70	oseltamivir... 75
171	opium tincture... 128	OSENI... 83
OMNIPOD GO PODS 15 UNITS/DAY...	OPSUMIT... 183	OSMITROL 10 %... 100
171	OPSYNVI... 183	OSMITROL 20 %... 100
OMNIPOD GO PODS 20 UNITS/DAY...	OPVEE... 21	OSMITROL 5 %... 100
171	OPZELURA... 116	OSMOLEX ER... 66
OMNIPOD GO PODS 25 UNITS/DAY...	ORACEA... 28	OSPHENA... 145
171	oralone... 110	OTEZLA STARTER... 116, 117
OMNIPOD GO PODS 30 UNITS/DAY...	ORAPRED ODT... 136	OTEZLA XR INITIATION... 117
171	ORBACTIV... 28	OTEZLA XR... 117
OMNIPOD GO PODS 40 UNITS/DAY...	ORENCIA CLICKJECT... 158	OTEZLA... 116
171	ORENCIA... 158	OTREXUP (PF)... 158
OMNIPOD GO PODS... 171	ORENITRAM MONTH 1 TITRATION	OTULFI... 158
OMNITROPE... 138	KT... 183	OVIDE... 117
OMVOH PEN... 158	ORENITRAM MONTH 2 TITRATION	OVIDREL... 191
OMVOH... 158	KT... 183	oxacillin in dextrose(iso-osm)... 28
ONAPGO... 66	ORENITRAM MONTH 3 TITRATION	oxacillin... 28
ONCASPAR... 58	KT... 183	oxaliplatin... 59
ondansetron hcl (pf)... 42	ORENITRAM... 183	oxaprozin... 17
ondansetron hcl... 42	ORFADIN... 132	oxazepam... 79
ondansetron... 42	ORGOVYX... 59	oxcarbazepine... 34
one natal rx... 122	ORIAHNN... 150	
ONEXTON... 116		

OXERVATE... 176
 oxiconazole... 45
 OXISTAT... 45
 OXLUMO... 171
 OXTELLAR XR... 34
 oxybutynin chloride... 134
 oxycodone-acetaminophen... 17
 oxycodone... 17
 OXYCONTIN... 17
 oxymorphone... 17
 oxytocin... 171
 OXYTROL... 134
 OZEMPIC... 83
 OZOBAX DS... 72
 OZOBAX... 72

P

PACERONE... 100
 paclitaxel protein-bound... 59
 paclitaxel... 59
 PADCEV... 59
 PALFORZIA (LEVEL 1)... 171
 PALFORZIA (LEVEL 10)... 171
 PALFORZIA (LEVEL 11 UP-DOSE)... 171
 PALFORZIA (LEVEL 2)... 171
 PALFORZIA (LEVEL 3)... 171
 PALFORZIA (LEVEL 4)... 171
 PALFORZIA (LEVEL 5)... 171
 PALFORZIA (LEVEL 6)... 171
 PALFORZIA (LEVEL 7)... 171
 PALFORZIA (LEVEL 8)... 171
 PALFORZIA (LEVEL 9)... 171
 PALFORZIA INITIAL (4-17 YRS)... 171

PALFORZIA LEVEL 11 MAINTENANCE... 171
 paliperidone... 70
 PALSONIFY... 150
 PALYNZIQ... 132
 PAMELOR... 39
 pamidronate... 166
 PANCREAZE... 132
 PANDEL... 117
 PANRETIN... 59
 pantoprazole in 0.9% sod chlor... 128
 pantoprazole... 128
 PANZYGA... 158
 paraplatin... 59
 paricalcitol... 166
 PARNATE... 39
 paroxetine hcl... 39, 40
 paroxetine mesylate(menop.sym)... 40
 PAXIL CR... 40
 PAXIL... 40
 PAXLOVID... 75
 pazopanib... 59
 PEDIAPRED... 136
 PEDIARIX (PF)... 158
 PEDMARK... 59
 PEDVAX HIB (PF)... 158
 peg 3350-electrolytes... 128
 peg-electrolyte soln... 128
 peg3350-sod sul-nacl-kcl-asb-c... 128
 PEGASYS... 158
 PEMAZYRE... 59
 pemetrexed disodium... 59

pemetrexed... 59
 PEMRYDI RTU... 59
 PEN NEEDLE, DIABETIC... 171
 PENBRAYA (PF)... 158
 penciclovir... 75
 penicillamine... 122
 penicillin g pot in dextrose... 28
 penicillin g potassium... 28
 penicillin g sodium... 28
 penicillin v potassium... 28
 PENMENVY MEN A-B-C-W-Y (PF)... 158
 PENNSAID... 17
 PENTACEL (PF)... 158
 PENTAM... 65
 pentamidine... 65
 PENTASA... 164
 pentazocine-naloxone... 17
 pentobarbital sodium... 34
 pentoxifylline... 100
 pepcid... 128
 perampanel... 34
 PERCOCET... 17
 PERFOROMIST... 183
 PERIKABIVEN... 122
 perindopril erbumine... 100
 periogard... 110
 PERJETA... 59
 permethrin... 117
 perphenazine-amitriptyline... 40
 perphenazine... 70
 PERSERIS... 70
 PERTZYE... 132
 pfizerpen-g... 28
 PHEBURANE... 132

phenazopyridine... 171	PITOCIN... 171	potassium chloride in 5 % dex... 123
phenelzine... 40	PLAQUENIL... 65	potassium chloride in lr-d5... 123
PHENERGAN... 42	PLASMA-LYTE 148 PH 7.4... 122	potassium chloride in water... 123
phenobarbital sodium... 34	PLASMA-LYTE A... 122	potassium chloride-0.45 % nacl... 123
phenobarbital... 34	PLAVIX... 88	potassium chloride-d5-0.2%nacl... 123
phenoxybenzamine... 100	PLEGRIDY... 108	potassium chloride-d5-0.9%nacl... 123
phenylephrine hcl... 100	PLENAMINE... 123	potassium chloride... 123
PHENYTEK... 34	PLENVU... 128	potassium citrate... 123
phenytoin sodium extended... 35	plerixafor... 88	POTELIGEO... 60
phenytoin sodium... 34, 35	PLIAGLIS... 20	pr natal 400 ec... 123
phenytoin... 34	pnv-dha... 123	pr natal 400... 123
PHESGO... 59	pnv-omega... 123	pr natal 430 ec... 123
PHEXX... 171	podofilox... 117	pr natal 430... 123
PHEXXI... 171	POKONZA... 123	PRADAXA... 88
philith... 145	POLIVY... 60	pralatrexate... 60
PHOSPHOLINE IODIDE... 177	polocaine-mpf... 20	PRALUENT PEN... 100
PHYRAGO... 59	polocaine... 20	pramipexole... 67
PHYSIOLYTE... 171	polycin... 177	prasugrel hcl... 88
PHYSIOSOL IRRIGATION... 171	polymyxin b sulf-trimethoprim... 177	pravastatin... 100
phytonadione (vitamin k1)... 193	polymyxin b sulfate... 28	praziquantel... 65
PIASKY... 158	pomalidomide... 60	prazosin... 100
PIFELTRO... 75	POMALYST... 60	PRECOSE... 83
pilocarpine hcl... 110, 177	POMBILITI... 132	PRED FORTE... 177
pimecrolimus... 117	PONVORY 14-DAY STARTER PACK... 108	PRED MILD... 177
pimozide... 70	PONVORY... 108	prednicarbate... 117
pimtrea (28)... 145	portia 28... 145	prednisolone acetate... 177
pindolol... 100	PORTRAZZA... 60	prednisolone sodium phosphate... 136, 177
pioglitazone-glimepiride... 83	posaconazole... 45	prednisolone... 136
pioglitazone-metformin... 83	potassium acetate... 123	prednisone intensol... 136
pioglitazone... 83	potassium chlorid-d5-0.45%nacl... 123	prednisone... 136
piperacillin-tazobactam... 28	potassium chloride in 0.9%nacl... 123	pregabalin... 108
PIQRAY... 60		
pirfenidone... 183		
piroxicam... 17		
pitavastatin calcium... 100		

PREGNYL... 138	primaquine... 65	PROLIA... 166
PREMARIN... 145	PRIMAXIN IV... 28	PROMACTA... 88
PREMASOL 10 %... 123	primidone... 35	promethazine vc... 172
PREMPHASE... 145	primlev... 17	promethazine-codeine... 189
PREMPRO... 145	PRIMSOL... 28	promethazine-dm... 189
PRENATA... 123	PRIORIX (PF)... 158	promethazine-phenylephrine... 172
PRENATABS FA... 123	PRISTIQ... 40	promethazine... 42, 43
prenatal plus (calcium carb)... 123	PRIVIGEN... 159	promethegan... 43
prenatal plus dha... 124	PRO COMFORT ALCOHOL PADS... 172	PROMETRIUM... 146
prenatal plus vitamin-mineral... 124	PRO-COMFORT ALCOHOL PADS... 172	propafenone... 100
prenatal vitamin plus low iron... 124	PROAIR DIGIHALER... 183	proparacaine... 177
prenatal-u... 124	PROAIR RESPICLICK... 183	propranolol... 100
PRENATE ELITE... 124	probenecid-colchicine... 46	propylthiouracil... 151
PRETOMANID... 49	probenecid... 46	PROQUAD (PF)... 159
PREVACID SOLUTAB... 129	procainamide... 100	PROSCAR... 134
PREVACID... 129	PROCARDIA XL... 100	PROSOL 20 %... 124
prevalite... 100	procentra... 108	protamine... 172
PREVDUO... 172	prochlorperazine edisylate... 42	PROTONIX... 129
PREVIDENT 5000 BOOSTER PLUS... 190	prochlorperazine maleate... 42	protriptyline... 40
PREVIDENT 5000 DRY MOUTH... 190	prochlorperazine... 42	PROVERA... 146
PREVIDENT 5000 ENAMEL	PROCRT... 88	PROVIGIL... 187
PROTECT... 190	procto-med hc... 117	PROZAC... 40
PREVIDENT 5000 ORTHO DEFENSE... 190	PROCTOCORT... 192	prucalopride... 129
PREVIDENT 5000 PLUS... 190	PROCTOFOAM HC... 165	PRUDOXIN... 117
PREVIDENT 5000 SENSITIVE... 190	proctosol hc... 117	pruradik... 117
PREVIDENT KIDS... 190	proctozone-hc... 117	PULMICORT FLEXHALER... 183
PREVIDENT... 190	PROCYSBI... 132	PULMICORT... 183
PREVYMIS... 75	progesterone micronized... 146	PULMOZYME... 183
PREZCOBIX... 75	progesterone... 145	PURE COMFORT ALCOHOL PADS... 172
PREZISTA... 75, 76	PROGLYCEM... 83	PURIXAN... 60
PRIALT... 172	PROGRAF... 159	PYLERA... 129
PRIFTIN... 49	PROLASTIN-C... 132	pyquvi... 136
PRILOSEC... 129	prolate... 17	pyrazinamide... 49
	PROLENSA... 177	PYRIDIDIUM... 172

pyridostigmine bromide... 48	rabeprazole... 129	RELENZA DISKHALER... 76
pyridoxine (vitamin b6)... 193	RADICAVA ORS STARTER KIT SUSP... 108	RELEUKO... 88
pyrimethamine... 65	RADICAVA ORS... 108	RELEXXII... 108
PYRUKYND... 132	RADICAVA... 108	RELGAABI... 35
PYZCHIVA AUTOINJECTOR... 159	RAGWITEK... 184	RELISTOR... 129
PYZCHIVA... 159	RALDESY... 40	RELPAK... 47
Q	raloxifene... 146	RELTONE... 129
QALSODY... 108	ramelteon... 187	REMERON SOLTAB... 40
QBRELIS... 100	ramipril... 100	REMERON... 40
QBREXZA... 117	ranitidine hcl... 129	REMICADE... 159
QDOLO... 18	ranolazine... 101	REMODULIN... 184
QELBREE... 108	RAPAFLO... 134	RENACIDIN... 172
QINLOCK... 60	RAPAMUNE... 159	RENFLEXIS... 159
QIVIGY... 159	rasagiline... 67	repaglinide... 83
QNASL... 184	RASUVO (PF)... 159	REPATHA PUSHTRONEX... 101
QTERN... 83	RAVICTI... 132	REPATHA SURECLICK... 101
QUADRACEL (PF)... 159	RAYALDEE... 166	REPATHA SYRINGE... 101
QUDEXY XR... 35	RAYOS... 136	RESPA-AR... 189
QUESTRAN LIGHT... 100	REBIF (WITH ALBUMIN)... 108	RESTASIS MULTIDOSE... 177
QUESTRAN... 100	REBIF REBIDOSE... 108	RESTASIS... 177
quetiapine... 70	REBIF TITRATION PACK... 108	RESTORIL... 188
QUILLICHEW ER... 108	REBLOZYL... 88	RETACRIT... 88
QUILLIVANT XR... 108	REBYOTA... 129	RETEVMO... 60
quinapril-hydrochlorothiazide... 100	RECARBRIO... 28	RETIN-A MICRO PUMP... 117
quinapril... 100	RECLAST... 166	RETIN-A MICRO... 117
quinidine gluconate... 100	reclipsen (28)... 146	RETIN-A... 117
quinidine sulfate... 100	RECOMBIVAX HB (PF)... 159	RETROVIR... 76
quinine sulfate... 65	RECORLEV... 150	REVATIO... 184
QULIPTA... 47	RECTIV... 172	REVCovi... 132
QUTENZA... 172	REDEMPLO... 101	REVLIMID... 60
QUVIVIQ... 187	REGLAN... 43	revonto... 72
QUZYTIR... 184	REGONOL... 48	REVUFORJ... 60
QVAR REDIHALER... 184	REGRANEX... 117	REXTOVY... 21
R	RELAFEN DS... 18	REXULTI... 70
RABAVERT (PF)... 159		

REYATAZ... 76	RITUXAN HYCELA... 60	RUXIENCE... 60
REYVOW... 47	RITUXAN... 60	RYALTRIS... 184
REZDIFFRA... 172	rivaroxaban... 88	RYBELSUS... 83
REZLIDHIA... 60	rivastigmine tartrate... 38	RYBREVANT FASPRO... 61
REZUROCK... 159	rivastigmine... 38	RYBREVANT... 60
REZVOGLAR KWIKPEN... 83	rivelsa... 146	RYCLORA... 184
REZZAYO... 45	RIVFLOZA... 172	RYDAPT... 61
RHAPSIDO... 88	rizatriptan... 47	RYLAZE... 61
RHOFADE... 117	ROBAXIN... 187	RYSTIGGO... 160
RHOPHYLAC... 159	ROBINUL FORTE... 129	RYTARY... 67
RHOPRESSA... 177	ROBINUL... 129	RYTELO... 61
RIABNI... 60	ROCALTROL... 166	RYVENT... 184
RIASTAP... 88	ROCKLATAN... 177	RYZNEUTA... 88
ribavirin... 76, 172	roflumilast... 184	S
RIDAURA... 160	ROLVEDON... 88	SABRIL... 35
rifabutin... 49	romidepsin... 60	sacubitril-valsartan... 101
RIFADIN... 49	ROMVIMZA... 60	SAFYRAL... 146
rifampin... 49	ropinirole... 67	sajazir... 160
rilpivirine hcl... 76	ropivacaine (pf)... 20	SALAGEN (PILOCARPINE)... 110
RILUTEK... 108	rosadan... 29	SAMSCA... 124
riluzole... 108	rosuvastatin... 101	SANCUSO... 43
rimantadine... 76	rosyrah... 146	SANDIMMUNE... 160
RIMSO-50... 172	ROTARIX... 160	SANDOSTATIN LAR DEPOT... 150
ringer's... 124, 172	ROTATEQ VACCINE... 160	SANDOSTATIN... 150
RINVOQ LQ... 160	ROWASA... 165	SANTYL... 117
RINVOQ... 160	rowepra... 35	SAPHNELO... 160
RIOMET... 83	ROXICODONE... 18	SAPHRIS... 70
risedronate... 166	ROXYBOND... 18	sapropterin... 132
RISPERDAL CONSTA... 70	ROZEREM... 188	SARCLISA... 61
RISPERDAL... 70	ROZLYTREK... 60	SAVAYSA... 88
risperidone microspheres... 70	RUBRACA... 60	SAVELLA... 109
risperidone... 70	RUCONEST... 160	saxagliptin-metformin... 84
RITALIN LA... 109	rufinamide... 35	saxagliptin... 84
RITALIN... 109	RUKOBIA... 76	SCSEMBLIX... 61
ritonavir... 76		scopolamine base... 43

SDAMLO... 101
se-natal 19 chewable... 124
SECUADO... 70
SEGLENTIS... 18
SEGLUROMET... 84
SELARSDI... 160
SELECT-OB (FOLIC ACID)... 124
SELECT-OB + DHA... 124
SELECT-OB... 124
selegiline hcl... 67
selenium sulfide... 117
SELZENTRY... 76
SEMGLEE(INSULIN
GLARG-YFGN)PEN... 84
SEMGLEE(INSULIN
GLARGINE-YFGN)... 84
SENSIPAR... 166
sensorcaine-epinephrine... 20
sensorcaine-mpf spinal... 20
SENSORCAINE-MPF... 20
sensorcaine-mpf/epinephrine... 20
SENSORCAINE... 20
SEPHIENCE... 132
SEREVENT DISKUS... 184
SEROQUEL XR... 71
SEROQUEL... 71
SEROSTIM... 138
sertraline... 40
setlakin... 146
SEYSARA... 29
SEZABY... 35
sf 5000 plus... 190
sf... 190
SFROWASA... 165
sharobel... 146
SHINGRIX (PF)... 160
SIGNIFOR LAR... 150
SIGNIFOR... 150
SIKLOS... 172
sildenafil (pulm.hypertension)... 184
SILENOR... 188
SILIQ... 160
silodosin... 134
SILVADENE... 117
silver sulfadiazine... 117
SIMBRINZA... 177
SIMLANDI(CF) AUTOINJECTOR...
160
SIMLANDI(CF)... 160
simliya (28)... 146
simpesse... 146
SIMPONI ARIA... 160
SIMPONI... 160
SIMULECT... 160
simvastatin... 101
SINEMET... 67
SINGULAIR... 184
sirolimus... 160
SIRTURO... 49
sitagliptin phos-metformin... 84
sitagliptin-metformin... 84
sitagliptin... 84
SIVEXTRO... 29
SKYCLARYS... 109
SKYRIZI... 160, 161
SKYTROFA... 138
SLYND... 146
SMOFLIPID... 124
SOANZ... 101
sodium benzoate-sod phenylacet...
172
sodium bicarbonate... 124
sodium chloride 0.45 %... 124
sodium chloride 0.9 %... 124
sodium chloride 3 % hypertonic...
124
sodium chloride 5 % hypertonic...
124
sodium chloride... 124, 172
SODIUM EDECRIN... 101
sodium fluoride 5000 dry mouth...
190
sodium fluoride 5000 plus... 190
sodium fluoride-pot nitrate... 190
sodium oxybate... 188
sodium phenylbutyrate... 132
sodium phosphate... 124
sodium polystyrene sulfonate... 124
sodium,potassium,mag sulfates...
129
SOFDRA... 117
SOGROYA... 138
SOHONOS... 172
solifenacin... 134
SOLIQUA 100/33... 84
SOLIRIS... 161
SOLODYN... 29
SOLOSEC... 29
SOLTAMOX... 61
SOLU-CORTEF ACT-O-VIAL (PF)...
136
SOLU-CORTEF... 136
SOLU-MEDROL (PF)... 136
SOLU-MEDROL... 136

SOMA... 187	STIOLTO RESPIMAT... 184	SURE-PREP ALCOHOL PREP PADS... 172
SOMATULINE DEPOT... 150	STIVARGA... 61	SUTAB... 129
SOMAVERT... 150	STRATTERA... 109	SUTENT... 61
SOOLANTRA... 117	STRENSIQ... 132	syeda... 146
sorafenib... 61	streptomycin... 29	SYLVANT... 161
sorbitol-mannitol... 172	STRIBILD... 76	SYMAX DUOTAB... 192
SORILUX... 117	STRIVERDI RESPIMAT... 184	symax fastabs... 192
sotalol af... 101	STROMECTOL... 65	symax-sl... 192
sotalol... 101	SUBOXONE... 21	symax-sr... 192
SOTYKTU... 161	subvenite starter (blue) kit... 35	SYMBICORT... 184
SOTYLIZE... 101	subvenite starter (green) kit... 35	SYMBRAVO... 48
SOVALDI... 76	subvenite starter (orange) kit... 35	SYMDEKO... 184
SOVUNA... 65	SUBVENITE... 35	SYMFI LO... 76
SPEVIGO... 161	SUCRAID... 133	SYMFI... 76
spinosad... 117	sucralfate... 129	SYMLINPEN 120... 84
SPIRIVA RESPIMAT... 184	SUFLAVE... 129	SYMLINPEN 60... 84
SPIRIVA WITH HANDIHALER... 184	SULAR... 101	SYMPAZAN... 35
spironolacton-hydrochlorothiaz... 101	sulfacetamide sodium (acne)... 29	SYMPROIC... 129
spironolactone... 101	sulfacetamide sodium... 29, 177	SYMTUZA... 76
SPORANOX... 45	sulfacetamide-prednisolone... 177	SYNAGIS... 172
sprintec (28)... 146	sulfadiazine... 29	SYNALAR... 118
SPRITAM... 35	sulfamethoxazole-trimethoprim... 29	SYNAREL... 150
SPRIX... 18	SULFAMYLON... 118	SYNJARDY XR... 84
SPRYCEL... 61	sulfasalazine... 165	SYNJARDY... 84
SPS (WITH SORBITOL)... 124	sulindac... 18	SYNTHROID... 148
sronyx... 146	sumatriptan succinate... 47	SYPRINE... 124
SSD... 118	sumatriptan-naproxen... 47	T
STARJEMZA... 161	sumatriptan... 47	TABLOID... 61
stavudine... 76	sunitinib malate... 61	TABRECTA... 61
STEGLATRO... 84	SUNLENCA... 76	TACLONEX... 118
STEGLUJAN... 84	SUNOSI... 188	tacrolimus... 118, 161
STELARA... 161	SUPREP BOWEL PREP KIT... 129	tadalafil (pulm. hypertension)... 184
STEQEYMA... 161	SURE COMFORT ALCOHOL PREP PADS... 172	tadalafil... 134
STIMUFEND... 89		TADLIQ... 184

TAFINLAR... 61	tazicef... 29	teriflunomide... 109
tafluprost (pf)... 177	TAZORAC... 118	TESTIM... 146
TAGRISSE... 61	taztia xt... 101	testosterone cypionate... 146
TAKHZYRO... 161	TAZVERIK... 61	testosterone enanthate... 146
TALICIA... 129	TDVAX... 161	testosterone... 146
TALTZ AUTOINJECTOR (2 PACK)... 161	TECENTRIQ HYBREZA... 62	tetrabenazine... 109
TALTZ AUTOINJECTOR (3 PACK)... 161	TECENTRIQ... 62	tetracycline... 29
TALTZ AUTOINJECTOR... 161	TECFIDERA... 109	TEVIMBRA... 62
TALTZ SYRINGE... 161	TECVAYLI... 62	TEXACORT... 118
TALVEY... 61	TEFLARO... 29	TEZRULY... 101
TALZENNA... 61	TEGLUTIK... 109	TEZSPIRE... 161, 162
TAMIFLU... 76	TEGRETOL XR... 35	THALITONE... 101
tamoxifen... 61	TEGRETOL... 35	THALOMID... 62
tamsulosin... 134	TEKTURNA... 101	THAM... 124
tanlor... 187	telmisartan-amlodipine... 101	THEO-24... 184
tapentadol... 18	telmisartan-hydrochlorothiazid... 101	theophylline... 185
taperdex... 137	telmisartan... 101	thiamine hcl (vitamin b1)... 193
TARCEVA... 61	temazepam... 188	THIOLA EC... 134
TARGADOX... 29	TEMODAR... 62	THIOLA... 134
TARGRETIN... 61	temsirolimus... 62	thioridazine... 71
tarina 24 fe... 146	tencon... 172	thiotepa... 62
tarina fe 1-20 eq (28)... 146	TENIVAC (PF)... 161	thiothixene... 71
tarina fe 1/20 (28)... 146	tenofovir disoproxil fumarate... 77	THYMOGLOBULIN... 162
TARPEYO... 165	TENORETIC 100... 101	THYQUIDITY... 149
TASCENSO ODT... 109	TENORETIC 50... 101	tiadylt er... 102
TASIGNA... 61	TENORMIN... 101	tiagabine... 35
tasimelteon... 188	TEPADINA... 62	TIAZAC... 102
TASMAR... 67	TEPEZZA... 172	TIBSOVO... 62
tavaborole... 45	TEPMETKO... 62	ticagrelor... 89
TAVALISSE... 89	TEPYLUTE... 62	TICOVAC... 162
TAVNEOS... 161	terazosin... 101	TIGAN... 43
TAYTULLA... 146	terbinafine hcl... 45	tigecycline... 29
tazarotene... 118	terbutaline... 184	TIGLUTIK... 109
	terconazole... 46	TIKOSYN... 102

tilia fe... 146	TOPICORT... 118	TREMFYA PEN INDUCTION PK(2PEN)... 162
timolol maleate (pf)... 177	topiramate... 35, 36	TREMFYA PEN... 162
timolol maleate... 102, 177	topotecan... 62	TREMFYA... 162
timolol... 177	TOPROL XL... 102	treprostinil sodium... 185
TIMOPTIC OCUDOSE (PF)... 177	toremifene... 62	TRESIBA FLEXTOUCH U-100... 84
tinidazole... 29	TORISEL... 62	TRESIBA FLEXTOUCH U-200... 84
tiopronin... 134	torpenz... 62	TRESIBA U-100 INSULIN... 84
tirofiban-0.9% sodium chloride... 89	torsemide... 102	tretinoin (antineoplastic)... 62
TIROSINT-SOL... 149	TOSYMRA... 48	tretinoin microspheres... 118
TIROSINT... 149	TOUJEO MAX U-300 SOLOSTAR... 84	tretinoin... 118
TIVDAK... 62	TOUJEO SOLOSTAR U-300 INSULIN... 84	TREXALL... 162
TIVICAY PD... 77	tovet emollient... 118	TREXIMET... 48
TIVICAY... 77	TOVIAZ... 134	TREZIX... 18
tizanidine... 72	TPN ELECTROLYTES... 124	tri-estarylla... 147
TLANDO... 146	TRACLEER... 185	tri-legest fe... 147
TOBI PODHALER... 185	TRADJENTA... 84	tri-linyah... 147
TOBI... 29	tramadol-acetaminophen... 18	tri-lo-estarylla... 147
TOBRADEX ST... 177	tramadol... 18	tri-lo-marzia... 147
TOBRADEX... 177	trandolapril-verapamil... 102	tri-lo-mili... 147
tobramycin in 0.225 % nacl... 29	trandolapril... 102	tri-lo-sprintec... 147
tobramycin sulfate... 29	tranexamic acid... 89	tri-mili... 147
tobramycin-dexamethasone... 177	TRANSDERM-SCOP... 43	tri-sprintec (28)... 147
tobramycin-lotepred... 177	tranylcypromine... 40	tri-vylibra lo... 147
tobramycin... 29, 177	TRAVASOL 10 %... 125	tri-vylibra... 147
TOBEX... 177	TRAVATAN Z... 177	triamcinolone acetonide... 110, 137
tolcapone... 67	travoprost... 177	triamterene-hydrochlorothiazid... 102
tolectin 600... 18	TRAZIMERA... 62	triamterene... 102
tolectin ds... 18	trazodone... 40	trianex... 137
tolmetin... 18	TREANDA... 62	triazolam... 188
TOLSURA... 46	TRECTOR... 49	TRIBENZOR... 102
tolterodine... 134	TRELEGY ELLIPTA... 185	TRICARE... 125
tolvaptan (polycys kidney dis)... 124	TRELSTAR... 150	TRICOR... 102
tolvaptan... 124	TREMFYA ONE-PRESS... 162	triderm... 137
TONMYA... 187		
TOPAMAX... 35		

trientine... 125	TRUXIMA... 62	UDENYCA ONBODY... 89
trifluoperazine... 71	TRYNGOLZA... 102	UDENYCA... 89
trifluridine... 177	TRYPTYR... 178	ULORIC... 46
trihexyphenidyl... 67	TRYVIO... 102	ULTILET ALCOHOL SWAB... 172
TRIJARDY XR... 84	TUDORZA PRESSAIR... 185	ULTOMIRIS... 162
TRIKAFTA... 185	TUKYSA... 62	ULTRA-FINE INS SYR (HALF UNIT)... 172
TRILEPTAL... 36	tulana... 147	ULTRA-FINE INSULIN SYRINGE... 173
TRILIPIX... 102	TURALIO... 62	ULTRA-FINE PEN NEEDLE... 173
trimethobenzamide... 43	turqoz (28)... 147	ULTRAVATE... 118
trimethoprim... 29	TUXARIN ER... 189	umeclidinium-vilanterol... 185
trimipramine... 40	TWINRIX (PF)... 162	umeclidinium... 185
trinatal rx 1... 125	TWYNEO... 118	UNASYN... 29
TRINTELLIX... 40	TYBLUME... 147	UNDECATREX... 147
TRIPTODUR... 150	TYBOST... 77	UNITHROID... 149
TRISENOX... 62	tydemy... 147	UNITUXIN... 62
TRISTART DHA... 125	TYENNE AUTOINJECTOR... 162	UPLIZNA... 162
TRIUMEQ PD... 77	TYENNE... 162	UPTRAVI... 185
TRIUMEQ... 77	TYGACIL... 29	UROCIT-K 10... 125
trivora (28)... 147	TYKERB... 62	UROCIT-K 15... 125
TRODELVY... 62	TYMLOS... 166	UROCIT-K 5... 125
TROGARZO... 77	TYPHIM VI... 162	UROXATRAL... 134
TROKENDI XR... 36	TYRUKO... 109	URSO FORTE... 129
tromethamine... 125	TYRVAYA... 178	ursodiol... 129
TROPHAMINE 10 %... 125	TYSABRI... 109	USTEKINUMAB-AEKN... 162
tropium... 134	TYVASO DPI... 185	USTEKINUMAB-TTWE... 162
TRUDHESA... 48	TYVASO INSTITUTIONAL START KIT... 185	USTEKINUMAB... 162
TRUE COMFORT ALCOHOL PADS... 172	TYVASO REFILL KIT... 185	UZEDY... 71
TRUE COMFORT PRO ALCOHOL PADS... 172	TYVASO STARTER KIT... 185	
TRULANCE... 129	TYVASO... 185	V
TRULICITY... 84	TYZAVAN... 29	V-GO 20... 173
TRUMENBA... 162		V-GO 30... 173
TRUQAP... 62	U	V-GO 40... 173
TRUVADA... 77	UBRELVY... 48	VABOMERE... 29
	UCERIS... 165	VABRINTY (1 MONTH)... 150
	UDENYCA AUTOINJECTOR... 89	

VABRINTY (3 MONTH)... 150	VARIZIG... 163	VERSACLOZ... 71
VABRINTY (4 MONTH)... 150	VARUBI... 43	VERZENIO... 63
VABRINTY (6 MONTH)... 150	VASCEPA... 102	VESICARE LS... 134
VAGIFEM... 147	VASERETIC... 102	VESICARE... 134
valacyclovir... 77	VASOTEC... 102	vestura (28)... 147
VALCHLOR... 63	VAXCHORA VACCINE... 163	VEVYE... 178
VALCYTE... 77	vecamyl... 102	VFEND IV... 46
valganciclovir... 77	VECTIBIX... 63	VFEND... 46
VALIUM... 79	VECTICAL... 118	VIBATIV... 30
valproate sodium... 36	VEGZELMA... 63	VIBERZI... 129
valproic acid (as sodium salt)... 36	VELCADE... 63	VIBRAMYCIN... 30
valproic acid... 36	VELETRI... 185	VICTOZA 2-PAK... 84
valrubicin... 63	velivet triphasic regimen (28)... 147	VICTOZA 3-PAK... 84
valsartan-hydrochlorothiazide... 102	VELSIPITY... 163	VIDAZA... 63
valsartan... 102	VELTASSA... 125	vienva... 147
VALSTAR... 63	VELTIN... 118	vigabatrin... 36
VALTOCO... 36	VEMLIDY... 77	vigadrone... 36
VALTREX... 77	VENCLEXTA STARTING PACK... 63	VIGAFYDE... 36
valtya... 147	VENCLEXTA... 63	VIGAMOX... 178
VANCOGIN... 30	VENELEX... 192	vigpoder... 36
vancomycin in 0.9 % sodium chl... 30	VENLAFAXINE BESYLATE... 41	VIIBRYD... 41
vancomycin in dextrose 5 %... 30	venlafaxine... 40	VIJOICE... 133
vancomycin-diluent combo no.1... 30	VENTAVIS... 185	vilazodone... 41
vancomycin... 30	VENTOLIN HFA... 186	VIMKUNYA... 163
VANDAZOLE... 30	venxxiva... 134	VIMOVO... 18
VANFLYTA... 63	VEOPOZ... 163	VIMPAT... 36
VANOS... 118	VEOZAH... 109	vinblastine... 63
VANRAFIA... 173	verapamil... 102, 103	vincasar pfs... 63
VAPRISOL IN 5 % DEXTROSE... 125	VERDESO... 118	vincristine... 63
VAQTA (PF)... 162	VEREGEN... 118	vinorelbine... 63
varenicline tartrate... 21	VERELAN PM... 103	VIOKACE... 133
VARIVAX (PF)... 162	VERIPRED 20... 137	viorele (28)... 147
	VERKAZIA... 178	VIRACEPT... 77
	VERQUVO... 103	VIRAZOLE... 173

VIREAD... 77	VOYDEYA... 163	WEGOVY... 173
VISTARIL... 186	VOYXACT... 163	WELCHOL... 103
VITAFOL FE PLUS... 125	VPRIV... 133	WELIREG... 133
VITAFOL GUMMIES... 125	VRAYLAR... 71	WELLBUTRIN SR... 41
VITAFOL ULTRA... 125	VTAMA... 118	WELLBUTRIN XL... 41
VITAFOL-OB+DHA... 125	VUITY... 178	wera (28)... 147
VITAFOL-OB... 125	VUMERITY... 109	wescap-pn dha... 125
VITAFOL-ONE... 125	VUSION... 46	wesnata dha complete... 125
VITAMEDMD ONE RX... 125	VYALEV... 67	wesnate dha... 125
vitamin d2... 193	VYEPTI... 48	westab plus... 125
vitamin k... 193	vyfemla (28)... 147	westgel dha... 125
vitamin k1... 193	VYJUVEK... 173	WEZLANA... 163
VITRAKVI... 63	VYKAT XR... 173	WIDAPLIK... 103
vivacaine... 20	VYKOURA... 63	WINLEVI... 118
VIVELLE-DOT... 147	vylibra... 147	WINREVAIR... 186
VIVIMUSTA... 63	VYLOY... 63	wixela inhub... 186
VIVITROL... 21	VYNDAMAX... 133	wymzya fe... 147
VIVJOA... 46	VYNDAQEL... 133	X
VIVLODEX... 18	VYSCOX... 18	XACDURO... 30
VIVOTIF... 163	VYTORIN 10-10... 103	XACIATO... 30
VIZIMPRO... 63	VYTORIN 10-20... 103	XADAGO... 67
VOCABRIA... 77	VYTORIN 10-40... 103	XALATAN... 178
VOGELXO... 147	VYTORIN 10-80... 103	XALKORI... 63
volnea (28)... 147	VYVANSE... 109	XANAX XR... 79
VONJO... 63	VYVGART HYTRULO... 48	XANAX... 79
VOQUEZNA DUAL PAK... 130	VYVGART... 48	xarah fe... 148
VOQUEZNA TRIPLE PAK... 130	VYXEOS... 63	XARELTO DVT-PE TREAT 30D START... 89
VOQUEZNA... 130	VYZULTA... 178	XARELTO... 89
VORANIGO... 63	W	XATMEP... 163
voriconazole-hpbcd... 46	WAINUA... 133	XCOPRI MAINTENANCE PACK... 37
voriconazole... 46	WAKIX... 188	XCOPRI TITRATION PACK... 37
VOSEVI... 77	warfarin... 89	XCOPRI... 36
VOTRIENT... 63	water for irrigation, sterile... 173	XDEMVI... 173
VOWST... 130	WAYRILZ... 89	XELJANZ XR... 163
VOXZOGO... 133	WEBCOL... 173	

XELJANZ... 163	YASMIN (28)... 148	ZEGALOGUE SYRINGE... 85
XELPROS... 178	YAZ (28)... 148	ZEGERID... 130
xelria fe... 148	YCANTH... 173	ZEJULA... 64
XELSTRYM... 109	YERVOY... 64	ZELAPAR... 67
XEMBIFY... 163	YESINTEK... 163	ZELBORAF... 64
XENAZINE... 109	YF-VAX (PF)... 163	ZELSUVMI... 118
XENPOZYME... 133	YIMMUGO... 163	zelvysia... 133
XERAVA... 30	YONDELIS... 64	ZEMAIRA... 133
XERESE... 77	YONSA... 64	ZEMBRACE SYMTOUCH... 48
XERMELO... 130	YORVIPATH... 166	ZEMDRI... 30
XGEVA... 166	YUFLYMA(CF) AI CROHN'S-UC-HS... 163	ZEMPLAR... 166
XHANCE... 186	YUFLYMA(CF) AUTOINJECTOR... 164	zenatane... 118
XIFAXAN... 130	YUFLYMA(CF)... 163	ZENPEP... 133
XIFYRM... 18	YUPELRI... 186	zenzedi... 109
XIGDUO XR... 85	YUSIMRY(CF) PEN... 164	ZEPATIER... 77
XIIDRA... 178	YUTREPIA... 186	ZEPBOUND KWIKPEN... 173
XIMINO... 30	yuvaferm... 148	ZEPBOUND... 173
XOFLUZA... 77	YUVIWEL... 133	ZEPOSIA STARTER KIT (28-DAY)... 110
XOLAIR... 163		ZEPOSIA STARTER PACK (7-DAY)... 110
XOLEGEL... 46	Z	ZEPOSIA... 109
XOLREMDI... 89	zafemy... 148	ZEPZELCA... 64
XOPENEX HFA... 186	zafirlukast... 186	ZERBAXA... 30
XOSPATA... 63	zaleplon... 188	ZERVIA... 178
XPOVIO... 64	ZALTRAP... 64	ZESTORETIC... 103
XROMI... 173	ZANAFLEX... 72	ZESTRIL... 103
XTAMPZA ER... 18	ZANOSAR... 64	ZETIA... 103
XTANDI... 64	zarah... 148	ZETONNA... 186
xulane... 148	ZARONTIN... 37	ZEVALIN (Y-90)... 173
XULTOPHY 100/3.6... 85	ZARXIO... 89	ZEVTERA... 30
XYOSTED... 148	zatean-pn dha... 125	ZIAGEN... 77
XYREM... 188	zatean-pn plus... 125	ZIANA... 119
xyvona... 18	ZAVESCA... 133	zidovudine... 77
XYWAV... 188	ZAVZPRET... 48	ZIEXTENZO... 89
	ZCORT... 137	
Y	ZEGALOGUE AUTOINJECTOR... 85	
yargesa... 133		

ZIIHERA... 64	ZONISADE... 37
ZILBRYSQ... 164	zonisamide... 37
zileuton... 186	ZORTRESS... 164
ZILRETTA... 137	ZORVOLEX... 19
ZILXI... 119	ZORYVE... 119
ZIMHI... 21	ZOSYN IN DEXTROSE (ISO-OSM)... 30
zingiber... 173	zovia 1-35 (28)... 148
ZIOPTAN (PF)... 178	ZOVIRAX... 77
ziprasidone hcl... 71	ZTALMY... 37
ziprasidone mesylate... 71	ZTLIDO... 20
ZIPSOR... 19	ZUBSOLV... 21
ZIRABEV... 64	ZULRESSO... 41
ZIRGAN... 77	zumandimine (28)... 148
ZITHROMAX TRI-PAK... 30	ZUNVEYL... 38
ZITHROMAX Z-PAK... 30	ZURNAL... 21
ZITHROMAX... 30	ZURZUVAE... 41
ZITUVIMET XR... 85	ZYCLARA... 119
ZITUVIMET... 85	ZYDELIG... 64
ZITUVIO... 85	ZYKADIA... 64
ZOCOR... 103	ZYLET... 178
ZOKINVY... 133	ZYLOPRIM... 46
ZOLADEX... 150	ZYMFENTRA... 164
zoledronic ac-mannitol-0.9nacl... 166	ZYNLONTA... 64
zoledronic acid-mannitol-water... 166	ZYNRELEF... 173
zoledronic acid... 166	ZYNYZ... 64
ZOLINZA... 64	ZYPITAMAG... 103
zolmitriptan... 48	ZYPREXA RELPREV... 71
ZOLOFT... 41	ZYPREXA ZYDIS... 71
zolpidem... 188	ZYPREXA... 71
ZOMACTON... 138	ZYTIGA... 64
zomig... 48	ZYVOX... 31
ZONALON... 119	
ZONEGRAN... 37	

Notice of Availability - Auxiliary Aids and Services Notice

English: Free language, auxiliary aid, and alternate format services are available.
Call **877-320-1235 (TTY: 711)**.

العربية [Arabic]: تتوفر خدمات اللغة والمساعدة الإضافية والتنسيق البديل مجانًا. اتصل على الرقم **877-320-1235 (الهاتف النصي: 711)**.

Հայերեն [Armenian]: Հասանելի են անվճար լեզվական, աջակցման և այլընտրանքային ձևաչափի ծառայություններ: Չանգահարե՛ք՝ **877-320-1235 (TTY: 711)**:

বাংলা [Bengali]: বিনামূল্যে ভাষা, আনুষঙ্গিক সহায়তা, এবং বিকল্প বিন্যাসে পরিষেবা উপলব্ধ।
ফোন করুন **877-320-1235 (TTY: 711)** নম্বরে।

简体中文 [Simplified Chinese]: 我们可提供免费的语言、辅助设备以及其他格式版本服务。
请致电 **877-320-1235 (听障专线: 711)**。

繁體中文 [Traditional Chinese]: 我們可提供免費的語言、輔助設備以及其他格式版本服務。
請致電 **877-320-1235 (聽障專線: 711)**。

Kreyòl Ayisyen [Haitian Creole]: Lang gratis, èd oksilyè, ak lòt fòm sèvis disponib. Rele **877-320-1235 (TTY: 711)**.

Hrvatski [Croatian]: Dostupni su besplatni jezik, dodatna pomoć i usluge alternativnog formata. Nazovite **877-320-1235 (TTY: 711)**.

فارسی [Farsi]: خدمات زبان رایگان، کمک های اضافی و فرمت های جایگزین در دسترس است. با **877-320-1235 (TTY: 711)** تماس بگیرید.

Français [French]: Des services gratuits linguistiques, d'aide auxiliaire et de mise au format sont disponibles. Appeler le **877-320-1235 (TTY: 711)**.

Deutsch [German]: Es stehen kostenlose unterstützende Hilfs- und Sprachdienste sowie alternative Dokumentformate zur Verfügung. Telefon: **877-320-1235 (TTY: 711)**.

Ελληνικά [Greek]: Διατίθενται δωρεάν γλωσσικές υπηρεσίες, βοηθήματα και υπηρεσίες σε εναλλακτικές προσβάσιμες μορφές. Καλέστε στο **877-320-1235 (TTY: 711)**.

ગુજરાતી [Gujarati]: નિ:શુલ્ક ભાષા, સહાયક સહાય અને વૈકલ્પિક ફોર્મેટ સેવાઓ ઉપલબ્ધ છે.
877-320-1235 (TTY: 711) પર કોલ કરો.

עברית [Hebrew]: שירותים אלה זמינים בחינם: שירותי תרגום, אביזרי עזר וטקסטים בפורמטים חלופיים.
נא התקשר למספר **877-320-1235 (TTY: 711)**

हिन्दी [Hindi]: नि:शुल्क भाषा, सहायक मदद और वैकल्पिक प्रारूप सेवाएं उपलब्ध हैं।
877-320-1235 (TTY: 711) पर कॉल करें।

Hmoob [Hmong]: Muaj kev pab txhais lus, pab kom hnov suab, thiab lwm tus qauv pab cuam. Hu **877-320-1235 (TTY: 711)**.

Italiano [Italian]: Sono disponibili servizi gratuiti di supporto linguistico, assistenza ausiliaria e formati alternativi. Chiama il numero **877-320-1235 (TTY: 711)**.

日本語 [Japanese]: 言語支援サービス、補助支援サービス、代替形式サービスを無料でご利用いただけます。**877-320-1235 (TTY: 711)** までお電話ください。

This notice is available at <https://www.humana.com/legal/multi-language-support>.

GHHNOA2025HUM_0425

ភាសាខ្មែរ [Khmer]: សេវាកម្មផ្នែកភាសា ជំនួយ និង សេវាកម្មជាន់ដ្ឋានផ្សេងៗសម្រាប់អ្នកមានការប្រឈមនឹងបញ្ហាភាសា។ ទូរសព្ទទៅលេខ 877-320-1235 (TTY: 711)។

한국어 [Korean]: 무료 언어, 보조 지원 및 대체 형식 서비스를 이용하실 수 있습니다. 877-320-1235 (TTY: 711)번으로 문의하십시오.

ພາສາລາວ [Lao] ມີການບໍລິການດ້ານພາສາ, ຊ່ວຍເຫຼືອ ແລະ ຮູບແບບທາງເລືອກອື່ນ ໃຫ້ໃຊ້ພໍ. ໂທ 877-320-1235 (TTY: 711).

Diné [Navajo]: Saad t'áa' jiik'eh, t'áadoole'é binahjí' bee adahodooníí'gíí' diné bich'í' anídahazt'í'í, dóo' łahgo át'éego bee hada'dilyaaígíí' bee bika'aanída'awo'í dahóló. Kohjí' hodíílnih 877-320-1235 (TTY: 711).

Polski [Polish]: Dostępne są bezpłatne usługi językowe, pomocnicze i alternatywne formaty. Zadzwoń pod numer 877-320-1235 (TTY: 711).

Português [Portuguese]: Estão disponíveis serviços gratuitos de ajuda linguística auxiliar e outros formatos alternativos. Ligue 877-320-1235 (TTY: 711).

ਪੰਜਾਬੀ [Punjabi]: ਮੁਫਤ ਭਾਸ਼ਾ, ਸਹਾਇਕ ਸਹਾਇਤਾ, ਅਤੇ ਵਿਕਲਪਿਕ ਫਾਰਮੈਟ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹਨ। 877-320-1235 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

Русский [Russian]: Предоставляются бесплатные услуги языковой поддержки, вспомогательные средства и материалы в альтернативных форматах. Звоните по номеру 877-320-1235 (TTY: 711).

Español [Spanish]: Los servicios gratuitos de asistencia lingüística, ayuda auxiliar y servicios en otro formato están disponibles. Llame al 877-320-1235 (TTY: 711).

Tagalog [Tagalog]: Magagamit ang mga libreng serbisyong pangwika, serbisyo o device na pantulong, at kapalit na format. Tumawag sa 877-320-1235 (TTY: 711).

தமிழ் [Tamil]: இலவச மொழி, துணை உதவி மற்றும் மாற்று வடிவ சேவைகள் உள்ளன. 877-320-1235 (TTY: 711) ஐ அழைக்கவும்.

తెలుగు [Telugu]: ఉచిత భాష, సహాయక మద్దతు, మరియు ప్రత్యామ్నాయ ఫార్మాట్ సేవలు అందుబాటులో గలవు. 877-320-1235 (TTY: 711) కి కాల్ చేయండి.

اردو [Urdu]: مفت زبان، معاون امداد، اور متبادل فارمیٹ کی خدمات دستیاب ہیں۔ 877-320-1235 (TTY: 711)

Tiếng Việt [Vietnamese]: Có sẵn các dịch vụ miễn phí về ngôn ngữ, hỗ trợ bổ sung và định dạng thay thế. Hãy gọi 877-320-1235 (TTY: 711).


አማርኛ [Amharic]: ቋንቋ፣ አገዥ ማዳመጫ እና አማራጭ ቅርፀት ያላቸው አገልግሎቶችን ይገኛሉ። በ 877-320-1235 (TTY: 711) ላይ ይደውሉ።

Bàsà` [Bassa]: Wuḍu-xwíníín-mú-zà-zà kùà, Hwòdò-fàńo-nyo, kè nyo-boŭn-po-kà bɛ́ bɛ́ nyuɛɛ se wídí péè-péè dò ko. 877-320-1235 (TTY: 711) dá.

Bekee [Igbo]: Asụsụ n'efu, enyemaka nkwarụ, na ọrụ usoro ndị ọzọ dị. Kpọọ 877-320-1235 (TTY: 711).

Òyìnbó [Yoruba]: Àwọn isẹ̀ àtilẹ̀hìn ìrànጓwọ̀ èdè, àtì ọ̀nà kíkà mírán wà lárọ̀wọ̀tọ̀. Pe 877-320-1235 (TTY: 711).

नेपाली [Nepali]: भाषासम्बन्धी निःशुल्क, सहायक साधन र वैकल्पिक फार्मेट (ढाँचा/व्यवस्था) सेवाहरू उपलब्ध छन् । 877-320-1235 (TTY: 711) मा कल गर्नुहोस् ।



This formulary was updated on 05/05/2026. For more recent information or other questions, please contact the PEEHIP Humana Group Medicare Advantage Plan Customer Care Team with any questions at 1-800-747-0008 or, for TTY users, 711, Monday through Friday, from 7 a.m. – 8 p.m. Central Time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting your.humana.com/peehip.

GRP082PDG2680026C_v1

Humana[®]

Y0040_PDG26_FINAL_143C_C

Updated 05/05/2026



PEEHIP

your.humana.com/peehip

GRP082PDG2680026C_v1