

Clinical overview

Definitions and background

- Overweight and obesity are labels for ranges of weight that are greater than what is generally considered healthy for a given height. The terms also identify ranges of weight that have been shown to increase the likelihood of certain diseases and other health problems.¹
- The definition of morbid obesity:²
 - Being 100 pounds or more above ideal body weight; or
 - Having a BMI of 40 or greater; or
 - $_{\odot}~$ Having a BMI of 35 or greater and one or more comorbid conditions

Body mass index (BMI)³

Body mass index (BMI) is a medical screening tool that measures the ratio of your height to your weight to estimate the amount of body fat you have. Healthcare providers calculate BMI by using weight in kilograms (kg) divided by the square of height in meters (m2).

Causes/risk factors⁴

- Unhealthy lifestyle habits (sedentary, diet, sleep hygiene)
- Genetics
- Health conditions or medications

Signs and symptoms⁴

- There may be no specific symptoms
- Increased weight and BMI
- Increased weight circumference

Diagnostic tools⁵

- Medical history and physical exam
- Calculation of BMI, measurement of body fat percentage
- Evaluation of comorbid conditions

Health risks⁶

- High blood pressure and high levels of cholesterol and triglycerides
- Type 2 diabetes mellitus and metabolic syndrome
- Heart disease

Medical treatment⁷

- Weight-loss medications
- Weight-loss surgery
- Lifestyle changes, such as adopting a healthy eating plan and increasing physical activity



Page 1 of 4

This document is intended for physicians and office staff. The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and should be supported by medical necessity and the appropriate documentation in the medical record. The information herein is not meant to preclude clinical judgment. Treatment decisions always be based on the clinical judgment of the physician or other healthcare providers.

Best documentation practices for healthcare providers

Subjective

In the subjective section of the office note, document the presence of current symptoms (e.g., increased weight, increased BMI, increased waist circumference, etc.) related to obesity, morbid obesity, overweight, etc.

Objective

- Document the patient's height, weight and BMI. (The medical coder is not allowed to use the patient's documented height and weight to calculate the BMI and assign a corresponding ICD-10-CM code. Rather, the healthcare provider must specifically document the BMI in the medical record.)⁸
- In the physical exam, describe to the highest specificity any current associated observations (e.g., "the patient is morbidly obese.")

Assessment

- **Specificity:** Document the overweight or obesity diagnosis to the highest level of specificity, as in "morbid obesity," "severe obesity," "obesity due to excess calories," etc.
- Comorbid conditions: Document clear linkage between underlying conditions that caused the overweight or obesity condition and between the BMI and other diagnoses for which the BMI has significance.

Plan

Document a clear and concise treatment plan (e.g., referral to nutritionist; patient education related to the obesity condition with information regarding healthy eating plan and increasing physical activity; plan for return follow-up; etc.)

Coding tips

Code assignment for BMI may be based on medical record documentation from clinicians who are not the patient's provider, since this information is typically documented by other clinicians involved in the care of the patient (e.g., a dietitian often documents BMI).⁸

However, the associated primary diagnosis (such as overweight, obesity, diabetes mellitus, etc.) must be documented by the patient's healthcare provider during an acceptable encounter type with the patient. If there is conflicting medical record documentation, either from the same clinician or different clinicians, the patient's attending healthcare provider should be queried for clarification.⁹

Significance of BMI

BMI codes are reported only as secondary diagnoses in association with a primary diagnosis for which the BMI has clinical significance has impact on the care, treatment and management and solely only when the BMI meets the definition of a reportable additional diagnosis (per ICD-10-CM Official Guidelines for Coding and Reporting).⁸

- Principal or first-listed diagnoses are not limited to overweight, underweight or obesity-related conditions.
- A primary diagnosis for which BMI has impact on the care, treatment and management is any primary condition that can be
 - a) Improved if the patient loses weight or lowers his/her BMI; or
 - b) Worsened if the patient gains weight or increases his/her BMI.¹⁰

Examples include but are not limited to heart disease, diabetes mellitus type 2, hypertension, high cholesterol, breathing issues such as asthma and sleep apnea, joint disease.¹¹

AHA Coding Clinic – Obesity designated by class, Fourth Quarter 2024, effective 10/1/24:

Code **E66.8-**, Other obesity, has been expanded with the creation of subcategory **E66.81**, Obesity class, which has new codes to specifically identify three classes of obesity, as well as a code to capture other obesity that is not classified elsewhere.¹¹



Page 2 of 4

This document is intended for physicians and office staff. The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and should be supported by medical necessity and the appropriate documentation in the medical record. The information herein is not meant to preclude clinical judgment. Treatment decisions always be based on the clinical judgment of the physician or other healthcare providers.

705203FL0325-B

Providers may document a patient's obesity in terms of an obesity class. A code from subcategory E66.81, Obesity class, is assigned when the class is documented by the provider in the medical record. The Centers for Disease Control and Prevention defines the obesity classes as follows:

- E66.811, Obesity, class 1: BMI of 30 to < 35
- E66.812, Obesity, class 2: BMI of 35 to <40
- E66.813, Obesity, class 3: BMI of 40 or higher

Additional reminder:

Providers use multiple resources and criteria to define and diagnose obesity-related conditions. BMI is a screening tool only; it is not the sole criterion used to diagnose obesity/morbid obesity. Diagnosis code assignment is based on the provider's clinical judgment and corresponding medical record description of the specific obesity condition.

Coding examples

Example 1	
Medical record documentation	73-year-old male here for 6-month follow-up. Review of Systems - unremarkable. Active Problems List: Atherosclerosis, CKD stage 3a, Diabetes, short of breath, chronic pain. Vitals: weight 489 pounds, height 65 inches and BMI 81.36. Musculoskeletal exam- abnormal gait with limited mobility.
Assessment	Obesity
ICD-10-CM codes	E66.9 Obesity, unspecified Z68.45 Body mass index (BMI) 7Ø or greater, adult
Rationale	With no option to query the healthcare provider, code E66.9 must be assigned for the final diagnosis stated as simply "obesity." The coder is not allowed to apply a clinical interpretation to the recorded weight and BMI or to change the provider's final impression to "morbid obesity."
	Code Z68.45 for BMI of 81.36 would be assigned as a secondary diagnosis for the primary diagnosis of obesity documented by the provider.
Example 2	
Medical record documentation	68-year-old female here for follow-up of chronic conditions. Patient has a history of HTN and Diabetes. Physical Exam - Ht. 5'10" Wt. 269 BMI 41 BP 144/90. Constitutional: Well nourished, morbidly obese female in no acute distress. Diabetic foot exam within defined limits.
Assessment	Hypertension, uncomplicated diabetes mellitus type 2, Class 3 obesity
ICD-10-CM codes	 I1Ø Essential (primary) hypertension E11.9 Type 2 diabetes mellitus without complications E66.813 Obesity, class 3 Z68.41 Body mass index [BMI] 40.0 -44.9, adult
Rationale	 Class 3 (high-risk) obesity is characterized by a BMI that is equal to or greater than 4Ø. Category E66 includes an instructional note advising to use an additional code to identify the BMI if known (Z68). Therefore, code Z68.41 is assigned for the documented BMI of 41.9 BMI is only one diagnostic indicator of morbid obesity. Providers diagnose morbid obesity based on multiple considerations including, but not limited to, waist measurement,
	calculation of body fat, muscular structure and medical risks associated with comorbidities.



Page 3 of 4

This document is intended for physicians and office staff. The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and should be supported by medical necessity and the appropriate documentation in the medical record. The information herein is not meant to preclude clinical judgment. Treatment decisions always be based on the clinical judgment of the physician or other healthcare providers.

Example 3	
Medical record documentation	Three-month follow-up for diabetes mellitus, hypertension. Patient also complains of ear pain. Vital signs: BP 126/70, weight 23Ø pounds, height 62 inches, body mass index 42.06. Physical exam shows decreased sensation in the lower extremities and inflammation of the right external ear canal.
Assessment	Diabetes Type 2 with diabetic neuropathy Benign essential hypertension, controlled Otitis externa, right ear
ICD-10-CM codes	 E11.4Ø Type 2 diabetes mellitus with diabetic neuropathy, unspecified I1Ø Essential (primary) hypertension Z68.41 Body mass index (BMI) 40.0 -44.9, adult H6Ø.91 Unspecified otitis externa, right ear
Rationale	268.41 is assigned since the BMI will impact the care, treatment and management of the comorbid conditions (diabetes and hypertension). <i>However, without the presence of diabetes and hypertension, the BMI may not be significant and therefore the code for BMI would not be assigned.</i>
Example 4	
Medical record	Medical record documents a 68-year-old female with a BMI of 35.

documentation	Medical record documents a 68-year-old remaie with a BMI of 35.
Assessment	Hypertension, uncomplicated diabetes mellitus type 2, morbid obesity
ICD-10-CM codes	I1Ø Essential (primary) hypertension
	E11.9 Type 2 diabetes mellitus without complications
	E66.Ø1 Morbid (severe) obesity, due to excess calories
	Z68.35 Body mass index (BMI) 35.0-35.9, adult
Rationale	Morbid obesity codes to E66.Ø1 . Category E66 includes an instructional note advising to use an additional code to identify the BMI if known (Z68). Therefore, code Z68.35 is assigned for the documented BMI of 35.
	BMI is only one diagnostic indicator of morbid obesity. Physicians diagnose morbid obesity based on multiple considerations including, but not limited to, waist measurement, calculation of body fat, muscular structure and medical risks associated with comorbidities.

References

- 1. CDC. Disability and obesity. Centers for Disease Control and Prevention. Published September 6, 2019. https://www.cdc.gov/ncbddd/disabilityandhealth/obesity.html
- 2. Kavic MS. Obesity An "Acceptable" Prejudice. JSLS : Journal of the Society of Laparoendoscopic Surgeons. 2001;5(3):201-202. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3015454/
- 3. Cleveland Clinic. Body Mass Index (BMI). Cleveland Clinic. Published 2018.
 - https://my.clevelandclinic.org/health/articles/9464-body-mass-index-bmi
- 4. National Heart, Lung, and Blood Institute. Overweight and obesity causes and risk factors | NHLBI, NIH. www.nhlbi.nih.gov. Published 2022. https://www.nhlbi.nih.gov/health/overweight-and-obesity/causes
- 5. Mayo Clinic. Obesity. Mayo Clinic. Published July 22, 2023.
 - https://www.mayoclinic.org/diseases-conditions/obesity/symptoms-causes/syc-20375742
- 6. Health Risks of Overweight & Obesity NIDDK. National Institute of Diabetes and Digestive and Kidney Diseases.

https://www.niddk.nih.gov/health-information/weight-management/adult-overweight-obesity/health-risks#gallbladder

7. National Institute of Diabetes and Digestive and Kidney Diseases. Treatment for Overweight & Obesity. National Institute of Diabetes and Digestive and Kidney Diseases. Published May 2023.

https://www.niddk.nih.gov/health-information/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/adult-overweight-obesity/treatment/weight-management/weight-management/adult-overweight-obesity/treatment/weight-management/weight-we

- 8. CMS. ICD-10-CM Official Guidelines for Coding and Reporting.; 2024. Accessed October 3, 2024. https://www.cms.gov/files/document/fy-2025icd-10-cm-coding-guidelines.pdf
- 9. AAPC. ICD-10-CM Complete Code Set 2025. AAPC; 2024.
- 10. National Institute of Diabetes and Digestive and Kidney Diseases. Overweight & Obesity Statistics. National Institute of Diabetes and Digestive and Kidney Diseases. Published December 13, 2019.

https://www.niddk.nih.gov/health-information/health-statistics/overweight-obesity

11. American Hospital Association ("AHA"). Obesity Designated by Class. ICD-10CM/PCS Coding Clinic, Fourth Quarter 2024. 2024;11(4):5.



Page 4 of 4

This document is intended for physicians and office staff. The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and should be supported by medical necessity and the appropriate documentation in the medical record. The information herein is not meant to preclude clinical judgment. Treatment decisions always be based on the clinical judgment of the physician or other healthcare providers.

705203FL0325-B