Indiana Medicaid Statewide Uniform Preferred Drug List (SUPDL)

OptumRx Call Center

For prior authorization requests, claims processing issues or questions about the SUPDL, please contact OptumRx at 855-577-6317

Or fax the prior authorization requests to 855-577-6384

Indiana Health Coverage Programs (IHCP) Drug Coverage

In accordance with 405 IAC 5-24, the IHCP covers all FDA-approved legend drugs with the exception of the following:

- Drugs designated by Centers for Medicare and Medicaid Services (CMS, formerly HCFA) as "less than effective" (DESI), or identical, related, or similar to a DESI drug
- Anorectics or any agent used to promote weight loss
- Topical minoxidil preparations
- Fertility enhancement drugs
- Drugs used primarily or solely for cosmetic purposes

Note: Inclusion of, or reference to, any given drug does not indicate market availability of the drug. Drugs that will be or have been withdrawn from the market will be removed from the SUPDL as part of routine periodic updating of the SUPDL.

Nomenclature

- Statewide Uniform Preferred Drug List (SUPDL) a list of drugs within select therapeutic drug classes, developed and maintained by the Drug Utilization Review (DUR) Board, designated as preferred or non-preferred based upon clinical and financial considerations.
 - o **Preferred Drug** Covered drug designated by the DUR Board as a principle agent for use within a therapeutic class.
 - Mental health drugs are considered preferred (see Mental Health Drugs section below).
 - Non-preferred Drug Covered drug designated by the DUR Board as secondary agent for use within a therapeutic class. Non-preferred drugs typically require prior authorization and history of trial and failure of (each of) the preferred agent(s), as confirmed by claims history, chart documentation, or provider attestation including dates of trial for each preferred agent (unless otherwise specified on the SUPDL).
 - Legacy continuation of therapy The process whereby criteria are established exempting a drug from prior authorization, under specific conditions, when it would otherwise require prior authorization.
 - Brand name drugs, with an available substitutable generic, are *non-preferred* unless otherwise specified on the SUPDL. All preferred brand products on the SUPDL with a new available generic will list the generic agent added as non-preferred until it is financially advantageous to move to preferred. Once the generic agent is financially advantageous, it will replace the brand product as preferred. All non-preferred brand products on the SUPDL with a new available generic will list the generic agent added as non-preferred until it is reviewed by the Therapeutics Committee in the product's regularly scheduled review cycle.

Effective for FFS claims submitted on or after September 1, 2024. Effective for Managed Care claims submitted on or after September 15, 2024. V1.2

- Prior authorization is typically required for a prescriber's specification of "brand medically necessary".
- Certain drugs, sometimes referred to as "narrow therapeutic index" drugs, are exempt from the requirement of prior authorization for "brand medically necessary"; see information in the Pharmacy Services Module found at this link:
 https://www.in.gov/medicaid/files/pharmacy%20services.pdf
- Neutral Drug Covered drug that is in a therapeutic class not included on the SUPDL. As such, the drug has neither preferred nor non-preferred status.
- Line Extension Drug A new strength, formulation, or dosage form of a particular chemical entity for a given manufacturer that has been approved by the FDA. The SUPDL status of a line extension drug is the same as the status of the chemical entity to which it pertains unless otherwise determined by the DUR Board.
- Point of Sale Quick Check (PSQC) real-time automated prior authorization system that utilizes clinical prior authorization edits supported by a member's medical and pharmacy claims data. This process results in quicker PA determination for pharmacy claims processed by the fee-for-service (FFS) pharmacy benefit, with less intervention on the part of the pharmacy and prescribing providers.
- o Status Pending Drug Covered drug that is subject to the SUPDL, but for which preferred or non-preferred status has yet to be assigned.

Prior Authorization (PA)

This term is defined at 405 IAC 5-2-20. Any IHCP covered legend drug (including drugs that are or are not listed on the SUPDL) may require PA. Prior authorization is generally required in order to ensure appropriate drug utilization, conformance to established therapeutic guidelines, and fiscal reasonability.

Prior authorization request forms are located at https://www.in.gov/medicaid/providers/index.html under Pharmacy Services. Select "PA Criteria and Administrative Forms" under the "Quick Links" column on the right-hand margin. Drug specific PA criteria are attached to each associated drug class within the SUPDL document. Non-specific criteria are located at the end of the SUPDL document.

Mental Health Drugs

In accordance with Indiana law, all antianxiety, antidepressant, antipsychotic, and "cross indicated" drugs are considered as being preferred. Drugs that are (1) classified in a central nervous system drug category or classification (according to *Drug Facts and Comparisons*) created after March 12, 2002, and (2) prescribed for the treatment of a mental illness (as defined by the most recent publication of the American Psychiatric Association's *Diagnostic and Statistical Manual of Mental Disorders*) are also considered as *preferred*. Please note that since these drugs/classes are *preferred*, they are not shown on the SUPDL document. *Lack of inclusion on the SUPDL does not mean these drugs are non-covered by the IHCP*. Click the following link for a list of utilization edits on mental health medications: <u>Utilization Edits for Mental Health Medications</u>.

Indiana Medicaid Statewide Uniform Preferred Drug List Table of Contents

Indiana Health Coverage Programs
(IHCP) Drug Coverage1
Nomenclature1
Prior Authorization (PA)2
Mental Health Drugs2
ANTI-INFECTIVES5
Antivirals – Anti-Herpetic5
Antivirals – Influenza5
Cephalosporins – 3 rd Generation5
Fluoroquinolones5
Hepatitis C Agents5
Macrolides6
Ophthalmic Antibiotics6
Ophthalmic Antibiotics/ Corticosteroid Combinations7
Otic Antibiotics
Topical Antifungals8
Topical Antivirals8
Topical Antiviral and Anti-inflammatory Steroid Combinations8
Vaginal Antimicrobials9
ANTIMIGRAINE10
Antimigraine Preparations10
CARDIOVASCULAR12
ACE Inhibitors12
ACE Inhibitor Combinations12

Angiotensin Receptor Blockers12	
Angiotensin Receptor Blocker Combinations 13	,
Beta Adrenergic Blockers13	,
Beta Adrenergic Blockers with Diuretics 13	,
Calcium Channel Blockers14	+
Miscellaneous Cardiac Agents14	÷
CNS AND OTHERS 15)
Agents for the Treatment of Opioid Use Disorder or Overdose15	
Antiemetic/Antivertigo Agents16	i
Antiseizure Agents18	,
Gastroprotective Agents20	į
Movement Disorder Agents20	į
Narcotic Antitussives and Combinations20	į
Narcotics21	
Skeletal Muscle Relaxants22	
Smoking Deterrent Agents23	,
DERMATOLOGIC 24	
Acne Agents24	-
Antipsoriatics25	,
ELECTROLYTE DEPLETERS 26)
Electrolyte Depleters26	,
ENDOCRINE	,
Anaphylaxis Agents27	,
Bone Formation Stimulating Agents27	,
Bone Resorption Inhibitors27	,

	DPP4 Inhibitors and Combination Agents	28
	GLP-1 Receptor Agonists and Combinations	29
	Glucagon Agents	29
	Growth Hormones	29
	Insulins – Intermediate Acting	30
	Insulins – Rapid Acting	30
	Insulins – Short Acting	31
	Insulins – Long Acting	31
	Miscellaneous Oral Antidiabetic Agents	31
	SGLT Inhibitors and Combinations	32
	Testosterones	33
	Urea Cycle Disorders	33
ES	STROGEN AND RELATED AGENTS	. 34
	Estrogen and Related Agents	34
	Contraceptives	35
G		
	ASTROINTESTINAL AGENTS	. 36
	ASTROINTESTINAL AGENTS Anti-ulcer Agents	
		36
	Anti-ulcer Agents	36 36
	Anti-ulcer Agents H. Pylori Agents	36 36
	Anti-ulcer Agents H. Pylori Agents H2 Receptor Antagonists	36 36 37
	Anti-ulcer Agents H. Pylori Agents H2 Receptor Antagonists Laxatives and Cathartics	36 36 37
	Anti-ulcer Agents H. Pylori Agents H2 Receptor Antagonists Laxatives and Cathartics Pancreatic Enzymes	36 36 37 38
GI	Anti-ulcer Agents H. Pylori Agents H2 Receptor Antagonists Laxatives and Cathartics Pancreatic Enzymes Proton Pump Inhibitors	36 36 37 38

Effective for FFS claims submitted on or after September 1, 2024. Effective for Managed Care claims submitted on or after September 15, 2024. V1.2

	Urinary Tract Antispasmodic/Anti-Incontinence Agents	41
HE	EMATOLOGIC	42
	Direct Oral Anticoagulants	42
	Hematinics	42
	Leukocyte Stimulants	43
	Platelet Aggregation Inhibitors	43
LII	POTROPICS	44
	Bile Acid Sequestrants	44
	Fibric Acid Derivatives	44
	HMG CoA Reductase Inhibitors	44
	Lipotropics	45
М	ULTIPLE SCLEROSIS AGENTS	46
	Multiple Sclerosis Agents	46
RE	ESPIRATORY	47
	Antihistamine-Decongestant Combinations/2 nd Generation Antihistamines	47
	Antiviral Monoclonal Antibody	48
	Beta Adrenergics and Corticosteroids	48
	Beta Agonists – Long Acting	48

	Beta Agonists – Short Acting	49
	Bronchodilator Agents-Beta Adrenergic and Anticholinergic Combinations	49
	Nasal Antihistamines/Nasal Anti-Inflammatory Steroids	50
	Oral Inhaled Glucocorticoids	51
	Pulmonary Antihypertensives	51
	Respiratory and Allergy Biologics	51
T	ARGETED IMMUNOMODULATORS	. 52
	Targeted Immunomodulators	52
T	OPICAL AGENTS	. 53
T	DPICAL AGENTS Dry Eye Disease or Keratoconjunctivitis	
T		53
T	Dry Eye Disease or Keratoconjunctivitis	53 53
T	Dry Eye Disease or Keratoconjunctivitis Miotics-Intraocular Pressure Reducers	53 53 54
T	Dry Eye Disease or Keratoconjunctivitis	53 53 54 54
T	Dry Eye Disease or Keratoconjunctivitis	53 53 54 54
T	Dry Eye Disease or Keratoconjunctivitis	53 54 54 54 54
T	Dry Eye Disease or Keratoconjunctivitis	53 54 54 54

Topical Immunomodulators 55

Topical Post-Herpetic Neuralgia Agents	55
MISCELLANEOUS INFORMATION	56

Effective for FFS claims submitted on or after September 1, 2024. Effective for Managed Care claims submitted on or after September 15, 2024. V1.2

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ANTI-INFI	ECTIVES	
Antivirals – Anti-Herpetic	 acyclovir valacyclovir ST – must have diagnosis of HIV or trial and failure of acyclovir or medical justification for use over acyclovir 	famciclovirSitavig	
Antivirals – Influenza	 amantadine oseltamivir Relenza rimantadine AGE – 60 years and older 	 rimantadine AGE – under 60 years old Rapivab Xofluza 	
Cephalosporins – 3 rd Generation	cefdinircefpodoxime	cefixime caps, suspSuprax chew, susp	
Fluoroquinolones *Note: All fluoroquinolones will be limited to 14 days per claim*	 ciprofloxacin levofloxacin moxifloxacin 	 Baxdela ofloxacin PA criteria must be met for the following: Cipro suspension ciprofloxacin suspension levofloxacin solution 	PA Criteria for ciprofloxacin and levofloxacin solution
Hepatitis C Agents	 Pegasys ribavirin PA criteria must be met for the following (note: treatment naïve patients must only meet age and quantity limits): Epclusa 200-50mg Epclusa 150-37.5mg Mavyret sofosbuvir/velpatasvir 400-100mg Zepatier 	PA criteria must be met for the following: Epclusa 400-100mg Harvoni ledipasvir/sofosbuvir Sovaldi Viekira Vosevi	Hepatitis C Agents PA Criteria Hepatitis C Agents PA Form

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	ANTI-INFECTIV	YES - Continued	
Macrolides	 azithromycin suspension azithromycin 600 mg oral tablets QL – 1 tablet/day azithromycin 500 mg oral tablets QL – 7 tablets/30 days azithromycin 250 mg oral tablets QL – 6 tablets/30 days clarithromycin erythromycin capsules erythromycin ethylsuccinate susp ST – must be under 12 years of age or unable to swallow tablets/capsules 	E.E.S. Granules ST – must have tried and failed erythromycin ethylsuccinate suspension in the past 90 days OR member must be under 12 years of age or unable to swallow tablets/capsules and prescriber has provided valid medical justification for the use of E.E.S. Granules over preferred agents E.E.S. tablets erythrocin stearate erythromycin tablets erythromycin tablets EC Zmax	Dificid PA Criteria Dificid PA Form
		PA criteria must be met for the following: Dificid	
Ophthalmic Antibiotics	 Besivance susp Ciloxan oint ciprofloxacin soln erythromycin oint Gentak ointment gentamicin soln moxifloxacin soln AGE – 30 years of age or older; ST – patients under 30 years of age must have tried at least one preferred agent other than moxifloxacin within the past 30 days neomycin/polymyxin B/gramicidin soln ofloxacin soln polymyxin B/bacitracin oint polymyxin B/trimethoprim soln sulfacet sod oint tobramycin soln 	 Azasite soln bacitracin oint gatifloxacin soln levofloxacin soln Natacyn neomycin/bacitracin/polymyxin oint Tobrex oint 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ANTI-INFECTIVI	ES - Continued	
Ophthalmic Antibiotics/ Corticosteroid Combinations	 neomycin/polymyxin B/dexamethasone oint neomycin/polymyxin B/dexamethasone susp sulfacetamide sodium/prednisolone soln Tobradex oint Tobradex ST susp tobramycin/dexamethasone susp Zylet susp 	 Blephamide S.O.P. oint neomycin/polymyxin/bacitracin/hc oint neomycin/polymyxin/hc susp Pred-G susp Pred-G S.O.P. oint 	
Otic Antibiotics	ofloxacin otic soln Antibiotic/Steroid Combinations	ciprofloxacin solnOtiprio	
	 ciprofloxacin-dexamethasone otic susp Cipro HC susp Cortisporin TC otic susp neomycin/polymyxin B/hydrocortisone otic soln neomycin/polymyxin B/hydrocortisone otic susp 	Antibiotic/Steroid Combinations • ciprofloxacin-fluocinolone PF otic susp	
Systemic Antifungals	fluconazole 50 mg tabs QL – 3 tabs/30 days fluconazole 150 mg tabs QL – 4 tabs/30 days fluconazole suspension itraconazole ketoconazole terbinafine	 Cresemba itraconazole solution ST – must be 12 years of age and under or unable to swallow capsules/tablets Noxafil PAK ST – must be 2 years of age or older and less than 13 years of age posaconazole tablet & 200 mg/5 mL suspension ST – must have tried fluconazole for treatment of oropharyngeal candidiasis or must be severely immunocompromised and need prophylaxis against invasive Aspergillus or Candida infections Tolsura voriconazole suspension ST – must be 12 years of age and under or unable to swallow capsules/tablets voriconazole tabs PA criteria must be met for the following: 	Antimicrobials for Treatment of Vaginal Infections PA Criteria Antimicrobials for Treatment of Vaginal Infections PA form
		BrexafemmeVivjoa	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
	ANTI-INFE	CTIVES - Continued	(if applicable)
Topical Antifungals	All generics unless otherwise specified ciclopirox (cream & topical solution) clotrimazole Jublia miconazole terbinafine 1% cream tolnaftate 1% cream, powder, spray	 ciclopirox gel, kit, topical shampoo, topical suspension econazole Ertaczo Extina ketoconazole topical foam Loprox kit luliconazole Luzu Mentax miconazole/zinc/pet oint naftifine 1% cream naftifine 2% cream, gel Naftin 1% gel Oxistat tavaborole solution Vusion Generic Medically Necessary PA criteria must be met for the following: sulconazole cream, solution 	
Topical Antivirals Topical Antiviral and Anti-	Zovirax cream Xerese	 acyclovir ointment Denavir cream docosanol OTC cream Generic Medically Necessary PA criteria must be met for the following: acyclovir cream N/A 	
inflammatory Steroid Combinations	○ QL − 1 tube per claim per 90 days		

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	ANTI-INFECTIVE	S - Continued	
Vaginal Antimicrobials	 Antibacterials Cleocin 2% cream metronidazole vaginal gel Nuvessa Solosec Antifungals clotrimazole OTC QL – 2 treatment courses/month miconazole cream OTC QL – 2 treatment courses/month tioconazole OTC QL – 2 treatment courses/month terconazole cream 	 Antibacterials Cleocin Ovules Clindesse Vandazole Xaciato Generic Medically Necessary PA criteria must be met for the following: clindamycin 2% cream Antifungals Gynazole-1 miconazole combination pack OTC ○ QL − 2 treatment courses/month miconazole suppositories OTC ○ QL − 2 treatment courses/month miconazole suppositories (Rx) terconazole suppositories 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ANTIMIG	RAINE	
Antimigraine Preparations	 rizatriptan QL - 1 box - 12 tabs/30 days rizatriptan ODT QL - 1 box - 12 tabs/30 days sumatriptan nasal spray QL - 1 box - 6 inhalers/30 days sumatriptan tablets QL - 1 box - 9 tabs/30 days sumatriptan stat dose or stat dose refill package QL - 1 box - 2 injections/30 days sumatriptan vial QL - 2 vials - 2 injections/30 days PSQC/PA criteria must be met for the following: Elyxyb QL - 6 bottles/30 days Nurtec ODT QL - 8 tabs/30 days for acute treatment; QL - 16 tabs/30 days for preventative treatment Ubrelvy QL - 10 tabs/20 days 	 almotriptan QL − 1 box − 6 tabs/30 days frovatriptan QL − 1 box − 9 tabs/30 days naratriptan QL − 1 box − 9 tabs/30 days Onzetra Xsail QL − 1 box (8 pouches)/30 days Relpax QL − 1 box − 6 tabs/30 days sumatriptan/naproxen QL − 1 box − 9 tabs/30 days Tosymra Solution Treximet QL − 1 box − 9 tabs/30 days Zembrace SymTouch QL − 1 box − 6 tabs/30 days zolmitriptan QL − 1 box − 6 tabs/30 days zolmitriptan nasal spray QL − 1 box − 6 inhalers/30 days zolmitriptan ODT QL − 1 box − 6 tabs/30 days PSQC/PA criteria must be met for the following: Reyvow QL − 50 mg dose − 4 (50 mg) tabs/30 days QL − 100 mg dose − 4 (100 mg) tabs/30 days QL − 100 mg dose − 8 (100 mg) tabs/30 days Zavzpret QL − 6 devices/22 days Generic Medically Necessary PA criteria must be met for the following: eletriptan QL − 1 box − 6 tabs/30 days 	Antimigraine PA Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	ANTIMIGRAINE	E - Continued	
Antimigraine Preparations -	Prophylaxis	Prophylaxis	Antimigraine PA
Continued	PSQC/PA criteria must be met for the following: Ajovy QL – 225 mg/month or 675 mg/3 months Emgality QL migraine – 240 mg loading dose; then 120 mg/month QL cluster headache – 300mg at start of headache and once monthly thereafter until end of headache Qulipta QL – 1 tab/day	PSQC/PA criteria must be met for the following: • Aimovig • QL – 140 mg/month • Vyepti • QL – 3 mL/90 days	<u>Criteria</u>

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CARDIO	DVASCULAR	
ACE Inhibitors	 benazepril enalapril fosinopril lisinopril quinapril ramipril 	 captopril enalapril 1 mg/mL solution ST – must be under 12 years of age or unable to swallow tablets moexipril perindopril Qbrelis ST – must be 6 years of age or older and less than 12 years of age OR 12 years of age and older AND unable to swallow tablets trandolapril 	
ACE Inhibitor Combinations	ACE Inhibitors with Calcium Channel Blockers	ACE Inhibitors with Calcium Channel Blockers	
	 amlodipine/benazepril QL – 30 caps/30 days ACE Inhibitors with Diuretics benazepril/HCTZ enalapril/HCTZ lisinopril/HCTZ 	 trandolapril/verapamil QL – 30 caps/30 days ACE Inhibitors with Diuretics fosinopril/HCTZ 	
	• quinapril/HCTZ		
Angiotensin Receptor Blockers	 Edarbi QL − 1 tab/day irbesartan QL − 1 tab/day losartan 25 mg, 50 mg QL − 2 tabs/day losartan 100 mg QL − 1 tab/day olmesartan 5 mg QL − 3 tabs/day olmesartan 20 mg, 40 mg QL − 1 tab/day telmisartan QL − 1 tab/day telmisartan QL − 1 tab/day valsartan 40 mg, 80 mg, 160 mg QL − 2 tabs/day valsartan 320 mg QL − 1 tab/day 	 candesartan 4 mg, 8 mg, 16 mg QL – 2 tabs/day candesartan 32 mg QL – 1 tab/day valsartan solution ST – must be unable to swallow tablets 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
	CARRIOVACCIII	NP. Continued	(if applicable)
	CARDIOVASCULA		
Angiotensin Receptor Blocker Combinations	Angiotensin Receptor Blockers with Diuretics Edarbyclor losartan/HCTZ valsartan/HCTZ Angiotensin Receptor Blockers with Calcium Channel Blockers N/A Angiotensin Receptor Blockers with Calcium Channel Blockers and Diuretics N/A	 Angiotensin Receptor Blockers with Diuretics candesartan/HCTZ irbesartan/HCTZ olmesartan/HCTZ telmisartan/HCTZ Angiotensin Receptor Blockers with Calcium Channel Blockers olmesartan/amlodipine ST - trial and failure of individual components telmisartan/amlodipine ST - trial and failure of individual components valsartan/amlodipine ST - trial and failure of individual components Angiotensin Receptor Blockers with Calcium Channel Blockers and Diuretics amlodipine/olmesartan/HCTZ ST - trial and failure of individual components amlodipine/valsartan/HCTZ ST - trial and failure of individual components 	
Beta Adrenergic Blockers	 acebutolol atenolol bisoprolol carvedilol labetalol metoprolol metoprolol succinate ER nebivolol propranolol propranolol ER caps sotalol 	 betaxolol carvedilol ER cap QL – 1 cap/day Hemangeol solution ST – must be 5 weeks of age or older and less than or equal to 1 year of age Kapspargo nadolol pindolol Sotylize oral solution ST – must be under 12 years of age or unable to swallow capsules/tablets timolol 	
Beta Adrenergic Blockers with Diuretics	atenolol/chlorthalidonebisoprolol/HCTZ	metoprolol/HCTZ	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	CARDIOVASCUI	LAR - Continued	
Calcium Channel Blockers	Dihydropyridine	 Dihydropyridine isradipine (non-time released) levamlodipine nicardipine (non-time released) nisoldipine Non-Dihydropyridine Cardizem CD Matzim LA verapamil ER PM Verelan PM Liquid Formulation Katerzia ST − must be 6 years of age or older and less than 12 years of age OR unable to swallow tablets AND previous trial and failure of Norliqva OR medical rationale for use Nymalize ST − must be 18 years of age or older AND unable to swallow capsule formulation Combinations amlodipine/atorvastatin ST − prescriber must provide documentation that separate components are not suitable for use 	
Miscellaneous Cardiac Agents	PA criteria must be met for the following: ivabradine Entresto	PA criteria must be met for the following: Camzyos Verquvo	Cardiac Agents PA Criteria Cardiac Agents PA Form

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND	OTHERS	
Agents for the Treatment of Opioid Use Disorder or Overdose	 Agents for Opioid Use Disorder – oral buprenorphine sublingual tablets AGE – 16 years of age and older QL – 24mg/day buprenorphine/naloxone sublingual tablets AGE – 16 years of age and older QL – 24mg/day Suboxone Film AGE – 16 years of age and older QL – 24mg/day Zubsolv AGE – 16 years of age and older QL – 17.2mg/day Agents for Opioid Use Disorder – injectable PA criteria must be met for the following: Sublocade Agents for Opioid Overdose Kloxxado nalmefene naloxone injection naloxone nasal spray Narcan Nasal Opvee Zimhi 	Agents for Opioid Use Disorder – oral Generic Medically Necessary PA criteria must be met for the following: • buprenorphine/naloxone sublingual films	Opioid Use Disorder Treatments

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OTHER	SS - continued	
Antiemetic/Antivertigo Agents	Appetite Stimulant N/A H1 Antagonist/Vitamin Diclegis QL – 4 tabs/day; Max 270/365 days Selective 5-HT3 Receptor Antagonist ondansetron oral tablets & disintegrating tablets QL – 90 tabs/30 days ondansetron oral solution QL – 1 bottle/Rx ondansetron solution for injection	Appetite Stimulant PSQC criteria must be met for the following: • dronabinol H1 Antagonist/Vitamin • Bonjesta ○ QL − 2 tabs/day; Max 270/365 days Generic Medically Necessary PA criteria must be met for the following: • doxylamine/pyridoxine oral tabs ○ QL − 4 tabs/day; Max 270/365 days Selective 5-HT3 Receptor Antagonist • Anzemet oral tabs ○ QL − 10 units/Rx • granisetron oral tablets • granisetron solution for injection ○ palonosetron injection ○ QL − 1 vial/Rx • Sancuso transdermal system ○ ST − physician documentation required indicating oral medications are unsuitable for patient use	Dronabinol PA Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OTHE	ERS - continued	
Antiemetic/Antivertigo Agents - continued	 Substance P-Neurokinin 1 Receptor Antagonist aprepitant 40 mg and 80 mg oral capsules QL − 6 caps/Rx Emend Tripack QL − 2 packs (6 caps)/Rx fosaprepitant vials QL − 2 vials/Rx Substance P-NK 1 Antagonist/Selective 5-HT3 M/A 	 Substance P-Neurokinin 1 Receptor Antagonist aprepitant 125 mg oral capsules QL − 6 caps/Rx Cinvanti injection QL − 2 vials/Rx Emend IV solution QL − 2 vials/Rx Emend suspension ST − must have tried Emend oral capsules or have inability to swallow or tolerate the capsule formulation QL − 3 packets /Rx Generic Medically Necessary PA criteria must be met for the following: aprepitant 80 mg/125 mg tripack	Dronabinol PA Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OTHERS	S – continued	
Antiseizure Agents Note: Utilization Edits may apply for mental health medications; see Utilization Edits for Mental Health Medications for associated quantity limits	 carbamazepine IR, ER cap, chew Nayzilam Carbatrol Neurontin cap, tab oxcarbazepine tab, susp Depakote Sprinkle Diastat rectal diazepam rectal gel Dilantin cap, chew, susp divalproex DR, ER, sprinkle cap ethosuximide cap, soln felbamate susp Felbatol tablets fosphenytoin gabapentin cap, tab, soln lacosamide tab Lamictal Chew Lamotrigine tab, chew, ODT, ER tab lamotrigine Starter kit levetiracetam IR, ER, soln, inj 	PA criteria must be met for the following: Aptiom Banzel tablet Briviact inj, sol, tab Diacomit Elepsia XR Epidiolex Fintepla Fycompa tab, susp lacosamide inj, sol Motpoly XR rufinamide susp Spritam vigabatrin vigadrone Xcopri tab Xcopri Titration Pak QL — 1 Pak/90 days Zonisade Ztalmy PA criteria AND Generic Medically Necessary PA criteria must be met for the following: felbamate methsuximide rufinamide tablet	Antiseizure Agents Prior Authorization Criteria Utilization Edits for Mental Health Medications

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	CNS AND OTHER	S - Continued	
Antiseizure Agents - continued Note: Utilization Edits may apply for mental health medications; see Utilization Edits for Mental Health Medications for associated quantity limits	PA criteria must be met for the following: Eprontia Generic Medically Necessary PA criteria must be met for the following: carbamazepine ER tab carbamazepine suspension topiramate ER capsule topiramate ER sprinkle capsule Brand Medically Necessary PA criteria must be met for the following: Depakote DR, ER Lamictal IR, ODT, XR Lamictal IR Starter Kit Lamictal ODT Starter Kit Lyrica Neurontin sol Onfi tab, susp Topamax IR, Sprinkle Trileptal IR tab		Antiseizure Agents Prior Authorization Criteria Utilization Edits for Mental Health Medications

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OTHE	RS - Continued	
Gastroprotective Agents	 Celebrex naproxen-esomeprazole magnesium 	 diclofenac-misoprostol delayed release tablets ibuprofen-famotidine Generic Medically Necessary PA criteria must be met for the following: celecoxib 	
Movement Disorder Agents	 benztropine tablet, injection trihexyphenidyl tablet, solution PA criteria must be met for the following: Austedo Austedo XR Austedo Titration Kit Austedo XR Titration Kit Ingrezza Ingrezza Therapy Pack tetrabenazine 	N/A	Movement Disorder Agents PA Criteria
Narcotic Antitussives and Combinations See Opioid Overutilization with Age and Quantity Limits PA Criteria for product-specific age and quantity limits	PSQC criteria must be met for the following: guaifenesin/codeine 100-10mg/5mL solution hydrocodone/ homatropine syrup hydrocodone/homatropine tab Hydromet syrup promethazine VC/codeine syrup promethazine with codeine	PSQC criteria must be met for the following: • hydrocodone polst/chlorpheniramine polst ER • Tuxarin ER	Opioid Overutilization with Age and Quantity Limits PA Criteria
*Note: All narcotic antitussives will require PA for members under 18 years of age *			

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OT	HERS - Continued	
Narcotics See Opioid Overutilization with Age and Quantity Limits PA Criteria for product-specific age and quantity limits Note: All codeine products will require PA for members under 18 years of age	Short Acting PSQC/PA criteria must be met for the following: apap/codeine buprenorphine inj butorphanol injection AGE – 18 years of age and older butorphanol 10 mg/mL nasal spray codeine sulfate codeine/butalbital/apap/caffeine codeine/butalbital/asa/caffeine hydrocodone/apap hydrocodone/ibu hydromorphone levorphanol meperidine morphine nalbuphine Nucynta opium tincture oxycodone/apap pentazocine/naloxone tramadol tramadol/APAP Long Acting PSQC criteria must be met for the following: Butrans	### A criteria must be met for the following: • fentanyl citrate lozenges • fentanyl citrate buccal tablets • Fentora buccal tablets PSQC/PA criteria must be met for the following: • Apadaz • apap/caffeine/dihydrocodeine • benzhydrocodone/APAP • belladonna and opium suppositories • Nalocet • oxycodone AD • oxymorphone IR • Prolate • RoxyBond • Seglentis • tramadol 5 mg/mL solution • Trezix **Long Acting** PSQC criteria must be met for the following: • Belbuca • hydrocodone ER cap (Zohydro) • Hysingla ER • hydromorphone ER tab (Exalgo) • methadone • morphine ER cap (Avinza, Kadian)	APAP High Dose PA Criteria Fentanyl Citrate PA Criteria Opioid Overutilization with Age and Quantity Limits PA Criteria Opioid PA Form — Request to Exceed MME Limit Opioid with Concurrent Buprenorphine/Naloxone PA Form Benzodiazepine and Opioid Concurrent Therapy PA Form
	 Butrans fentanyl patches morphine ER tab (MS Contin) Nucynta ER 	 morphine ER cap (Avinza, Kadian) oxycodone ER tab Oxycontin oxymorphone ER tab (Opana) Tramadol ER (Conzip, Ryzolt, Ultram ER) Xtampza ER 	
		PA criteria AND Generic Medically Necessary PA criteria must be met for the following: buprenorphine patches hydrocodone ER tab (Hysingla ER)	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND OTI	HERS - Continued	
Skeletal Muscle Relaxants	 baclofen chlorzoxazone cyclobenzaprine IR (tabs) methocarbamol orphenadrine citrate tizanidine tablets Granules/Liquid Formulation Lyvispah granules ST – must be unable to swallow tablets 	 Amrix ST – must try cyclobenzaprine tablets within the past 30 days dantrolene Fexmid Lorzone metaxalone Norgesic Norgesic Forte Orphengesic Forte orphenadrine/aspirin/caffeine tizanidine capsules PA criteria must be met for the following: carisoprodol QL – 4 tabs/day Generic Medically Necessary PA criteria must be met for the following: cyclobenzaprine ER (caps) ST – must try cyclobenzaprine tablets within the past 30 days Granules/Liquid Formulation baclofen 5 mg/5 mL sol; baclofen 10 mg/5 mL sol; baclofen 25 mg/5mL susp; Fleqsuvy susp ST – trial and failure of Lyvispah (baclofen) or medical rationale for use 	Carisoprodol Agents PA Criteria Carisoprodol Agents PA Form

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	CNS AND	OTHERS - Continued	
Smoking Deterrent Agents	 Nicotine Replacement nicotine gum AGE − 10 years of age or older QL − 24 pieces/day nicotine lozenge AGE − 10 years of age or older QL − 20 pieces/day nicotine patch AGE − 10 years of age or older QL − 1 patch/day nicotine patch kit AGE − 10 years of age or older QL − 1 kit/90 days Other Smoking Deterrents bupropion SR 150 varenicline AGE − 18 years of age or older 	 Nicotine Replacement Nicotrol NS AGE – 10 years of age or older QL – 12 bottles/30 days Nicotrol Inhaler AGE – 10 years of age or older QL – 3 inhalers/31 days Other Smoking Deterrents N/A 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	DERM	ATOLOGIC	
Acne Agents Note: All acne agents for members over the age of 25 years require step therapy with one covered OTC acne product Note: A 14-day trial each of at least 2 preferred agents is required prior to receiving a non-preferred agent.	All legend generic products are preferred unless otherwise specified • Adapalene (cream, gel) • AGE – 25 years and under – ST – must have tried a preferred topical tretinoin product • AGE – >25 years – ST – must have tried one covered OTC acne product AND a preferred topical tretinoin product • benzoyl peroxide cream, liquid, gel • Finacea foam • Retin-A (all formulations except micro) • Ziana Oral Formulations • Amnesteem • Claravis • Myorisan • Zenatane	All legend brand products are non-preferred unless otherwise specified adapalene/benzoyl peroxide gel Avar cleanser Benzepro BP cleanser BP 10-1 wash Cabtreo clindamycin foam clindamycin 1.2%/benzoyl peroxide 2.5% clindamycin 1.2%/benzoyl peroxide 3.75% dapsone gel Erygel PR benzoyl peroxide wash Retin-A Micro sodium sulfacetamide med pads sulfacetamide sod top susp sodium sulfacetamide-sulfur cleanser, cream, lotion, wash sulfacetamide topical lotion tretinoin microsphere Generic Medically Necessary PA criteria must be met for the following: Avita clindamycin phosphate-tretinoin gel tretinoin cream, gel	
		isotretinoin	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	DERMATO	DLOGIC - Continued	
Antipsoriatics	 calcipotriene cream calcipotriene topical solution Enstilar Taclonex scalp suspension tazarotene 0.1% cream Vectical ointment PA criteria must be met for the following: acitretin 	 calcipotriene 0.005% foam calcipotriene ointment calcipotriene/betamethasone ointment calcitriol ointment Duobrii methoxsalen Sorilux foam tazarotene 0.05% gel tazarotene 0.1% gel Vtama Generic Medically Necessary PA criteria must be met for the following: calcipotriene/betamethasone suspension 	Soriatane PA Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ELECTROLY	TE DEPLETERS	
Electrolyte Depleters	Miscellaneous Agents N/A Phosphate Binders calcium acetate capsules calcium acetate tabs calcium carbonate 500 mg calcium carbonate 500 mg, 750 mg, 1000 mg chew calcium carbonate 1.25 gm (500 mg elemental calcium) chew calcium carbonate 1.25 gm (500 mg elemental calcium) tab calcium carbonate 1250 mg/5 mL susp QL – 30 mL/day Magnebind 300 mg tab QL – 2 bottles (300 tabs)/30 days Magnebind Rx sevelamer HCl 800 mg tabs sevelamer carbonate powder sevelamer carbonate tabs Potassium Binders Lokelma	 Miscellaneous Agents Xphozah ST − must have tried and failed preferred phosphate binders OR submit medical rationale for use over ALL preferred phosphate binders Phosphate Binders Auryxia Fosrenol powder packet ST − member must be under 18 years of age or unable to swallow tablets lanthanum carbonate chew sevelamer HCl 400 mg tabs Velphoro Potassium Binders N/A 	
	SPS (sodium polystyrene sulfonate)Veltassa		

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	EN	NDOCRINE	
Anaphylaxis Agents	epinephrine auto-injector	Auvi-QEpipenSymjepi	
Bone Formation Stimulating Agents	PA criteria must be met for the following: • Forteo	PA criteria must be met for the following: Evenity teriparatide 620 mcg/2.48 mL Tymlos PA criteria AND Generic Medically Necessary PA criteria must be met for the following: teriparatide 600 mcg/2.4 mL	Bone Formation Stimulating Agents PA Criteria Bone Formation Stimulating Agents PA Form
Bone Resorption Inhibitors	 Bisphosphonates alendronate risedronate tablets ST − must try alendronate within the past 90 days Bone Modifying Monoclonal Antibodies N/A 	 Bisphosphonates alendronate oral solution 70mg/75mL ST − must be 5 years of age or older and less than 12 years of age OR unable to swallow tablets Fosamax Plus D ibandronate ibandronate pre-filled syringe QL − one single-use, pre-filled syringe per 90 days risedronate DR (generic Atelvia) 	Bone Resorption Inhibitors PA Criteria
	 Calcitonin calcitonin-salmon nasal SERMs raloxifene 	Bone Modifying Monoclonal Antibodies PA criteria must be met for the following: Prolia injection Xgeva Calcitonin calcitonin (salmon) injection ST – trial and failure of calcitonin-salmon nasal or medical justification for use over the preferred calcitonin agent	
		SERMs N/A	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ENDOC	RINE - Continued	
DPP4 Inhibitors and Combination Agents	DPP4-I ■ Januvia □ ST – must have tried metformin ■ Tradjenta □ ST – must have tried metformin DPP4-I & metformin combination ■ Janumet □ ST – must have tried metformin ■ Janumet XR □ ST – must have tried metformin ■ Jentadueto □ ST – must have tried metformin ■ Jentadueto XR □ ST – must have tried metformin ■ Jentadueto XR □ ST – must have tried metformin ■ Jentadueto XR □ ST – must have tried metformin DPP4-I & thiazolidinedione combination N/A	PPP4-I alogliptin ST – must have tried a preferred agent for 60 of the past 100 days saxagliptin ST – must have tried a preferred agent for 60 of the past 100 days Zituvio ST – must have tried a preferred agent for 60 of the past 100 days PPP4-I & metformin combination alogliptin/metformin ST – must have tried a preferred combination agent for 60 of the past 100 days saxagliptin/metformin ER ST – must have tried a preferred combination agent for 60 of the past 100 days Zituvimet ST – must have tried a preferred combination agent for 60 of the past 100 days Zituvimet ST – must have tried a preferred combination agent for 60 of the past 100 days DPP4-I & thiazolidinedione combination alogliptin/pioglitazone	
		 ST – must have tried and failed combination therapy with preferred agents of the same classes for 60 of the past 100 days 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ENDOCR	RINE - Continued	
GLP-1 Receptor Agonists and Combinations	GLP-1 RA PSQC criteria must be met for the following: Byetta Ozempic Trulicity Victoza GIP/GLP-1 RA N/A	GLP-1 RA PSQC criteria must be met for the following: Bydureon BCise Rybelsus GIP/GLP-1 RA PSQC criteria must be met for the following: Mounjaro Combination Agents	GLP-1 RA/GIP RA/Combinations PA Criteria
	Combination Agents PSQC criteria must be met for the following: Soliqua	PSQC criteria must be met for the following: • Xultophy	
Glucagon Agents	Baqsimi nasal sprayGvoke injectionZegalogue injection	Glucagon Kit	
Growth Hormones	Somatropin products PA criteria must be met for the following: Genotropin Norditropin Serostim Long-acting products PA criteria must be met for the following: Skytrofa	Somatropin products PA criteria must be met for the following: Humatrope Nutropin AQ Omnitrope Saizen Zomacton Long-acting products PA criteria must be met for the following:	Growth Hormone PA Criteria Growth Hormone for Adults PA Form Growth Hormone for Children PA Form
	Miscellaneous growth hormone products N/A	 Ngenla Sogroya Miscellaneous growth hormone products PA criteria must be met for the following: Increlex Voxzogo 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	ENDOCRIN	E - Continued	
Insulins – Intermediate Acting	 insulin aspart (70/30) (Novolog mix ABA) Humalog Mix 50/50 Humalog Mix 75/25 Humulin N Humulin 50/50 Humulin 70/30 (all formulations) Novolin N Novolin N ReliOn (vials only) Novolin 70/30 Novolin 70/30 ReliOn (vials only) Novolog Mix 70/30 (all formulations) Novolog Mix 70/30 ReliOn (all formulations) 	 insulin lispro protamine/insulin lispro Kwikpen Novolin N ReliOn (prefilled pen, innolets, syringes and cartridges) Novolin 70/30 ReliOn (prefilled pen, innolets, syringes and cartridges) 	
Insulins – Rapid Acting	 Apidra Apidra SoloStar Humalog (all formulations) insulin aspart (all formulations) 	 Admelog Admelog Solostar Fiasp Humalog Tempo Pen insulin lispro (all formulations) Lyumjev Lyumjev Tempo Pen Novolog (all formulations) Novolog ReliOn (all formulations) 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ENDOCRIN	VE - Continued	
Insulins – Short Acting	Humulin R (all formulations)Novolin R (all formulations)Novolin R ReliOn (vials only)	Afrezza Novolin R ReliOn (prefilled pen, innolets, syringes and cartridges)	
Insulins – Long Acting	insulin degludec Flex & vials Lantus (cartridges, pens, & vials)	 Basaglar Basaglar Tempo Pen insulin glargine (all manufacturers) Levemir (Flextouch, & vials) Rezvoglar Semglee Toujeo Solostar Tresiba Flex and vials 	
Miscellaneous Oral Antidiabetic	Alpha glucosidase inhibitors	Alpha glucosidase inhibitors	
Agents	acarbose	miglitol	
	Biguanides Glumetza metformin metformin ER (all strengths except 500 mg & 1 gram ER tabs, generics of Fortamet) Meglitinide repaglinide Sulfonylureas and Combinations glimepiride	Biguanides metformin 500 mg & 1 gm ER (generics of Fortamet) metformin HCl solution ST – must be 10 years of age or older and less than 12 years of age OR unable to swallow tablets Generic Medically Necessary PA criteria must be met for the following: metformin ER (generics of Glumetza) Meglitinide	
	 glipizide glipizide ER glipizide/metformin ST – must have tried metformin glyburide glyburide/metformin ST – must have tried metformin Thiazolidinediones and Combinations pioglitazone ST – must have tried metformin QL – 34 tabs/30 days 	 nateglinide Sulfonylureas and Combinations N/A Thiazolidinediones and Combinations pioglitazone/glimepiride ST – prescriber must provide documentation that separate components are unsuitable for use pioglitazone/metformin ST – prescriber must provide documentation that separate components are unsuitable for use 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	ENDOCF	RINE - Continued	
SGLT Inhibitors and Combinations	SGLT1-I/SGLT2-I N/A SGLT2-I Farxiga Invokana Jardiance SGLT2-I & metformin combination Invokamet Synjardy Xigduo XR SGLT2-I & DPP4-I combination N/A SGLT2-I, DPP4-I, & metformin combination N/A	SGLT1-I/SGLT2-I Inpefa ST — must try and fail each of the following active ingredients as monotherapy or combination product: canagliflozin, dapagliflozin, empagliflozin OR medical justification for use SGLT2-I Brenzavvy dapagliflozin (Farxiga ABA) Steglatro SGLT2-I & metformin combination dapagliflozin/metformin (Xigduo ABA) Invokamet XR Segluromet Synjardy XR SGLT2-I & DPP4-I combination Glyxambi ST — must have tried and failed combination therapy with preferred agents of the same classes or provide medical justification for use over preferred agents Qtern ST — must have tried and failed combination therapy with preferred agents of the same classes or provide medical justification for use over preferred agents Steglujan ST — must have tried and failed combination therapy with preferred agents of the same classes or provide medical justification for use over preferred agents	(п аррисаме)
		 SGLT2-I, DPP4-I, & metformin combination Trijardy XR ST − must have tried and failed combination therapy with preferred agents of the same classes or provide medical justification for use over preferred agents 	

ı			PA CRITERIA (if applicable)
	ENDOCRINE	- Continued	(ii applicable)
See Testosterone PA Criteria for product-specific age and quantity limits O N TA P • • • • • • • • • • • • • • • • • •	A criteria must be met for the following: Depo-Testosterone testosterone cypionate Pral Agents A criteria must be met for the following: Androderm Testim 1% (50 mg)/5 gm gel tubes testosterone 1% (25 mg)/2.5 gm gel packets testosterone 1% (12.5 mg)/act gel pump testosterone 1.62% (20.25 mg)/act metered pump gel A criteria must be met for the following: Carbaglu Pheburane sodium phenylbutyrate powder sodium phenylbutyrate tab	Injectable Agents PA criteria must be met for the following: Aveed Testopel pellet testosterone enanthate Xyosted Oral Agents PA criteria must be met for the following: Danazol Jatenzo Methitest methyltestosterone Tlando Topical Agents PA criteria must be met for the following: Natesto testosterone 1% (50 mg)/5 gm gel packets/tubes testosterone 1.62% (40.5 mg)/2.5 gm gel packets testosterone 1.62% (20.25 mg)/1.25 gm gel packets testosterone 2% (10 mg)/act metered pump testosterone 30 mg/act solution Vogelxo 1% (50 mg)/5 gm gel packets Vogelxo 1% (12.5 mg)/act gel pump PA criteria must be met for the following: Olpruva Ravicti PA criteria AND Generic Medically Necessary PA criteria must be	Testosterones PA Criteria Testosterones PA Form Urea Cycle Disorder Agents

PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
ESTROGEN AN	D RELATED AGENTS	<u>'</u>
I legend generic products are preferred unless herwise specified Depo-estradiol Evamist mist Menest Minivelle Premarin Prempro Provera Vivelle Dot Iginal Preparations Estring Premarin Vaginal Cream Vagifem Varieria disorder agents Criteria must be met for the following: Oriahnn Orilissa	All legend brand products are non-preferred unless otherwise specified e estradiol TD gel 0.1% ethinyl estradiol and norethindrone tabs PA criteria must be met for the following: Veozah Generic Medically Necessary PA criteria must be met for the following: estradiol TD patch (generic formulations of Minivelle and Vivelle Dot) Vaginal Preparations estradiol vaginal cream Femring Yuvafem Generic Medically Necessary PA criteria must be met for the	Uterine Disorder Agents PA Criteria Uterine Disorder Agents PA Form Veozah PA Criteria
	 estradiol vaginal tablets Uterine disorder agents PA criteria must be met for the following: 	
0	riiissa	following: • estradiol vaginal tablets Uterine disorder agents

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA		
			(if applicable)		
ESTROGEN AND RELATED AGENTS - Continued					
Note: All contraceptive agents participating in the Medicaid Drug Rebate Program are preferred unless otherwise specified; Brand Medically Necessary PA criteria will apply to brands with available generics	Injectable Contraception Depo-SubQ Provera medroxyprogesterone contraceptive 150mg/mL suspension for injection QL − 1mL/84 days for contraception Injectable Contraception Oral/Topical Contraception drospirenone norethindrone Phexxi QL − 1 box/month progestin/estrogen combinations Twirla Xulane Long-Acting Reversible Contraception Kyleena QL − 1 device/365 days Liletta QL − 1 device/365 days Mirena QL − 1 device/365 days Mirena QL − 1 device/365 days Nexplanon QL − 1 device/365 days Paragard QL − 1 device/365 days Skyla QL − 1 device/365 days Emergency Contraception levonorgestrel 1.5mg	Injectable Contraception N/A Oral/Topical Contraception Tafemy ST – must have previous trial of all preferred patch formulations of contraception OR medical justification for use Long-Acting Reversible Contraception N/A Emergency Contraception N/A			
	ulipristal				

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	GASTROINTES	TINAL AGENTS	
Anti-ulcer Agents	 misoprostol tablets sucralfate suspension ST – must be 1 year of age or older and less than 12 years of age OR unable to swallow tablets sucralfate tablets 		
H. Pylori Agents	Pylera	 Helidac lansoprazole/amoxicillin/clarithromycin caps Talicia Voquezna Dual Pak Voquezna Triple Pak Generic Medically Necessary PA criteria must be met for the following: bismuth subcitrate/metronidazole/tetracycline 	
H2 Receptor Antagonists	 cimetidine tabs QL - 60/30 days famotidine tabs QL - 60/30 days nizatidine caps QL - 60/30 days 	famotidine oral suspension ST – member must be under 12 years of age or unable to swallow tablets	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	GASTROINTESTINAI	. AGENTS - Continued	(п аррпеаме)
Laxatives and Cathartics	 Linzess; lubiprostone ST – requires trial of lactulose, sorbitol, or polyethylene glycol Relistor injection ST – requires trial of lactulose, sorbitol or polyethylene glycol AND diagnosis of opioid-induced constipation 	 Ibsrela ST – requires trial of lubiprostone and Linzess OR trial of lactulose, sorbitol or polyethylene glycol AND medical justification for use over preferred agents Motegrity ST – requires trial of lubiprostone and Linzess OR trial of lactulose, sorbitol or polyethylene glycol AND medical justification for use over preferred agents Movantik ST – requires trial of lactulose, sorbitol or polyethylene glycol AND diagnosis of opioid-induced constipation AND medical justification for use over preferred agents QL – 1 tab/day Relistor tabs ST – requires trial of lactulose, sorbitol or polyethylene glycol AND diagnosis of opioid-induced constipation AND medical justification for use over preferred agents QL – 3 tabs (450 mg)/day Symproic ST – requires trial of lactulose, sorbitol or polyethylene glycol AND diagnosis of opioid-induced constipation AND medical justification for use over preferred agents QL – 1 tab (0.2mg)/day Trulance ST – requires trial of lubiprostone and Linzess OR trial of lactulose, sorbitol or polyethylene glycol AND medical justification for use over preferred agents 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)		
GASTROINTESTINAL AGENTS - Continued					
Pancreatic Enzymes Note: Access will be granted to non- preferred agents after cumulatively utilizing 30 days of preferred agent therapy in the past 180 days Proton Pump Inhibitors	Creon Zenpep See Proton Pump Inhibitors PA Criteria for product- specific quantity limits	Pertzye Viokace See Proton Pump Inhibitors PA Criteria for product-specific quantity limits, step therapy, and criteria to access non-preferred	Proton Pump Inhibitor PA Criteria		
Note: PA is required for members utilizing therapy for greater than 90 days in a 180-day period.	 Dexilant esomeprazole capsules lansoprazole capsules omeprazole capsules pantoprazole tablets IV Solutions N/A Oral Solutions Nexium packets Protonix packets 	PA criteria must be met for the following: omeprazole magnesium/sodium bicarbonate caps rabeprazole Generic Medically Necessary PA criteria must be met for the following: dexlansoprazole IV Solutions PA criteria must be met for the following: Nexium IV pantoprazole IV Oral Solutions PA criteria must be met for the following: Konvomep oral suspension lansoprazole ODT omeprazole/sodium bicarb powder Prilosec packets Generic Medically Necessary PA criteria must be met for the following: esomeprazole packets			

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	GASTROINTESTINAL	AGENTS - Continued	
Ulcerative Colitis Agents	 Oral Formulations Apriso balsalazide budesonide DR caps Dipentum mesalamine DR (Delzicol) cap mesalamine DR (Lialda) tab Pentasa sulfasalazine IR sulfasalazine ER Rectal Formulations mesalamine enema mesalamine suppositories sfRowasa 	 Oral Formulations budesonide ER tabs Ortikos ER caps Generic Medically Necessary PA criteria must be met for the following: mesalamine ER (Apriso) cap mesalamine ER (Pentasa) cap Rectal Formulations Uceris rectal foam Generic Medically Necessary PA criteria must be met for the following: budesonide rectal foam 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	GE	NITOURINARY	(п аррпсаые)
BPH Agents	 alfuzosin ER dutasteride finasteride tamsulosin 	 dutasteride/tamsulosin ST – must provide documentation that separate components are not suitable for use Entadfi ST – prescriber must provide documentation of trial and failure of nonselective alpha-blocker, a selective alpha-blocker, a 5-alpha reductase inhibitor (must include finasteride), and a combination product for the treatment of BPH or a medically justifiable reason that the agents are not suitable for use; therapy duration must not exceed 26 weeks silodosin ST – requires trial of alfuzosin ER and tamsulosin OR medical justification for use of silodosin over alfuzosin ER and tamsulosin tadalafil 2.5mg and 5mg ST – prescriber must provide documentation of trial and failure of nonselective alpha-blocker, a selective alpha-blocker, a 5-alpha reductase inhibitor, and a combination product for the treatment of BPH or a medically justifiable reason that the agents are not suitable for use; therapy duration must not exceed 26 weeks if using concurrently with finasteride 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	GENITOURIN	ARY - Continued	
Urinary Tract Antispasmodic/Anti-Incontinence Agents	 bethanechol fesoterodine ER Gelnique Myrbetriq tablets oxybutynin IR oxybutynin ER Oxytrol solifenacin 	 darifenacin flavoxate Gemtesa ST – member must have trialed and failed Myrbetriq or have intolerance or contraindication to Myrbetriq Myrbetriq granules ST – must be 3 years of age or older and less than 12 years of age OR unable to swallow tablets tolterodine tolterodine SR trospium trospium ER Vesicare LS ST – must be 2 years of age or older and less than 12 years of age OR unable to swallow tablets Generic Medically Necessary PA criteria must be met for the following: mirabegron tablets 	

PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
HEMATOLO	GIC	
 Eliquis QL − 2 tabs/day of 2.5mg; 4 tabs/day for 7 days, then 2 tabs/day for 5mg Eliquis Starter Pack QL − 1 pack/90 days Pradaxa capsules Xarelto 2.5mg tablets QL − 2 tabs/day Xarelto 10mg tablets QL − 1 tab/day Xarelto 15 mg tablets QL − 2 tabs/day for max 21 consecutive days every 90 days; no duration restriction for oncedaily dosing Xarelto 20 mg tablets QL − 1 tab/day Xarelto Starter Kit QL − 1 starter kit/90 days Xarelto suspension ST − must be under 12-years of age or unable to swallow tablets QL − 20 mg/day (20 mL/day) 	Pradaxa Pak ST – must be under 8 years of age or unable to swallow capsules OR have medical rationale for use of pellet formulation Savaysa QL – 1 tab/day ST – must have trialed Eliquis and Xarelto OR medical justification for use of Savaysa over Eliquis and Xarelto Generic Medically Necessary PA criteria must be met for the following: dabigatran capsules	
Erythropoiesis-Stimulating Agents	Erythropoiesis-Stimulating Agents	Hematinic Agents PA
_		<u>Criteria</u>
·		
	Procrit	Jesduvroq PA Criteria
• Ketacrit	Microllanoous Homatinies	
Miscellaneous Hematinics		
IN/A		
	Eliquis QL − 2 tabs/day of 2.5mg; 4 tabs/day for 7 days, then 2 tabs/day for 5mg Eliquis Starter Pack QL − 1 pack/90 days Pradaxa capsules Xarelto 2.5mg tablets QL − 2 tabs/day Xarelto 10mg tablets QL − 1 tab/day Xarelto 15 mg tablets QL − 2 tabs/day for max 21 consecutive days every 90 days; no duration restriction for oncedaily dosing Xarelto 20 mg tablets QL − 1 tab/day Xarelto 5tarter Kit QL − 1 starter kit/90 days Xarelto suspension ST − must be under 12-years of age or unable to swallow tablets QL − 20 mg/day (20 mL/day) Erythropoiesis-Stimulating Agents PA criteria must be met for the following: Aranesp	Bliquis

PREFERRED	NON-PREFERRED	PA CRITERIA
		(if applicable)
HEMATOLOGIC - (ontinued	
Short-Acting	Short-Acting	
Neupogen	Granix	
Releuko	Leukine	
	Nivestym	
Long-Acting	Zarxio	
Fylnetra		
Nyvepria		
	Fulphila	
	I and the second	
	Zontivity	
	### HEMATOLOGIC - CO Short-Acting Neupogen Releuko Long-Acting Fylnetra Nyvepria aspirin/dipyridamole	HEMATOLOGIC - Continued Short-Acting Neupogen Releuko Long-Acting Fylnetra Nyvepria Fulphila Neulasta Neulasta Neulasta Neulasta Neulasta Neulasta Neulasta Neulasta Didenyca Udenyca Udenyca Udenyca Stimufend Udenyca Stimufend Udenyca Clopidogrel 300 mg tablets O QL – 1 tab/Rx HEMATOLOGIC - Continued Short-Acting Granix Leukine Nivestym Fulphila Neulasta N

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	LIPOTE	ROPICS	
Bile Acid Sequestrants	 cholestyramine multi-dose containers colesevelam tablets and suspension Prevalite powder/packets 	cholestyramine packetscolestipol (granules/tablets)	
Fibric Acid Derivatives	 fenofibrate micronized cap (generic Antara) fenofibrate tab (generic Tricor) gemfibrozil 	 Antara fenofibrate cap fenofibrate micronized cap (generic Lofibra) fenofibric acid cap (generic Trilipix) fenofibric acid tab fenofibrate tab (generic Fenoglide) Lipofen 	
HMG CoA Reductase Inhibitors	 atorvastatin lovastatin pravastatin rosuvastatin simvastatin 	 Altoprev Atorvaliq ST – must be 10 years of age or older and less than 12 years of age OR unable to swallow tablets Ezallor fluvastatin fluvastatin ER pitavastatin Zypitamag 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	LIPOTROPICS – C	ontinued	
Lipotropics	ezetimibe ezetimibe/simvastatin ST – must have trial history of a single-agent HMG CoA reductase inhibitor for 90 of the past 120 days omega-3-acid ethyl esters Vascepa Age – 18 years of age or older QL – 4 capsules/day PA criteria must be met for the following: Praluent Repatha	Nexletol ST – must have trialed and failed two statin agents OR a statin in combination with ezetimibe OR medical justification for use over preferred statins and ezetimibe Nexlizet ST – must have trialed and failed a statin in combination with ezetimibe OR medical justification for use over preferred statins and ezetimibe PA criteria must be met for the following: Evkeeza Juxtapid Leqvio niacin ER Generic Medically Necessary PA criteria must be met for the following: icosapent ethyl Age — 18 years of age or older OL — 4 capsules/day	PCSK9 Inhibitors and Select Lipotropics PA Criteria PCSK9 Inhibitors and Select Lipotropics PA Form

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	MULTIPLE SCLEROSI	S AGENTS	
Multiple Sclerosis Agents	PSQC/PA criteria must be met for the following: Avonex Bafiertam Betaseron Copaxone dalfampridine dimethyl fumarate fingolimod 0.5 mg Gilenya 0.25 mg Kesimpta Ocrevus Plegridy Rebif teriflunomide Tascenso ODT Zeposia	PSQC/PA criteria must be met for the following: Briumvi Extavia Lemtrada Mavenclad Mayzent Ponvory Tysabri Vumerity PSQC/PA criteria AND Generic Medically Necessary PA criteria must be met for the following: glatiramer Glatopa	Multiple Sclerosis PA with Quantity Limits Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	RESF	PIRATORY	
Antihistamine-Decongestant Combinations/2 nd Generation Antihistamines	 cetirizine 5 mg OTC tabs AGE – under 18 years cetirizine 10 mg OTC tabs fexofenadine OTC tabs levocetirizine Rx tabs loratadine 10 mg OTC tabs loratadine 10 mg OTC RDT tabs Combinations loratadine/pseudoephedrine 12-hour OTC tabs QL – 2 tablets/day ST – previous trial and failure of a preferred single-agent 2nd generation antihistamine loratadine/pseudoephedrine 24-hour OTC tabs QL – 1 tablet/day ST – previous trial and failure of a preferred single-agent 2nd generation antihistamine Liquid Formulation cetirizine 1 mg/ml OTC syrup AGE – under 18 years QL – 10 mL/day cetirizine 1 mg/mL Rx syrup AGE – under 18 years QL – 10 mL/day loratadine 1 mg/1ml OTC syrup AGE – under 18 years QL – 10 mL/day levocetirizine Rx oral solution QL – 10 mL/day levocetirizine Rx oral solution QL – 10 mL/day levocetirizine Rx oral solution OL – 10 mL/day ST – must have trial of loratadine solution/syrup or cetirizine solution/syrup	Note: New patients must first try cetirizine and loratadine within 90 days prior to receiving a non-preferred agent. Patients with an existing PA are not subject to the step edit. • desloratadine Rx tabs • desloratadine Rx ODT tabs Combinations • Clarinex-D Rx tabs • QL – 2 tablets/day • ST – previous trial and failure of loratadine/pseudoephedrine 12-hour OTC tab Liquid Formulation • Clarinex 0.5 mg/ml Rx syrup • QL – 10 mL/day • ST – must have trial on both cetirizine and loratadine within the past 90 days	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	RESPIRATO	DRY - Continued	
Antiviral Monoclonal Antibody	• N/A	PA criteria must be met for the following: • Synagis	Antiviral Monoclonal Antibodies PA Antiviral Monoclonal Antibodies PA Form
Beta Adrenergics and Corticosteroids Note: All agents are limited to 1 diskus or inhaler per month unless otherwise specified	 Advair HFA 45/21 mcg, 115/21 mcg, 230/21 mcg Airduo Respiclick Dulera 200-5 mcg fluticasone/salmeterol (generic Advair Diskus) 100/50 mcg, 250/50 mcg, 500/50 mcg Trelegy Ellipta Asthma ST – must have tried and failed Advair or Symbicort therapy for at least 90 days of the past 120 days COPD ST – must have tried and failed Anoro Ellipta therapy for at least 90 of the past 120 days QL of 3 units per 30 days for ages 19 and younger/2 units per 30 days for ages 20 and over apply to the following: Dulera 50-5 mcg, 100-5 mcg Symbicort 80-4.5 mcg, 160-4.5 mcg 	 Airduo Digihaler Airsupra AGE – 18 years of age and older QL – 2 inhalers per 30 days Breo Ellipta Breztri Aerosphere ST – must have tried and failed Trelegy Ellipta or have contraindication or intolerance to use fluticasone/salmeterol HFA (ABA Advair HFA) 45-21 mcg, 115-21 mcg, 230-21 mcg fluticasone/salmeterol Respiclick (ABA Airduo Respiclick) 55-13 mcg, 113-14 mcg, 232-14 mcg ST – must have tried at least 90 days of therapy with Airduo Respiclick fluticasone/vilanterol Wixela QL of 3 units per 30 days for ages 19 and younger/2 units per 30 days for ages 20 and over apply AND Generic Medically Necessary PA criteria apply to the following: budesonide/formoterol 80-4.5 mcg, 160-4.5 mcg Breyna 	
Beta Agonists – Long Acting	Serevent	 arformoterol formoterol Striverdi Respimat 	

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)					
	RESPIRATO	ORY - Continued						
Beta Agonists – Short Acting	 albuterol – all strengths/formulations excluding tablets QL of 3 canisters per 30 days for ages 18 and younger/2 canisters per 30 days for ages 19 and over apply to the following: albuterol HFA Proair HFA Proair Respiclick Proventil HFA Ventolin HFA Xopenex HFA ST – must have tried albuterol HFA in the past 90 days 	 albuterol tablets (brand/generic) levalbuterol neb solution QL – 2 prescriptions per 180 days, 1 box of 24 per prescription terbutaline QL of 3 canisters per 30 days for ages 18 and younger/2 canisters per 30 days for ages 19 and over apply to the following: levalbuterol HFA Proair Digihaler 						
Bronchodilator Agents-Beta	Short-Acting	Short-Acting						
Adrenergic and Anticholinergic Combinations Note: Must not concurrently use >1 inhaled anticholinergic agent (excluding short-acting nebulization solution)	 Atrovent HFA QL - 2 inhalers/30 days Combivent Respimat QL - 2 inhalers/30 days ipratropium solution QL - 2 boxes/30 days ipratropium/albuterol solution QL - 3 boxes/30 days Long-Acting Spiriva Handihaler QL - 1 inhaler/30 days Anoro Ellipta QL - 1 inhaler/30 days Incruse Ellipta QL - 1 inhaler/30 days Spiriva Respimat 1.25 mcg ST - must have diagnosis of asthma QL - 1 inhaler/30 days Spiriva Respimat 2.5 mcg ST - must have trial and failure of Spiriva Handihaler for a least 14 days 	N/A Long-Acting Bevespi Aerosphere QL – 1 inhaler/30 days Duaklir Pressair QL – 1 inhaler/30 days Lonhala Magnair QL – 1 kit (60 vials)/30 days Stiolto Respimat QL – 1 box (60 inhalations)/30 days Tudorza Pressair QL – 1 inhaler/30 days Yupelri QL – 1 box (90mL)/30 days Generic Medically Necessary PA criteria must be met for the following: tiotropium inhalation capsules QL – 1 inhaler/30 days						

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)							
RESPIRATORY - Continued										
Leukotriene Receptor Antagonists	 montelukast montelukast montelukast granules ST – must have prescriber docum formulations are unsuitable for u zafirlukast zileuton SR 12 HR Zyflo 									
Nasal Antihistamines/Nasal Anti- Inflammatory Steroids	 Antihistamines/Anticholinergics azelastine 0.1% nasal spray ipratropium NS Steroids/Steroid Combinations Dymista Fluticasone Omnaris 	Antihistamines/Anticholinergics azelastine 0.15% nasal spray olopatadine Patanase Steroids/Steroid Combinations Beconase AQ budesonide nasal suspension flunisolide mometasone nasal susp Qnasl Ryaltris Zetonna Generic Medically Necessary PA criteria must be met for the following: azelastine/fluticasone nasal spray								

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)					
	RESPIRATO	RY - Continued						
Oral Inhaled Glucocorticoids	 Arnuity Ellipta QL – 1 inhaler/30days Asmanex, Asmanex HFA QL – 1 inhaler/30days budesonide inhalation suspension AGE – 3 years and younger QL – 120 mL/30 days (0.25 mg/2 mL vial, 0.5 mg/2 mL vial); 60 mL/30 days (1 mg/2 mL vial) fluticasone propionate HFA fluticasone Diskus Pulmicort Flexhaler QVAR Redihaler 	 Alvesco Armonair Digihaler budesonide inhalation suspension AGE – 4 years and older QL – 120 mL/30 days (0.25 mg/2 mL vial, 0.5 mg/2 mL vial); 60 mL/30 days (1 mg/2 mL vial) Flovent Diskus Flovent HFA 						
Pulmonary Antihypertensives	PSQC/PA criteria must be met for the following: sildenafil inj/susp/tab tadalafil Tracleer Tracleer dispersible tablet	PSQC/PA criteria must be met for the following: Adempas ambrisentan bosentan Liqrev Opsumit Opsynvi Orenitram. Orenitram Titration Pack Tadliq Tyvaso, Tyvaso DPI Uptravi Ventavis Winrevair	Pulmonary Antihypertensives PA Criteria Pulmonary Antihypertensives PA Form					
Respiratory and Allergy Biologics	PSQC/PA criteria must be met for the following: Dupixent Fasenra Nucala Tezspire Xolair	PSQC/PA criteria must be met for the following: • Cinqair	Respiratory and Allergy Biologics PA Criteria					

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)
	TARGETED IMP	MUNOMODULATORS	
Targeted Immunomodulators	PSQC/PA criteria must be met for the following: Actemra Adalimumab adalimumab-fkjp Hadlima Humira Adbry Enbrel Infliximab Infliximab Infliximab Infliximab Infliximab Infliximab Adbry Kineret Olumiant Orencia vials & syringes Otezla Simponi, Simponi Aria Taltz Xeljanz Xeljanz AND the member is 2 years of age or older and weighing 10 kg or more AND less than 18 years of age and weighing less than 40 kg, OR provider has submitted documentation supporting inability to swallow tablet formulation	PSQC/PA criteria must be met for the following: Adalimumab Abrilada Abrilada Adalimumab-aacf Adalimumab-adaz Adalimumab-adaz Adalimumab-adaz Adalimumab-adbm Amjevita Amjevita Amjevita Amjevita Amjevita Arcalyst Arcalyst Bimzelx Cibinqo Cimzia Cosentyx Entyvio, Entyvio Pen Ilaris Ilumya Avsola Arvsola Avsola Aspericach Avsola Av	Targeted Immunomodulators PA Criteria

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA (if applicable)						
	TOPICAL	AL AGENTS							
Restasis Xiidra Reatoconjunctivitis PA Criteria for product-specific quantity limits *Note: No more than a 30-day supply may be dispensed at one time. Miotics-Intraocular Pressure Reducers Alphagar Alphagar Azopt Betoptice brimonic carteolol Combiga dorzolam dorzolam lopidine latanopre levobunce	eria must be met for the following: single dose n-P 0.1% n-P 0.15% idine S dine 0.2% solution n nide nide/timolol 1% ost blol 0.01% drops nolol ne sa n olution Z G G G G G G G G G G G G G G G G G G	A criteria must be met for the following: Cequa cyclosporine single dose emulsion Eysuvis Miebo Restasis Multidose Tyrvaya Verkazia Vevye Betaxolol Betimol bimatoprost 0.03% Cosopt PF lyuzeh ST – must have tried and failed latanoprost OR prescriber has provided medical justification for use of lyuzeh over latanoprost Phospholine lodide Simbrinza ST – must provide documentation that separate components are not suitable for use (Azopt/brimonidine) timolol gel Timoptic-XE Vyzulta Xelpros Zioptan A criteria must be met for the following: Vuity eneric Medically Necessary PA criteria must be met for the following: brimonidine 0.1% solution brimonidine/timolol soln	Dry Eye Disease or Keratoconjunctivitis PA criteria Presbyopia Agents PA criteria						

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA							
			(if applicable)							
	TOPICAL A	AGENTS - Continued								
Ophthalmic Anti-Inflammatory Agents	 Alaway azelastine Bepreve Ketotifen olopatadine (Rx) NSAIDs diclofenac 0.1% ophth soln flurbiprofen 0.3% ophth soln ketorolac 0.4% ophth soln ketorolac 0.5% ophth soln Steroids Alrex 0.2% ophth susp dexamethasone sod phos 0.1% ophth soln Durezol 0.05% ophth emul FML Liquifilm 0.1% ophth susp Lotemax 0.5% ophth gel/ointment/susp Pred Forte 1% ophth susp Pred Mild 0.12% ophth susp Pred Mild 0.12% ophth susp Prednisolone sod phos 1% ophth soln	epinastine Zerviate Generic Medically Necessary PA criteria must be met for the following: bepotastine besilate NSAIDS Acuvail 0.45% ophth soln bromfenac 0.09% ophth soln Bromsite 0.075% ophth soln llevro 0.3% ophth soln Nevanac 0.1% ophth soln Nevanac 0.1% ophth soln Prolensa 0.07% ophth soln Promfenac 0.07% ophth soln Generic Medically Necessary PA criteria must be met for the following: bromfenac 0.07% ophth soln Steroids Flarex 0.1% ophth susp FML Forte 0.25% ophth susp Inveltys 1% ophth susp Inveltys 1% ophth susp Maxidex 0.1% ophth susp Generic Medically Necessary PA criteria must be met for the following: difluprednate 0.05% ophth emul fluorometholone 0.1% ophth susp loteprednol 0.2% ophth susp loteprednol 0.2% ophth susp loteprednol ophth gel/susp 0.5% prednisolone 1% ophth susp								
Ophthalmic Mast Cell Stabilizers	• cromolyn	Alocril								
		Alomide								
Otic Preparations	acetic acid solution	acetic acid HC								
	Dermotic Oil	fluocinolone acetonide oil								

DRUG CLASS	PREFERRED	NON-PREFERRED	PA CRITERIA
			(if applicable)
	TOPICAI	AGENTS - Continued	
Topical Anti-Inflammatory Agents –	diclofenac 1% gel	All of the following require physician documentation indicating oral	
NSAIDS	Pennsaid topical solution	medications are unsuitable for use AND trial and failure of diclofenac	
		1% gel and Pennsaid topical solution, OR medical justification for use	
		over preferred agents	
		diclofenac solution	
		diclofenac epolamine patch	
		○ QL – 2 patches per day	
		Flector patch	
		○ QL – 2 patches per day	
		Licart ER patch	
		O QL – 1 patch per day	
Topical Antiparasitics	Natroba	• Crotan	
Halaa athamaisa anasisiad all	• permethrin 5% cream	ivermectin lotion	
Unless otherwise specified, all	permethrin 1% lotion	Lindane shampoo	
products are limited to one bottle or		Malathion	
one tube per claim		spinosad VanaLice	
Topical Immunomodulators	PA criteria must be met for the following:	PA criteria must be met for the following:	Topical
ropical minumomodulators	pimecrolimus cream	Eucrisa	Immunomodulators PA
	tacrolimus ointment	Opzelura	criteria
	tacronnus ontinent	Zoryve 0.3% cream	criteria
		Zoryve 0.3% foam	
Topical Post-Herpetic Neuralgia	lidocaine patches	Synera	
Agents	○ QL – 3 boxes/30 days	• ZTlido	
-	Lidoderm	○ QL − 3 boxes/30 days	
	○ QL – 3 boxes/30 days	Qutenza	
		 ST – must have tried lidocaine patches and over-the- 	
		counter capsaicin cream	
1		○ QL − 4 patches/3 months	

Preferred Brand Drug List

OTC Drug Formulary

Pharmacy Supplements Formulary

OTC Contraceptive Agents Formulary

Brand Medically Necessary/Generic Medically Necessary Prior Authorization Form

IHCP Early Refill Prior Authorization Request Form

Non-Drug-Specific PA Criteria

PBM Call Center LTC ProDUR and Home Health PA Request Form

PBM Call Center Prior Authorization Form

Vaccine Utilization Edits

Vaccine Utilization Edits for VFC-Enrolled Pharmacies

Mental Health Medications Medical Necessity Prior Authorization Form

Antipsychotic Therapy PA with QL

Sedative Hypnotics Benzodiazepine PA Criteria

Benzodiazepine and Opioid Concurrent Therapy PA Form

SSRI/SNRI/NRI Duplicate Therapy PA Criteria with QL

Stimulants PA Criteria

Hetlioz PA Criteria

Hetlioz PA Form

Igalmi PA Criteria

Narcolepsy Agents PA Criteria

Narcolepsy Agents PA Form

Nuplazid PA Criteria

Utilization Edits for Mental Health Medications

MISCELLANEOUS INFO	ORMATION - Continued							
Allergy Specific Immunotherapy PA Criteria	Muscular Dystrophy Agents PA Criteria							
Amyloid Beta-Directed Antibodies	Muscular Dystrophy Agents PA Form							
Aromatase Inhibitors PA Criteria	Non-SUPDL Agents PA and ST							
Complement Inhibitor Agents PA	Nuedexta PA Criteria							
Corticotropin	Nuedexta PA Form							
Cushing Syndrome Agents	Oxervate PA Criteria							
Cushing Syndrome Agents PA Form	Pompe Disease Agents PA Criteria							
Cystic Fibrosis Inhaled Agents PA Criteria	Prenatal Vitamins High Dollar Limit PA							
Cystic Fibrosis Agents PA Criteria	Roctavian PA Criteria							
Cystic Fibrosis Agents PA Form	Sickle Cell Agents PA Criteria							
Daliresp PA Criteria	Sickle Cell Agents PA Form							
Daliresp PA Form	Skyclarys PA criteria							
Daybue PA Criteria	Solaraze PA Criteria							
Disposable Insulin Delivery Devices PA	Somatostatin Analog PA Criteria							
Egrifta PA Criteria	Spinal Muscular Atrophy Agents PA Criteria							
Elevidys PA Criteria	Spinal Muscular Atrophy Agents PA Form							
Elmiron PA Criteria	<u>Topical Doxepin PA</u>							
Epidermolysis Bullosa Agents PA	Topical Lidocaine QL							
Gralise, Horizant, and Lyrica CR PA Criteria	<u>Topical Steroid PA</u>							
Gralise, Horizant, and Lyrica CR PA Form	Topical Agents PA Form							
HCG PA Criteria	Tzield PA							
Hemophilia B Gene Therapy PA	<u>Tzield PA Form</u>							
Hepatitis B Agents PA Criteria	Vyndagel and Vyndamax PA Criteria							
High Dollar Compounded PA Criteria	Wegovy PA							
High Dollar Compounded PA Request Form	Zurzuvae PA criteria							
Immunoglobulin A Nephropathy (IgAN) Agents PA								
Lucemyra PA Criteria								
<u>Lucemyra PA Form</u>								

MASH/MASLD Agents
Mepron PA Criteria