

HEDIS measure overview

Please note: Information in this flyer is based on Healthcare Effectiveness Data and Information Set (HEDIS®) technical specifications. It is not meant to preclude clinical judgment. Treatment decisions should always be based on the physician's or clinician's clinical judgment.

What is the SMC measure?

The Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC) measure is one of the National Committee for Quality Assurance (NCQA) HEDIS measures. It is used to evaluate whether those with schizophrenia and cardiovascular disease are having their cholesterol monitored. Patients taking antipsychotics are at increased risk for cardiovascular diseases and complications. Lack of care can lead to a decline in health outcomes.¹

Who is included in the SMC measure?

Patients with schizophrenia or schizoaffective disorder and cardiovascular disease who were 18–64 years old during the measurement year and meet at least one of the following criteria:

- At least one acute inpatient encounter with any diagnosis of schizophrenia or schizoaffective disorder
 - or
- At least two visits in an outpatient, intensive outpatient, partial hospitalization, emergency department (ED) or non-acute inpatient setting on different dates of service, with any diagnosis of schizophrenia or schizoaffective disorder

How does a member become compliant?

One low-density lipoprotein cholesterol (LDL-C) test during the measurement year

Exclusions

Patients using hospice services



Measure best practices

- Use correct coding and submit claims in a timely manner.
- Refer patients with heart disease for annual lab draws and follow up to discuss results.
- Coordinate care with the patient's care team, such as treating behavioral health specialists, primary care physician and/or cardiologist.

SMC coding

Code type	Code	Description
СРТ	80061, 83700, 83701,	LDL-C tests
	83704, 83721	
СРТ	3048F-3050F	LDL-C result or finding

NCQA copyright notice and disclaimer

The HEDIS measure specifications were developed by and are owned by NCQA. The HEDIS measure specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measure specifications. NCQA holds a copyright in these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. Any commercial use and/or internal or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. Any use of the materials to identify records or calculate measure results, for example, requires a custom license and may necessitate certification pursuant to NCQA's Measure Certification Program. Reprinted with permission by NCQA. © 2023, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. NCQA disclaims all liability for use or accuracy of any third-party code values contained in the specifications.

The full text of this notice and disclaimer is available here. http://apps.humana.com/marketing/documents.asp?file=4274309



¹ National Committee for Quality Assurance. (2023, March 1). *Diabetes and Cardiovascular Disease Screening and Monitoring for People with Schizophrenia or Bipolar Disorder (SSD, SMD, SMC)*. Retrieved from NCQA.org: https://www.ncqa.org/hedis/measures/diabetes-and-cardiovascular-disease-screening-and-monitoring-for-people-with-schizophrenia-or-bipolar-disorder/