

# HEDIS Exclusions For Advanced Illness, Frailty, and Palliative Care

When advanced illness, frailty, or a debilitating condition begins to impact function and overall quality of life, certain preventive screenings and disease-specific medical treatments become less important than receiving coordinated care to support maintaining function and quality of life in the face of declining health.

To more accurately measure quality using best practices, Healthcare Effectiveness Data and Information Set (HEDIS®) measures include exclusions for advanced illness and frailty, as well as patients receiving palliative care. These exclusions change the eligible population (denominator) for a number of HEDIS measures.

The information in this flyer reflects HEDIS specifications, but it is not meant to preclude clinical judgment. Treatment decisions should always be based on the clinical judgment of the physician or other healthcare provider.

## Who will be excluded from these measures?

Patients will be excluded when there is evidence of:

- Advanced illness and frailty
  - Frailty – diagnoses for certain conditions such as pressure ulcers, durable medical equipment (DME) usage or services such as home health and skilled nursing, which are indicators of limited mobility or physical functionality
  - Advanced illness – severe chronic conditions such as emphysema, cirrhosis, leukemia, heart failure, dementia and end-stage renal disease
- Palliative care – patients receiving palliative care

## Which measures are impacted?

Listed below are the HEDIS measures to which these exclusions apply. The majority of the impacted measures are also part of the Medicare Star Rating Program (\*) governed by the Centers for Medicare & Medicaid Services.

### **Patients 66–80 years old with frailty and advanced illness, as well as those 81 years old and older with frailty only:**

- Controlling High Blood Pressure (CBP)\*
- Kidney Health Evaluation for Patients with Diabetes (KED)
- Persistence of Beta-Blocker Treatment after a Heart Attack (PBH)

### **Patients 67–80 years old with frailty and advanced illness, as well as those 81 years old and older with frailty only:**

- Osteoporosis Management in Women who had a Fracture (OMW)\*

### **Patients 66 years old and older with frailty and advanced illness:**

- Breast Cancer Screening (BCS)\*
- Colorectal Cancer Screening (COL)\*
- Eye Exam for Patients with Diabetes (EED)\*
- Hemoglobin A1c Control for Patients with Diabetes (HBD)\*
- Statin Therapy for Patients with Cardiovascular Disease (SPC)\*
- Statin Therapy for Patients with Diabetes (SPD)

### **Patients receiving palliative care:**

- Breast Cancer Screening (BCS)\*
- Colorectal Cancer Screening (COL)\*
- Controlling High Blood Pressure (CBP)\*
- Eye Exam for Patients with Diabetes (EED)\*
- Hemoglobin A1c Control for Patients with Diabetes (HBD)\*
- Kidney Health Evaluation for Patients with Diabetes (KED)
- Osteoporosis Management in Women who had a Fracture (OMW)\*
- Statin Therapy for Patients with Cardiovascular Disease (SPC)\*
- Statin Therapy for Patients with Diabetes (SPD)

### **How will patients be identified for exclusion?**

Codes from the National Committee for Quality Assurance (NCQA) Advanced Illness Value Set and/or Frailty Value Sets for devices, diagnoses, encounters and symptoms are used to identify patients who will be removed from the impacted measures' eligible populations. Patients can only be excluded via appropriate and applicable coding on submitted claims. Medical records and other proof of service documents cannot be used to identify patients with advanced illness and frailty; however, they can be used for palliative care exclusions.

- Advanced illness exclusions are based on any of the following claim(s) with an advanced illness code during the current or prior year for:
  - Two outpatient, emergency department, observation or nonacute inpatient visits – whether in person, via telephone or online – on different dates of service
  - One acute inpatient stay
  - One dispensed dementia medication
- As of measurement year 2023, frailty exclusions require at least two indications of frailty on different dates of service anytime on or between July 1 of the year prior to the measurement year and the end of the measurement year.
- Palliative care exclusions are based on any single claim with a palliative care code during the current year.

The following table outlines the Current Procedural Terminology (CPT®), Healthcare Common Procedure Coding System (HCPCS) and International Classification of Diseases, Tenth Revision (ICD-10) diagnosis codes for each of these value sets. The coding information in this document is subject to changing requirements and should not be relied on as official coding or legal advice. All coding should be considered on a case-by-case basis and supported by medical necessity and appropriate documentation in the medical record.

## Advanced Illness Value Set

CODE	CODE TYPE	DEFINITION
<b>Creutzfeldt-Jakob disease</b>		
A81.00	ICD-10	Creutzfeldt-Jakob disease, unspecified
A81.01	ICD-10	Variant Creutzfeldt-Jakob disease
A81.09	ICD-10	Other Creutzfeldt-Jakob disease
<b>Malignant neoplasm</b>		
C25.0	ICD-10	Malignant neoplasm of head of pancreas
C25.1	ICD-10	Malignant neoplasm of body of pancreas
C25.2	ICD-10	Malignant neoplasm of tail of pancreas
C25.3	ICD-10	Malignant neoplasm of pancreatic duct
C25.4	ICD-10	Malignant neoplasm of endocrine pancreas
C25.7	ICD-10	Malignant neoplasm of other parts of pancreas
C25.8	ICD-10	Malignant neoplasm of overlapping sites of pancreas
C25.9	ICD-10	Malignant neoplasm of pancreas, unspecified
C71.0	ICD-10	Malignant neoplasm of cerebrum, except lobes and ventricles
C71.1	ICD-10	Malignant neoplasm of frontal lobe
C71.2	ICD-10	Malignant neoplasm of temporal lobe
C71.3	ICD-10	Malignant neoplasm of parietal lobe
C71.4	ICD-10	Malignant neoplasm of occipital lobe
C71.5	ICD-10	Malignant neoplasm of cerebral ventricle
C71.6	ICD-10	Malignant neoplasm of cerebellum
C71.7	ICD-10	Malignant neoplasm of brain stem
C71.8	ICD-10	Malignant neoplasm of overlapping sites of brain
C71.9	ICD-10	Malignant neoplasm of brain, unspecified
C77.0	ICD-10	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck
C77.1	ICD-10	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes
C77.2	ICD-10	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes
C77.3	ICD-10	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes
C77.4	ICD-10	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes
C77.5	ICD-10	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes
C77.8	ICD-10	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions
C77.9	ICD-10	Secondary and unspecified malignant neoplasm of lymph node, unspecified

CODE	CODE TYPE	DEFINITION
C78.00	ICD-10	Secondary malignant neoplasm of unspecified lung
C78.01	ICD-10	Secondary malignant neoplasm of right lung
C78.02	ICD-10	Secondary malignant neoplasm of left lung
C78.1	ICD-10	Secondary malignant neoplasm of mediastinum
C78.2	ICD-10	Secondary malignant neoplasm of pleura
C78.30	ICD-10	Secondary malignant neoplasm of unspecified respiratory organ
C78.39	ICD-10	Secondary malignant neoplasm of other respiratory organs
C78.4	ICD-10	Secondary malignant neoplasm of small intestine
C78.5	ICD-10	Secondary malignant neoplasm of large intestine and rectum
C78.6	ICD-10	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	ICD-10	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.80	ICD-10	Secondary malignant neoplasm of unspecified digestive organ
C78.89	ICD-10	Secondary malignant neoplasm of other digestive organs
C79.00	ICD-10	Secondary malignant neoplasm of unspecified kidney and renal pelvis
C79.01	ICD-10	Secondary malignant neoplasm of right kidney and renal pelvis
C79.02	ICD-10	Secondary malignant neoplasm of left kidney and renal pelvis
C79.10	ICD-10	Secondary malignant neoplasm of unspecified urinary organs
C79.11	ICD-10	Secondary malignant neoplasm of bladder
C79.19	ICD-10	Secondary malignant neoplasm of other urinary organs
C79.2	ICD-10	Secondary malignant neoplasm of skin
C79.31	ICD-10	Secondary malignant neoplasm of brain
C79.32	ICD-10	Secondary malignant neoplasm of cerebral meninges
C79.40	ICD-10	Secondary malignant neoplasm of unspecified part of nervous system
C79.49	ICD-10	Secondary malignant neoplasm of other parts of nervous system
C79.51	ICD-10	Secondary malignant neoplasm of bone
C79.52	ICD-10	Secondary malignant neoplasm of bone marrow
C79.60	ICD-10	Secondary malignant neoplasm of unspecified ovary
C79.61	ICD-10	Secondary malignant neoplasm of right ovary
C79.62	ICD-10	Secondary malignant neoplasm of left ovary
C79.70	ICD-10	Secondary malignant neoplasm of unspecified adrenal gland
C79.71	ICD-10	Secondary malignant neoplasm of right adrenal gland
C79.72	ICD-10	Secondary malignant neoplasm of left adrenal gland
C79.81	ICD-10	Secondary malignant neoplasm of breast
C79.82	ICD-10	Secondary malignant neoplasm of genital organs
C79.89	ICD-10	Secondary malignant neoplasm of other specified sites
C79.9	ICD-10	Secondary malignant neoplasm of unspecified site

CODE	CODE TYPE	DEFINITION
<b>Leukemia</b>		
C91.00	ICD-10	Acute lymphoblastic leukemia, not having achieved remission
C91.02	ICD-10	Acute lymphoblastic leukemia, in relapse
C92.00	ICD-10	Acute myeloblastic leukemia, not having achieved remission
C92.02	ICD-10	Acute myeloblastic leukemia, in relapse
C93.00	ICD-10	Acute monoblastic/monocytic leukemia, not having achieved remission
C93.02	ICD-10	Acute monoblastic/monocytic leukemia, in relapse
C93.90	ICD-10	Monocytic leukemia, unspecified, not having achieved remission
C93.92	ICD-10	Monocytic leukemia, unspecified in relapse
C93.Z0	ICD-10	Other monocytic leukemia, not having achieved remission
C93.Z2	ICD-10	Other monocytic leukemia, in relapse
C94.30	ICD-10	Mast cell leukemia, not having achieved remission
C94.32	ICD-10	Mast cell leukemia, in relapse
<b>Dementia and Alzheimer's disease</b>		
F01.50	ICD-10	Vascular dementia without behavioral disturbance
F01.51	ICD-10	Vascular dementia with behavioral disturbance
F02.80	ICD-10	Dementia in other diseases classified elsewhere without behavioral disturbance
F02.81	ICD-10	Dementia in other diseases classified elsewhere with behavioral disturbance
F03.90	ICD-10	Unspecified dementia without behavioral disturbance
F03.91	ICD-10	Unspecified dementia with behavioral disturbance
F04	ICD-10	Amnestic disorder due to known physiological condition
F10.27	ICD-10	Alcohol dependence with alcohol-induced persisting dementia
F10.96	ICD-10	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F10.97	ICD-10	Alcohol use, unspecified with alcohol-induced persisting dementia
G10	ICD-10	Huntington's disease
G12.21	ICD-10	Amyotrophic lateral sclerosis
G20	ICD-10	Parkinson's disease
G30.0	ICD-10	Alzheimer's disease with early onset
G30.1	ICD-10	Alzheimer's disease with late onset
G30.8	ICD-10	Other Alzheimer's disease
G30.9	ICD-10	Alzheimer's disease, unspecified
G31.01	ICD-10	Pick's disease
G31.09	ICD-10	Other frontotemporal dementia
G31.83	ICD-10	Dementia with Lewy bodies

CODE	CODE TYPE	DEFINITION
<b>Heart failure, chronic kidney disease (CKD) and end-stage renal disease (ESRD)</b>		
I09.81	ICD-10	Rheumatic heart failure
I11.0	ICD-10	Hypertensive heart disease with heart failure
I12.0	ICD-10	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end-stage renal disease
I13.0	ICD-10	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.11	ICD-10	Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end-stage renal disease
I13.2	ICD-10	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end-stage renal disease
I50.1	ICD-10	Left ventricular failure, unspecified
I50.20	ICD-10	Unspecified systolic (congestive) heart failure
I50.21	ICD-10	Acute systolic (congestive) heart failure
I50.22	ICD-10	Chronic systolic (congestive) heart failure
I50.23	ICD-10	Acute on chronic systolic (congestive) heart failure
I50.30	ICD-10	Unspecified diastolic (congestive) heart failure
I50.31	ICD-10	Acute diastolic (congestive) heart failure
I50.32	ICD-10	Chronic diastolic (congestive) heart failure
I50.33	ICD-10	Acute on chronic diastolic (congestive) heart failure
I50.40	ICD-10	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure
I50.41	ICD-10	Acute combined systolic (congestive) and diastolic (congestive) heart failure
I50.42	ICD-10	Chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.43	ICD-10	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.810	ICD-10	Right heart failure, unspecified
I50.811	ICD-10	Acute right heart failure
I50.812	ICD-10	Chronic right heart failure
I50.813	ICD-10	Acute on chronic right heart failure
I50.814	ICD-10	Right heart failure due to left heart failure
I50.82	ICD-10	Biventricular heart failure
I50.83	ICD-10	High-output heart failure
I50.84	ICD-10	End-stage heart failure
I50.89	ICD-10	Other heart failure

CODE	CODE TYPE	DEFINITION
I50.9	ICD-10	Heart failure, unspecified
N18.5	ICD-10	Chronic kidney disease, stage 5
N18.6	ICD-10	End-stage renal disease
<b>Emphysema and other respiratory conditions</b>		
J43.0	ICD-10	Unilateral pulmonary emphysema [MacLeod's syndrome]
J43.1	ICD-10	Panlobular emphysema
J43.2	ICD-10	Centrilobular emphysema
J43.8	ICD-10	Other emphysema
J43.9	ICD-10	Emphysema, unspecified
J68.4	ICD-10	Chronic respiratory conditions due to chemicals, gases, fumes and vapors
J84.10	ICD-10	Pulmonary fibrosis, unspecified
J84.112	ICD-10	Idiopathic pulmonary fibrosis
J84.17	ICD-10	Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere
J84.170	ICD-10	Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere
J84.178	ICD-10	Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere
J96.10	ICD-10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
J96.11	ICD-10	Chronic respiratory failure with hypoxia
J96.12	ICD-10	Chronic respiratory failure with hypercapnia
J96.20	ICD-10	Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
J96.21	ICD-10	Acute and chronic respiratory failure with hypoxia
J96.22	ICD-10	Acute and chronic respiratory failure with hypercapnia
J96.90	ICD-10	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia
J96.91	ICD-10	Respiratory failure, unspecified with hypoxia
J96.92	ICD-10	Respiratory failure, unspecified with hypercapnia
J98.2	ICD-10	Interstitial emphysema
J98.3	ICD-10	Compensatory emphysema
<b>Hepatitis and cirrhosis</b>		
K70.10	ICD-10	Alcoholic hepatitis without ascites
K70.11	ICD-10	Alcoholic hepatitis with ascites
K70.2	ICD-10	Alcoholic fibrosis and sclerosis of liver

CODE	CODE TYPE	DEFINITION
K70.30	ICD-10	Alcoholic cirrhosis of liver without ascites
K70.31	ICD-10	Alcoholic cirrhosis of liver with ascites
K70.40	ICD-10	Alcoholic hepatic failure without coma
K70.41	ICD-10	Alcoholic hepatic failure with coma
K70.9	ICD-10	Alcoholic liver disease, unspecified
K74.0	ICD-10	Hepatic fibrosis
K74.00	ICD-10	Hepatic fibrosis, unspecified
K74.01	ICD-10	Hepatic fibrosis, early fibrosis
K74.02	ICD-10	Hepatic fibrosis, advanced fibrosis
K74.1	ICD-10	Hepatic sclerosis
K74.2	ICD-10	Hepatic fibrosis with hepatic sclerosis
K74.4	ICD-10	Secondary biliary cirrhosis
K74.5	ICD-10	Biliary cirrhosis, unspecified
K74.60	ICD-10	Unspecified cirrhosis of liver
K74.69	ICD-10	Other cirrhosis of liver

## Frailty Value Sets – device, diagnosis, encounter and symptom

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
<b>Durable medical equipment due to limited mobility</b>			
Device	HCPCS	E0100	Cane, includes canes of all materials, adjustable or fixed, with tip
Device	HCPCS	E0105	Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips
Device	HCPCS	E0130	Walker, rigid (pickup), adjustable or fixed height
Device	HCPCS	E0135	Walker, folding (pickup), adjustable or fixed height
Device	HCPCS	E0140	Walker, with trunk support, adjustable or fixed height, any type
Device	HCPCS	E0141	Walker, rigid, wheeled, adjustable or fixed height
Device	HCPCS	E0143	Walker, folding, wheeled, adjustable or fixed height
Device	HCPCS	E0144	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior seat
Device	HCPCS	E0147	Walker, heavy duty, multiple braking system, variable wheel resistance
Device	HCPCS	E0148	Walker, heavy duty, without wheels, rigid or folding, any type, each
Device	HCPCS	E0149	Walker, heavy duty, wheeled, rigid or folding, any type
Device	HCPCS	E0163	Commode chair, mobile or stationary, with fixed arms

<b>FRAILITY VALUE SET</b>	<b>CODE TYPE</b>	<b>CODE</b>	<b>DESCRIPTION</b>
Device	HCPCS	E0165	Commode chair, mobile or stationary, with detachable arms
Device	HCPCS	E0167	Pail or pan for use with commode chair, replacement only
Device	HCPCS	E0168	Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each
Device	HCPCS	E0170	Commode chair with integrated seat lift mechanism, electric, any type
Device	HCPCS	E0171	Commode chair with integrated seat lift mechanism, non-electric, any type
Device	HCPCS	E0250	Hospital bed, fixed height, with any type side rails, with mattress
Device	HCPCS	E0251	Hospital bed, fixed height, with any type side rails, without mattress
Device	HCPCS	E0255	Hospital bed, variable height, hi-lo, with any type side rails, with mattress
Device	HCPCS	E0256	Hospital bed, variable height, hi-lo, with any type side rails, without mattress
Device	HCPCS	E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress
Device	HCPCS	E0261	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress
Device	HCPCS	E0265	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress
Device	HCPCS	E0266	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress
Device	HCPCS	E0270	Hospital bed, institutional type includes: oscillating, circulating and Stryker frame, with mattress
Device	HCPCS	E0290	Hospital bed, fixed height, without side rails, with mattress
Device	HCPCS	E0291	Hospital bed, fixed height, without side rails, without mattress
Device	HCPCS	E0292	Hospital bed, variable height, hi-lo, without side rails, with mattress
Device	HCPCS	E0293	Hospital bed, variable height, hi-lo, without side rails, without mattress
Device	HCPCS	E0294	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress
Device	HCPCS	E0295	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress
Device	HCPCS	E0296	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress
Device	HCPCS	E0297	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Device	HCPCS	E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress
Device	HCPCS	E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress
Device	HCPCS	E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress
Device	HCPCS	E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress
Device	HCPCS	E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
Device	HCPCS	E0425	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
Device	HCPCS	E0430	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing
Device	HCPCS	E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing
Device	HCPCS	E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge
Device	HCPCS	E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing
Device	HCPCS	E0435	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor
Device	HCPCS	E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
Device	HCPCS	E0440	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
Device	HCPCS	E0441	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit
Device	HCPCS	E0442	Stationary oxygen contents, liquid, 1 month's supply = 1 unit

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Device	HCPCS	E0443	Portable oxygen contents, gaseous, 1 month's supply = 1 unit
Device	HCPCS	E0444	Portable oxygen contents, liquid, 1 month's supply = 1 unit
Device	HCPCS	E0462	Rocking bed with or without side rails
Device	HCPCS	E0465	Home ventilator, any type, used with invasive interface (e.g., tracheostomy tube)
Device	HCPCS	E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)
Device	HCPCS	E0471	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)
Device	HCPCS	E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device)
Device	HCPCS	E1130	Standard wheelchair, fixed full length arms, fixed or swing away detachable footrests
Device	HCPCS	E1140	Wheelchair, detachable arms, desk or full length, swing away detachable footrests
Device	HCPCS	E1150	Wheelchair, detachable arms, desk or full length swing away detachable elevating legrests
Device	HCPCS	E1160	Wheelchair, fixed full length arms, swing away detachable elevating legrests
Device	HCPCS	E1161	Manual adult size wheelchair, includes tilt in space
Device	HCPCS	E1170	Amputee wheelchair, fixed full length arms, swing away detachable elevating leg rests
Device	HCPCS	E1171	Amputee wheelchair, fixed full length arms, without footrests or leg rest
Device	HCPCS	E1172	Amputee wheelchair, detachable arms, desk or full length, without footrests or leg rest
Device	HCPCS	E1180	Amputee wheelchair, detachable arms, desk or full length, swing away detachable footrests
Device	HCPCS	E1190	Amputee wheelchair, detachable arms, desk or full length, swing away detachable elevating leg rests
Device	HCPCS	E1195	Heavy duty wheelchair, fixed full length arms, swing away detachable elevating leg rests
Device	HCPCS	E1200	Amputee wheelchair, fixed full length arms, swing away detachable footrest

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Device	HCPCS	E1220	Wheelchair; specially sized or constructed, (indicate brand name, model number, if any) and justification
Device	HCPCS	E1240	Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating legrest
Device	HCPCS	E1250	Lightweight wheelchair, fixed full length arms, swing away detachable footrest
Device	HCPCS	E1260	Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest
Device	HCPCS	E1270	Lightweight wheelchair, fixed full length arms, swing away detachable elevating legrests
Device	HCPCS	E1280	Heavy duty wheelchair, detachable arms (desk or full length) elevating legrests
Device	HCPCS	E1285	Heavy duty wheelchair, fixed full length arms, swing away detachable footrest
Device	HCPCS	E1290	Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest
Device	HCPCS	E1295	Heavy duty wheelchair, fixed full length arms, elevating legrest
Device	HCPCS	E1296	Special wheelchair seat height from floor
Device	HCPCS	E1297	Special wheelchair seat depth, by upholstery
Device	HCPCS	E1298	Special wheelchair seat depth and/or width, by construction
<b>Pressure ulcer, musculoskeletal conditions (atrophy, reduced mobility or control)</b>			
Diagnosis	ICD-10	L89.000	Pressure ulcer of unspecified elbow, unstageable
Diagnosis	ICD-10	L89.001	Pressure ulcer of unspecified elbow, stage 1
Diagnosis	ICD-10	L89.002	Pressure ulcer of unspecified elbow, stage 2
Diagnosis	ICD-10	L89.003	Pressure ulcer of unspecified elbow, stage 3
Diagnosis	ICD-10	L89.004	Pressure ulcer of unspecified elbow, stage 4
Diagnosis	ICD-10	L89.006	Pressure-induced deep tissue damage of unspecified elbow
Diagnosis	ICD-10	L89.009	Pressure ulcer of unspecified elbow, unspecified stage
Diagnosis	ICD-10	L89.010	Pressure ulcer of right elbow, unstageable
Diagnosis	ICD-10	L89.011	Pressure ulcer of right elbow, stage 1
Diagnosis	ICD-10	L89.012	Pressure ulcer of right elbow, stage 2
Diagnosis	ICD-10	L89.013	Pressure ulcer of right elbow, stage 3
Diagnosis	ICD-10	L89.014	Pressure ulcer of right elbow, stage 4
Diagnosis	ICD-10	L89.016	Pressure-induced deep tissue damage of right elbow
Diagnosis	ICD-10	L89.019	Pressure ulcer of right elbow, unspecified stage
Diagnosis	ICD-10	L89.020	Pressure ulcer of left elbow, unstageable
Diagnosis	ICD-10	L89.021	Pressure ulcer of left elbow, stage 1

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	L89.022	Pressure ulcer of left elbow, stage 2
Diagnosis	ICD-10	L89.023	Pressure ulcer of left elbow, stage 3
Diagnosis	ICD-10	L89.024	Pressure ulcer of left elbow, stage 4
Diagnosis	ICD-10	L89.026	Pressure-induced deep tissue damage of left elbow
Diagnosis	ICD-10	L89.029	Pressure ulcer of left elbow, unspecified stage
Diagnosis	ICD-10	L89.100	Pressure ulcer of unspecified part of back, unstageable
Diagnosis	ICD-10	L89.101	Pressure ulcer of unspecified part of back, stage 1
Diagnosis	ICD-10	L89.102	Pressure ulcer of unspecified part of back, stage 2
Diagnosis	ICD-10	L89.103	Pressure ulcer of unspecified part of back, stage 3
Diagnosis	ICD-10	L89.104	Pressure ulcer of unspecified part of back, stage 4
Diagnosis	ICD-10	L89.106	Pressure-induced deep tissue damage of unspecified part of back
Diagnosis	ICD-10	L89.109	Pressure ulcer of unspecified part of back, unspecified stage
Diagnosis	ICD-10	L89.110	Pressure ulcer of right upper back, unstageable
Diagnosis	ICD-10	L89.111	Pressure ulcer of right upper back, stage 1
Diagnosis	ICD-10	L89.112	Pressure ulcer of right upper back, stage 2
Diagnosis	ICD-10	L89.113	Pressure ulcer of right upper back, stage 3
Diagnosis	ICD-10	L89.114	Pressure ulcer of right upper back, stage 4
Diagnosis	ICD-10	L89.116	Pressure-induced deep tissue damage of right upper back
Diagnosis	ICD-10	L89.119	Pressure ulcer of right upper back, unspecified stage
Diagnosis	ICD-10	L89.120	Pressure ulcer of left upper back, unstageable
Diagnosis	ICD-10	L89.121	Pressure ulcer of left upper back, stage 1
Diagnosis	ICD-10	L89.122	Pressure ulcer of left upper back, stage 2
Diagnosis	ICD-10	L89.123	Pressure ulcer of left upper back, stage 3
Diagnosis	ICD-10	L89.124	Pressure ulcer of left upper back, stage 4
Diagnosis	ICD-10	L89.126	Pressure-induced deep tissue damage of left upper back
Diagnosis	ICD-10	L89.129	Pressure ulcer of left upper back, unspecified stage
Diagnosis	ICD-10	L89.130	Pressure ulcer of right lower back, unstageable
Diagnosis	ICD-10	L89.131	Pressure ulcer of right lower back, stage 1
Diagnosis	ICD-10	L89.132	Pressure ulcer of right lower back, stage 2
Diagnosis	ICD-10	L89.133	Pressure ulcer of right lower back, stage 3
Diagnosis	ICD-10	L89.134	Pressure ulcer of right lower back, stage 4
Diagnosis	ICD-10	L89.136	Pressure-induced deep tissue damage of right lower back
Diagnosis	ICD-10	L89.139	Pressure ulcer of right lower back, unspecified stage

<b>FRAILTY VALUE SET</b>	<b>CODE TYPE</b>	<b>CODE</b>	<b>DESCRIPTION</b>
Diagnosis	ICD-10	L89.140	Pressure ulcer of left lower back, unstageable
Diagnosis	ICD-10	L89.141	Pressure ulcer of left lower back, stage 1
Diagnosis	ICD-10	L89.142	Pressure ulcer of left lower back, stage 2
Diagnosis	ICD-10	L89.143	Pressure ulcer of left lower back, stage 3
Diagnosis	ICD-10	L89.144	Pressure ulcer of left lower back, stage 4
Diagnosis	ICD-10	L89.146	Pressure-induced deep tissue damage of left lower back
Diagnosis	ICD-10	L89.149	Pressure ulcer of left lower back, unspecified stage
Diagnosis	ICD-10	L89.150	Pressure ulcer of sacral region, unstageable
Diagnosis	ICD-10	L89.151	Pressure ulcer of sacral region, stage 1
Diagnosis	ICD-10	L89.152	Pressure ulcer of sacral region, stage 2
Diagnosis	ICD-10	L89.153	Pressure ulcer of sacral region, stage 3
Diagnosis	ICD-10	L89.154	Pressure ulcer of sacral region, stage 4
Diagnosis	ICD-10	L89.156	Pressure-induced deep tissue damage of sacral region
Diagnosis	ICD-10	L89.159	Pressure ulcer of sacral region, unspecified stage
Diagnosis	ICD-10	L89.200	Pressure ulcer of unspecified hip, unstageable
Diagnosis	ICD-10	L89.201	Pressure ulcer of unspecified hip, stage 1
Diagnosis	ICD-10	L89.202	Pressure ulcer of unspecified hip, stage 2
Diagnosis	ICD-10	L89.203	Pressure ulcer of unspecified hip, stage 3
Diagnosis	ICD-10	L89.204	Pressure ulcer of unspecified hip, stage 4
Diagnosis	ICD-10	L89.206	Pressure-induced deep tissue damage of unspecified hip
Diagnosis	ICD-10	L89.209	Pressure ulcer of unspecified hip, unspecified stage
Diagnosis	ICD-10	L89.210	Pressure ulcer of right hip, unstageable
Diagnosis	ICD-10	L89.211	Pressure ulcer of right hip, stage 1
Diagnosis	ICD-10	L89.212	Pressure ulcer of right hip, stage 2
Diagnosis	ICD-10	L89.213	Pressure ulcer of right hip, stage 3
Diagnosis	ICD-10	L89.214	Pressure ulcer of right hip, stage 4
Diagnosis	ICD-10	L89.216	Pressure-induced deep tissue damage of right hip
Diagnosis	ICD-10	L89.219	Pressure ulcer of right hip, unspecified stage
Diagnosis	ICD-10	L89.220	Pressure ulcer of left hip, unstageable
Diagnosis	ICD-10	L89.221	Pressure ulcer of left hip, stage 1
Diagnosis	ICD-10	L89.222	Pressure ulcer of left hip, stage 2
Diagnosis	ICD-10	L89.223	Pressure ulcer of left hip, stage 3
Diagnosis	ICD-10	L89.224	Pressure ulcer of left hip, stage 4
Diagnosis	ICD-10	L89.226	Pressure-induced deep tissue damage of left hip

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	L89.229	Pressure ulcer of left hip, unspecified stage
Diagnosis	ICD-10	L89.300	Pressure ulcer of unspecified buttock, unstageable
Diagnosis	ICD-10	L89.301	Pressure ulcer of unspecified buttock, stage 1
Diagnosis	ICD-10	L89.302	Pressure ulcer of unspecified buttock, stage 2
Diagnosis	ICD-10	L89.303	Pressure ulcer of unspecified buttock, stage 3
Diagnosis	ICD-10	L89.304	Pressure ulcer of unspecified buttock, stage 4
Diagnosis	ICD-10	L89.306	Pressure-induced deep tissue damage of unspecified buttock
Diagnosis	ICD-10	L89.309	Pressure ulcer of unspecified buttock, unspecified stage
Diagnosis	ICD-10	L89.310	Pressure ulcer of right buttock, unstageable
Diagnosis	ICD-10	L89.311	Pressure ulcer of right buttock, stage 1
Diagnosis	ICD-10	L89.312	Pressure ulcer of right buttock, stage 2
Diagnosis	ICD-10	L89.313	Pressure ulcer of right buttock, stage 3
Diagnosis	ICD-10	L89.314	Pressure ulcer of right buttock, stage 4
Diagnosis	ICD-10	L89.316	Pressure-induced deep tissue damage of right buttock
Diagnosis	ICD-10	L89.319	Pressure ulcer of right buttock, unspecified stage
Diagnosis	ICD-10	L89.320	Pressure ulcer of left buttock, unstageable
Diagnosis	ICD-10	L89.321	Pressure ulcer of left buttock, stage 1
Diagnosis	ICD-10	L89.322	Pressure ulcer of left buttock, stage 2
Diagnosis	ICD-10	L89.323	Pressure ulcer of left buttock, stage 3
Diagnosis	ICD-10	L89.324	Pressure ulcer of left buttock, stage 4
Diagnosis	ICD-10	L89.326	Pressure-induced deep tissue damage of left buttock
Diagnosis	ICD-10	L89.329	Pressure ulcer of left buttock, unspecified stage
Diagnosis	ICD-10	L89.40	Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage
Diagnosis	ICD-10	L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1
Diagnosis	ICD-10	L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2
Diagnosis	ICD-10	L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3
Diagnosis	ICD-10	L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4
Diagnosis	ICD-10	L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable
Diagnosis	ICD-10	L89.46	Pressure-induced deep tissue damage of contiguous site of back, buttock and hip
Diagnosis	ICD-10	L89.500	Pressure ulcer of unspecified ankle, unstageable
Diagnosis	ICD-10	L89.501	Pressure ulcer of unspecified ankle, stage 1
Diagnosis	ICD-10	L89.502	Pressure ulcer of unspecified ankle, stage 2

<b>FRAILTY VALUE SET</b>	<b>CODE TYPE</b>	<b>CODE</b>	<b>DESCRIPTION</b>
Diagnosis	ICD-10	L89.503	Pressure ulcer of unspecified ankle, stage 3
Diagnosis	ICD-10	L89.504	Pressure ulcer of unspecified ankle, stage 4
Diagnosis	ICD-10	L89.506	Pressure-induced deep tissue damage of unspecified ankle
Diagnosis	ICD-10	L89.509	Pressure ulcer of unspecified ankle, unspecified stage
Diagnosis	ICD-10	L89.510	Pressure ulcer of right ankle, unstageable
Diagnosis	ICD-10	L89.511	Pressure ulcer of right ankle, stage 1
Diagnosis	ICD-10	L89.512	Pressure ulcer of right ankle, stage 2
Diagnosis	ICD-10	L89.513	Pressure ulcer of right ankle, stage 3
Diagnosis	ICD-10	L89.514	Pressure ulcer of right ankle, stage 4
Diagnosis	ICD-10	L89.516	Pressure-induced deep tissue damage of right ankle
Diagnosis	ICD-10	L89.519	Pressure ulcer of right ankle, unspecified stage
Diagnosis	ICD-10	L89.520	Pressure ulcer of left ankle, unstageable
Diagnosis	ICD-10	L89.521	Pressure ulcer of left ankle, stage 1
Diagnosis	ICD-10	L89.522	Pressure ulcer of left ankle, stage 2
Diagnosis	ICD-10	L89.523	Pressure ulcer of left ankle, stage 3
Diagnosis	ICD-10	L89.524	Pressure ulcer of left ankle, stage 4
Diagnosis	ICD-10	L89.526	Pressure-induced deep tissue damage of left ankle
Diagnosis	ICD-10	L89.529	Pressure ulcer of left ankle, unspecified stage
Diagnosis	ICD-10	L89.600	Pressure ulcer of unspecified heel, unstageable
Diagnosis	ICD-10	L89.601	Pressure ulcer of unspecified heel, stage 1
Diagnosis	ICD-10	L89.602	Pressure ulcer of unspecified heel, stage 2
Diagnosis	ICD-10	L89.603	Pressure ulcer of unspecified heel, stage 3
Diagnosis	ICD-10	L89.604	Pressure ulcer of unspecified heel, stage 4
Diagnosis	ICD-10	L89.606	Pressure-induced deep tissue damage of unspecified heel
Diagnosis	ICD-10	L89.609	Pressure ulcer of unspecified heel, unspecified stage
Diagnosis	ICD-10	L89.610	Pressure ulcer of right heel, unstageable
Diagnosis	ICD-10	L89.611	Pressure ulcer of right heel, stage 1
Diagnosis	ICD-10	L89.612	Pressure ulcer of right heel, stage 2
Diagnosis	ICD-10	L89.613	Pressure ulcer of right heel, stage 3
Diagnosis	ICD-10	L89.614	Pressure ulcer of right heel, stage 4
Diagnosis	ICD-10	L89.616	Pressure-induced deep tissue damage of right heel
Diagnosis	ICD-10	L89.619	Pressure ulcer of right heel, unspecified stage
Diagnosis	ICD-10	L89.620	Pressure ulcer of left heel, unstageable

FRAILTY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	L89.621	Pressure ulcer of left heel, stage 1
Diagnosis	ICD-10	L89.622	Pressure ulcer of left heel, stage 2
Diagnosis	ICD-10	L89.623	Pressure ulcer of left heel, stage 3
Diagnosis	ICD-10	L89.624	Pressure ulcer of left heel, stage 4
Diagnosis	ICD-10	L89.626	Pressure-induced deep tissue damage of left heel
Diagnosis	ICD-10	L89.629	Pressure ulcer of left heel, unspecified stage
Diagnosis	ICD-10	L89.810	Pressure ulcer of head, unstageable
Diagnosis	ICD-10	L89.811	Pressure ulcer of head, stage 1
Diagnosis	ICD-10	L89.812	Pressure ulcer of head, stage 2
Diagnosis	ICD-10	L89.813	Pressure ulcer of head, stage 3
Diagnosis	ICD-10	L89.814	Pressure ulcer of head, stage 4
Diagnosis	ICD-10	L89.816	Pressure-induced deep tissue damage of head
Diagnosis	ICD-10	L89.819	Pressure ulcer of head, unspecified stage
Diagnosis	ICD-10	L89.890	Pressure ulcer of other site, unstageable
Diagnosis	ICD-10	L89.891	Pressure ulcer of other site, stage 1
Diagnosis	ICD-10	L89.892	Pressure ulcer of other site, stage 2
Diagnosis	ICD-10	L89.893	Pressure ulcer of other site, stage 3
Diagnosis	ICD-10	L89.894	Pressure ulcer of other site, stage 4
Diagnosis	ICD-10	L89.896	Pressure-induced deep tissue damage of other site
Diagnosis	ICD-10	L89.899	Pressure ulcer of other site, unspecified stage
Diagnosis	ICD-10	L89.90	Pressure ulcer of unspecified site, unspecified stage
Diagnosis	ICD-10	L89.91	Pressure ulcer of unspecified site, stage 1
Diagnosis	ICD-10	L89.92	Pressure ulcer of unspecified site, stage 2
Diagnosis	ICD-10	L89.93	Pressure ulcer of unspecified site, stage 3
Diagnosis	ICD-10	L89.94	Pressure ulcer of unspecified site, stage 4
Diagnosis	ICD-10	L89.95	Pressure ulcer of unspecified site, unstageable
Diagnosis	ICD-10	L89.96	Pressure-induced deep tissue damage of unspecified site
Diagnosis	ICD-10	M62.50	Muscle wasting and atrophy, not elsewhere classified, unspecified site
Diagnosis	ICD-10	M62.81	Muscle weakness (generalized)
Diagnosis	ICD-10	M62.84	Sarcopenia

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
<b>Falls</b>			
Diagnosis	ICD-10	W01.0XXA	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, initial encounter
Diagnosis	ICD-10	W01.0XXD	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, subsequent encounter
Diagnosis	ICD-10	W01.0XXS	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, sequela
Diagnosis	ICD-10	W01.10XA	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, initial encounter
Diagnosis	ICD-10	W01.10XD	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, subsequent encounter
Diagnosis	ICD-10	W01.10XS	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, sequela
Diagnosis	ICD-10	W01.110A	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, initial encounter
Diagnosis	ICD-10	W01.110D	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, subsequent encounter
Diagnosis	ICD-10	W01.110S	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, sequela
Diagnosis	ICD-10	W01.111A	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, initial encounter
Diagnosis	ICD-10	W01.111D	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, subsequent encounter
Diagnosis	ICD-10	W01.111S	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, sequela
Diagnosis	ICD-10	W01.118A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, initial encounter
Diagnosis	ICD-10	W01.118D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, subsequent encounter
Diagnosis	ICD-10	W01.118S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, sequela
Diagnosis	ICD-10	W01.119A	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, initial encounter
Diagnosis	ICD-10	W01.119D	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, subsequent encounter

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	W01.119S	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, sequela
Diagnosis	ICD-10	W01.190A	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, initial encounter
Diagnosis	ICD-10	W01.190D	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, subsequent encounter
Diagnosis	ICD-10	W01.190S	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, sequela
Diagnosis	ICD-10	W01.198A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, initial encounter
Diagnosis	ICD-10	W01.198D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, subsequent encounter
Diagnosis	ICD-10	W01.198S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, sequela
Diagnosis	ICD-10	W06.XXXA	Fall from bed, initial encounter
Diagnosis	ICD-10	W06.XXXD	Fall from bed, subsequent encounter
Diagnosis	ICD-10	W06.XXXS	Fall from bed, sequela
Diagnosis	ICD-10	W07.XXXA	Fall from chair, initial encounter
Diagnosis	ICD-10	W07.XXXD	Fall from chair, subsequent encounter
Diagnosis	ICD-10	W07.XXXS	Fall from chair, sequela
Diagnosis	ICD-10	W08.XXXA	Fall from other furniture, initial encounter
Diagnosis	ICD-10	W08.XXXD	Fall from other furniture, subsequent encounter
Diagnosis	ICD-10	W08.XXXS	Fall from other furniture, sequela
Diagnosis	ICD-10	W10.0XXA	Fall (on)(from) escalator, initial encounter
Diagnosis	ICD-10	W10.0XXD	Fall (on)(from) escalator, subsequent encounter
Diagnosis	ICD-10	W10.0XXS	Fall (on)(from) escalator, sequela
Diagnosis	ICD-10	W10.1XXA	Fall (on)(from) sidewalk curb, initial encounter
Diagnosis	ICD-10	W10.1XXD	Fall (on)(from) sidewalk curb, subsequent encounter
Diagnosis	ICD-10	W10.1XXS	Fall (on)(from) sidewalk curb, sequela
Diagnosis	ICD-10	W10.2XXA	Fall (on)(from) incline, initial encounter
Diagnosis	ICD-10	W10.2XXD	Fall (on)(from) incline, subsequent encounter
Diagnosis	ICD-10	W10.2XXS	Fall (on)(from) incline, sequela
Diagnosis	ICD-10	W10.8XXA	Fall (on)(from) other stairs and steps, initial encounter
Diagnosis	ICD-10	W10.8XXD	Fall (on)(from) other stairs and steps, subsequent encounter
Diagnosis	ICD-10	W10.8XXS	Fall (on)(from) other stairs and steps, sequela
Diagnosis	ICD-10	W10.9XXA	Fall (on)(from) unspecified stairs and steps, initial encounter

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	W10.9XXD	Fall (on)(from) unspecified stairs and steps, subsequent encounter
Diagnosis	ICD-10	W10.9XXS	Fall (on)(from) unspecified stairs and steps, sequela
Diagnosis	ICD-10	W18.00XA	Striking against unspecified object with subsequent fall, initial encounter
Diagnosis	ICD-10	W18.00XD	Striking against unspecified object with subsequent fall, subsequent encounter
Diagnosis	ICD-10	W18.00XS	Striking against unspecified object with subsequent fall, sequela
Diagnosis	ICD-10	W18.02XA	Striking against glass with subsequent fall, initial encounter
Diagnosis	ICD-10	W18.02XD	Striking against glass with subsequent fall, subsequent encounter
Diagnosis	ICD-10	W18.02XS	Striking against glass with subsequent fall, sequela
Diagnosis	ICD-10	W18.09XA	Striking against other object with subsequent fall, initial encounter
Diagnosis	ICD-10	W18.09XD	Striking against other object with subsequent fall, subsequent encounter
Diagnosis	ICD-10	W18.09XS	Striking against other object with subsequent fall, sequela
Diagnosis	ICD-10	W18.11XA	Fall from or off toilet without subsequent striking against object, initial encounter
Diagnosis	ICD-10	W18.11XD	Fall from or off toilet without subsequent striking against object, subsequent encounter
Diagnosis	ICD-10	W18.11XS	Fall from or off toilet without subsequent striking against object, sequela
Diagnosis	ICD-10	W18.12XA	Fall from or off toilet with subsequent striking against object, initial encounter
Diagnosis	ICD-10	W18.12XD	Fall from or off toilet with subsequent striking against object, subsequent encounter
Diagnosis	ICD-10	W18.12XS	Fall from or off toilet with subsequent striking against object, sequela
Diagnosis	ICD-10	W18.2XXA	Fall in (into) shower or empty bathtub, initial encounter
Diagnosis	ICD-10	W18.2XXD	Fall in (into) shower or empty bathtub, subsequent encounter
Diagnosis	ICD-10	W18.2XXS	Fall in (into) shower or empty bathtub, sequela
Diagnosis	ICD-10	W18.30XA	Fall on same level, unspecified, initial encounter
Diagnosis	ICD-10	W18.30XD	Fall on same level, unspecified, subsequent encounter
Diagnosis	ICD-10	W18.30XS	Fall on same level, unspecified, sequela
Diagnosis	ICD-10	W18.31XA	Fall on same level due to stepping on an object, initial encounter
Diagnosis	ICD-10	W18.31XD	Fall on same level due to stepping on an object, subsequent encounter

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Diagnosis	ICD-10	W18.31XS	Fall on same level due to stepping on an object, sequela
Diagnosis	ICD-10	W18.39XA	Other fall on same level, initial encounter
Diagnosis	ICD-10	W18.39XD	Other fall on same level, subsequent encounter
Diagnosis	ICD-10	W18.39XS	Other fall on same level, sequela
Diagnosis	ICD-10	W19.XXXA	Unspecified fall, initial encounter
Diagnosis	ICD-10	W19.XXXD	Unspecified fall, subsequent encounter
Diagnosis	ICD-10	W19.XXXS	Unspecified fall, sequela
Diagnosis	ICD-10	Z91.81	History of falling
<b>Need or dependence for assistance/supervision or enabling machines/devices</b>			
Diagnosis	ICD-10	Y92.199	Unspecified place in other specified residential institution as the place of occurrence of the external cause
Diagnosis	ICD-10	Z59.3	Problems related to living in residential institution
Diagnosis	ICD-10	Z73.6	Limitation of activities due to disability
Diagnosis	ICD-10	Z74.01	Bed confinement status
Diagnosis	ICD-10	Z74.09	Other reduced mobility
Diagnosis	ICD-10	Z74.1	Need for assistance with personal care
Diagnosis	ICD-10	Z74.2	Need for assistance at home and no other household member able to render care
Diagnosis	ICD-10	Z74.3	Need for continuous supervision
Diagnosis	ICD-10	Z74.8	Other problems related to care provider dependency
Diagnosis	ICD-10	Z74.9	Problem related to care provider dependency, unspecified
Diagnosis	ICD-10	Z99.11	Dependence on respirator [ventilator] status
Diagnosis	ICD-10	Z99.3	Dependence on wheelchair
Diagnosis	ICD-10	Z99.81	Dependence on supplemental oxygen
Diagnosis	ICD-10	Z99.89	Dependence on other enabling machines and devices
<b>Home health</b>			
Encounter	CPT	99504	Home visit for mechanical ventilation care
Encounter	CPT	99509	Home visit for assistance with activities of daily living and personal care

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
<b>Skilled nursing services</b>			
Encounter	HCPCS	G0162	Skilled services by a registered nurse (RN) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an RN to ensure that essential non- skilled care achieves its purpose in the home health or hospice setting)
Encounter	HCPCS	G0299	Direct skilled nursing services of a registered nurse (RN) in the home health or hospice setting, each 15 minutes
Encounter	HCPCS	G0300	Direct skilled nursing services of a licensed practical nurse (LPN) in the home health or hospice setting, each 15 minutes
Encounter	HCPCS	G0493	Skilled services of a registered nurse (RN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)
Encounter	HCPCS	G0494	Skilled services of a licensed practical nurse (LPN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)
Encounter	HCPCS	S0271	Physician management of patient home care, hospice monthly case rate (per 30 days)
Encounter	HCPCS	S0311	Comprehensive management and care coordination for advanced illness, per calendar month
Encounter	HCPCS	S9123	Nursing care, in the home; by registered nurse, per hour (use for general nursing care only, not to be used when CPT codes 99500–99602 can be used)
Encounter	HCPCS	S9124	Nursing care, in the home; by licensed practical nurse, per hour
Encounter	HCPCS	T1000	Private duty/independent nursing service(s) – licensed, up to 15 minutes
Encounter	HCPCS	T1001	Nursing assessment/evaluation
Encounter	HCPCS	T1002	RN services, up to 15 minutes
Encounter	HCPCS	T1003	LPN/LVN services, up to 15 minutes
Encounter	HCPCS	T1004	Services of a qualified nursing aide, up to 15 minutes
Encounter	HCPCS	T1005	Respite care services, up to 15 minutes

FRAILITY VALUE SET	CODE TYPE	CODE	DESCRIPTION
Encounter	HCPCS	T1019	Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)
Encounter	HCPCS	T1020	Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant)
Encounter	HCPCS	T1021	Home health aide or certified nurse assistant, per visit
Encounter	HCPCS	T1022	Contracted home health agency services, all services provided under contract, per day
Encounter	HCPCS	T1030	Nursing care, in the home, by registered nurse, per diem
Encounter	HCPCS	T1031	Nursing care, in the home, by licensed practical nurse, per diem
<b>Gait, mobility or weight conditions, weakness and cognitive decline</b>			
Symptom	ICD-10	R26.2	Difficulty in walking, not elsewhere classified
Symptom	ICD-10	R26.89	Other abnormalities of gait and mobility
Symptom	ICD-10	R26.9	Unspecified abnormalities of gait and mobility
Symptom	ICD-10	R53.1	Weakness
Symptom	ICD-10	R53.81	Other malaise
Symptom	ICD-10	R53.83	Other fatigue
Symptom	ICD-10	R54	Age-related physical debility
Symptom	ICD-10	R62.7	Adult failure to thrive
Symptom	ICD-10	R63.4	Abnormal weight loss
Symptom	ICD-10	R63.6	Underweight
Symptom	ICD-10	R64	Cachexia

## Palliative Care Value Set

CODE TYPE	CODE	DESCRIPTION
HCPCS	G9054	Oncology; primary focus of visit; supervising, coordinating or managing care of patient with terminal cancer or for whom other medical illness prevents further cancer treatment; includes symptom management, end-of-life care planning, management of palliative therapies (for use in a Medicare-approved demonstration project)
HCPCS	M1017	Patient admitted to palliative care services

## NCQA Copyright Notice and Disclaimer

The HEDIS measure specifications were developed by and are owned by NCQA. The HEDIS measure specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measure specifications. NCQA holds a copyright in these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. Any commercial use and/or internal or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. Any use of the materials to identify records or calculate measure results, for example, requires a custom license and may necessitate certification pursuant to NCQA's Measure Certification Program. Reprinted with permission by NCQA. © 2023 NCQA, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. NCQA disclaims all liability for use or accuracy of any third-party code values contained in the specifications.

The full text of this notice and disclaimer is available at [CarePlusHealthPlans.com/HEDISdisclaimer](https://www.CarePlusHealthPlans.com/HEDISdisclaimer).

