

## Clinical overview

#### **Definition**

**Cardiomyopathy**<sup>1</sup> is a disease of the heart muscle that makes it harder for the heart to pump blood to the rest of the body.

## Common types include:

- **Secondary cardiomyopathy**<sup>2</sup> describes conditions in which cardiac involvement occurs as part of a systemic condition(including endocrine, infectious, toxic, autoimmune, nutritional, and neuromuscular disorders).
- **Ischemic cardiomyopathy**<sup>3</sup> is caused by coronary artery disease and heart attacks, which result in lack of blood flow to the heart muscle, thereby causing damage to the heart muscle.
- **Nonischemic cardiomyopathy**<sup>4</sup> is a type of cardiomyopathy not related to coronary artery disease or poor coronary artery blood flow. There are three main types of nonischemic cardiomyopathy:
  - Dilated cardiomyopathy (also known as congestive cardiomyopathy)<sup>5</sup> –This is the most common type of cardiomyopathy. The cavity of the heart is enlarged and stretched, compromising the heart's ability to pump normally and relax appropriately.
  - Hypertrophic cardiomyopathy<sup>5</sup> This type occurs when the muscle of the left ventricle thickens. This can block blood flow to the rest of the body. Hypertrophic cardiomyopathy can affect the heart's mitral valve, causing blood to leak backward through the valve.
  - Restrictive cardiomyopathy<sup>5</sup> –The heart muscle in people with restrictive cardiomyopathy becomes stiff
    and not able to fill with blood properly.

Some cardiomyopathies can be reversible. For example:

- Alcoholic cardiomyopathy sometimes can be reversed with complete cessation of alcohol intake.<sup>6</sup>
- Takotsubo cardiomyopathy is a reversible, stress-induced cardiomyopathy.<sup>7</sup>

Often, the cause of the cardiomyopathy isn't known. But some people get it due to another condition. This is known as acquired cardiomyopathy. Other people are born with cardiomyopathy because of a gene passed on from a parent. This is called inherited cardiomyopathy.

#### Causes<sup>8</sup>

- Cardiac conditions (long-term hypertension, cardiac damage post MI, cardiac valve issue, long-term rapid heart rate)
- Other medical conditions (metabolic disorders, viral infections)
- Exposure to toxins (long-term alcohol or drug use, some chemotherapy agents)

## Signs and symptoms9

There may be no signs or symptoms in the early stages of the disease. But as the condition advances, signs and symptoms usually appear and may include:

- Chest pain or shortness of breath, especially with physical exertion
- Swelling of lower extremities, abdomen and neck veins
- Fatigue, dizziness or fainting
- Irregular heartbeats

#### Complications8

- Heart failure
- · Cardiac arrest and sudden death
- Heart valve problems with associated murmurs
- Blood clots



### Diagnostic tools9

- Medical history and physical exam
- Blood tests
- Chest X-ray
- Electrocardiogram (ECG or EKG), echocardiogram, Cardiac MRI, Cardiac stress testing
- Cardiac catheterization and heart biopsy

#### Treatment9

- Lifestyle changes (e.g., healthy diet, physical activity, smoking cessation)
- Medications linked to the diagnosis
- Procedures:
  - Nonsurgical: Alcohol septal ablation, Ethanol (a type of alcohol) is injected through a tube into the small artery that supplies blood to the area of heart muscle thickened by hypertrophic cardiomyopathy. The alcohol causes these cells to die. The thickened tissue shrinks to a more normal size.
  - Surgical: (eg. Pacemaker, cardioverter defibrillator, left ventricular assist device (LVAD) or heart transplant)

## Best documentation practices for healthcare providers

## Subjective

The subjective section of the office note should document current related patient complaints and symptoms. If there are none, the office note should show the patient was screened for current related complaints or symptoms.

### Objective

In the objective section, include associated physical exam findings (such as edema/swelling of the lower extremities, abdomen or neck veins) and related diagnostic testing results.

### **Assessment**

The term "cardiomyopathy" is broad and nonspecific. It is important to describe the particular type of cardiomyopathy to the highest level of specificity. Document the current status of cardiomyopathy (stable, improved, worsening, etc.). Clearly link secondary cardiomyopathy to the underlying causative condition by using terms such as "due to," "secondary to," "associated with," "related to," etc.

#### Plan

- Document a clear and concise treatment plan.
- Clearly link the cardiomyopathy diagnosis to any medications being used to treat the condition.
- Document referrals to specialists or other providers.
- Include the date of the patient's next appointment.

# Coding tips

#### Coding cardiomyopathy

- A fourth character is required to specify the type of cardiomyopathy.
- Code I42.9 should be assigned only when no information in the medical record identifies the type of cardiomyopathy.
- Hypertensive cardiomyopathy classifies to category I11, Hypertensive heart disease, with an additional code of I43, Cardiomyopathy in diseases classified elsewhere.<sup>10</sup>
- Watch for modifying descriptors that affect code assignment (secondary, alcoholic, nutritional, metabolic or cardiomyopathy due to other diseases).



- Some secondary cardiomyopathies are coded with a single combination code, while other secondary cardiomyopathies require the use of two codes.
- Takotsubo cardiomyopathy is a reversible form of cardiomyopathy that classifies to code I51.81, Takotsubo syndrome. This code includes the following conditions:<sup>11</sup>
  - Reversible left ventricular dysfunction following sudden emotional stress
  - Stress-induced cardiomyopathy
  - Takotsubo cardiomyopathy
  - Transient left ventricular apical ballooning syndrome

### Additional reminder

• Use caution when coding cardiomyopathy from abbreviations (CM, HCM, HOCM, etc.). A code should not be assigned unless the meaning of the abbreviation is clear based on review of the entire medical record.

## Coding examples

Example 1	
Medical record	84-year-old male with history of congestive cardiomyopathy. His echocardiogram
documentation	revealed ejection fraction of 45-50%. No chest discomfort or sob.
	Impression: Congestive cardiomyopathy
	Plan: I will continue his current medications. Follow-up on a yearly basis
ICD-10-CM code	I42. Ø Dilated cardiomyopathy
Rationale	ICD-10-CM code <b>I42.</b> Ø Dilated cardiomyopathy includes congestive cardiomyopathy <sup>9</sup>

Example 2	
Medical record documentation	77-year-old woman with history of diabetes and ischemic cardiomyopathy. Diabetes is stable and controlled. A1c is 5.3. Ischemic cardiomyopathy stable per cardiologist. Will continue current medication regimen.
ICD-10-CM code	I25.5 Ischemic cardiomyopathy E11.9 Type 2 diabetes mellitus without complications
Rationale	The term "ischemic cardiomyopathy" is sometimes used to refer to a condition in which ischemic heart disease causes diffuse fibrosis or multiple infarctions, leading to heart failure with left ventricular dilation. This is not a true cardiomyopathy. When no further clarification is available, this condition is coded to I25.5, Ischemic cardiomyopathy. 10

Example 3	
Assessment	Mr. Davis is here for his AWV Physical Exam states weight is 180 pounds, blood pressure 120/80, heart rate 80.
	Alcoholism in remission with alcoholic cardiomyopathy. Patient instructed to continue abstaining from alcohol and will continue current medications.
ICD-10-CM	F1Ø.21 Alcohol dependence, in remission
codes	I42.6 Alcoholic cardiomyopathy
Rationale	Per the instructional notes in ICD-10-CM, code also presence of alcoholism (F1 $\mathbf{Ø}$ ) $^9$

### References

- 1. American Heart Association. What Is Cardiomyopathy in Adults? www.heart.org. Published 2010. https://www.heart.org/en/health-topics/cardiomyopathy/what-is-cardiomyopathy-in-adults
- 2. American Family Physician. Cardiomyopathy: An Overview. American Family Physician. 2017;96(10):640-646. Accessed December 4, 2024. https://www.aafp.org/pubs/afp/issues/2017/1115/p640.html#afp20171115p640-t2
- 3. Cleveland Clinic. Ischemic Cardiomyopathy: Symptoms, Causes, Diagnosis, and Treatment. Cleveland Clinic. Published April 14, 2023. https://my.clevelandclinic.org/health/diseases/17145-ischemic-cardiomyopathy



- 4. Vandergriendt C. What Is Nonischemic Cardiomyopathy? Healthline. Published April 4, 2024. Accessed December 3, 2024. https://www.healthline.com/health/heart-disease/nonischemic-cardiomyopathy#outlook
- 5. Johns Hopkins Medicine. Cardiomyopathy. www.hopkinsmedicine.org. https://www.hopkinsmedicine.org/health/conditions-and-diseases/cardiomyopathy
- 6. Cleveland Clinic. Alcoholic Cardiomyopathy: Causes, Symptoms and Treatment. Cleveland Clinic. Published November 19, 2021. https://my.clevelandclinic.org/health/diseases/21994-alcoholic-cardiomyopathy
- 7. Cleveland Clinic. Broken Heart Syndrome | Cleveland Clinic. Cleveland Clinic. Published 2018.
- https://my.clevelandclinic.org/health/diseases/17857-broken-heart-syndrome
- 8. Mayo Clinic . Cardiomyopathy Symptoms and causes. Mayo Clinic. Published April 2, 2022. https://www.mayoclinic.org/diseases-conditions/cardiomyopathy/symptoms-causes/syc-20370709
- 9. American Heart Association. Symptoms and Diagnosis of Cardiomyopathy. www.heart.org. Published 2016. https://www.heart.org/en/health-topics/cardiomyopathy/symptoms-and-diagnosis-of-cardiomyopathy
- 10. Leon-Chisen N, Harper D, Love T, Young-Charles G. ICD-10-CM and ICD-10-PCS Coding Handbook 2025 with Answers. American Hospital Association; 2024.
- 11. AAPC. ICD-10-CM Complete Code Set 2025. AAPC; 2024.

